



Volume 35 (2005)

Pennsylvania Bulletin
Repository

1-15-2005

January 15, 2005 (Pages 341-488)

Pennsylvania Legislative Reference Bureau

Follow this and additional works at: https://digitalcommons.law.villanova.edu/pabulletin_2005

Recommended Citation

Pennsylvania Legislative Reference Bureau, "January 15, 2005 (Pages 341-488)" (2005). *Volume 35 (2005)*. 3.

https://digitalcommons.law.villanova.edu/pabulletin_2005/3


This January is brought to you for free and open access by the Pennsylvania Bulletin Repository at Villanova University Charles Widger School of Law Digital Repository. It has been accepted for inclusion in Volume 35 (2005) by an authorized administrator of Villanova University Charles Widger School of Law Digital Repository.

PENNSYLVANIA BULLETIN

Volume 35
Saturday, January 15, 2005 • Harrisburg, Pa.
Number 3
Pages 341—488

Agencies in this issue:

The Governor
The Courts
Department of Agriculture
Department of Banking
Department of Conservation and Natural Resources
Department of Environmental Protection
Department of General Services
Department of Health
Department of Labor and Industry
Department of Public Welfare
Department of Transportation
Game Commission
Governor's Office
Independent Regulatory Review Commission
Insurance Department
Legislative Reference Bureau
Liquor Control Board
Patient Safety Authority
Pennsylvania Infrastructure Investment Authority
Pennsylvania Municipal Retirement Board
Pennsylvania Public Utility Commission
Philadelphia Regional Port Authority
State Board of Landscape Architects
Detailed list of contents appears inside.



PRINTED ON 100% RECYCLED PAPER



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 362, January 2005

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE

If information on mailing label is incorrect, please make changes in space provided below and mail to:

**FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198**

CUSTOMER NUMBER (6 digit number above name)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 647 Main Capitol Building, State & Third Streets, Harrisburg, Pa. 17120, under the policy supervision and direction of the Joint Committee on Documents pursuant to Part II of Title 45 of the Pennsylvania Consolidated Statutes (relating to publication and effectiveness of Commonwealth Documents). Subscription rate \$82.00 per year, postpaid to points in the United States. Individual copies \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

Copyright © 2005 Commonwealth of Pennsylvania
ISBN 0-8182-0004-9

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 W. Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GOVERNOR

Executive Orders

Governor's Advisor for Hunting, Fishing and Conservation; Governor's Advisory Council for Hunting, Fishing and Conservation; Governor's Youth Council for Hunting, Fishing and Conservation..... 348

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of transfer of attorneys to inactive status 351

JUDICIAL SYSTEM GENERAL PROVISIONS

Amendment of Rules 107 and 108 of the Pennsylvania Rules for Continuing Legal Education; No. 353 Supreme Court Rules; doc. no. 1..... 349

LOCAL COURT RULES

York County

Clerk of Courts fee schedule approval pursuant Act 36-2000; CP 67 MD 1251 2004 criminal law 350

RULES OF CIVIL PROCEDURE

Promulgation of Rule 1042.16 and amendment of the note to Rule 1018; no. 424 Civil Procedural Rules; doc. no. 5 349

EXECUTIVE AGENCIES

DEPARTMENT OF AGRICULTURE

Notices

Temporary order designating dangerous transmissible diseases..... 372

DEPARTMENT OF BANKING

Notices

Action on applications..... 373

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Notices

Conservation and Natural Resources Advisory Council meeting 376

Snowmobile and ATV Advisory Committee meeting . . 376

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices..... 376

Chesapeake Bay Tributary Strategy meeting 423

Drinking water State revolving fund; Federal FY 2004 and 2005 project priority list 469

Oil and Gas Management Technical Advisory Board meeting change..... 423

Pennsylvania waste tire reuse grant—Starr tire removal 423

Proposed water quality management general permit for construction of sewer extensions and pump stations (WQG-02) 424

DEPARTMENT OF GENERAL SERVICES

Notices

State contracts information..... 484

DEPARTMENT OF HEALTH

Notices

Laboratories approved to determine blood alcohol content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code..... 444

DEPARTMENT OF LABOR AND INDUSTRY

Notices

Maximum Pennsylvania Workers' Compensation payable 452

Unemployment Compensation benefit rate table 452

DEPARTMENT OF PUBLIC WELFARE

Notices

Medical Assistance program; prior authorization list . 460

DEPARTMENT OF TRANSPORTATION

Notices

Sale of land no longer needed for transportation 460

GAME COMMISSION

Rules and Regulations

Hunting and furtaker licenses 354

Hunting and trapping; permitted devices 353

Special permits 355

Special permits; deer control 356

Special permits; deer management assistance program permits..... 357

GOVERNOR'S OFFICE

Statements of Policy

Executive Orders, Management Directives and Other Issuances of the Directives Management System Indexed for Reference Purposes 358

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of comments issued 460

INSURANCE DEPARTMENT

Notices

Alleged violation of insurance laws; Stephen Joseph Puth; doc. no. SC04-12-021 466

Farmer's Service Station; prehearing..... 466

Keystone Health Plan East; community rate filing; base and prescription drugs; rate filing..... 467

Kussmaul, William G., III, M.D. and Victor, Mark F., M.D.; prehearing..... 467

Review procedure hearings; cancellation or refusal of insurance 467

Now Available Online at <http://www.pabulletin.com>

LEGISLATIVE REFERENCE BUREAU

Notices

Documents filed but not published 468

LIQUOR CONTROL BOARD

Notices

Expiration of leases 468

PATIENT SAFETY AUTHORITY

Notices

Public meeting 468

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT
AUTHORITY**

Notices

Drinking water State revolving fund; Federal FY
2004 and 2005 project priority list 469

PENNSYLVANIA MUNICIPAL RETIREMENT BOARD

Notices

Hearing scheduled 478

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications. 478
Telecommunications (18 documents)..... 479, 480, 481,
482, 483

PHILADELPHIA REGIONAL PORT AUTHORITY

Notices

Request for bids 483

STATE BOARD OF LANDSCAPE ARCHITECTS

Rules and Regulations

Corrective amendment to 49 Pa. Code § 15.12 353

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances where the agency may omit the proposal step; they still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania*

Bulletin before it can take effect. If the agency wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, they must re-propose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number and page number. Example: Volume 1, *Pennsylvania Bulletin*, page 801 (short form: 1 Pa.B. 801).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa.Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*.

The *Pennsylvania Code* contains, as Finding Aids, subject indexes for the complete *Code* and for each individual title, a list of Statutes Used As Authority for Adopting Rules and a list of annotated cases. Source Notes give you the history of the documents. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from such a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised; and that the fiscal note shall provide the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the five succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the five succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where "no fiscal impact" is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2005.

| | | | |
|--|---------------|--|-------------------|
| 4 Pa. Code (Administration) | | | |
| Adopted Rules | | | |
| 6 | 348 | 32 | 256 |
| Statements of Policy | | 204 Pa. Code (Judicial System General Provisions) | |
| 1 | 358 | Adopted Rules | |
| 9 | 20 | 82 | 349 |
| 28 Pa. Code (Health and Safety) | | Proposed Rules | |
| Adopted Rules | | 303 | 198 |
| 18 | 14 | 225 Pa. Code (Rules of Evidence) | |
| 37 Pa. Code (Law) | | Adopted Rules | |
| Adopted Rules | | VIII..... | 8 |
| 42 | 254 | 231 Pa. Code (Rules of Civil Procedure) | |
| 49 Pa. Code (Professional and Vocational Standards) | | Adopted Rules | |
| Adopted Rules | | 1000 | 349 |
| 15 | 353 | Proposed Rules | |
| Proposed Rules | | 200 | 9 |
| 37 | 258 | 246 Pa. Code (Minor Court Civil Rules) | |
| 58 Pa. Code (Recreation) | | Adopted Rules | |
| Adopted Rules | | 200 | 10 |
| 141 | 353 | 300 | 10 |
| 143 | 354 | 500 | 10 |
| 147 | 355, 356, 357 | Proposed Rules | |
| 61 Pa. Code (Revenue) | | 400 | 245 |
| Adopted Rules | | 255 Pa. Code (Local Court Rules) | |
| | | Unclassified | 12, 246, 247, 350 |

THE GOVERNOR

Title 4—ADMINISTRATION


PART I. GOVERNOR'S OFFICE

[4 PA. CODE CH. 6]

[EXECUTIVE ORDER NO. 2003-13 Revision No. 1]

Governor's Advisor for Hunting, Fishing and Conservation; Governor's Advisory Council for Hunting, Fishing and Conservation; Governor's Youth Council for Hunting, Fishing and Conservation

By virtue of the authority vested in me by the Constitution of the Commonwealth of Pennsylvania and other laws, I, Edward G. Rendell, Governor of the Commonwealth of Pennsylvania, hereby revise § 6.143(a) as follows:



Governor

Fiscal Note: GOV 03-14. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 4. ADMINISTRATION

PART I. GOVERNOR'S OFFICE

CHAPTER 6. COUNCILS AND COMMITTEES

Subchapter J. ADVISORY COUNCILS FOR HUNTING, FISHING AND CONSERVATION

§ 6.143. Composition of the Governor's Advisory Council for Hunting, Fishing and Conservation.

(a) The Governor's Advisory Council for Hunting, Fishing and Conservation (Council) will consist of at least 12, but no more than 26, residents of this Commonwealth appointed by the Governor to serve at the pleasure of the Governor.

(b) Elected state officials and employees of the Department of Conservation and Natural Resources, the Department of Environmental Protection, the Pennsylvania Fish and Boat Commission, the Pennsylvania Game Commission and members of their immediate families are not eligible for membership on the Council.

(c) The Council shall represent a broad-based group of stakeholders, all of whom have an intrinsic interest in the wildlife resources of this Commonwealth. The members shall support hunting, trapping and angling as a valuable and accepted method of wildlife management.

[Pa.B. Doc. No. 05-81. Filed for public inspection January 14, 2005, 9:00 a.m.]

THE COURTS

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT [204 PA. CODE CH. 82]

Amendment of Rules 107 and 108 of the Pennsylvania Rules for Continuing Legal Education; No. 353 Supreme Court Rules; Doc. No. 1

Order

Per Curiam:

And Now, this 30th day of December, 2004, Rules 107 and 108 of the Pennsylvania Rules for Continuing Legal Education are amended to read as follows.

To the extent that prior distribution and publication of this amendment would be required by Pa.R.J.A. No. 103, it has been determined that immediate promulgation is required in the interest of justice and efficient administration.

This order shall be processed in accordance with Pa.R.J.A. 103(b) and shall be effective immediately.

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT

Subpart A. PROFESSIONAL RESPONSIBILITY

CHAPTER 82. CONTINUING LEGAL EDUCATION

Subchapter A. PROFESSIONAL RESPONSIBILITY

Rule 107. Minimum Standards for Course Approval.

To be approved for credit, a CLE course or activity must meet the following standards:

* * * * *

(f) The course shall be presented in a suitable setting devoted to the educational activity of the program. No CLE shall consist solely of television viewing in the home, correspondence work, or self study, except as the Board shall approve to accommodate the needs of the handicapped or incapacitated. Video, motion picture or audio tape presentations may be used provided a faculty person is in attendance at all presentations to comment and answer questions. **Computer-based programs may be approved if they meet interactive, technical and accreditation standards set forth by the Board;**

* * * * *

Rule 108. Credit for Continuing Legal Education Courses and Activity.

* * * * *

(e) The number of credits earned by computer-based education that may be applied to the annual compliance requirement shall not exceed four (4).

[Pa.B. Doc. No. 05-82. Filed for public inspection January 14, 2005, 9:00 a.m.]

Title 231—RULES OF CIVIL PROCEDURE

PART I. GENERAL

[231 PA. CODE CH. 1000]

Promulgation of Rule 1042.16 and Amendment of the Note to Rule 1018; No. 424 Civil Procedural Rules; Doc. No. 5

Order

Per Curiam:

And Now, this 27th day of December, 2004, Pennsylvania Rules of Civil Procedure are amended as follows:

1. New Rule 1042.16 is hereby promulgated to read as follows, and

2. The note to Rule 1018 is amended to read as follows.

Whereas prior distribution and publication of this rule and amendment would otherwise be required, it has been determined that immediate promulgation is required in the interests of justice and efficient administration.

This order shall be processed in accordance with Pa.R.J.A. 103(b) and shall be effective immediately.

Annex A

TITLE 231. RULES OF CIVIL PROCEDURE

PART I. GENERAL

CHAPTER 1000. ACTIONS

Subchapter A. CIVIL ACTION

PLEADINGS

Rule 1018. Caption.

* * * * *

Official Note:

* * * * *

The caption of all legal papers filed in a medical professional liability action must contain the designation "Civil Action—Medical Professional Liability Action." See Rule 1042.16.

Subchapter B. ACTION IN TRESPASS

LEGAL PAPERS; CAPTION

Rule 1042.16. Medical Professional Liability Actions. Legal Papers. Caption.

In an action in which there is a claim for medical professional liability, the caption of all legal papers, or the cover sheet in a county that requires a cover sheet, shall contain the designation "Civil Action—Medical Professional Liability Action."

[Pa.B. Doc. No. 05-83. Filed for public inspection January 14, 2005, 9:00 a.m.]

Title 255—LOCAL COURT RULES

YORK COUNTY

Clerk of Courts Fee Schedule Approval Pursuant Act 36-2000; CP 67 MD 1251 2004 Criminal Law

Administrative Order

And Now, To Wit, this 13th day of December 2004, pursuant to the provisions of 42 P. S. Section 1725.4, the fee bill of the Clerk of Court of York County, Pennsylvania, is amended to reflect the following Fee Schedule. The fee bill shall be effective the first day of February 2005, upon due advertisement as required by the Administrative Rules of Court.

It Is Further Ordered that in accordance with PA.R.Civ.P. 239, the District Court shall:

- (a) File seven (7) copies hereof with the Administrative Office of Pennsylvania Courts;
- (b) Distribute two (2) certified copies hereof to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*;
- (c) Cause a copy hereof to be published in the *York Legal Record* once a week for two (2) successive weeks at the expense of the County of York;
- (d) Supervise the distribution thereof to all Judges and members of the Bar of this Court.

By the Court

JOHN H. CHRONISTER,
President Judge

Proposed Fee Schedule 2005-2008

| | <i>Current</i> | <i>Increase</i> | <i>New Rate— Rounded</i> |
|--|----------------|-----------------|------------------------------|
| CLERK FEES: | | | |
| **Non Jury Trial or Guilty Plea | \$ 123.00 | \$ 9.47 | \$ 132.50 |
| **Indirect Criminal Contempt | \$ 123.00 | \$ 9.47 | \$ 132.50 |
| **Jury Trial | \$ 164.00 | \$ 12.63 | \$ 177.00 |
| **Summary | \$ 34.00 | \$ 2.62 | \$ 37.00 |
| COPIES: | | | |
| Per page | \$ 0.50 | | \$ 0.50 |
| Certified Copy | \$ 8.00 | \$ 0.62 | \$ 9.00 |
| FILING FEES: | | | |
| *Miscellaneous Papers | \$ 15.00 | \$ 1.16 | \$ 16.50 |
| *Tax Collector Bond | \$ 15.00 | \$ 1.16 | \$ 16.50 |
| *Constable Bond | \$ 15.00 | \$ 1.16 | \$ 16.50 |
| **Summary Conviction Appeal (Charged each Docket #) | \$ 40.00 | \$ 3.08 | \$ 43.50 |
| **Appeals to Commonwealth/Superior or Supreme Court | \$ 49.00 | \$ 3.77 | \$ 53.00 |
| *Road Cases | \$ 15.00 | \$ 1.16 | \$ 16.50 |
| *Resolution of Township Supervisors Expungment Petition | \$ 15.00 | \$ 1.16 | \$ 16.50 \$ 50.00 |
| FORMS: | | | |
| Defense Subpeona | | | \$ 2.00 |
| *Record Check | \$ 5.00 | \$ 0.39 | \$ 5.50 |
| Bail Piece (Charged on each case issued) | \$ 10.00 | \$ 0.77 | \$ 11.00 |
| MISCELLANEOUS: | | | |
| Postage (Charged per case) | | | \$ 10.00 |
| Automation Fee | \$ 5.00 | | \$ 5.00 |
| * Add \$5.00 for Equipment Automation Fund | | | |
| ** Add \$15.00 for Equipment Automation Fund & Postage | | | |

Exhibit D

[Pa.B. Doc. No. 05-84. Filed for public inspection January 14, 2005, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Transfer of Attorneys to Inactive Status

Notice is hereby given that the following attorneys have been transferred to inactive status by Order of the Supreme Court of Pennsylvania dated November 29, 2004, pursuant to Rule 111(b) Pa.R.C.L.E., which requires that every active lawyer shall annually complete, during the compliance period for which he or she is assigned, the continuing legal education required by the Continuing Legal Education Board. The Order became effective December 29, 2004 for Compliance Group 1 due April 30, 2004.

Notice with respect to attorneys having Pennsylvania registration addresses, who have been transferred to inactive status by said Order, was published in the appropriate county legal journal.

Adams, Lori A.
Kalispell, MD

Alexander, Sharon Denise
Elkton, MD

Amana, Cheryl Edwards
Oakland, CA

Marcia Yvonne Allen
Moorestown, NJ

Barber, Madeleine G.
Sewell, NJ

Barnes, Kevin J.
Ocean City, NJ

Bascelli, Jeffrey R.
Wayne, NJ

Bell III, James F.
Naples, FL

Casey, Geraldine H.
Bowie, MD

Chandler, Susan Ann
Alexandria, VA

Cureton, Jerald Robert
Delran, NJ

Danberg, Mark Edward
Wilmington, DE

Defosse III, Thomas Lynn
Voorhees, NJ

Detweiler, Donald James
Wilmington, DE

Eidson Jr., Walter J.
Washington, DC

Flynn, Brian T.
Burlington, NJ

French, Kerra Buchanan
Morristown, NJ

Funke, David Eric
Crestwood, KY

Gilhool, Gillian R.
Tokyo, Japan

Greene, Ronald L.
Binghamton, NY

Greene, William M.
Rochester, NY

Hairston, Maeble Lois
Red Bank, NJ

Harrison, Gina Ceceil
St. Thomas, Virgin Islands

Houston, William Edward
Springfield, VA

Issenberg, Adam D.
Silver Spring, MD

Johnson IV, Axel J.
Whitehouse Station, NJ

Kelsey, Michael David
Wilmington, DE

Kemp, Jeffrey Michael
Barnegat, NJ

Lopatto III, John S.
Washington, DC

Low, Russell L.
Hackensack, NJ

Mariano Jr., John B.
Chatham, NJ

Markowitz, Joshua
Lawrenceville, NJ

Milchuk, Scott A.
Perrineville, NJ

Muolo, John E.
London, England

Price, Ruth Ann
Wilmington, DE

Reese, George
Annandale, VA

Saiontz, Eric Adam
Baltimore, MD

Sarandoulas, Rosemarie Salvo
Medford, NJ

Schnapp, Robert
New York, NY

Schroeder, Donald William
Needham, MA

Schweiger, Scott T.
Haddonfield, NJ

Scott III, James Michael
Trenton, NJ

Shellman, Kimberley Ann
Atlanta, GA

Simmons, Brian Shalley
Bloomington, IL

Sturgis, Sherree L.
Atlanta, GA

Varelli II, Rocco Mario
Lakehurst, NJ

Waller, James H.
Haddon Heights, NJ

Wearing, Handsome L.
Trenton, NJ

Weingart, Karin L.
Charleston, WV

Whitman, William M.
Chicago, IL

Wirth, Daniel P.
Capitola, CA

Wolov, Lawrence B.
Ventnor, NJ

Zechman, Michael N.
Anchorage, AK

[Pa.B. Doc. No. 05-85. Filed for public inspection January 14, 2005, 9:00 a.m.]

RULES AND REGULATIONS

Title 49—PROFESSIONAL AND VOCATIONAL STANDARDS

STATE BOARD OF LANDSCAPE ARCHITECTS
[49 PA. CODE CH. 15]

Corrective Amendment to 49 Pa. Code § 15.12

The State Board of Landscape Architects has discovered a discrepancy between the agency text of 49 Pa. Code § 15.12 (relating to fees), as deposited with the Legislative Reference Bureau and published at 32 Pa.B. 3633 (July 27, 2002), and the official text codified in the *Pennsylvania Code Reporter* (Master Transmittal Sheet No. 335), and as currently appearing in the *Pennsylvania Code*. Provider application fees for continuing education courses were codified incorrectly.

Therefore, under 45 Pa.C.S. § 901: The State Board of Landscape Architects has deposited with the Legislative Reference Bureau a corrective amendment to 49 Pa. Code § 15.12. The corrective amendment to 49 Pa. Code § 15.12 is effective as of October 5, 2002, the date the defective official text was announced in the *Pennsylvania Bulletin*.

The correct version of 49 Pa. Code § 15.12 appears in Annex A.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 15. STATE BOARD OF LANDSCAPE ARCHITECTS

APPLICATION PROCEDURES

§ 15.12. Fees.

Following is the schedule of fees charged by the Board:

| | |
|---|-------|
| Application for licensure under § 15.54(b)(1), (2) and (3) or § 15.56(a)(3)..... | \$60 |
| Application for licensure and Board interview under § 15.54(b)(4) and 15.56(a)(1) or (2)..... | \$350 |
| Application for licensure by endorsement | \$45 |
| Application for temporary permit | \$45 |
| Verification of licensure | \$15 |
| Certification of licensure or scores..... | \$25 |
| Duplicate certificate fee | \$5 |
| Biennial registration fee..... | \$125 |
| Provider application for continuing education course approval under § 15.74 (relating to approval of continuing education courses)..... | \$100 |

Licensee application for continuing education course approval under § 15.77 (relating to licensee application for approval of continuing education courses)..... \$ 40 (per clock hour)

[Pa.B. Doc. No. 05-86. Filed for public inspection January 14, 2005, 9:00 a.m.]

Title 58—RECREATION

GAME COMMISSION

[58 PA. CODE CHS. 141]

Hunting and Trapping; Permitted Devices

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its October 5, 2004, meeting, adopted an amendment to § 141.18 (relating to permitted devices).

This final-form rulemaking will have no adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 34 Pa.B. 5164 (September 18, 2004).

1. Introduction

The Commission amended § 141.18 to permit the use of sound amplification devices that completely cover the ears.

2. Purpose and Authority

Former regulations specifically prohibited the use of sound amplification devices that completely cover the ears. With the advances in technology, many of the available electronic hearing protection devices now also amplify sound. Former regulations prohibited many of these devices because they could be used to give hunters an unfair advantage. Many of the new hearing protection devices are electronic, enabling the hunter to hear normal conversation but preventing sounds over a certain decibel level from entering the ear. They amplify sound and completely cover the ears. By striking the relevant language in § 141.18, these hearing protection devices were made lawful for use.

Section 322(c)(5) of the code (relating to powers and duties of the commission) specifically empowers the Commission to "Fix the type and number of devices which may be used to take game or wildlife." Section 2102(b)(1) of the code (relating to regulations) authorizes the Commission to "promulgate regulations relating to . . . the number and types of devices and equipment allowed, the identification of devices and the use and possession of devices." Section 2102(d) of the code authorizes the Commission to "promulgate regulations stipulating . . . devices which may be used, the manner in which and the location where the devices may be used, the species the devices may be used for and the season when the devices may be used." Section 2102(a) of the code provides that "The commission shall promulgate such regulations as it deems necessary and appropriate concerning game or wildlife and hunting or furtaking in this Commonwealth, including regulations relating to . . . the ways,

manner, methods and means of hunting or furtaking, and the health and safety of persons who hunt or take wildlife or may be in the vicinity of persons who hunt or take game or wildlife in this Commonwealth." The amendment to § 141.18 was adopted under this authority.

3. *Regulatory Requirements*

This final-form rulemaking will permit the use of sound amplification devices that completely cover the ears.

4. *Persons Affected*

Persons who wish to use sound amplification devices that completely cover the ears will be affected by this final-form rulemaking.

5. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

6. *Cost and Paperwork Requirements*

This final-form rulemaking should not result in additional cost or paperwork.

7. *Effective Date*

This rulemaking will be effective upon final-form publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

8. *Contact Person*

For further information regarding this final-form rulemaking, contact Michael A. Dubaich, Director, Bureau of Law Enforcement, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendment adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the amendment of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 141, are amended by amending § 141.18 to read as set forth at 34 Pa.B. 5164.

(b) The Executive Director of the Commission shall certify this order and 34 Pa.B. 5164 and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon final-form publication in the *Pennsylvania Bulletin*.

VERNON R. ROSS,
Executive Director

Fiscal Note: Fiscal Note 48-192 remains valid for the final adoption of the subject regulation.

[Pa.B. Doc. No. 05-87. Filed for public inspection January 14, 2005, 9:00 a.m.]

GAME COMMISSION

[58 PA. CODE CH. 143]

Hunting and Furtaker Licenses

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its June 29, 2004, meeting, adopted § 143.12 (relating to fee for replacement hunter education training certificate).

This final-form rulemaking will have no adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 34 Pa.B. 5165 (September 18, 2004).

1. *Introduction*

The Commission added § 143.12 to permit the Commission to implement a fee for the replacement of hunter education training certificates to offset administrative costs.

2. *Purpose and Authority*

Each year the Commission receives over 2,000 requests from individuals needing replacement certificates to verify that they have completed hunter education training. Most of the requests come from individuals desiring to hunt in another state where proof of having completed hunter education training is required to purchase a hunting license in that state. Filling these requests formerly resulted in substantial administrative costs. To offset a portion of these costs, the Commission added § 143.12 to permit the Commission to implement a fee for the replacement of hunter education training certificates.

Section 2722(g)(2) of the code (relating to authorized license-issuing agents) directs the Commission to adopt regulations for the administration, control and performance of activities related to license issuing. Section 2102(a) of the code (relating to regulations) provides that "The commission shall promulgate such regulations as it deems necessary and appropriate concerning game or wildlife and hunting or furtaking in this Commonwealth, including regulations relating to the protection, preservation and management of game or wildlife and game or wildlife habitat, permitting or prohibiting hunting or furtaking, the ways, manner, methods and means of hunting or furtaking, and the health and safety of persons who hunt or take wildlife or may be in the vicinity of persons who hunt or take game or wildlife in this Commonwealth." The amendment to § 143.12 was adopted under this authority.

3. *Regulatory Requirements*

This final-form rulemaking adds § 143.12 to permit the Commission to implement a fee for the replacement of hunter education training certificates.

4. *Persons Affected*

Persons requesting replacement hunter education training certificates from the Commission will be affected by this final-form rulemaking.

5. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

6. *Cost and Paperwork Requirements*

This final-form rulemaking will result in a fee of \$10 to persons requesting replacement hunter education training certificates from the Commission.

7. *Effective Date*

This rulemaking will be effective upon final-form publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

8. *Contact Person*

For further information regarding this final-form rulemaking, contact Michael A. Dubaich, Director, Bureau of Law Enforcement, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendment adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the regulation of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 143, are amended by adding § 143.12 to read as set forth at 34 Pa.B. 5165.

(b) The Executive Director of the Commission shall certify this order and 34 Pa.B. 5165 and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon final-form publication in the *Pennsylvania Bulletin*.

VERNON R. ROSS,
Executive Director

Fiscal Note: Fiscal Note 48-193 remains valid for the final adoption of the subject regulation.

[Pa.B. Doc. No. 05-88. Filed for public inspection January 14, 2005, 9:00 a.m.]

GAME COMMISSION
[58 PA. CODE CH. 147]
Special Permits

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its October 5, 2004, meeting, adopted an amendment to § 147.286 (relating to acquisition and disposal).

This final-form rulemaking will have no adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 34 Pa.B. 3411 (July 3, 2004).

1. *Introduction*

The Commission amended § 147.286 to restrict disposal or transfer of wildlife to only those persons who lawfully conduct activities under the authority of a permit to lawfully import the wildlife being transferred.

2. *Purpose and Authority*

With the current requirements in place through statute and regulations relative to importing, licensing and experience needed to receive a permit to possess wildlife, the Commission has identified a need to clarify to whom a permitted menagerie can transfer excess stock. The Commission determined that disposal or transfer of wildlife, for any reason, shall be limited to persons who lawfully conduct activities under the authority of a permit to lawfully import the wildlife being transferred. This would prohibit the disposal or transfer of wildlife to unpermitted private parties.

Section 2901(b) of the code (relating to authority to issue permits) provides that "the commission may, as deemed necessary to properly manage the game or wildlife resources . . . promulgate regulations to control the activities which may be performed under authority of any permit issued." Section 2102(c) of the code (relating to regulations) directs that "The commission shall promulgate regulations concerning the transportation, introduction into the wild, importation, exportation, sale, offering for sale or purchase of game or wildlife or the disturbing of game or wildlife in their natural habitat." Section 2102(a) of the code (relating to regulations) provides that "The commission shall promulgate such regulations as it deems necessary and appropriate concerning game or wildlife . . . in this Commonwealth, including regulations relating to the protection, preservation and management of game or wildlife . . . in this Commonwealth." The amendment to § 147.286 was adopted under this authority.

3. *Regulatory Requirements*

This final-form rulemaking will restrict the disposal or transfer of wildlife for any reason to only those persons who may themselves lawfully import the wildlife being transferred. This will prohibit the disposal or transfer of wildlife to an unpermitted private party.

4. *Persons Affected*

Persons who wish to transfer or dispose of wildlife held under a menagerie permit will be affected by this final-form rulemaking.

5. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

6. *Cost and Paperwork Requirements*

The final-form rulemaking should not result in additional cost or paperwork.

7. *Effective Date*

This rulemaking will be effective on final-form publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

8. *Contact Person*

For further information regarding this final-form rulemaking, contact Michael A. Dubaich, Director, Bureau of Law Enforcement, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendment adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the amendment of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 147, are amended by amending § 147.286 to read as set forth at 34 Pa.B. 3411.

(b) The Executive Director of the Commission shall certify this order and 34 Pa.B. 3411 and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon final-form publication in the *Pennsylvania Bulletin*.

VERNON R. ROSS,
Executive Director

Fiscal Note: Fiscal Note 48-190 remains valid for the final adoption of the subject regulation.

[Pa.B. Doc. No. 05-89. Filed for public inspection January 14, 2005, 9:00 a.m.]

GAME COMMISSION
[58 PA. CODE CH. 147]
Special Permits; Deer Control

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its June 29, 2004, meeting, adopted an amendment to § 147.663 (relating to fencing).

This final-form rulemaking will have no adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 34 Pa.B. 5166 (September 18, 2004).

1. *Introduction*

The Commission amended § 147.663 to permit the Executive Director to establish approved woven wire fencing designs and specifications.

2. *Purpose and Authority*

Section 147.661 (relating to tagging of deer taken) provides for permits to control deer within fenced enclosures constructed for the purpose of improving forest regeneration. Managers of private and public forestland, including the Commission, construct these fences. Formerly, § 147.663 required these fences to be constructed of woven wire and be at least 8 feet high with the bottom edge tight to the ground. The industry standard fencing commonly used in this application is built from two widths of 47 feet woven wire with the bottom 1 foot (approximately) folded over the ground to the outside, leaving an approximate total above ground height of only 7 feet. These fences are in widespread use by the Department of Conservation and Natural Resources and the Commission and clearly do not meet our current regulatory requirements. Upgrading existing 7 foot fences to meet current regulatory requirements would require substantial modification and add cost to forest management practices and would not likely result in any greater

effectiveness in excluding deer. In fact, the foot of fencing sealing the structure at the ground actually increases the effectiveness of the fencing more than the additional 1-foot in height. The Commission amended § 147.663 to permit the Executive Director to establish approved woven wire fencing designs and specifications to be consistent with current industry standards.

Section 2901(b) of the code (relating to authority to issue permits) provides "The commission may, as deemed necessary to properly manage the game or wildlife resources, promulgate regulations for the issuance of any permit and promulgate regulations to control the activities which may be performed under authority of any permit issued." Section 2102(a) of the code (relating to regulations) provides that "The commission shall promulgate such regulations as it deems necessary and appropriate concerning game or wildlife and hunting or furtaking in this Commonwealth, including regulations relating to the protection, preservation and management of game or wildlife and game or wildlife habitat, permitting or prohibiting hunting or furtaking, the ways, manner, methods and means of hunting or furtaking, and the health and safety of persons who hunt or take wildlife or may be in the vicinity of persons who hunt or take game or wildlife in this Commonwealth." The amendment to § 147.663 was adopted under this authority.

3. *Regulatory Requirements*

This final-form rulemaking will permit the Executive Director to establish approved woven wire fencing designs and specifications.

4. *Persons Affected*

Persons wishing to apply for a deer control permit will be affected by this final-form rulemaking.

5. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

6. *Cost and Paperwork Requirements*

This final-form rulemaking should not result in additional cost or paperwork.

7. *Effective Date*

This rulemaking will be effective upon final-form publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

8. *Contact Person*

For further information regarding this final-form rulemaking, contact Michael A. Dubaich, Director, Bureau of Law Enforcement, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendment adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the amendment of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 147, are amended by amending § 147.663 to read as set forth at 34 Pa.B. 5166.

(b) The Executive Director of the Commission shall certify this order and 34 Pa.B. 5166 and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon final-form publication in the *Pennsylvania Bulletin*.

VERNON R. ROSS,
Executive Director

Fiscal Note: Fiscal Note 48-195 remains valid for the final adoption of the subject regulation.

[Pa.B. Doc. No. 05-90. Filed for public inspection January 14, 2005, 9:00 a.m.]

GAME COMMISSION
[58 PA. CODE CH. 147]

Special Permits; Deer Management Assistance Program Permits

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its June 29, 2004, meeting, adopted an amendment to § 147.674 (relating to issuance of DMAP harvest permits).

This final-form rulemaking will have no adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 34 Pa.B. 5167 (September 18, 2004).

1. *Introduction*

The amendment to § 147.674 permits the Commission to deny issuance of Deer Management Assistance Program (DMAP) harvest permits to persons who fail to complete and submit report and survey information from the prior season.

2. *Purpose and Authority*

Harvest information is critical to evaluate this Commonwealth's deer population and to evaluate the effectiveness of the DMAP. To help insure that all DMAP harvest permit holders complete and submit the required harvest and survey information this final-form rulemaking will prohibit persons who have not submitted the information in the previous year from purchasing a DMAP harvest permit.

Section 2901(b) of the code (relating to authority to issue permits) provides "the commission may, as deemed necessary to properly manage the game or wildlife resources, promulgate regulations for the issuance of any permit and promulgate regulations to control the activities which may be performed under authority of any permit issued." Section 2102(a) of the code (relating to regulations) provides that "The commission shall promulgate such regulations as it deems necessary and appropriate concerning game or wildlife and hunting or furtaking in this Commonwealth, including regulations relating to the protection, preservation and management of game or wildlife and game or wildlife habitat, permitting or prohibiting hunting or furtaking, the ways, manner, methods and means of hunting or furtaking, and the

health and safety of persons who hunt or take wildlife or may be in the vicinity of persons who hunt or take game or wildlife in this Commonwealth." The amendment to § 147.674 was adopted under this authority.

3. *Regulatory Requirements*

This final-form rulemaking will permit the Commission to deny issuance of DMAP harvest permits to persons who fail to complete and submit report and survey information from the prior season.

4. *Persons Affected*

Persons wishing to acquire DMAP harvest permits who have failed to complete and submit report and survey information from the prior season will be affected by this final-form rulemaking.

5. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

6. *Cost and Paperwork Requirements*

This final-form rulemaking will result in very limited additional cost and paperwork related to the submission of reports and survey information from the prior season.

7. *Effective Date*

This rulemaking will be effective on final-form publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

8. *Contact Person*

For further information regarding the final rulemaking, contact Michael A. Dubaich, Director, Bureau of Law Enforcement, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendment adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the amendment of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 147, are amended by amending § 147.674 to read as set forth at 34 Pa.B. 5167.

(b) The Executive Director of the Commission shall certify this order and 34 Pa.B. 5167 and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon final-form publication in the *Pennsylvania Bulletin*.

VERNON R. ROSS,
Executive Director

Fiscal Note: Fiscal Note 48-194 remains valid for the final adoption of the subject regulation.

[Pa.B. Doc. No. 05-91. Filed for public inspection January 14, 2005, 9:00 a.m.]

STATEMENTS OF POLICY

Title 4—ADMINISTRATION

GOVERNOR'S OFFICE [4 PA. CODE CH. 1]

Executive Orders, Management Directives and Other Issuances of the Directives Management System Indexed for Reference Purposes

The Index of Issuances is being updated to reflect changes since 33 Pa.B. 1452 (March 22, 2003). This amendment adds new issuances, amends and rescinds others. Recipients of publications listed in this index should be kept informed of the status of these publications.

ROBERT S. BARNETT,
Secretary of Administration

(Editor's note: This Index of Issuances is published under 1 Pa. Code § 3.1(a)(9) (relating to contents of Code). This document meets the criteria of 45 Pa.C.S. § 702(7) as a document general and permanent in nature which shall be codified in the Pennsylvania Bulletin.)

Fiscal Note: GOV-04-3. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 4. ADMINISTRATION

PART I. GOVERNOR'S OFFICE

CHAPTER 1. AGENCY OPERATION AND ORGANIZATION

Subchapter A. DIRECTIVES MANAGEMENT SYSTEM

§ 1.4. Index of Issuances.

| Executive Orders. | | Date of Original or Latest Amendment | Current Revisions |
|-------------------|---|--------------------------------------|-------------------|
| 1973-9 | Environmental Protection by State Agencies | 7/13/73 | |
| 1974-7 | Directives Management System..... | Rescinded by 2001-1—2/13/01 | |
| 1974-11 | Governor's Interdepartmental Council on Seasonal Farmworkers.. | 11/2/78 | |
| 1975-3 | Establishment of the Pennsylvania Commission for Women | Rescinded by 1997-3—6/25/97 | |
| 1975-5 | Commitment Toward Equal Rights | 9/19/78 | |
| 1975-6 | Preservation of Historic Resources | 5/6/75 | |
| 1977-4 | Compliance with <i>Section 504 of the Rehabilitation Act of 1973 (P. L. 93-112)</i> | 8/3/77 | |
| 1977-5 | Implementation of <i>Act No. 1976-101</i> | 9/27/77 | |
| 1978-4 | Flood Plain Management | 3/1/78 | |
| 1978-9 | Public Information Policies and Practices..... | 5/23/78 | |
| 1978-19 | Access by Handicapped Individuals to Meeting Locations | 12/19/78 | |
| 1979-10 | Commonwealth Child Development Committee..... | 7/25/79 | |
| 1979-13 | Governor's Office of Policy and Planning..... | 9/18/79 | |
| 1980-3 | Life Cycle Costing | 2/8/80 | |
| 1980-4 | Golden Keystone Discount Card Program..... | 2/27/80 | |
| 1980-5 | Task Force on Employment Services to Displaced Homemakers ... | 2/28/80 | |
| 1980-7 | Small Business Service Center..... | 2/29/80 | |
| 1980-13 | Contract Management..... | Rescinded by 1999-5—12/9/99 | |
| 1980-18 | Code of Conduct | 5/16/84 | 1 |
| 1980-20 | Pennsylvania Coastal Zone Management Program..... | 9/22/80 | |
| 1981-3 | Scheduling of Bond and Note Issue Sales | 1/30/81 | |
| 1981-4 | Federal Program Coordination | 2/9/81 | |
| 1981-6 | Pennsylvania Department of Health Advisory Board of Arthritis.. | 5/22/81 | |
| 1981-13 | Governor's Committee on Employment of the Handicapped | 10/19/81 | |
| 1983-1 | Transfer of Cresson Center to the Bureau of Correction..... | 1/4/83 | |
| 1983-4 | Coordination of State Employment and Training Programs..... | Rescinded by 1997-7—6/30/98 | |
| 1984-3 | Accounting and Financial Reporting..... | 10/11/84 | |
| 1985-1 | State Employee Combined Appeal..... | Rescinded by 2001-2—2/14/01 | |
| 1986-1 | Commonwealth Single Audit Coordinator..... | 2/24/86 | |
| 1986-2 | Task Force on Special Supplemental Food Program for Women, Infants, and Children (WIC) | 4/22/86 | |
| 1986-5 | Standby Allocations of the Volume Cap Under the <i>Tax Reform Act of 1986</i> | 10/2/86 | |
| 1986-7 | Liquor Control Board Sunset: Privatization of State Liquor Monopoly; Transfer of Liquor Control Board Functions | 12/1/86 | |

| Executive Orders. | Date of Original or Latest Amendment | Current Revisions |
|--------------------------|---|------------------------------|
| 1987-1 | 1987 Allocations of the Unified Volume Cap Under the <i>Tax Reform Act of 1986</i> | 1/7/87 |
| 1987-2 | Permanent Transfer of Retreat State Hospital to the Department of Corrections. | 1/16/87 |
| 1987-3 | Transfer of Waynesburg Youth Development Center to the Department of Corrections. | 1/16/87 |
| 1987-4 | Economic Development Partnership (EDP). | Rescinded by 2001-4—6/5/01 |
| 1987-7 | State Inspector General | 4/6/87 |
| 1987-8 | Pennsylvania Emergency Response Commission. | 4/20/87 |
| 1987-9 | Allocation of State Low-Income Housing Credit Authority Under the <i>Internal Revenue Code of 1986</i> | 4/22/87 |
| 1987-10 | Highway Safety. | 11/25/92 |
| 1987-12 | Cultural Advisor to the Governor. | 5/27/87 |
| 1987-19 | Delegation to Department of Environmental Resources in Compliance with Federal <i>Low-Level Radioactive Waste Policy Amendments Act</i> | 12/21/87 |
| 1988-4 | Coordination of Food and Nutrition Programs; Appointment of the Advisor to the Governor on Food and Nutrition Programs and the Inter-Agency Council on Food and Nutrition | 4/7/88 1 |
| 1988-5 | Pennsylvania Department of Health Diabetes Task Force | Terminated 12/31/94 |
| 1988-8 | Pennsylvania State Data Center | 7/12/88 |
| 1988-9 | Small Business Advisory Council. | Terminated 12/31/94 |
| 1988-10 | Management of Automated Technology | Rescinded by 2002-12—9/25/02 |
| 1988-11 | Motor Carrier Advisory Committee | 11/18/88 1-2-3 |
| 1989-2 | Upper Delaware Federal Scenic River | Rescinded by 2003-5—6/22/03 |
| 1989-3 | Master Leasing Program | 3/2/89 |
| 1989-4 | Developmental Disabilities Planning Council. | Rescinded by 1997-2—5/30/97 |
| 1989-8 | Municipal Waste Reduction and Planning Program | 10/17/89 |
| 1990-1 | Municipal Waste Transportation Enforcement Program | 3/14/90 |
| 1990-2 | Bureau of Women's Business Development. | Terminated 6/30/95 |
| 1990-3 | Contractor Responsibility Program | 6/29/90 |
| 1990-4 | UNITED STATES BRIG NIAGARA—"Flagship of Pennsylvania" | 8/17/90 |
| 1990-7 | Interagency River Island Task Force | 10/17/90 1 |
| 1991-2 | Utilization of Commonwealth Owned and Leased Space | Rescinded by 2004-2—2/18/04 |
| 1991-3 | Use of Permanently-Assigned Commonwealth-Registered Vehicles | 2/27/91 |
| 1991-4 | Governor's Council on Physical Fitness and Sports | Rescinded by 1997-5—9/24/97 |
| 1991-5 | Environmental Training Partnership | 4/22/91 |
| 1991-8 | Pennsylvania Heritage Affairs Commission | Terminated 12/31/94 |
| 1992-1 | Records Management | 1/8/92 |
| 1992-2 | Housing and Supportive Services Task Force. | Terminated 1/31/95 |
| 1993-2 | Civil Disorder and Emergency | 4/9/93 |
| 1993-3 | State Land Use Planning—Goals and Objectives for Commonwealth Agencies | 8/31/93 |
| 1993-4 | State Center for Health Statistics and Research. | 10/13/93 |
| 1994-1 | State Commission on National and Community Service. | 1/28/94 |
| 1994-2 | Governor's Office of PennPORTS. | 3/29/94 |
| 1994-3 | Agricultural Land Preservation Policy | Rescinded by 1997-6—10/14/97 |
| 1994-4 | Governor's Committee on Education Standards and Assessments | 5/18/94 |
| 1994-5 | Nursing Home Loan Agency's Authorization to Sell Loans. | 11/4/94 |
| 1995-1 | Judicial Appointments. | 2/27/95 |
| 1995-2 | Drug Policy Planning Coordination. | 12/19/97 |
| 1995-3 | Pennsylvania Energy Development Authority | 7/10/95 |
| 1995-4 | Monitoring Supplies of Petroleum Products | 7/10/95 |
| 1995-5 | Money-Back Guarantee Permit Review for the Department of Environmental Protection | 8/23/95 |
| 1995-6 | Governor's Community Partnership for Safe Children | 9/14/95 |
| 1995-7 | Governor's Executive Council on Recycling Development and Waste Reduction. | 10/11/95 |
| 1995-8 | Governor's Advisory Commission on Public School Finance. | 10/11/95 |
| 1995-9 | Governor's Sportsmen's Advisory Council | Rescinded by 2001-5—9/17/01 |
| 1995-10 | Governor's Sports and Exposition Facilities Task Force | 10/27/95 |
| 1996-1 | Regulatory Review and Promulgation | 2/6/96 |
| 1996-2 | Implementation of the IMPACCT Commission Recommendations. | 4/19/96 |
| 1996-3 | Governor's Advisory Commission on African American Affairs | Rescinded by 2003-7—6/22/03 |
| 1996-4 | Governor's Advisory Commission on Latino Affairs | Rescinded by 2003-9—7/1/03 |

| Executive Orders. | Date of Original or Latest Amendment | Current Revisions |
|--------------------------|---|------------------------------|
| 1996-5 | Municipal Waste Facilities Review Program..... | 8/29/96 |
| 1996-6 | Governor's Advisory Commission on Academic Standards | 9/30/96 |
| 1996-7 | Pennsylvania Center for Environmental Education | 12/20/96 |
| 1996-8 | Minority and Women Business Enterprise and Contract Compliance Programs | 12/20/96 |
| 1996-9 | Equal Employment Opportunity | Rescinded by 2002-3—5/3/02 |
| 1996-10 | State Employee Assistance Program..... | 12/20/96 |
| 1996-11 | Disability-Related Policy | Rescinded by 2002-5—5/3/02 |
| 1996-12 | Workplace Policy for HIV/AIDS | Rescinded by 2003-4—5/5/03 |
| 1996-13 | Commonwealth of Pennsylvania's Policy on Substance Abuse in the Workplace | 12/20/96 |
| 1996-14 | Prohibition of Sexual Harassment in the Commonwealth | Rescinded by 1999-3—5/13/99 |
| 1997-1 | Governor's Travel and Tourism Council..... | 3/17/97 |
| 1997-2 | Developmental Disabilities Council..... | 5/30/97 |
| 1997-3 | Pennsylvania Commission for Women | Rescinded by 2003-6—6/22/03 |
| 1997-4 | The 21st Century Environment Commission | 7/1/97 |
| 1997-5 | Governor's Advisory Council on Physical Fitness and Sports | 9/24/97 |
| 1997-6 | Agricultural Land Preservation Policy..... | Rescinded by 2003-2—3/20/03 |
| 1997-7 | Pennsylvania Human Resources Investment Council | Rescinded by 2000-2—2/14/00 |
| 1998-1 | Governor's Green Government Council | 3/25/98 |
| 1998-2 | Governor's Census 2000 Advisory Panel | Terminated 3/1/01 |
| 1998-3 | The Pennsylvania Greenways Partnership Commission | 8/16/01 |
| 1998-4 | Interagency Committee to Coordinate Services Provided to Individuals with Disabilities..... | Terminated 12/31/99 |
| 1999-1 | Land Use Planning | 1/7/99 |
| 1999-2 | Pennsylvania Rural Development Council | 3/29/99 |
| 1999-3 | Prohibition of Sexual Harassment in the Commonwealth | Rescinded by 2002-4 —5/3/02 |
| 1999-4 | Pennsylvania Justice Network (JNET) Governance Structure | 6/8/99 |
| 1999-5 | Rescission of <i>Executive Order 1980-13</i> | 12/9/99 |
| 2000-1 | Extension of Filing Deadline for Nomination Petitions..... | Terminated 1/26/00 |
| 2000-2 | Pennsylvania Workforce Investment Board | 2/14/00 |
| 2001-1 | Directives Management System..... | 2/13/01 |
| 2001-2 | State Employee Combined Appeal..... | 2/14/01 |
| 2001-3 | The Voting Modernization Task Force | Terminated 12/31/01 |
| 2001-4 | Economic and Community Development Partnership | 6/5/01 |
| 2001-5 | Governor's Sportsmen's Advisor, Governor's Sportsmen's Advisory Council, and the Governor's Youth Sportsmen's Advisory Council .. | Rescinded by 2003-13—9/22/03 |
| 2001-6 | Governor's Task Force on Security | Rescinded by 2002-11—9/12/02 |
| 2002-1 | Commonwealth Internal Operations Emergency Preparedness Steering Committee..... | 3/22/02 |
| 2002-2 | Governor's Task Force on Early Childhood Care and Education.... | 7/15/02 |
| 2002-3 | Equal Employment Opportunity | Rescinded by 2003-10—7/28/03 |
| 2002-4 | Prohibition of Sexual Harassment in the Commonwealth | 5/3/02 |
| 2002-5 | Disability-Related Policy | 5/3/02 |
| 2002-6 | PA Open for Business | 6/6/02 |
| 2002-7 | Integrating Mediation Into State Government..... | 6/14/02 |
| 2002-8 | Governor's Interagency Task Force on Energy..... | 7/18/02 |
| 2002-9 | Governor's Fire and Emergency Services Task Force..... | Terminated 10/1/02 |
| 2002-10 | Governor's Commission and Abandoned Mine Voids and Mine Safety | Terminated 11/15/02 |
| 2002-11 | Pennsylvania Homeland Security Organizational Structure | 9/12/02 |
| 2002-12 | Rescission of Executive Order 1988-10..... | Terminated 10/15/02 |
| 2002-13 | Proposed Keystone Opportunity Improvement Sub-zones..... | 12/31/02 |
| 2003-1 | Commonwealth's Health Care Reform Agenda | 1/21/03 |
| 2003-2 | Agricultural Land Preservation Policy..... | 3/20/03 |
| 2003-3 | Management and Productivity Improvement Initiative..... | 4/30/03 |
| 2003-4 | Workplace Policy for HIV/AIDS | 5/5/03 |
| 2003-5 | Upper Delaware Federal Scenic River | 6/22/03 |
| 2003-6 | Pennsylvania Commission for Women | 6/22/03 |
| 2003-7 | Governor's Advisory Commission on African American Affairs | 6/22/03 |
| 2003-8 | Governor's Advisory Commission on Asian American Affairs..... | 6/22/03 |
| 2003-9 | Governor's Advisory Commission on Latino Affairs | 7/1/03 |
| 2003-10 | Equal Employment Opportunity | 7/28/03 |

| Executive Orders. | | Date of Original or Latest Amendment | Current Revisions |
|--------------------------|--|---|--------------------------|
| 2003-11 | Governor's Office of Housing and Community Revitalization | 9/10/03 | |
| 2003-12 | Governor's Cabinet on Children and Families | 9/18/03 | |
| 2003-13 | Governor's Advisor for Hunting, Fishing and Conservation; Governor's Advisory Council for Hunting, Fishing and Conservation; Governor's Youth Council for Hunting, Fishing and Conservation.. | 9/22/03 | 1 |
| 2004-1 | Governor's Invasive Species Council | 1/27/04 | |
| 2004-2 | Utilization of Commonwealth-Owned and Leased Space | 2/18/04 | |
| 2004-3 | Pennsylvania Business Tax Reform Commission | 3/4/04 | |

Management Directives and Manuals.

Date of Original or Latest Amendment **Current Revisions**

BUDGET

General

| | | | |
|-------|--|----------|--|
| 105.1 | Allocation and Allotment of Funds for ICS Transactions | 10/22/84 | |
| 105.2 | Contingent Commitments | 7/2/85 | |
| 105.3 | Block Grants | 12/6/82 | |
| 105.4 | Allocation and Allotment of Funds for Non-ICS Transactions | 10/22/84 | |
| 105.5 | Use of the Determination of Tax-Exempt Category for Capital Projects Form | 9/12/91 | |

Budget Preparation

| | | | |
|-------|---|---------|--|
| 110.2 | Request for Approval of Federal Funds | 1/14/85 | |
| 110.3 | Budgeting and Accounting for Federal Appropriations | 5/29/85 | |

Manuals.

| | | | |
|--------|-------------------------------------|------|--|
| M110.1 | 2004-05 Budget Instructions | 8/03 | |
| M110.2 | 2003-04 Rebudget Instructions | 4/03 | |

MANAGEMENT/ADMINISTRATIVE SUPPORT

General

| | | | |
|--------|--|---------------|---|
| 205.2 | Powers and Duties of Policing Forces | 2/9/77 | |
| 205.4 | Delegation of Authority to Sign | 8/16/00 | |
| 205.6 | Defense of Suits Against Commonwealth Employees | 9/30/86 | |
| 205.9 | Implementation of Financial Disclosure Provisions of the Governor's Code of Conduct | 3/10/04 | |
| 205.10 | Financial Disclosures Required by the <i>Public Official and Employee Ethics Act, Act 93 of 1998, 65 Pa.C.S. §§ 1101—1113</i> | 3/10/04 | |
| 205.12 | Financial Disclosures Required of Former Employees by the <i>Public Official and Employee Ethics Act, Act 93 of 1998, 65 Pa.C.S. §§ 1101—1113</i> | 3/10/04 | |
| 205.14 | Prohibition of Activities Not Specifically or Directly Connected with the Official Business of the Commonwealth on Commonwealth Property | 2/2/88 | |
| 205.15 | Memberships in Associations, Organizations, or Societies | 1/17/85 | |
| 205.16 | Compliance With the <i>Whistleblower Law, Act 1986-169</i> | 11/22/95 | |
| 205.17 | 1987 Chesapeake Bay Agreement | 3/2/88 | |
| 205.18 | Ballot Question Advocacy by Executive Branch Employees, Appointees, and Officials | 4/11/88 | |
| 205.19 | Smoking in Commonwealth Buildings and Facilities | 7/1/97 | |
| 205.20 | Documents and Evidence Relating to Asbestos in Commonwealth Buildings | 6/7/89 | |
| 205.21 | Commonwealth Child Care Program | 9/12/01 | 1 |
| 205.22 | Implementation of <i>Act 1988-101, Municipal Waste Planning, Recycling and Waste Reduction Act</i> | 8/7/89 | |
| 205.23 | Submission of Commonwealth Publications to the State Library for Collection and Distribution to Other Designated Libraries | 4/27/93 | |
| 205.24 | Display of Flags on Commonwealth Grounds and Buildings | 5/24/01 | |

**Management
Directives
and
Manuals.**

| | | Date of Original or Latest Amendment | Current Revisions |
|--------|--|---|------------------------------|
| 205.25 | Disability-Related Employment Policy | 6/19/02 | |
| 205.26 | The <i>Americans With Disabilities Act of 1990, Title II, Subtitle A</i> , Nondiscrimination in State and Local Government Services | 7/22/92 | |
| 205.27 | Implementation of <i>Act 194-1990, Asbestos Occupations Accreditation and Certification Act</i> | 11/16/92 | |
| 205.28 | Purchase of Recycled Content Products by State Agencies | 4/2/93 | |
| 205.29 | Commonwealth Internet Access | 1/5/99 | |
| 205.30 | Personal Use of Promotions and Offers | 10/23/97 | |
| 205.31 | Pro Bono Publico Legal Services | 2/11/99 | |
| 205.32 | Hiring Sign Language Interpreters/Transliterators | 6/16/99 | 1 |
| 205.33 | Workplace Violence | 6/22/99 | |
| 205.34 | Standards for Employee and Other Authorized User Internet Use and Electronic Mail Communications | 9/12/00 | |
| 205.35 | Information Reporting From the Commonwealth's Enterprise SAP Business Information Warehouse System | 7/5/02 | |
| 205.36 | <i>Right-to-Know Law</i> | 11/5/03 | |

Manual.

| | | | |
|--------|-------------------------------|---------|--|
| M205.2 | Meeting Room Facilities | 3/27/02 | |
|--------|-------------------------------|---------|--|

Management Programs

| | | | |
|--------|---|----------|--|
| 210.1 | Directives Management System | 3/31/03 | |
| 210.4 | Central Microfilm Management | 11/18/02 | |
| 210.5 | Records Management | 9/16/02 | |
| 210.6 | Selection, Acquisition and Use of Filing Equipment | 9/16/02 | |
| 210.8 | Micrographics Procedures to be Used in Conjunction With Central Microfilm Management | 11/18/02 | |
| 210.9 | Electronic Imaging Systems Procedures Relating to the Management of Records | 4/23/01 | |
| 210.10 | Electronic Records Management | 4/23/01 | |
| 210.11 | Acceptance of Imaged Documents | 6/16/97 | |
| 210.12 | Electronic Commerce Initiatives and Security | 2/14/00 | |
| 210.13 | Retention and Disposition of Records Created on Electronic Mail (E-mail) Systems | 4/27/01 | |

Manuals.

| | | | |
|--------|--|---------|-----|
| M210.1 | Guide to Efficient Filing | 7/21/76 | |
| M210.3 | Index of Issuances—Directives Management System | 3/12/04 | |
| M210.4 | Forms Management | 8/16/83 | 1-2 |
| M210.5 | Standard (STD) Forms Management | 9/15/98 | |
| M210.6 | Publications Management | 8/1/84 | 1 |
| M210.7 | State Records Management Manual | 12/7/99 | |
| M210.8 | Vital Records Disaster Planning | 5/9/95 | |
| M210.9 | General Administrative Records Retention and Disposition Schedule for Records Common to Most Agencies | 5/01 | |

Contracts Management

| | | | |
|--------|---|--------------------------------|--|
| 215.6 | Contract Management | Rescinded by M215.3—8/20/99 | |
| 215.7 | Affirmative Action/Contract Compliance Program | Rescinded by M210.3—4/8/97 | |
| 215.8 | Contractor Integrity Provisions for Commonwealth Contracts | 12/20/91 | |
| 215.9 | Contractor Responsibility Program | 4/16/99 | |
| 215.10 | Offset Provision for Commonwealth Contracts | Rescinded by 215.9—4/16/99 | |
| 215.11 | Contractor Responsibility Provisions for Commonwealth Contracts Provisions for Commonwealth Contracts Concerning the | Rescinded by 215.9—4/16/99 | |
| 215.12 | <i>Americans With Disabilities Act</i> | 1/16/01 | |
| 215.13 | Contract Provision for Donation of Excess Prepared Food | 6/21/94 | |
| 215.14 | Recycled Content Products Provision for Commonwealth Contracts for Services | Rescinded by M215.3—8/20/99 | |
| 215.15 | Statewide Contracts for the Purchase of Services | Rescinded by M215.3—8/20/99 | |
| 215.16 | Contract Compliance Program | 6/30/99 | |

Management Directives and Manuals.

| | | Date of Original or Latest Amendment | Current Revisions |
|---------|---|---|--------------------------|
| M215.1 | Contracting for Services | Rescinded by M215.3—8/20/99 | |
| M215.2 | Commonwealth Contract Compliance Program Guidelines | Rescinded by M210.3—4/8/97 | |
| M215.3* | Field Procurement Handbook | 3/20/01 | 2-3-4 |

Central Services

| | | | |
|--------|---|----------|--|
| 220.1 | Commonwealth Media Services | 6/21/90 | |
| 220.3 | Mail Delivery Between Harrisburg and the Pittsburgh and Philadelphia State Office Buildings | 10/26/82 | |
| 220.5 | Payment of Interagency Billings for Centralized Services | 5/21/98 | |
| 220.9 | Graphic Design, Typesetting, Reproduction, and Printing Services | 6/4/87 | |
| 220.10 | Processing Automated Mail | 2/21/91 | |
| 220.11 | Preservation of Commonwealth Deeds | 3/29/91 | |

Manual.

| | | | |
|--------|-------------------------|----------|--|
| M220.3 | Computer Printing | 10/15/87 | |
|--------|-------------------------|----------|--|

Travel and Expenses

| | | | |
|----------|---|---------------|-------|
| 230.6 | Travel Expenses of Job Applicants | 4/30/97 | |
| 230.7 | Remittance of Witness Fees | 5/31/79 | |
| 230.9 | Air Travel Acquisition and Billing for Airline Tickets | 1/21/88 | |
| 230.10** | Travel and Subsistence Allowances | 11/1/00 | 2-3-6 |
| 230.11 | Use of Pittsburgh and Erie Convention Centers by State Agencies | 4/24/85 | |
| 230.13 | Commonwealth Corporate Card Program | 11/2/00 | |
| 230.14 | Foreign Areas Subsistence Allowances | 2/25/02 | |
| 230.15 | Continental United States High Cost Subsistence Allowances | 6/6/02 | |
| 230.16 | Using E-ZPass in Commonwealth Vehicles | 9/5/01 | |

Information Technology Management

| | | | |
|--------|---|---------|--|
| 240.7 | Submission of Changes to the Commonwealth Telephone Directory, Agency Organizational and Functional Listings, and Employee Locator File | 9/26/97 | |
| 240.11 | Commonwealth Cellular Telephone Equipment and Services | 4/3/98 | |

Information Technology Management

| | | | |
|--------|--|---------|--|
| 245.12 | Implementation of the Data Center Project Plan | 7/1/97 | |
| 245.13 | Strategic Direction for Information Technology Investments | 2/2/99 | |
| 245.14 | Wireless Antenna Tower Management | 5/7/98 | |
| 245.15 | Statewide Public Safety Radio System | 5/7/98 | |
| 245.16 | Pennsylvania Justice Network (JNET) Governance Structure | 6/16/99 | |

Manuals.

| | | | |
|--------|---|--------------|---|
| M245.2 | State Computer Maintenance Contract for Terminals, Microcomputers, Printers, and Other Related Peripheral Equipment | 9/1/92 | |
| M245.4 | Policy for Personal Computers and Networks (PCs/LANs) | 1/7/98 | 1 |

Public Information Programs

| | | | |
|-------|--|------------------------------------|--|
| 250.1 | The Sunshine Act Meeting Notices | 9/22/95 | |
| 250.3 | State Contracts Information Document | Rescinded by M215.3 Rev. 2—10/5/01 | |

* Revision 1 to M215.3 was rescinded by Resolution No. 3

** Revision Nos. 1, 4, and 5 to 230.10 are rescinded.

**Management
Directives
and
Manuals.**

**Date of Original or Latest
Amendment** **Current
Revisions**

Organization and Space Management

| | | | |
|-------|--|----------|--|
| 260.1 | Organization Requests | 5/30/01 | |
| 260.2 | Reorganization Plans for Transfers of Functions Between Agencies | 11/16/87 | |

Manual.

| | | | |
|--------|-----------------------------------|---------|--|
| M260.1 | Manual For Space Utilization..... | 3/11/04 | |
|--------|-----------------------------------|---------|--|

FINANCIAL MANAGEMENT

General

| | | | |
|--------|---|-----------------------------|-----|
| 305.2 | Standard Check Endorsement Procedure | 8/15/88 | |
| 305.3 | Responsibilities of Comptroller Operations..... | 3/19/97 | |
| 305.4 | Payments to Counties | 5/24/00 | |
| 305.5 | Cash Management | 11/16/92 | |
| 305.6 | Withholding Payments to Municipalities (<i>Act No. 166 of 1978</i>) | 5/1/97 | |
| 305.7 | Interest Penalties for Late Payments..... | 3/24/95 | 1 |
| 305.8 | Commonwealth Bank Accounts and Special Banking Services | 6/11/97 | |
| 305.9 | Use of Forms STD-419/419L, Refund of Expenditures, and STD-420/C420/420L, Transmittal of Revenue, When Unaccompanied by Remittances | 11/5/99 | 1-2 |
| 305.10 | Receipt of Federal Funds by Wire Transfer | 1/23/89 | |
| 305.11 | Depositing Currency and Coin | 4/21/97 | 1 |
| 305.12 | Accounting, Reporting, and Cash Management of Federal Grants and Contracts | 1/25/99 | |
| 305.13 | Use of Forms STD-419/419L, Refund of Expenditures, and STD-420/C420/420L, Transmittal of Revenue, When Accompanied by Remittances | 4/4/00 | 1 |
| 305.14 | Identifying Payments to Local Governments and Other Subrecipients | Rescinded by 305.21—6/13/03 | |
| 305.15 | Processing and Distributing Returned Checks..... | 8/30/89 | |
| 305.16 | Lobbying Certification and Disclosure | 7/3/03 | |
| 305.17 | Preparation and Use of Form STD-417, Adjustment Memorandum From Department of Revenue to Treasury Department | 10/29/90 | 1 |
| 305.18 | Obtaining Authority for Electronic Approval of Commonwealth Voucher Transmittals | 11/30/00 | |
| 305.19 | Identification of Boards, Commissions, and Councils..... | 8/15/97 | |
| 305.20 | Grant Administration | 5/26/00 | |
| 305.21 | Payments to Local Governments and Other Subrecipients | 6/13/03 | 1 |

Accounting

| | | | |
|--------|---|----------|---|
| 310.1 | Fiscal Guidelines for Federal Reimbursement of Disaster Related Expenditures | 1/5/83 | |
| 310.3 | Encumbering and Lapsing of Appropriations..... | 5/4/98 | 1 |
| 310.7 | Report of Lapse (STD-292)..... | 9/28/83 | |
| 310.8 | Postage Due Procedures..... | 1/8/87 | |
| 310.9 | Purpose and Use of Restricted Receipt and Restricted Revenue Accounts | 11/20/78 | |
| 310.10 | Collection, Requests for Compromise, and Write-Off of Delinquent Claims | 8/29/96 | |
| 310.11 | Payment and Financial Reporting Requirements for Non-Preferred Appropriations..... | 1/19/82 | 1 |
| 310.12 | Refunding Erroneously Collected Fees and Charges | 4/30/82 | |
| 310.13 | Generally Accepted Accounting Principles (GAAP)..... | 6/13/95 | |
| 310.14 | Fixed Asset Accounting and Reporting..... | 8/28/86 | |
| 310.14 | General Capital Asset and Other Fixed Asset Accounting and (SAP)* Reporting in SAP | 2/3/03 | |
| 310.15 | Agency Federal ID Numbers..... | 6/7/96 | |

* This version of 310.14 is only for agencies that have converted to SAP. The 8/28/86 version is for agencies that have not converted to SAP.

**Management
Directives
and
Manuals.**

| | | Date of Original or Latest Amendment | Current Revisions |
|-------------------|--|---|------------------------------|
| 310.16 | Advancement Account Balances | 8/21/87 | |
| 310.17 | Accounting for Payments of Federal Funds to Subrecipients | Rescinded by 305.21—6/13/03 | |
| 310.18 | Reporting of Pending or Threatened Claims | Rescinded by Rev. 1—5/27/99 and M210.3—10/3/99 | |
| 310.19 | Accounting for Disbursements of Funds for Interagency Agreements, Memorandums of Understanding, and Notifications of Subgrant; Accounting for the Subgranting of Federal, Federal Matching Funds, or State Funds Between Commonwealth Agencies | 9/4/97 | |
| 310.20 | Charging Equipment Expenditures to Federal Programs | 8/31/94 | |
| 310.21 | Master Lease Tracking System | 4/21/95 | |
| 310.22 | Central Vendor Information System | 4/30/96 | |
| 310.23 | Commonwealth Purchasing Card Program | 3/24/97 | 1 |
| 310.24 | Accepting Debit/Credit Cards and Electronic Funds Transfers for Commonwealth Revenues | 10/20/00 | |
| 310.25 | Transfers of Revenue or Expenses in SAP | 12/5/02 | |
| 310.26 (SAP)** | Central Vendor Management Unit (CVMU) | 2/9/04 | |
| Manuals. | | | |
| M310.1 | Agency Operated Advancement Accounts | 8/11/99 | |
| M310.2 | Definitions of Major and Minor Objects of Expenditures | 8/27/98 | 1 |
| M310.3 | Manual of Accounting | 7/17/96 | |
| M310.4 | Fixed Asset Accounting System | 5/21/90 | 1 |
| M310.10 | Revenue and Receipts Accounting Subsystem | 8/31/90 | |
| M310.11 | Budget Control Subsystem | 7/15/93 | |
| M310.12 | General Ledger Subsystem | 3/23/89 | |
| M310.13 | Project Accounting Subsystem | 5/7/92 | |
| M310.14 | Grant Accounting Subsystem | 3/12/93 | |
| M310.15 | Commitment and Expenditure Control Subsystem | 8/31/90 | |
| M310.16 | ICS Information System (IIS) Terminal Operators Manual | 8/31/90 | 1 |

Payroll

| | | | |
|---------|--|--------------------|-------|
| 315.1 | Calculation and Payment of Statutory Salaries | 12/5/02 | |
| 315.6 | Employees' Requests for Additional State or Federal Income Tax Withholding | 1/6/81 | |
| 315.7 | Employee Payroll Deductions for Credit Unions | 6/1/89 | 1-2-3 |
| 315.8 | Restitution of Overpayments | 10/1/97 | |
| 315.9 | Withholding of Delinquent Local Taxes from Employees' Paychecks | 11/4/96 | |
| 315.10 | Recording and Reporting of Wage, Overtime, Shift Differential, and Short-Term Leave Without Pay | 4/1/80 | |
| 315.11 | Distribution and Retention of Payroll Deduction Authorization Documents | 4/24/80 | |
| 315.13 | Payments of Wages, Salary, Benefits, and Travel Expenses to Survivors of Deceased Employees | 8/19/96 | |
| 315.14 | Charges for State Employees Residing or Subsisting in Commonwealth Facilities | 5/29/97 | |
| 315.15 | Withholding of Pennsylvania Higher Education Assistance Agency Loans from Employee Paychecks | 3/21/83 | |
| 315.16 | Payment of Annuitant Medical and Hospital Benefits | 9/10/97 | |
| 315.17 | Direct Deposit of Pay Program | 10/20/00 | 1 |
| 315.18 | Delivery of Payroll Checks to Employees | 11/28/90 | |
| 315.19 | Check Distribution Codes | 9/20/93 | |
| 315.20* | Taxability of the Use of State-Provided Vehicles | 5/6/96 | 1-3-7 |
| 315.21 | Deductions for U.S. Savings Bonds | 11/7/85 | |
| 315.22 | Preparation and Filing of Federal Forms 1099 and 1096 | 1/3/95 | |
| 315.23 | Processing Employee's Withholding Allowance Certificate (W-4) | 2/9/88 | |
| 315.25 | Pennsylvania Personal Income Tax | 9/12/88 | |

** This directive is only for agencies that have converted to SAP.

* Revision Nos, 2, 4, 5, and 6 to 315.20 have been rescinded.

Management Directives and Manuals.

| | | Date of Original or Latest Amendment | Current Revisions |
|--------|---|---|--------------------------|
| 315.26 | Backup Withholding on Missing and/or Incorrect Taxpayer Identification Numbers..... | 1/24/94 | 1 |
| 315.27 | Recoupment of Conversion Pay Amounts..... | 5/4/92 | |
| 315.28 | Taxability of State-Provided Parking..... | 9/12/96 | 1-2-3 |
| 315.29 | Mailing SAP-Generated Checks..... | 12/5/02 | |

Manual.

| | | | |
|--------|------------------------------------|----------------------------|--|
| M315.1 | Municipal Tax Rate Schedules | Rescinded by Rev. 3—4/1/02 | |
|--------|------------------------------------|----------------------------|--|

Audits

| | | | |
|--------|---|---------|--|
| 325.2 | Audit Inquiry Relative to Agency Litigation, Claims, and Assessments..... | 2/23/95 | |
| 325.3 | Performance of Audit Responsibilities | 9/14/94 | |
| 325.4 | Agency Annual Audit Plan..... | 6/11/01 | |
| 325.5 | Single Audit Costs—State Level..... | 9/27/00 | |
| 325.6 | Auditing Computer Based Systems..... | 6/12/87 | |
| 325.7 | Implementation of the Commonwealth's State Level Single Audit .. | 7/13/98 | |
| 325.8 | Remedies for Recipient Noncompliance with Audit Requirements .. | 6/11/99 | |
| 325.9 | Processing Audits of Federal Pass-Through Funds..... | 12/3/03 | |
| 325.10 | Review of Auditor General, Treasury, and Legislative Budget and Finance Committee Audit Reports | 8/31/94 | |

EQUAL EMPLOYMENT OPPORTUNITY (EEO)

Equal Employment Opportunity Programs

| | | | |
|--------|---|----------------------------|--|
| 410.5 | Affirmative Action Program..... | Rescinded by M210.3—4/8/97 | |
| 410.9 | Personnel Procedures for Affirmative Action Analysts, Affirmative Action Directors, and Compliance Specialists..... | Rescinded by M210.3—4/8/97 | |
| 410.10 | Guidelines for Investigating and Resolving Internal Discrimination Complaints | 6/19/02 | |
| 410.11 | Commonwealth's Equal Employment, Outreach, and Employment Counseling Program | 5/8/97 | |

Manual.

| | | | |
|--------|--|--------|--|
| M410.3 | Guidelines for Equal Employment Opportunity Plans and Programs | 5/8/97 | |
|--------|--|--------|--|

EMPLOYEE DEVELOPMENT AND UTILIZATION

General

| | | | |
|--------|--|----------|---|
| 505.1 | Employee Furlough Policy | 9/11/96 | |
| 505.2 | Salaried Complement Management System | 3/10/98 | |
| 505.4 | Salaried Complement Control..... | 2/18/82 | 1 |
| 505.7 | Personnel Rules | 2/24/98 | 1 |
| 505.8 | Transmittal of Personnel Action Notifications | 4/2/98 | |
| 505.9 | Standard Abbreviations for Use With the Compensation Plan and SAP R/3 System | 3/11/04 | |
| 505.11 | Emergency Assignments of Employees During Emergencies | 6/17/98 | |
| 505.12 | Annual List of Employees | 6/26/01 | |
| 505.15 | Exit Information Program | 5/22/97 | |
| 505.17 | Furlough of Employees on Work-Related Disability Leave..... | 7/25/00 | |
| 505.18 | Maintenance, Access, and Release of Employee Information | 2/14/03 | |
| 505.20 | Wage Complement Management and Control | 11/10/99 | |
| 505.21 | Office Hours..... | 1/19/00 | |
| 505.22 | State Employee Assistance Program..... | 4/2/03 | |
| 505.23 | Employee Recognition Programs | 3/12/98 | |
| 505.25 | Substance Abuse in the Workplace | 4/2/03 | |
| 505.26 | HIV/AIDS in the Workplace | 9/9/02 | |
| 505.27 | <i>The Worker and Community Right to Know Act (P. L. 734, No. 159)</i> | 8/3/93 | |
| 505.28 | Family Care Account Program | 10/6/00 | |

**Management
Directives
and
Manuals.**

| | | Date of Original or Latest Amendment | Current Revisions |
|--------|---|---|------------------------------|
| 505.29 | Commercial Driver License Drug and Alcohol Testing Requirements | Rescinded by M505.5—11/5/99 | |
| 505.30 | Prohibition of Sexual Harassment in Commonwealth Work Settings | 6/19/02 | 1 |

Manuals.

| | | | |
|--------|---|----------|--|
| M505.2 | Personnel Management Review | 7/9/97 | |
| M505.3 | State Employee Assistance Program | 10/29/98 | |
| M505.4 | Personnel Records Retention and Disposition Schedule | 12/7/98 | |
| M505.5 | Commercial Driver License Drug and Alcohol Testing and Licensing Requirements Administrative Manual | 5/30/02 | |
| M505.6 | An Agency Guide to Workplace Violence Prevention and Response | 5/28/02 | |

Employment

| | | | |
|--------|---|----------|--|
| 515.2 | Transfer of Employees From One Agency to Another | 6/16/00 | |
| 515.3 | Classified Service Emergency Appointments | 5/14/85 | |
| 515.4 | Seniority Rights of Commonwealth Employees | 4/29/98 | |
| 515.10 | Selection and Appointment to Non-Civil Service Positions | 10/30/02 | |
| 515.12 | Confidential Employees | 10/12/99 | |
| 515.15 | Identification, Employment, and Education Verification Checks | 6/13/97 | |
| 515.16 | Appointment to Senior Level Positions | 10/30/02 | |
| 515.17 | Computer Systems Intern Program | 8/29/89 | |
| 515.18 | Supplementary Employment | 7/7/98 | |
| 515.19 | Accounting Intern Program | 10/7/85 | |
| 515.20 | Reemployment of Commonwealth Annuitants | 2/21/02 | |
| 515.21 | Commonwealth School to Work Program | 2/18/00 | |

Classification

| | | | |
|-------|--|----------|--|
| 520.3 | Unclassified Codes and Titles | 6/16/03 | |
| 520.4 | Position Classification Post-Audits | 11/16/99 | |
| 520.5 | Centralized Classifications Control System | 11/7/96 | |
| 520.6 | Processing of Reclassification Actions | 11/7/96 | |
| 520.7 | Development and Validation of Classification Standards | 4/3/97 | |
| 520.8 | Pay Action Effective Dates for Changes to Position Classifications and the Classification Plan | 11/7/96 | |
| 520.9 | Appointments Above the Minimum | 3/5/98 | |

Pay

| | | | |
|--------|--|----------------------------|--|
| 525.4 | Temporary Assignment in Higher Classification | 11/7/96 | |
| 525.6 | Advances on Salaries or Wages Earned | 8/29/96 | |
| 525.8 | Processing of Pay Increments | Rescinded by M210.3—4/8/97 | |
| 525.11 | Dual Employment | 2/10/97 | |
| 525.12 | Reinstatement of Discharged Employees | 9/21/79 | |
| 525.13 | Maintenance of Weighted Salaries | 9/28/01 | |
| 525.15 | Overtime | 2/10/97 | |
| 525.16 | Physicians and Related Occupations Quality Assurance Program | 7/10/01 | |
| 525.17 | Internal Revenue Service Levies on Wages, Salary, and Other Income or Payments | 6/28/91 | |

Manual.

| | | | |
|--------|-----------------------------|---|--|
| M525.2 | Commonwealth Pay Plan | Rescinded as obsolete M210.3—3/12/04 | |
|--------|-----------------------------|---|--|

Benefits

| | | | |
|-------|--|---------|--|
| 530.1 | Agency Employee Services Coordinators | 9/17/96 | |
| 530.2 | Sick Leave Without Pay, Parental Leave Without Pay, and Family Care Leave Without Pay | 1/13/97 | |
| 530.3 | State Employee Combined Appeal for New Employees and Employees on Inter-Agency Transfers | 1/18/96 | |
| 530.4 | State Paid Benefits While on Sick, Parental, or Family Care Leave Without Pay | 3/21/96 | |

**Management
Directives
and
Manuals.**

| | | Date of Original or Latest Amendment | Current Revisions |
|--------|--|--|------------------------------|
| 530.8 | <i>Motor Vehicle Financial Responsibility Law</i> | 7/22/97 | |
| 530.9 | Social Security Records | 10/9/97 | |
| 530.10 | Administrative Leave to Compete in International and World Championships | 7/23/96 | |
| 530.11 | Benefit Rights of Permanent and Temporary Employees | 10/6/00 | |
| 530.14 | Payment for Leave | Rescinded by 530.14 Rev. 1 and M210.3—10/3/99 | |
| 530.15 | Disability Benefits, Related Pay Status Options, and Retired Employee Health Program (REHP) Effective Dates | 7/8/97 | |
| 530.17 | Partial and Full Day Closings of State Offices | 12/28/95 | |
| 530.18 | Benefit Rights of Furloughed Employees | 2/24/97 | |
| 530.20 | State Paid Benefits While on Cyclical Leave Without Pay | 7/8/97 | |
| 530.21 | Paid Leave for Blood Donation | 5/13/97 | |
| 530.22 | Unemployment Compensation, Noncovered Employment—"Major Nontenured Policymaking or Advisory Positions" | 11/20/96 | |
| 530.23 | State Employee Combined Appeal | 11/2/01 | 1 |
| 530.24 | Retired Employee Health Program Eligibility Requirements | 10/5/01 | |
| 530.26 | Benefit Entitlements for Employees on Military Leave | 4/26/00 | |
| 530.27 | Leave Related Policies for Employees Excluded from Earning Leave and Leave Service Credit | 2/7/97 | |
| 530.28 | Pennsylvania Employees Benefit Trust Fund (PEBTF) | 2/23/95 | |

Manuals.

| | | | |
|---------|---|----------|-----|
| M530.2 | Injury Leave Manual | 11/29/01 | 1 |
| M530.3 | Group Life Insurance Program Administrative Manual | 6/26/01 | |
| M530.4 | Commonwealth of Pennsylvania Highlights of State Employee Benefits | 2/02 | |
| M530.7 | Leave and Holiday Programs | 7/7/98 | |
| M530.9 | Unemployment Compensation Insurance Administrative Manual .. | 12/7/98 | |
| M530.14 | Unemployment Compensation and the Supervisor | 3/82 | |
| M530.15 | State Police Health Program/State Police Supplemental Benefits Program Administrative Manual | 6/5/01 | 1-2 |
| M530.16 | Temporary Clerical Pool Agency User Manual | 10/99 | |
| M530.17 | Temporary Clerical Pool Employee Handbook | 12/94 | |
| M530.18 | The Benefits of a "Healthy" Sick Leave Balance | 11/97 | |
| M530.19 | Leave Without Pay and Injury Leave Processing Instructions | 4/2/98 | |
| M530.20 | Commonwealth of Pennsylvania Employee Benefits | 2/02 | |

Training

| | | | |
|-------|--|----------|--|
| 535.1 | Employee Training and Development | 2/9/00 | |
| 535.2 | Physicians and Related Occupations Specialty Board Certification Payments | 1/29/97 | |
| 535.3 | Out-Service Training | 11/16/99 | |
| 535.4 | Use of State Work Program and Public Services Trainee Classes .. | 2/16/84 | |
| 535.5 | Use of Trainee Classes in the Classified Service | 9/12/96 | |
| 535.6 | Commonwealth Management Development Program | 2/9/00 | |
| 535.7 | Annual Agency Training Plan and Report | 7/8/99 | |

Performance Evaluations

| | | | |
|-------|-----------------------------------|--------|--|
| 540.7 | Employee Performance Review | 3/5/02 | |
|-------|-----------------------------------|--------|--|

Retirement

| | | | |
|-------|---|----------|--|
| 570.1 | State Employees' Retirement System, Duties of Agencies | 8/4/00 | |
| 570.2 | Use of Form SERS-147 to Elect Membership in Full Coverage Retirement Group | 2/22/90 | |
| 570.5 | Employer Contributions Required on the Purchase of Prior Service | 5/20/87 | |
| 570.6 | Optional Membership in State Employees' Retirement System | 4/30/96 | |
| 570.7 | Credited State Service | 11/29/82 | |
| 570.8 | Reinstatement of Dismissed or Furloughed Employees Into the State Employees' Retirement System | 8/10/89 | |

Management Directives and Manuals.

| | | Date of Original or Latest Amendment | Current Revisions |
|--------|--|---|--------------------------|
| 570.9 | Reinstatement Into the State Employees' Retirement System of Employees Furloughed or Otherwise Terminated and Reemployed | 6/29/93 | |
| 570.10 | Final Average Salary—Part-Time Service, State Employees' Retirement System..... | 5/22/81 | |
| 570.11 | Changes to Retirement and Personnel Payroll System and Collection of Arrears Balances | 3/24/97 | |
| 570.12 | Refusal of Recall From Furlough—Termination of Interest on Retirement Contributions | 4/30/96 | |
| 570.13 | State Employees' Retirement System, Regional Field Offices | 9/23/92 | 1 |
| 570.14 | Deferred Compensation Program..... | 1/23/89 | |
| 570.15 | Public Employee Pension Forfeiture Act No. 1978-140 | 10/28/94 | |

Manual.

| | | |
|--------|--|---|
| M570.3 | State Employees' Retirement System Counselors' Manual..... | Rescinded by SERS as obsolete. 1/31/01. |
|--------|--|---|

Civil Service

| | | |
|---------|---|------------------------------|
| 580.2 | Civil Service Availability Survey/Interview Notice | 7/5/94 |
| 580.6 | Monthly Report of Classified Service Employees..... | 8/23/95 |
| 580.8 | Classified Service Probationary Periods..... | 4/13/00 |
| 580.10 | Rights of Certified Eligibles in the Classified Service | 5/16/86 |
| 580.11 | Documentation of Classified Service Personnel Actions | 6/6/01 |
| 580.12 | Recruitment for Classified Service Positions | 10/15/87 |
| 580.13* | Report of Personnel Transactions for Non-State Employees | 8/18/87 |
| 580.15 | Selective Certification of Classified Service Eligibles..... | 6/26/90 |
| 580.16 | Provisional Employment in the Classified Service | 12/5/86 |
| 580.17 | Performance Evaluations to Determine Order of Furlough for Classified Service Employees | Rescinded by M580.2—10/16/97 |
| 580.18 | Pennsylvania Residency and United States Citizenship Requirements for the Classified Service | 2/14/97 |
| 580.19 | Promotion in the Classified Service Without Examination..... | 12/4/01 |
| 580.20 | Classified Service Furlough and Reemployment | Rescinded by M580.2—10/16/97 |
| 580.21 | Veterans' Preference on Classified Service Employment Lists | 6/5/97 |
| 580.23 | Resignation From and Reinstatement to the Classified Service | 3/12/90 |
| 580.24 | Promotion of Employees in Unskilled Positions Into the Classified Service..... | 5/28/96 |
| 580.25 | Political Activities of Classified Service Employees | 9/30/92 |
| 580.26 | Transfer or Reassignment of Classified Service Employees | 2/28/90 |
| 580.27 | Limited Appointments to Positions Exempted from the Classified Service Pursuant to <i>Section 3(c)(4), Civil Service Act.</i> | 2/18/88 |
| 580.28 | Reallocation to a Lower Class in the Classified Service | 2/27/90 |
| 580.29 | Rapid Promotion Examinations in the Classified Service..... | 8/12/85 |
| 580.30 | Classified Service Leave Without Pay and Return Rights | 3/24/86 |
| 580.31 | Classified Service Temporary Appointments..... | 7/18/90 |
| 580.32 | Substitute Employment in the Classified Service | 12/11/86 |
| 580.33 | Reproductions of Documents for Classified Service Personnel Actions..... | 9/14/90 |
| 580.34 | Removal of Eligibles for Certification or Appointment in the Classified Service | 5/20/02 |
| 580.35 | Employees Placed in the Classified Service by Position Reallocation | 3/29/88 |
| 580.36 | Engineering Intern Program..... | 1/14/94 |
| 580.37 | Promotion by Appointment of Unclassified Service Employees Into the Classified Service | 5/22/02 |

* Special Distribution

**Management
Directives
and
Manuals.****Date of Original or Latest
Amendment** **Current
Revisions****Manuals.**

| | | |
|--------|---|---------|
| M580.1 | Certification of Eligibles for the Classified Service..... | 4/7/97 |
| M580.2 | Furlough of Classified Service Employees Not Covered by Labor Agreements | 9/25/03 |

Labor Relations

| | | |
|-------|--|----------------------------|
| 590.1 | Labor Relations..... | 8/7/00 |
| 590.2 | Confidential Positions and Employees | 1/29/97 |
| 590.3 | Deduction of Union Dues/Fair Share Fees | 12/20/00 |
| 590.5 | Guidelines to be Followed During Legal or Illegal Strikes..... | 6/27/03 |
| 590.6 | Information Needed to Obtain Injunctions Against Illegal Strikes . | Rescinded by 590.5—5/13/97 |
| 590.7 | Labor Relations—Grievance Administration..... | 7/28/97 |
| 590.8 | Classification Grievance Processing | 11/7/96 |

Manual.

| | | | |
|--------|---|--------|----------|
| M590.2 | Digest of Commonwealth Employee Classification Arbitration Cases | 8/4/82 | 1 thru 7 |
|--------|---|--------|----------|

SUPPLIES, SERVICES, AND EQUIPMENT**Supplies and Equipment Acquisition/Disposition**

| | | |
|--------|---|--------------------------------|
| 610.2 | Release and Receipt of Surplus State Property | Rescinded by M215.3—8/20/99 |
| 610.3 | Transfer or Sale of Surplus State Property..... | Rescinded by M215.3—8/20/99 |
| 610.4 | Procedures for Purchasing Goods and Services Not Exceeding \$1,500 Through Advancement Accounts..... | 11/17/83 |
| 610.5 | Disposition of Personal Property and Equipment Purchased with GSA Bond Moneys | Rescinded by M215.3—8/20/99 |
| 610.7 | Acquisition of Surplus Federal Personal Property | Rescinded by M215.3—8/20/99 |
| 610.9 | Recovery of Precious Metals | Rescinded by M215.3—8/20/99 |
| 610.11 | Equipment Lease Renewals..... | Rescinded by M215.3—8/20/99 |
| 610.12 | Renewal of Multiyear Equipment Leases Containing Purchase Options | Rescinded by M215.3—8/20/99 |
| 610.13 | Local Bids and Local Awards for Goods Costing \$1,500 to \$10,000 | Rescinded by M215.3—8/20/99 |
| 610.14 | Review of Sole Source Purchase Requisitions for Equipment and Supplies..... | Rescinded by M215.3—8/20/99 |
| 610.15 | Master Lease Program | 1/3/95 |

Manuals.

| | | |
|--------|---|--------------------------------|
| M610.1 | General Services Commodity Distribution Center Catalog..... | 8/8/00 |
| M610.5 | Field Purchasing Manual..... | Rescinded by M215.3—8/20/99 |

Automotive Services

| | | |
|--------|--|----------|
| 615.1 | Temporary Assignment of Commonwealth Automotive Fleet Vehicles | 12/2/92 |
| 615.2 | Motor Vehicle Liability Insurance and Accident Reporting..... | 6/17/96 |
| 615.3 | Rates and Billing for Motor Vehicles of the Commonwealth Automotive Fleet | 6/26/02 |
| 615.6 | License Plates for Commonwealth-Owned Vehicles | 6/30/97 |
| 615.7 | Commonwealth Vehicle Invoices | 7/3/97 |
| 615.8 | Use of State Automobiles..... | 3/26/80 |
| 615.9 | Permanent Assignment of Commonwealth Automotive Fleet Vehicles | 11/20/02 |
| 615.11 | Use and Condition Inspections of Commonwealth-Owned Motor Vehicles..... | 4/21/82 |

**Management
Directives
and
Manuals.**

| | | Date of Original or Latest Amendment | Current Revisions |
|--------|--|---|------------------------------|
| 615.12 | Motor Vehicle Authorization List | 8/11/83 | |
| 615.13 | Emission Control Program - Commonwealth Automotive Fleet Vehicles | 9/26/97 | |
| 615.14 | Repairs and Maintenance, Commonwealth Automotive Fleet | 6/25/97 | |
| 615.15 | Vehicle Parking License Agreements | 7/19/01 | |

Commodity Standards

| | | | |
|-------|-----------------------------------|--------|----|
| 620.1 | Coal Sampling and Reporting | 2/6/02 | 2* |
|-------|-----------------------------------|--------|----|

Buildings, Property, and Real Estate

| | | | |
|--------|--|---------|--|
| 625.1 | Repairs, Alterations, and Improvements to Commonwealth Buildings Under the Direct Supervision of the Department of General Services | 6/20/03 | |
| 625.2 | Inventory of Commonwealth Real Property | 6/3/96 | |
| 625.3 | Moving Employee Household Goods and Commonwealth Property . | 3/14/96 | |
| 625.4 | Enforcement of Fire and Panic Regulations | 3/27/91 | |
| 625.5 | Reporting Surplus Real Property | 5/6/96 | |
| 625.6 | Lease Amendment Exceptions for Leasehold Construction Improvements Costing Less than \$10,000 | 2/28/01 | |
| 625.7 | Use of Form STD-291, Request for Lease Action and Budget Approval | 11/6/97 | |
| 625.8 | Contracting for Bargaining Unit Work | 2/25/94 | |
| 625.9 | Payment of Contractors and Design Professionals for Agency-Funded Construction Projects Undertaken by the Department of General Services | 3/9/01 | |
| 625.10 | Card Reader Access to Certain Capitol Complex Buildings and Other State Office Buildings | 8/28/02 | |

Bonds and Insurance

| | | | |
|-------|--|---------|--|
| 630.1 | Agency Insurance Coordinators | 10/2/87 | |
| 630.2 | Reporting of Employee Liability Claims | 4/28/98 | |

COMMONWEALTH PROGRAMS**Protection and Safety**

| | | | |
|-------|--|----------|--|
| 720.2 | Wage Standards Picketing | 2/3/77 | |
| 720.3 | Guidelines for Preparing for, Responding to, and Reporting Emergencies at State Offices | 6/28/02 | |
| 720.4 | Safety and Loss Prevention Program | 10/2/87 | |
| 720.5 | Personal Electrical Devices in Commonwealth-Owned or Leased Buildings | 10/14/03 | |

[Pa.B. Doc. No. 05-92. Filed for public inspection January 14, 2005, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

Temporary Order Designating Dangerous Transmissible Diseases

The Department of Agriculture (Department) hereby issues a temporary order designating West Nile Encephalitis (WNE), Chronic Wasting Disease (CWD) and Spring Viremia of Carp (SVC) "dangerous transmissible diseases." These designations are made under the authority of 3 Pa.C.S. §§ 2301—2389 (relating to Domestic Animal Law).

This temporary order is the successor to a previous temporary order published at 34 Pa.B. 491 (January 24, 2004) that made the same dangerous transmissible disease designations. The previous temporary order took effect January 1, 2004, and expires as of January 1, 2005.

Under 3 Pa.C.S. § 2327(a) (relating to disease surveillance and detection), the Department has authority to monitor the domestic animal population of this Commonwealth to determine the prevalence, incidence and location of transmissible diseases of animals. Under 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases), the Department has authority to declare a disease that has not been specifically identified in that statute as a "dangerous transmissible disease" to be a dangerous transmissible disease through issuance of a temporary order making that designation.

WNE is a disease of public health significance. It also poses a threat to domestic animal health and to the economic well being of domestic animal industries—particularly the equine industry. Section 2322(c) of 3 Pa.C.S. (relating to neoplastic diseases, metabolic diseases and heritable diseases) requires the Department to proceed with the agreement of the Department of Health (Health) when it adds a disease of public health significance to the list of designated dangerous transmissible diseases. Both the Department and Health agreed upon adding WNE to the list of dangerous transmissible diseases and to the reissuance of this temporary order.

WNE is an infection of the brain caused by the West Nile virus. Although West Nile virus has, in the past, been found most typically in Africa, Eastern Europe and West Asia, it was detected in the New York City area and in parts of New Jersey in 1999. It has spread across the United States since then. In mild cases of human disease, infection can cause fever, headache, body aches, skin rash and swollen lymph glands. In more severe cases, it can cause headache, high fever, neck stiffness, stupor, disorientation, coma, tremors, paralysis and occasional convulsions. In animals, horses and birds appear to be most susceptible to illness following infection, although reports of illness in other species are increasing.

Humans and animals can acquire West Nile virus through a bite from a mosquito that has bitten an infected bird. The designation of WNE as a "dangerous transmissible disease" will facilitate the Department's surveillance of birds, horses and other animals for the presence of the West Nile virus or WNE. The designation will also help the Department in providing assistance to Health and other public health agencies in monitoring and treatment efforts.

CWD is a disease of whitetail deer, elk and other cervids and is a member of the group of diseases known as transmissible spongiform encephalopathies (TSEs). Other more well-known TSEs are scrapie and bovine spongiform encephalopathy (BSE) or "mad cow" disease. All are thought to be caused by a protein that has converted to an abnormal infectious form known as a "prion." There is some evidence, in the case of BSE, that humans may become infected through consumption of meat products containing central nervous system tissues, thus there is a significant public health interest concerning all TSEs.

A number of states have, in recent years, instituted import regulations requiring that cervids entering those states: (1) originate from herds that are participating in a surveillance program; and (2) originate from states that have authority to take action in the event that CWD is diagnosed. The designation of CWD as a "dangerous transmissible disease" will facilitate the development and oversight of a surveillance program, and will help the Department react and take action in the event CWD is detected.

SVC is caused by a ribonucleic acid virus known as *Rhabdovirus carpio*, and is considered an emerging disease in the United States. SVC poses a threat to both domestic fish health and wild fish health in this Commonwealth and has the potential to create a significant adverse economic impact on this Commonwealth's aquaculture industry.

The SVC virus readily infects species of the *Cyprinidae* family (carp and minnows), and spreads through direct contact with infected fish and through shared infected water sources. Symptoms typically appear in the spring time as water temperatures increase. Symptoms in infected fish range from undetectable through mild disease to sudden massive die-off.

There is no specific treatment for fish infected with SVC and no vaccine to prevent the disease. Once natural water resources become infected, SVC may be impossible to eradicate and may pose a permanent threat to aquaculture facilities utilizing those water sources.

Order

The Department hereby designates WNE, CWD and SVC "dangerous transmissible diseases" under 3 Pa.C.S. § 2321(d). This order supplants any previous temporary order making a designation.

This order shall take effect as of January 1, 2005, and shall remain in effect until no later than January 1, 2006. This Department may: (1) reissue this temporary order to extend the designation beyond January 1, 2006; (2) allow this temporary order to expire on January 1, 2006; (3) supplant this temporary order with a formal regulation; or (4) modify this temporary order.

Questions regarding this temporary order may be directed to Paul Knepley, DVM, Director, Bureau of Animal Health and Diagnostic Services, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-2852.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 05-93. Filed for public inspection January 14, 2005, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending January 4, 2005.

BANKING INSTITUTIONS

Mutual Holding Company Reorganization

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| 1-3-05 | Prudential Savings Bank Philadelphia Philadelphia County | Philadelphia | Approved |
| | Represents reorganization into a mutual holding company to be known as Prudential Mutual Holding Company. | | |

Holding Company Acquisitions

| <i>Date</i> | <i>Name of Corporation</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|-----------------|---------------|
| 12-31-04 | Parkvale Financial Corporation, Monroeville, PA, to acquire 100% of the voting shares of Advance Financial Bancorp, Wellsburg, WV | Monroeville, PA | Effective |

Conversions

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|-----------------|---------------|
| 1-3-05 | Prudential Savings Bank Philadelphia Philadelphia County | Philadelphia | Approved |
| | Represents conversion from a State-chartered mutual savings bank to a State-chartered stock savings bank in conjunction with the reorganization into a mutual holding company form of ownership listed previously. | | |

Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| 12-27-04 | Northwest Savings Bank, Warren, PA, and Jamestown Savings Bank, Jamestown, NY Surviving Institution—Northwest Savings Bank, Warren, PA. | Warren, PA | Filed |
| 12-31-04 | Commercial Bank of Pennsylvania, Latrobe, and Highview Trust Company, Greensburg Surviving Institution—Commercial Bank of Pennsylvania, with a change in corporate title to Commercial Bank & Trust of PA. | Latrobe | Effective |
| 12-31-04 | Parkvale Savings Bank, Monroeville, PA, and Advance Financial Savings Bank, Wellsburg, WV Surviving Institution—Parkvale Savings Bank, Monroeville, PA. <i>Branches Acquired by means of Merger:</i> 435 Main Street Bridgeport Belmont County, OH 4000 Central Avenue Shadyside Belmont County, OH 1409 Main Street Follansbee Brooke County, OH | Monroeville, PA | Effective |

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| | 1015 Commerce Street Wellsburg Brooke County, OH | | |
| | 125 Dunbar Avenue Steubenville Jefferson County, OH | | |
| | 4420 Sunset Boulevard Steubenville Jefferson County, OH | | |
| | 805 Main Street Wintersville Jefferson County, OH | | |

Branch Applications

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 12-27-04 | The Muncy Bank and Trust Company Muncy Lycoming County | 900 North Loyalsock Avenue Montoursville Lycoming County | Opened |
| 12-27-04 | S & T Bank Indiana Indiana County | R. R. 6, Box 98, Route 30 Latrobe Westmoreland County | Filed |
| 12-27-04 | Iron and Glass Bank Pittsburgh Allegheny County | Three Park Manor Drive Robinson Township Allegheny County | Opened |
| 12-27-04 | Royal Bank America Narberth Montgomery County | 6331 Castor Avenue Philadelphia Philadelphia County | Opened |
| 12-17-04 | Stonebridge Bank Exton Chester County | 1212 Churchville Road Bel Air Harford County, MD | Opened |
| 12-30-04 | Penn Liberty Bank Wayne Delaware County | 649 West Germantown Pike Plymouth Meeting Montgomery County | Approved |
| 12-30-04 | CSB Bank Curwensville Clearfield County | BILO Supermarket Route 255 (Million Dollar Highway) St. Marys Elk County | Filed |

Branch Relocations/Consolidations

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 12-28-04 | Irwin Bank & Trust Company Irwin Westmoreland County | <i>Into:</i> 4580 Broadway Boulevard Monroeville Allegheny County <i>From:</i> 4548 Broadway Boulevard Monroeville Allegheny County | Approved |
| 12-30-04 | Susquehanna Bank PA Lititz Lancaster County | <i>Into:</i> 1635 Lititz Pike Lancaster Manheim Township Lancaster County <i>From:</i> 1700A Fruitville Pike Lancaster Manheim Township Lancaster County | Filed |

Branch Discontinuances

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 12-30-04 | Irwin Bank & Trust Company Irwin Westmoreland County | 512 Broadway Pitcairn Allegheny County | Approved |
| 1-3-05 | Mid Penn Bank Millersburg Dauphin County | 9 East Main Street Tremont Schuylkill County | Filed |

Articles of Amendment

| <i>Date</i> | <i>Name of Bank</i> | <i>Purpose</i> | <i>Action</i> |
|-------------|---|--|------------------------|
| 12-31-04 | Highview Trust Company Greensburg Westmoreland County | Article III of the Articles of Incorporation is amended and restated in its entirety to indicate that the sole purpose of the institution shall be to merge with Commercial Bank of Pennsylvania, a Pennsylvania chartered bank and trust company; and to amend and restate Article IV of the Articles of Incorporation to indicate that the institution is incorporated as a bank and trust company under the Banking Code of 1965, as amended. | Approved and Effective |

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Conversions to Community Charter**

| <i>Date</i> | <i>Name of Credit Union</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|-----------------|---------------|
| 1-3-05 | Fairless Credit Union Morrisville Bucks County | Morrisville | Approved |

Conversion from occupational to community charter will result in an amendment to the credit union's Articles of Incorporation, Article 8, to read: The membership of the Credit Union will be limited to persons who live, work, worship, or attend school in, and businesses and other legal entities located in Bucks County.

| | | | |
|--------|---|------------|----------|
| 1-3-05 | St. Basil Parish Credit Union Pittsburgh Allegheny County | Pittsburgh | Approved |
|--------|---|------------|----------|

Conversion from associational to community charter will result in amendments to the credit union's Articles of Incorporation, Article 1, to reflect a change in corporate title to Basil Community Credit Union; and Article 8, to extend the field of membership of the credit union to include individuals who live, work, worship and/or gather regularly with the described following areas: The neighborhoods of Beechview (15216), Brookline (15226), Overbrook (15210) and Banksville (15220) within the City of Pittsburgh; the Municipality of Mt. Lebanon (15228 and 15234); the Township of Upper St. Clair (15241); the Boroughs of Brentwood (15227), Baldwin (15236), Castle Shannon (15234), Dormont (15216), Bethel Park (15102), Bridgeville (15017), Carnegie (15106), Crafton (15205) and Greentree (15242).

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 05-94. Filed for public inspection January 14, 2005, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, January 26, 2005, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items should be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Joan Dupes at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 05-95. Filed for public inspection January 14, 2005. 9:00 a.m.]

Snowmobile and ATV Advisory Committee Meeting

The Snowmobile and ATV Advisory Committee of the Department of Conservation and Natural Resources (Department) will hold a meeting on Friday, January 21, 2005, at 9:30 a.m. in Room 105, First Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items should be directed to Anthony DiGirolomo at (717) 787-9306.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Anthony DiGirolomo at (717) 787-9306 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 05-96. Filed for public inspection January 14, 2005. 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal waste; discharge into groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|--------------------------------------|-------------------------------------|----------------------------|
| PA0044474 | Genesis Eldercare 549 Baltimore Pike Glen Mills, PA 19342 | Delaware County Concord Township | West Branch of Chester Creek | Y |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|--|--|-------------------------------------|----------------------------|
| PA0081451 (Sewage) | Red Lion Area School District 696 Delta Road Red Lion, PA 17356 | York County Chanceford Township | W. Branch Toms Run/7I | Y |
| PA0037737 (Sewage) | Elizabethville Area Authority 4154 N. Rte 225 Elizabethville, PA 17023-9704 | Dauphin County Washington Township | Wiconisco Creek/6C | Y |
| PA0081337 (Sewage) | ATG Properties LLC (Northwood Manor MHP) P. O. Box 677 Morgantown, PA 19543 | York County Newberry Township | UNT Conewago Creek/7F | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|--|--|--------------------------------------|----------------------------|
| PA0112771 | Port Matilda Borough Authority Municipal Building Port Matilda, PA 16870 | Centre County Port Matilda Borough Worth Township | Bald Eagle Creek 9C | Y |
| PA0228192 | Wallaceton-Boggs Municipal Authority P. O. Box 97 West Decatur, PA 16878 | Clearfield County Boggs Township | Laurel Run 8D | Y |
| PA0209155 Sewerage | Sandro Sorge 344 College Hill Road Bloomsburg, PA 17815 | Madison Township, Columbia County | Fishing Creek 5-C | Y |
| PA0111945 IW | Ward Manufacturing, Inc. P. O. Box 9 Blossburg, PA 16912-0009 | Blossburg Borough Tioga County | Johnson Creek; Tioga River 4-A | Y |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|--|---|---|----------------------------|
| PA0033031 | DCNR—Pymatuning State Park—Tuttle Park Campground 2660 Williamsfield Road Jamestown, PA 16134 | North Shenango Township Crawford County | Pymatuning Reservoir 20-A | Y |
| PA0101621 | Bradford City Water Authority 28 Kennedy Street Bradford, PA 16701 | Bradford Township McKean County | West Branch Tunungwant Creek 16-C | Y |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0058882, Industrial Waste, SIC 3272, **Penn Concrete & Supply, LLC**, 260 Norwood Road, Downingtown, PA 19335. This facility is located in West Whiteland Township, **Chester County**.

Description of Proposed Activity: This application requests approval of an NPDES permit to discharge stormwater runoff from the site of a ready mix concrete batch plant located at 606 Jeffers Circle in Exton, PA.

The receiving stream, an UNT to Valley Creek, is in the State Water Plan watershed 3H and is classified for: CWF, MF, aquatic life, water supply and recreation. The nearest downstream public water supply intake is Philadelphia Suburban Water Supply located approximately 4.5 river miles downstream on East Branch Brandywine Creek.

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | | <i>Instantaneous Maximum mg/l</i> |
|--|----------------------------|----------------------|-----------------------------|--------------------------------|----------------------|---------------------------------------|
| | <i>Average Monthly</i> | <i>Max Daily</i> | <i>Average Annual</i> | <i>Average Semi-Annual</i> | <i>Max Daily</i> | |
| Total Suspended Solids (Issuance through year 2) | | | M/R | M/R | M/R | |
| Total Suspended Solids (Year 3 through expiration) | | | 50 | M/R | 100 | 100 |
| pH (STD) (Issuance through year 2) | | | M/R | M/R | M/R | |
| pH (STD) (Year 3 through expiration) | | | 6.0 (Min) | | 9.0 (Max) | |
| Oil and Grease | | | M/R | M/R | M/R | |
| pH (Upstream) | | | M/R | M/R | M/R | |
| pH (Downstream) | | | M/R | M/R | M/R | |

M/R = Monitor/Report

In addition to the effluent limits, the permit contains the following major special conditions:

1. DMR to Department of Environmental Protection
2. BAT/ELG Reopener
3. Change of Name or Ownership
4. Stormwater Outfall Requirements
5. Instream pH Monitoring

PA0011541, IW, SIC 5171, **Sunoco Partners Marketing & Terminals, LP**, 1801 Market Street—3/10 PC, Philadelphia, PA 19103-1699. This proposed facility is located in Darby Township, **Delaware County**.

Description of Proposed Activity: Stormwater runoff from Darby Creek tank farm.

The receiving stream, Darby Creek, is in the State Water Plan watershed 3G and is classified for: TSF and MF. There is no public water supply intake downstream to this discharge.

The proposed effluent limits for Outfall 001 are as follows:

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | |
|----------------------|--|--------------------------|-----------------------------|---|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow | Monitor/Report | | | |
| Total Organic Carbon | | | | 110 |
| Oil and Grease | | | 15 | 30 |
| pH (STD Units) | Within the limits of 6.0 to 9.0 at all times | | | |

In addition to the effluent limits, the permit contains the following Other Requirements:

Other Permit Conditions:

1. Remedial Measure
2. Change in Ownership
3. Contaminated Runoff
4. PPC Plan

- 5. Other Discharges
- 6. Definitions
- 7. Laboratory Certified

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. (717) 705-4707.

Application No. PA 0026123, Sewage, **Columbia Municipal Authority**, 308 Locust Street, Columbia, PA 17512. This facility is located in Columbia Borough, **Lancaster County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated sewage.

The receiving stream, Susquehanna River, is in Watershed 7-G, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Safe Harbor Power Plant is located on the Susquehanna River, approximately ten miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 2.0 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-------------------------------|---------------------------------------|-------------------------------------|
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| Total Phosphorus | 2 | | 4 |
| Total Residual Chlorine | 0.5 | | 1.6 |
| NH ₃ -N | | Monitor | |
| NO ₂ -N | | Monitor | |
| NO ₃ -N | | Monitor | |
| TKN | | Monitor | |
| Total Nitrogen | | Calculate | |
| Dissolved Oxygen | | Minimum of 5.0 at all times | |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | | |
| (5/1 to 9/30) | | 200/100 ml as a geometric average | |
| (10/1 to 4/30) | | 100,000/100 ml as a geometric average | |

Individuals may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0043672, Industrial Waste, **General Dynamics-OTS (PA) Inc.**, 200 East High Street, P. O. Box 127, Red Lion, PA 17356-0127. Description of activity: The application is for the renewal of an NPDES permit for existing discharges of treated groundwater, noncontact cooling water and stormwater in Red Lion Borough, **York County**.

The receiving water, Fishing Creek, is in Watershed 7-I, and is classified for TSE, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Red Lion Municipal Authority, located on the Susquehanna River, is over 12 miles downstream. The discharges are not expected to affect the water supply.

The proposed effluent limits and monitoring requirements for Outfall 001 (emergency discharge of NCCW) based on a flow of 0.01 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-----------------------|-------------------------------|-----------------------------|-------------------------------------|
| pH | | From 6.0 to 9.0 inclusive | |
| Discharge Temperature | XXX | Monitor and Report | XXX |

The proposed effluent limits and monitoring requirements for Outfalls 002 and 004 (treated groundwater and soil vapor extraction system pump water) based on average flows of 0.0052 and 0.007 mgd, respectively, are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|------------------|-------------------------------|-----------------------------|-------------------------------------|
| pH | | From 6.0 to 9.0 inclusive | |
| Trichloroethene | 0.03 | 0.06 | 0.075 |

The proposed effluent limits and monitoring requirements for Outfall 003 (treated groundwater and soil vapor extraction system pump water) based on an average flow of 0.098 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|------------------|-------------------------------|-----------------------------|-------------------------------------|
| pH | | From 6.0 to 9.0 inclusive | |
| Trichloroethene | 0.02 | 0.04 | 0.05 |

Additionally, monitoring is proposed for all organic compounds detected in site groundwater in the previous 2 years at Outfalls 002, 003 and 004. Monitoring is also proposed at Outfalls 002, 003 and 005 for stormwater pollutants, including oil and grease, suspended solids, BOD₅ and heavy metals.

Individuals may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0228826, Industrial Wastewater (4911), **River Hill Power Company, LLC.**, 94 Spruce Street, Indiana, PA 15701-8424. This proposed facility is located in the Karthaus Township, **Clearfield County**.

Description of Proposed Action/Activity: The proposed wastewater treatment facility to serve cooling tower blowdown, miscellaneous floor drain discharges and coal pile runoff at the applicants proposed Waste Coal Fired Power Plant.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan watershed 8D and is classified for WWF. The nearest downstream public water supply intake is located on the West Branch Susquehanna River approximately 120 miles downstream of the proposed point of discharge, near Milton, PA.

The proposed effluent limits for Discharge 001, based on a design flow of 1.5 mgd, are:

| <i>Parameter</i> | <i>Average Monthly (mg/L)</i> | <i>Instantaneous Maximum (mg/L)</i> |
|--------------------------------|-----------------------------------|---|
| PH (std units) | Within range of 6.0—9.0 | |
| Oil and Grease | 15 | 30 |
| TSS | 30 | 125 |
| Total Cl ₂ Residual | 0.4 | 0.6 |
| Chromium | 0.2 | 0.25 |
| Zinc | 1.0 | 1.25 |
| Iron | Monitor and Report | |
| TDS | Monitor and Report | |

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0090271, Industrial Waste, SIC, 4953, **Orion Power Midwest, L.P.**, 121 Champion Way, Suite 200, Canonsburg, PA 15317-5817. This application is for renewal of an NPDES permit to discharge treated process water and stormwater from the Fern Valley Disposal Site in Jefferson Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, UNT to Monongahela River classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is PA American Water Company, located at 410 Cooke Lane, Pittsburgh, PA 15234, 18.1 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0201 mgd.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|--|--------------------------|-----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow (mgd) | Monitor and Report | | | | |
| Suspended Solids | | | 30 | | 60 |
| Oil and Grease | | | 15 | | 30 |
| Aluminum | | | 5.0 | | 10.0 |
| Iron | | | 3.5 | | 7.0 |
| pH | not less than 6.0 nor greater than 9.0 | | | | |

Outfall 002: existing discharge

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|--|--------------------------|-----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow | Monitor and Report | | | | |
| Suspended Solids | | | 30 | | 60 |
| Oil and Grease | | | 15 | | 30 |
| Aluminum | | | 5.0 | | 10.0 |
| Iron | | | 3.5 | | 7.0 |
| pH | not less than 6.0 nor greater than 9.0 | | | | |

Outfall 003: existing discharge, design flow of 0.0201 mgd

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|----------------------------|--------------------------|-----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow (mgd) | Monitor and Report | | | | |
| Suspended Solids | | | 30 | | 60 |
| Oil and Grease | | | 15 | | 30 |

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|--|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Aluminum | | | 5.0 | | 10.0 |
| Iron | | | 3.5 | | 7.0 |
| pH | not less than 6.0 nor greater than 9.0 | | | | |

Outfall 004: existing stormwater discharge (interim limits)

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow (mgd) | Monitor and Report | | | | |
| Suspended Solids | Monitor and Report | | | | |
| Aluminum | Monitor and Report | | | | |
| Iron | Monitor and Report | | | | |
| pH | Monitor and Report | | | | |

Outfall 004: existing stormwater discharge (final limits)

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------|------------------------|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow (mgd) | Monitor and Report | | | | |
| Suspended Solids | | | 30 | | 60 |
| Aluminum | | | 5.0 | | 10.0 |
| Iron | | | 3.0 | | 6.0 |
| pH | Monitor and Report | | | | |

The EPA waiver is in effect.

PAS146102, Industrial Waste, SIC, 2653 (NAICS322211), **International Paper**, 10 Wilson Road, Eighty Four, PA 15330.

This application is for issuance of an NPDES permit to discharge treated stormwater from BOX USA in North Strabane Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, UNT to Little Chartiers Creek, classified as a HQ CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the West View Municipal Authority, located approximately 50 miles below the discharge point.

Outfall 001: existing stormwater discharge.

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------------|--|----------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Flow | Monitor and Report | | | | |
| Total Suspended Solids | Monitor and Report | | | | |
| COD | Monitor and Report | | | | |
| pH | not less than 6.0 nor greater than 9.0 | | | | |

The EPA waiver is in effect.

PA0217247, Sewage, **Marion Center Area School District**, Box 156, Route 403, Marion Center, PA 15799. This application is for renewal of an NPDES permit to discharge treated sewage from Creekside Washington Elementary School STP in Washington Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of South Branch Plum Creek, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Cadogen Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.0019 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|-----------------------------|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Ammonia Nitrogen (5/1 to 10/31) | 23.0 | | | 46.0 |

| Parameter | Concentration (mg/l) | | | |
|---|--|-------------------|------------------|--------------------------|
| | Average Monthly | Average Weekly | Maximum Daily | Instantaneous Maximum |
| Fecal Coliform (5/1 to 9/30) (10/1 to 4/30) | 200/100 ml as a geometric mean | | | |
| Total Residual Chlorine | 2,000/100 ml as a geometric mean | | | |
| pH | 1.4 | | | 3.3 |
| | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0103446, Industrial Waste. **Onyx Greentree Landfill**, 635 Toby Road, Kersey, PA 15846. This proposed facility is located in Fox Township, **Elk County**.

Description of Proposed Activity: an existing discharge of treated industrial waste and stormwater.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is PA American Water Co. and the Clarion River located at Clarion, 73 miles below point of discharge.

The receiving stream, Little Toby Creek, is in watershed 17-A and classified for: CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.053 mgd.

These discharge limits apply when the design flow of the wastewater treatment plant is 0.053 mgd.

| Parameter | Loadings | | Concentrations | | Instantaneous Maximum (mg/l) |
|---|-----------------------------|---------------------------|---------------------------|-------------------------|------------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | |
| Flow (mgd) | XX | XX | | | |
| BOD ₅ | | | 53 | 163 | 163 |
| TSS | | | 31 | 60 | 77.5 |
| Oil and Grease | | | 50.2 | 205 | 205 |
| Fecal Coliform (5/1 to 9/30) (10/1 to 4/30) | | | 200/100ml 26,000/100ml | | |
| Antimony | | | 0.206 | 0.249 | 0.52 |
| Arsenic | | | 0.104 | 0.162 | 0.26 |
| Cadmium | | | 0.0962 | 0.474 | 0.474 |
| Chromium | | | 3.07 | 15.5 | 15.5 |
| Cobalt | | | 0.124 | 0.192 | 0.31 |
| Copper | | | 0.757 | 0.865 | 1.9 |
| Lead | | | 0.283 | 1.32 | 1.32 |
| Mercury | | | 0.000739 | 0.00234 | 0.00234 |
| Nickel | | | 1.45 | 3.95 | 3.95 |
| Silver | | | 0.0351 | 0.12 | 0.12 |
| Tin | | | 0.12 | 0.409 | 0.409 |
| Titanium | | | 0.0618 | 0.0947 | 0.15 |
| Vanadium | | | 0.0662 | 0.218 | 0.218 |
| Zinc | | | 0.42 | 0.497 | 1 |

| Parameter | Loadings | | Concentrations | | Instantaneous Maximum (mg/l) |
|------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|------------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | |
| Acetone | | | 7.97 | 30.2 | 30.2 |
| Acetophenone | | | 0.0562 | 0.114 | 0.14 |
| 2-Butanone | | | 1.85 | 4.81 | 4.81 |
| o-Cresol | | | 0.561 | 1.92 | 1.92 |
| p-Cresol | | | 0.205 | 0.698 | 0.698 |
| Phenol | | | 1.08 | 3.65 | 3.65 |
| Pyridine | | | 0.182 | 0.37 | 0.46 |
| 2,4,6-Trichlorophenol | | | 0.106 | 0.155 | 0.27 |
| (*) Pentachlorophenol | | | | XX | |
| (*) Acrylonitrile | | | | XX | |
| (*) Benzidine | | | | XX | |
| (*) Benzo(a)anthracene | | | | XX | |

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------------|-------------------------------------|-----------------------------------|-----------------------------------|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| (*) Benzo(a)pyrene | | | | XX | |
| (*) 3,4-benzofluoranthene | | | | XX | |
| (*) Benzo(k)fluoranthene | | | | XX | |
| (*) Bis(2-chloroethyl)ether | | | | XX | |
| (*) Chrysene | | | | XX | |
| (*) Dibenzo(a,h)anthracene | | | | XX | |
| (*) 3,3-dichlorobenzidine | | | | XX | |
| (*) 2,4-dinitrotoluene | | | | XX | |
| (*) 2,6-dinitrotoluene | | | | XX | |
| (*) 1,2-dephenylhydrazine | | | | XX | |
| (*) Hexachlorobenzene | | | | XX | |
| (*) Indeno(1,2,3-cd)pyrene | | | | XX | |
| (*) N-nitrosodimethylamine | | | | XX | |
| (*) N-nitrosodi-n-propylamine | | | | XX | |
| (*) Aldrin | | | | XX | |
| (*) Chlordane | | | | XX | |
| (*) 4,4-DDT | | | | XX | |
| (*) 4,4-DDE | | | | XX | |
| (*) 4,4-DDD | | | | XX | |
| (*) Dieldrin | | | | XX | |
| (*) alpha-BHC | | | | XX | |
| (*) Heptachlor | | | | XX | |
| Heptachlor epoxide | | | | XX | |
| Toxaphene | | | | XX | |
| pH | | | | | Within Limits of 6.0 to 9.0 |

The proposed effluent limits for Outfall 001 based on a design flow of 0.1 mgd. These discharge limits apply in any month in which the design flow of the wastewater treatment plant is 0.1 mgd.

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|-----------------------|-------------------------------------|-----------------------------------|-----------------------------------|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| Flow (mgd) | XX | XX | | | |
| CBOD ₅ | 46 | 92 | 56 | 112 | 140 |
| 112T140SS | | | 31 | 60 | 77.5 |
| Oil and Grease | | | 50.2 | 205 | 205 |
| Fecal Coliform | | | | | |
| (5/1 to 9/30) | | | 200/100ml | | |
| (10/1 to 4/30) | | | 5,600/100ml | | |
| Ammonia Nitrogen | | | | | |
| (05/01 to 10/31) | 38 | 76 | 46 | 92 | 115 |
| (11/01 to 04/30) | 115 | 230 | 138 | 276 | 345 |
| Antimony | 0.13 | 0.26 | 0.043 | 0.086 | 0.11 |
| Arsenic | | | 0.104 | 0.162 | 0.26 |
| Cadmium | | | 0.118 | 0.236 | 0.295 |
| Chromium | | | 3.07 | 15.5 | 15.5 |
| Cobalt | | | 0.124 | 0.192 | 0.31 |
| Copper | | | 0.757 | 0.865 | 1.9 |
| Lead | | | 0.283 | 1.32 | 1.32 |
| (*) Mercury | | | 0.00042 | 0.0085 | 0.0011 |
| Nickel | | | 1.45 | 3.95 | 3.95 |
| Silver | | | 0.0351 | 0.12 | 0.12 |
| Tin | | | 0.12 | 0.409 | 0.409 |
| Titanium | | | 0.0618 | 0.0947 | 0.15 |
| Vanadium | | | 0.0662 | 0.218 | 0.218 |
| Zinc | | | 0.42 | 0.497 | 1.05 |
| Acetone | | | 7.97 | 30.2 | 30.2 |
| Acetophenone | | | 0.0562 | 0.114 | 0.14 |
| 2-Butanone | | | 1.85 | 4.81 | 4.81 |
| o-Cresol | | | 0.561 | 1.92 | 1.92 |
| p-Cresol | | | 0.205 | 0.698 | 0.698 |
| Phenol | | | 1.08 | 3.65 | 3.65 |
| Pyridine | | | 0.182 | 0.37 | 0.46 |
| 2,4,6-Trichlorophenol | | | 0.106 | 0.155 | 0.27 |

NOTICES

| Parameter | Loadings | | Concentrations | | Instantaneous Maximum (mg/l) |
|--------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|------------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | |
| (*) pentachlorophenol | | | | XX | |
| (*) Acrylonitrile | | | | XX | |
| (*) Carbon Tetrachloride | | | | XX | |

| Parameter | Loadings | | Concentrations | | Instantaneous Maximum (mg/l) |
|-------------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|--|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | |
| (*) 1,1-dichloroethylene | | | | XX | |
| (*) Benzidine | | | | XX | |
| (*) Benzo(a)anthracene | | | | XX | |
| (*) Benzo(a)pyrene | | | | XX | |
| (*) 3,4-benzofluoranthene | | | | XX | |
| (*) Benzo(k)fluoranthene | | | | XX | |
| (*) Bis(2-chloroethyl)ether | | | | XX | |
| (*) Chrysene | | | | XX | |
| (*) Dibenzo(a,h)anthracene | | | | XX | |
| (*) 3,3-dichlorobenzidine | | | | XX | |
| (*) 2,4-dinitrotoluene | | | | XX | |
| (*) 2,6-dinitrotoluene | | | | XX | |
| (*) 1,2-dephenylhydrazine | | | | XX | |
| (*) Hexachlorobenzene | | | | XX | |
| (*) Indeno(1,2,3-cd)pyrene | | | | XX | |
| (*) N-nitrosodimethylamine | | | | XX | |
| (*) N-nitrosodi-n-propylamine | | | | XX | |
| (*) Aldrin | | | | XX | |
| (*) alpha-BHC | | | | XX | |
| (*) beta-BHC | | | | XX | |
| (*) Chlordane | | | | XX | |
| (*) 4,4-DDT | | | | XX | |
| (*) 4,4-DDE | | | | XX | |
| (*) 4,4-DDD | | | | XX | |
| (*) Dieldrin | | | | XX | |
| (*) Heptachlor | | | | XX | |
| (*) Heptachlor epoxide | | | | XX | |
| (*) Toxaphene | | | | XX | |
| pH | | | | | Within limits of 6.0 to 9.0 standard units |

The proposed effluent limits for Outfall 001 based on a design flow of 0.15 mgd. These discharge limits apply in any month in which the design flow of the wastewater treatment plant is 0.15 mgd.

| Parameter | Loadings | | Concentrations | | Instantaneous Maximum (mg/l) |
|-------------------|-----------------------------|---------------------------|---------------------------|-------------------------|------------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | |
| Flow | XX | XX | | | |
| CBOD ₅ | 39 | 78 | 47 | 94 | 117 |
| TSS | | | 31 | 60 | 77.5 |
| Oil and Grease | | | 50.2 | 205 | 205 |
| Ammonia Nitrogen | | | | | |
| (05/01 to 10/31) | 37 | 74 | 30 | 60 | 75 |
| (11/01 to 04/30) | 112 | 224 | 90 | 180 | 225 |
| Fecal Coliform | | | | | |
| (5/1 to 9/30) | | | 200/100ml | | |
| (10/1 to 4/30) | | | 10,000/100ml | | |
| Antimony | 0.1 | 0.2 | 0.083 | 0.166 | 0.21 |
| Arsenic | | | 0.104 | 0.162 | 0.26 |
| Cadmium | | | 0.0962 | 0.474 | 0.474 |
| Chromium | | | 3.07 | 15.5 | 15.5 |
| Cobalt | | | 0.124 | 0.192 | 0.31 |
| Copper | | | 0.757 | 0.865 | 1.9 |
| Lead | | | 0.283 | 1.32 | 1.32 |
| Mercury | 0.00038 | 0.00076 | 0.0003 | 0.0006 | 0.0075 |
| Nickel | | | 1.45 | 3.95 | 3.95 |

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|-----------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------------|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| Thallium | 0.03 | 0.06 | 0.01 | 0.02 | 0.025 |
| Silver | | | 0.0351 | 0.12 | 0.12 |
| Tin | | | 0.12 | 0.409 | 0.409 |
| Titanium | | | 0.0618 | 0.0947 | 0.15 |
| Vanadium | | | 0.0662 | 0.218 | 0.218 |
| Zinc | | | 0.42 | 0.497 | 1.05 |
| Acetone | | | 7.97 | 30.2 | 30.2 |
| Acetophenone | | | 0.0562 | 0.114 | 0.14 |
| 2-Butanone | | | 1.85 | 4.81 | 4.81 |
| o-Cresol | | | 0.561 | 1.92 | 1.92 |
| p-Cresol | | | 0.205 | 0.698 | 0.698 |
| Phenol | | | 1.08 | 3.65 | 3.65 |
| Pyridine | | | 0.182 | 0.37 | 0.46 |
| 2,4,6-Trichlorophenol | 0.1 | 0.2 | 0.078 | 0.16 | 0.2 |
| Acrolein (*) | | | | XX | |
| Pentachlorophenol (*) | | | | XX | |
| Acrylonitrile (*) | | | | XX | |

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------------|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| Benzidine (*) | | | | XX | |
| Benzo(a)anthracene (*) | | | | XX | |
| Benzo(a)pyrene (*) | | | | XX | |
| 3,4-benzofluoranthene (*) | | | | XX | |
| Benzo(k)fluoranthene (*) | | | | XX | |
| Bis(2-chloroethyl)ether (*) | | | | XX | |
| Chrysene (*) | | | | XX | |
| Dibenzo(a,h)anthracene (*) | | | | XX | |
| 3,3-dichlorobenzidine (*) | | | | XX | |
| 2,4-dinitrotoluene (*) | | | | XX | |
| 2,6-dinitrotoluene (*) | | | | XX | |
| 1,2-dephenylhydrazine (*) | | | | XX | |
| Hexachlorobenzene (*) | | | | XX | |
| Indeno(1,2,3-cd)pyrene (*) | | | | XX | |
| N-nitrosodimethylamine (*) | | | | XX | |
| N-nitrosodi-n-propylamine (*) | | | | XX | |
| Aldrin (*) | | | | XX | |
| alpha-BHC (*) | | | | XX | |
| Chlordane (*) | | | | XX | |
| 4,4-DDT (*) | | | | XX | |
| 4,4-DDE (*) | | | | XX | |
| 4,4-DDD (*) | | | | XX | |
| Dieldrin (*) | | | | XX | |
| Heptachlor (*) | | | | XX | |
| Heptachlor epoxide (*) | | | | XX | |
| Toxaphene (*) | | | | XX | |
| PH | | | 6.0 | | 9.0 |

The proposed effluent limits for Outfall 001 based on a design flow of 0.25 mgd. These discharge limits apply when the design flow of the wastewater treatment plant is 0.25 mgd.

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------------|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| Flow | XX | XX | | | |
| CBOD ₅ | 77 | 154 | 37 | 74 | 92 |
| TSS | | | 31 | 60 | 77.5 |
| Oil and Grease | | | 50.2 | 205 | 205 |
| Ammonia Nitrogen | | | | | |
| (05/01 to 10/31) | 39 | 78 | 19 | 38 | 47 |
| (11/01 to 04/30) | 118 | 236 | 57 | 114 | 142 |

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|---|-------------------------------------|-----------------------------------|-----------------------------------|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| Fecal Coliform (5/1 to 9/30) (10/1 to 4/30) | | | 200/100ml 7,100/100ml | | |
| Antimony | 0.11 | 0.22 | 0.055 | 0.11 | 0.14 |
| Arsenic | | | 0.104 | 0.162 | 0.26 |
| Cadmium | | | 0.0962 | 0.474 | 0.474 |
| Chromium | | | 3.07 | 15.5 | 15.5 |
| Cobalt | | | 0.124 | 0.192 | 0.31 |
| Copper | | | 0.757 | 0.865 | 1.9 |
| Lead | 0.5 | 1 | 0.25 | 0.5 | 0.63 |
| Mercury | 0.00042 | 0.00084 | 0.0002 | 0.0004 | 0.0005 |
| Nickel | 2.25 | 4.5 | 1.08 | 2.16 | 2.7 |
| Thallium | 0.014 | 0.028 | 0.0067 | 0.014 | 0.017 |
| Silver | | | 0.0351 | 0.12 | 0.12 |
| Tin | | | 0.12 | 0.409 | 0.409 |
| Titanium | | | 0.0618 | 0.0947 | 0.15 |
| Vanadium | | | 0.0662 | 0.218 | 0.218 |
| Zinc | | | 0.42 | 0.497 | 1.05 |
| Acetone | | | 7.97 | 30.2 | 30.2 |
| Acetophenone | | | 0.0562 | 0.114 | 0.14 |
| 2-Butanone | | | 1.85 | 4.81 | 4.81 |
| o-Cresol | | | 0.561 | 1.92 | 1.92 |
| p-Cresol | | | 0.205 | 0.698 | 0.698 |
| Phenol | | | 1.08 | 3.65 | 3.65 |
| Pyridine | | | 0.182 | 0.37 | 0.46 |
| 2,4,6-Trichlorophenol | 0.1 | 0.2 | 0.047 | 0.094 | 0.12 |
| Acrolein (*) | | | | XX | |
| Pentachlorophenol (*) | | | | XX | |
| Acrylonitrile (*) | | | | XX | |
| Benzidine(*) | | | | XX | |

| <i>Parameter</i> | <i>Loadings</i> | | <i>Concentrations</i> | | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------------|-------------------------------------|-----------------------------------|--|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | |
| Benzo(a)anthracene (*) | | | | XX | |
| Benzo(a)pyrene (*) | | | | XX | |
| 3,4-benzofluoranthene (*) | | | | XX | |
| Benzo(k)fluoranthene (*) | | | | XX | |
| Bis(2-chloroethyl)ether (*) | | | | XX | |
| Chrysene (*) | | | | XX | |
| Dibenzo(a,h)anthracene (*) | | | | XX | |
| 3,3-dichlorobenzidine (*) | | | | XX | |
| 2,4-dinitrotoluene (*) | | | | XX | |
| 2,6-dinitrotoluene (*) | | | | XX | |
| 1,2-dephenylhydrazine (*) | | | | XX | |
| Hexachlorobenzene (*) | | | | XX | |
| Indeno(1,2,3-cd)pyrene (*) | | | | XX | |
| N-nitrosodimethylamine (*) | | | | XX | |
| N-nitrosodi-n-propylamine (*) | | | | XX | |
| Aldrin (*) | | | | XX | |
| alpha-BHC (*) | | | | XX | |
| Chlordane (*) | | | | XX | |
| 4,4-DDT (*) | | | | XX | |
| 4,4-DDE (*) | | | | XX | |
| 4,4-DDD (*) | | | | XX | |
| Dieldrin (*) | | | | XX | |
| Heptachlor (*) | | | | XX | |
| Heptachlor epoxide (*) | | | | XX | |
| Toxaphene (*) | | | | XX | |
| pH | | | Within limits of 6 to 9 standard units at all times. | | |

The proposed effluent limits for Sedimentation Basins 001, 002, 003, 004, 006, 007, 008, 010, 011, A1, B1, B2, D and E, based on a design flow of n/a mgd.

| Parameter | Loadings | | Concentrations | | Instantaneous Maximum (mg/l) |
|-------------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|------------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | |
| Chemical Oxygen Demand | | | | | XX |
| Oil and Grease | | | | | XX |
| pH | | | | | XX |
| Total Dissolved Solids | | | | | XX |
| Total Organic Carbon | | | | | XX |
| Barium | | | | | XX |
| Cadmium | | | | | XX |
| Chromium | | | | | XX |
| Lead | | | | | XX |
| Mercury | | | | | XX |
| Magnesium | | | | | XX |
| Selenium | | | | | XX |
| Silver | | | | | XX |
| Ammonia | | | | | XX |
| Arsenic | | | | | XX |
| Cyanide | | | | | XX |
| Nitrate plus Nitrite Nitrogen | | | | | XX |
| Total Iron | | | | | XX |

XX—Monitor and report.

*—See Special Condition 6 in Part C of the permit.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 2304405, Sewerage, **Middletown Township Sewer Authority**, P. O. Box, Lima, PA 19037. This proposed facility is located in Middletown Township, **Delaware County**.

Description of Action/Activity: Subdivision of a 4.98 acre tract into four single family residential lots.

WQM Permit No. 1504416, Sewerage, **Caln Township**, 253 Municipal Drive, P. O. Box 72149, Thorndale, PA 19372. This proposed facility is located in Caln Township, **Chester County**.

Description of Action/Activity: Construction and operation of a wastewater pump station to serve a 122 lot single family residential subdivision.

WQM Permit No. 4604420, Sewerage, **New Hanover Township Authority**, 943 North Charlotte Street, Gilbertsville, PA 19525-9718. This proposed facility is located in New Hanover Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sanitary sewer pumping station.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110 (717) 705-4707.

WQM Permit No. WQG013501, Sewerage, **Tom Delozier**, 2717 South 10th Avenue, Altoona, PA 16601. This proposed facility is located in Logan Township, **Blair County**.

Description of Proposed Action/Activity: Construction of small flow sewage treatment system to serve their single family residence on Kittanning Point Road.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. WQM 1704405, Sewerage, **Dana Milliron**, 992 Bottom Road, Rockton, PA, 15856. This proposed facility is located in Union Township, **Clearfield County**.

Description of Proposed Action/Activity: Construction of a small flows treatment facility incorporating a peat filter for a single residence.

WQM Permit No. 4704402 Sewage 4911, **PPL Montour LLC**, Two North Ninth St, Allentown, PA 18101. This proposed facility is located in Derry Township, **Montour County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate an equalization tank that will discharge to the existing nonmunicipal sewage plant at the Montour Steam Electric Plant.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit

| <i>No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-----------------|---|---------------|----------------------|----------------------------|
| PAS-10-1016-1-R | The McNaughton Company 4400 Deer Path Road Harrisburg, PA 17110 | Dauphin | Susquehanna Township | UNT to Paxton Creek/WWF |

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

Somerset County Conservation District: North Ridge Building, 1590 North Center Avenue, Suite 103, Somerset, PA 15501-7000.

NPDES Permit

| <i>No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|--------------|--|---------------|-------------------------------------|---|
| PAI055604003 | Department of Conservation and Natural Resources 400 Market Street Harrisburg, PA 17105-8451 | Somerset | Jefferson and Middlecreek Townships | Laurel Hill Lake & Laurel Hill Creek (HQ-CWF) |

VII. List of NOIs for NPDES and/or Other General Permit Types

| | |
|--------|---|
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the

30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5604504, Public Water Supply.

| | |
|---------------------------|---|
| Applicant | Milford Township Municipal Authority , 695 Greenhouse Road, Rockwood, PA 15557 |
| Township | Milford |
| Responsible Official | Joseph Zimmerman, Chairman Milford Township Municipal Authority, 695 Greenhouse Road, Rockwood, PA 15557 |
| Type of Facility | Public water system |
| Consulting Engineer | Musser Engineering, Inc., 7785 Lincoln Highway, Central City, PA 15926 |
| Application Received Date | December 15, 2004 |
| Description of Action | New consecutive water system. |

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2504502, Public Water Supply

Applicant **Millcreek Township Water Authority**
 Township Millcreek Township, **Erie County**
 Responsible Official George W. Riedesel, Manager
 Type of Facility PWS
 Application Received Date 12/27/2004
 Description of Action Grubb Road Booster Station & water line installation project.

Consulting Engineer Scott M. Thomas, P. E.,
 Operations Engineer
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Application Received Date December 16, 2004
 Description of Action The painting of the interior and exterior of an existing fountain-type aeration/contact tank; the rehabilitation and/or the addition of appurtenances.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790,

Application No. Minor Amendment.

Applicant **Pennsylvania American Water Company**
 Township or Borough Dickson City Borough, **Lackawanna County**
 Responsible Official William C. Kelvington
 Vice President of Operations
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Type of Facility PWS
 Consulting Engineer Scott M. Thomas, P. E.,
 Operations Engineer
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Application Received Date December 15, 2004
 Description of Action This application requests approval for blasting and painting the interior and exterior of the 32,500 gallon (nominal) package treatment units known as the Fallbrook Treatment Units No. 1 and No. 2.

Application No. Minor Amendment to PWSID No. 2359008.

Applicant **Pennsylvania American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 Borough Dickson City Borough, **Lackawanna County**
 Responsible Official William C. Kelvington
 Vice President of Operations
 Pennsylvania American Water Company
 Type of Facility Public Water System
 Consulting Engineer Scott M. Thomas, P. E.,
 Operations Engineer
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Application Received Date December 21, 2004
 Description of Action The painting of the interior and exterior of an existing 315,000 gallon tank; the rehabilitation of appurtenances.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

Application No. 6305501, Minor Amendment.

Application No. Minor Amendment to PWSID No. 2359008.

Applicant **Pennsylvania American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 Borough Clarks Green Borough, **Lackawanna County**
 Responsible Official William C. Kelvington
 Vice President of Operations
 Pennsylvania American Water Company
 Type of Facility Public Water System

Applicant **Pennsylvania American Water Company,**
 800 West Hersheypark Drive,
 Hershey, PA 17033
 Township Hanover Township
 Responsible Official Scott Thomas, Operations
 Engineer
 Pennsylvania American Water Company,
 800 West Hersheypark Drive,
 Hershey, PA 17033
 Type of Facility Water storage tank
 Consulting Engineer
 Application Received Date January 4, 2005
 Description of Action Repainting the Paris/Florence water storage tank.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

863 Easton Partners, L.P., Warrington Township, **Bucks County**. Terrence J. McKenna, P. E., Keating Env. Mgmt., Inc., 123 John Robert Thomas Dr., Exton, PA 19341 on behalf of Philip Hinerman, Esq., Fox Rothschild, LLP, 2000 Market St., 10th Fl., Philadelphia, PA 19103 has submitted a Notice of Intent to Remediate. Soils and groundwater at the site were impacted by PAH, chlorinated solvents and gasoline. Future use of the property is nonresidential, retail/commercial. Possible residential use not totally ruled out. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on December 15, 2004.

L-3 Communications Facility, Newtown Borough, **Bucks County**. Daniel Auerbach, ATC Assoc., Inc., 920 Germantown Pike, Suite 200, Plymouth Meeting, PA 19462 on behalf of David Sweet, Esq., L-3 Communications, 1920 E. Warner Ave., Suite A, Santa Ana, CA 92705 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with No. 2 fuel oil. The property is to be used for commercial interests.

Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Leeward Asphalt Plant No. 1, Cherry Ridge Township, **Wayne County**. Thomas Quinnan, E.R. Linde Construction, 9 Collan Park, Honesdale, PA 18431 has submitted a Notice of Intent to Remediate (on behalf of the property owner, Middle Creek Quarry, Hawley, PA 18428) concerning the remediation of soils found or suspected to have been impacted by heating oil. The applicant proposes to remediate the site to meet the Statewide health standard. The intended future use of the property will not change. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Pocono Highland Lake Estates (826 Lake Drive), Middle Smithfield Township, **Monroe County**. Douglas Sammak, P.G., President, American Analytical & Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has electronically submitted a Notice of Intent to Remediate (on behalf of his client, Indy Mac/Crown Company, c/o Shirley Johnston, P. O. Box 7056, Pasadena, CA 91109-9699) concerning the characterization and remediation of soils and groundwater found or suspected to have been contaminated with home heating oil constituents as the result of an accidental release. The applicant proposes to meet the Statewide health standard through the low-risk sites program option. A summary of the Notice of Intent to Remediate was published in the *Pocono Record* on December 14, 2004. A Final Report was simultaneously submitted. The future use of the site will remain as a residential property.

Growmark FS-Coplay, North Whitehall Township, **Lehigh County**. Daniel P. Claycomb, Director of Geophysical/Principal, Environmental Standards, 1140 Valley Forge Road, Valley Forge, PA 19482 has submitted a Notice of Intent to Remediate (on behalf of his client, Growmark FS, 1701 Towanda Avenue, Bloomington, IL 61701) concerning the remediation of soils impacted by pesticides. The applicant proposes to meet the Statewide health standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper on or about December 15, 2004. The future use of the site will remain as an agricultural products distribution center.

Former Lincoln Textile Manufacturing Company (Belvidere and Whitfeld Streets), Nazareth Borough,

Northampton County. Vincent M. Carbone, P.G., Project Geologist, Lawler, Matusky & Skelly Engineers, LLP, The Sovereign Building, 609 Hamilton Mall, Allentown, PA 18101 has submitted a Notice of Intent to Remediate (on behalf of his client, Michael Mitch, Lincoln Textile Manufacturing Company, Inc., 9000 Conroy Place, Easton, PA) concerning the remediation of site soil found or suspected to have been contaminated with No. 5 fuel oil. The applicant proposes to meet either the background or Statewide health standard. A summary of the Notice of Intent to Remediate is expected to be published shortly in a local newspaper serving the general area. Future use of the site will remain as a commercial property.

Comfort Inn—West Hazleton, West Hazleton Borough, **Luzerne County.** Matthew Gordon, Walter B. Satterwaite Associates, Inc., 720 Old Fern Road, West Chester, Pa 19380 has submitted a Notice of Intent to Remediate (on behalf of his client, West Hazleton Hospitality, LP, 1244 West Chester Pike, West Chester, PA 19380) concerning the remediation of site groundwater impacted by a suspected upgradient release of petroleum hydrocarbons. The report was submitted to document the attainment of a Background standard. A summary of the Notice of Intent to Remediate is expected to be published shortly in a local newspaper serving the general area. A Final Report was simultaneously submitted. Future use of the site will remain as a commercial property.

Northcentral Region: Environmental Cleanup Program, 208 West Third Street, Williamsport, PA 17701

Munro Farms, Castanea Township, **Clinton County,** American Color & Chemical, L.L.C., Mount Vernon Street, Lock Haven, PA 17745, has submitted a Notice of Intent to Remediate groundwater contaminated with dichlorobenzene, nitroaniline, chloroaniline, aluminum, antimony, benzene, bis(2-ethylhexyl)phthalate, chlorobenzene, nickel, and nitrobenzene. This site is being remediated to meet a Site-Specific Standard.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 300558. Pennsylvania Power Company, P. O. Box 128, Route 168, Shippingport, PA 15077-0128. Little Blue Run Disposal Facility, Little Blue Run Hollow Road, Georgetown, PA 15043. Application for the expansion of the permitted area of a residual waste disposal impoundment, in Greene Township, **Beaver County** was received in the Regional Office on December 27, 2004.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 100403. Seneca Landfill Inc., P. O. Box 1080, Mars, PA 16046, Jackson and Lancaster Townships, **Butler County.** Major permit modification for Seneca Landfill to accept liquid residual waste for treatment at the onsite leachate treatment facility. The application was received by the Northwest Regional Office originally on August 20, 2004 and then revised December 28, 2004.

Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-317-023: Hershey Foods Corp. (1025 Reese Avenue, P. O. Box 805, Hershey, PA 17033) for construction of a confectionary manufacturing process and associated air cleaning devices at their facility in the Humboldt Industrial Park, Hazle Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05034C: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17104-3331) for replacement of an existing fabric collector with a new fabric collector for their pulverized mineral processing operation, Hummelstown Quarry, South Hanover Township, **Dauphin County**. This project is subject to Part 60-Standards of Performance for New Stationary Sources, Subpart 000.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-305-009E: Keystone Filler and Manufacturing Co. (214 Railroad Street, Muncy, PA 17756) for construction of a rotary carbon products (coal) dryer (No. 5 dryer), associated process equipment and associated air cleaning devices (two fabric collectors) in Muncy Creek Township, **Lycoming County**.

47-00011A: Hanson Aggregates, Inc. - PA (2200 Springfield Pike, Connellsville, PA 15425) for construction of a new air separator and two associated conveyers to be controlled by a wet suppression system for their Milton Quarry in Limestone Township, **Montour County**.

19-00026A: Haddon Craftmen, Inc. (4411 Old Berwick Road, Bloomsburg, PA 17815) for construction of two book binding lines, two heat-set web offset lithographic printing presses, and installation of an air cleaning device (regenerative thermal oxidizer) associated with the printing presses in South Centre Township, **Columbia County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05002B: Lehigh Cement Co. (537 Evansville Road, Fleetwood, PA 19522-8541) for modification of their Portland cement plant controlled by various controls in Maiden Creek Township, **Berks County**. The plant is subject to Title V and 40 CFR Part 63, Subpart LLL, National Standards for Hazardous Air Pollutants for Portland Cement Plants. The modification involves the

conversion of the two cement kilns from long dry type to single stage preheaters. Most of the particulate controls will be either upgraded or replacement. The approval will include facility caps (rolling 12-month totals) on the emissions of particulate (539.2 tons), PM-10 (443.2 tons), NOx (2,621.0 tons), SOx (436.1 tons), CO (349.0 tons), VOC (53.0 tons), fluorides (3.22 tons), sulfuric acid (16.82 tons) and lead (0.60 ton). At these levels the facility will not trigger New Source Review actions. Additional emission limits will be placed on the kilns and the various particulate sources at the plant. The approval will include a testing program requiring the particulate testing of all major particulate sources at the plant during a 5 year period with retesting. The kilns will be tested for all pollutants included in the facility cap, except NOx, SOx and CO. These three gaseous pollutants will be monitored by continuous emission monitors. The approval will include additional restrictions, work practices, monitoring, testing, recordkeeping, reporting and other requirements designed to keep the source operating within all applicable air quality requirements. The facility is presently covered by the Title V Operating Permit No. 06-05002. The plan approval will be incorporated into this permit in accordance with 25 Pa. Code § 127.450 (Administrative Amendment).

28-05020A: T.B. Woods, Inc. (440 North Fifth Avenue, Chambersburg, PA 17201) for installation of a fabric collector to control particulate matter emissions from an existing table blast machine at their iron foundry in Chambersburg Borough, **Franklin County**. The source has the potential to emit 0.7 ton PM10 per year. The plan approval and amended State-only operating permit will include emission restrictions, work practice standards, and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

67-03129A: Gamlet, Inc. (190 Carlisle Avenue, York, PA 17404) for construction of a surface coating operation at their industrial and electrical enclosure manufacturing facility in York City, **York County**. The source has the potential to emit 37 tons VOC per year. The plan approval and subsequent State-only operating permit will include emission restrictions, work practice standards, and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

49-00005B: Hoeganaes Corp. (1001 Taylors Lane, Cinnaminson, NJ 08077) for their facility in Delaware Township, **Northumberland County**. The respective facility is a major facility for which a Title V operating permit (TVOP 49-00005) has been issued. The Department of Environmental Protection (Department) intends to issue a plan approval to authorize the applicant to modify a fluidized bed metal powder coating system and associated equipment (insulated particles process) identified in TVOP 49-00005 as Source ID P102. The respective modification is an increase in the amount of methylene chloride emitted from the IPP and the resulting process modifications (controls, monitoring, recordkeeping and reporting) specified herein.

Under the best available technology provisions in 25 Pa. Code §§ 127.1 and 127.12, the methylene chloride emissions from the IPP are being controlled by a combination of carbon adsorption, closed loop condensation and a leak detection and repair program (LDAR).

This modification will result in up to 28 tons of methylene chloride emissions in any 12 consecutive month period.

The maximum 1-hour ambient concentration of methylene chloride is projected to be 5,834 micrograms per cubic meter (short-term exposure limit is 10,851 micrograms per cubic meter), 69 meters from the source (at the facility fence line). Hoeganaes used the SCREEN3 (version 96043) model to predict the maximum 1-hour risk threshold.

The Department's review of the information contained in the application indicates that the IPP, as proposed, will comply with all applicable requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department intends to approve the application and issue plan approval for the proposed modification.

The Department proposes to place in the plan approval the following conditions to ensure compliance with all applicable regulatory requirements:

1. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the methylene chloride emissions (including point source emissions and fugitive emissions) from the IPP shall not exceed 30.47 pounds per ton of production on a monthly average basis.

2. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the methylene chloride emissions (including point source emissions and fugitive emissions) from the IPP shall not exceed 28 tons in any 12 consecutive month period.

3. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the methylene chloride emissions from the IPP shall be controlled by three identical Envirotrol, Inc. model VPM-2000 carbon canisters (primary canisters) operated in parallel. Each of the three carbon canisters shall be followed (in series) by an identical Envirotrol, Inc. model VPM-2000 carbon canister (secondary canisters), for a total of six identical carbon canisters. Carbon canister No. 1 shall control the methylene chloride emissions from charge hopper 307, weigh hopper TK-315 and weigh hopper TK-316. Carbon canister No. 3 shall control the methylene chloride emissions from the discharge dense phase system (POT-101), the aborted goods hopper and the coater/closed loop prior to it being opened for maintenance. Carbon canister No. 5 shall control the methylene chloride emissions from the 2,500-gallon methylene chloride storage tank (TK-401), the 1,000-gallon mix tank (TK-405) and the 200-gallon day tank (TK-412).

4. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the fugitive methylene chloride emissions from the IPP shall be controlled by a LDAR program as submitted and required herein.

5. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, no condition in this plan approval shall void any requirement in Title V operating permit 49-00005 for the IPP (Source ID P102). The permittee shall continue to comply with all requirements of Title V operating permit 49-00005. If there is a conflict between any Title V operating permit condition and a condition of this plan approval, the permittee shall comply with the condition of this plan approval. In addition, the air contaminant emissions from charge hopper 307 shall continue to be exhausted to and controlled by the Griffin Env. Model CF-30L (Control Device C07) fabric

collector followed by the Donaldson/Torit Division Model 2DF12 cartridge collector (Control Device ID C14) prior to being exhausted to carbon canister No. 1.

6. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, each pressure relief device (valve) on the IPP (that is, mix tank 405, day tank 412, coater blower inlet line, coater discharge line to blower, weigh hopper 315 and weigh hopper 316) shall be maintained in good operating condition and shall be set to release at no less than 2 psig of pressure, except for the pressure relief valve on the methylene chloride storage tank 401, which shall be set to release at no less than 12 psig of pressure.

7. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the 17 flanges on the low pressure side of the IPP that do not meet ANSI standards (as specified in plan approval application addendum/revisions dated October 1, 2004) shall be replaced with ANSI compliant flanges within three years of the issuance of this plan approval. In addition, any piping equipment that needs replaced as a result of LDAR shall be replaced with ANSI compliant components (ANSI nos. B31.3 and B16.5) that are compatible with methylene chloride.

8. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the outlet exhaust temperature from the Edwards condenser shall not exceed 35°F.

9. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, prior to the coater and associated closed loop being opened for repairs, the permittee shall perform a nitrogen purge and shall direct the purge emissions to carbon canister No. 3.

10. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall monitor the inlet and outlet of each primary carbon canister for methylene chloride concentration at the following times at least once each work shift to determine breakthrough of each primary carbon canister: for canister No. 1, during periods of metal powder discharge to the coater and during periods of weigh hopper (TK-315 and TK-316) volume displacement, for canister No. 3, during periods of discharge dense phase system (POT-101) volume displacement, during periods of aborted goods hopper volume displacement and prior to any maintenance activities that require opening of the coater/closed loop (i.e., during purge), for canister No. 5, during periods of methylene chloride storage tank (TK-401) volume displacement, during periods of mix tank (TK-405) volume displacement and during periods of day tank (TK-412) volume displacement. The methylene chloride monitoring shall be performed by the HNU Systems, Inc. PID utilizing an 11.7 eV lamp. Breakthrough of a primary carbon canister shall be defined as an outlet concentration that is equal to or in excess of 10% of the inlet concentration.

11. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, upon the measurement by the HNU PID of methylene chloride breakthrough of any of the three primary carbon canisters, the primary carbon canister shall immediately be replaced by the secondary carbon canister and a new (identical) carbon canister shall be placed in the secondary canister position.

12. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the outlet exhaust temperature from the Edwards condenser shall be con-

tinuously monitored and shall be electronically interlocked with the sprayer in the coater such that the sprayer in the coater immediately shuts down upon the condenser exhaust temperature exceeding 35°F.

13. The permittee shall calibrate the HNU PID prior to each carbon canister sampling event and each time the unit is turned on (if being used to perform monitoring required herein). The calibrations shall be performed in accordance with the submitted vendor specifications. Isobutylene shall be used for the calibration gas and a span value of 4.6 shall be entered into the PID to directly measure methylene chloride concentration.

14. The permittee shall monitor each IPP process component under the LDAR program (flanges/connectors, pumps, compressor, valves, pressure relief devices, agitators and open-ended lines) by the HNU Systems, Inc. PID (11.7 eV lamp). The permittee shall calibrate the HNU PID prior to monitoring each component type (that is, pump, valve, flange, pressure relief device, and the like) and each time the unit is turned on (if being used to perform monitoring required herein). The calibrations shall be performed in accordance with the submitted vendor specifications. Isobutylene shall be used for the calibration gas and a span value of 4.6 shall be entered into the PID in order to directly measure methylene chloride concentration.

15. The LDAR monitoring shall be performed in accordance with Method 21 of 40 CFR Part 60, Appendix A, including the monitoring requirement to "place the probe inlet at the surface of the component interface where leakage could occur. Move the probe along the interface periphery while observing the instrument readout. If an increased meter reading is observed, slowly sample the interface where leakage is indicated until the maximum meter reading is obtained. Leave the probe inlet at this maximum reading location for approximately two times the instrument response time. If the maximum observed meter reading is greater than the leak definition, record and report the results as specified herein."

16. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, a leak is defined as 500 ppm of methylene chloride for the IPP piping and duct connectors/flanges. Each connector/flange shall be monitored annually. If the results of the annual monitoring show that less than 0.5% of connectors/flanges are leaking, the monitoring may be reduced to once every 2 years. If the results of the biennial monitoring show that 0.5% or greater of connectors/flanges leak the monitoring frequency shall revert back to annual. In addition, the permittee shall perform annual visible, audible and olfactory inspections of the connectors/flanges for indications of leaking.

17. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, a leak is defined as 1,000 ppm of methylene chloride for the IPP pumps. Each pump shall be monitored monthly. In addition, the permittee shall perform a weekly visual inspection of each pump for indications of leaking.

18. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, a leak is defined as 500 ppm of methylene chloride for the IPP compressor. The compressor shall be monitored monthly. In addition, the permittee shall perform a daily visual inspection of the compressor for indications of leaking.

19. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, a leak is defined as 500 ppm of methylene chloride for IPP pressure relief devices.

Each pressure relief device shall be monitored monthly. In addition, within 5 calendar days after each pressure release, the pressure relief device shall be monitored.

20. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, a leak is defined as 500 ppm of methylene chloride for the IPP valves. Each valve shall be monitored monthly. If the results of the monthly monitoring show that greater than 1% of valves but less than 2% of valves are leaking, the monitoring may be reduced to once every quarter; if greater than 0.5% of valves but less than 1% of valves are leaking, the monitoring may be reduced to once every two quarters; if less than 0.5% of valves are leaking, the monitoring may be reduced to once every four quarters. The monitoring frequency shall be determined by calculating the average leakers of the two prior periods of monitoring. If a monitoring frequency is reduced and the percent leakers for that frequency is exceeded (such as, quarterly monitoring shall revert back to monthly if 2% or greater valves are leaking) the monitoring frequency shall revert back to the frequency corresponding to the percent leakers.

21. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, a leak is defined as 10,000 ppm of methylene chloride for the IPP agitators (agitator flanges). Each agitator shall be monitored monthly. In addition, the permittee shall perform a weekly visual inspection of each agitator for indications of leaking.

22. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, each open-ended line of the IPP shall be equipped with a cap, blind flange, plug or a second valve that shall seal the open end at all times except during operations requiring process fluid flow through the open-ended line, or during maintenance or repair. Each open-ended line shall be operated in a manner so that the valve on the process fluid end is closed before the second valve is closed.

23. The sampling connection system on stream 2 and stream 3 of the IPP shall be equipped with a closed-purge, closed-loop or closed-vent system that either returns the purged process fluid directly to the process line or collects and recycles the purged process fluid to the process.

24. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, when a leak is detected, it shall be repaired as soon as practicable, but no later than 15 calendar days after the leak is detected. In addition, a first attempt at repair shall be made no later than 5 calendar days after the leak is detected. After each pressure release, the pressure relief device shall be returned to a condition indicated by the monitoring instrument reading of less than 500 ppm. Valves and connectors/flanges shall be monitored within 3 months after a repair has been made.

25. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, first attempts at repair for pumps shall include, but are not limited to, the following practices where practicable: tightening of packing gland nuts and ensuring that the seal flush is operating at design pressure and temperature.

26. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, first attempts at repair for valves shall include, but are not limited to, the following practices where practicable: tightening of bonnet bolts, replacement of bonnet bolts, tightening of packing gland nuts and injection of lubricant into lubricated packing.

27. Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall clearly identify each leaking process component with a tag or label. The identification may be removed from a valve or connector/flange once it has been monitored and found not leaking. For all other equipment, the identification may be removed after the equipment is repaired.

28. The permittee shall keep records of the mass of methylene chloride entering into, accumulating in and leaving the IPP each month (that is, methylene chloride mass balance). These records shall include weighing the primary canisters before and after use and after each month to determine the amount of methylene chloride in carbon. In addition, the permittee shall keep records of the supporting mass balance calculations to determine the quantity of methylene chloride emissions each month and shall verify compliance with the monthly average methylene chloride emission limitation (pounds per ton of production) and the methylene chloride emission limitation in any 12 consecutive month period. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

29. The permittee shall record at least once each working shift the outlet exhaust temperature from the condenser. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

30. The permittee shall keep records of each calibration of the HNU PID including the identity of the monitoring instrument used, the date and time of calibration, the reason for calibration (carbon canister No., LDAR pumps, LDAR valves, LDAR pressure relief valves, and the like), the calibration gas used, the span value entered and a statement indicating that the vendor calibration specification was followed. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

31. The permittee shall keep records verifying whether each LDAR monitoring event was performed in accordance with Method 21 of 40 CFR Part 60, Appendix A. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

32. The permittee shall keep records of the date and time, identity of carbon canister (i.e., canister No. 1, No. 3 or No. 5) and the results of each primary carbon canister monitoring performed (that is, ppm inlet and ppm outlet, breakthrough yes or no) and shall specify at what part of the IPP process batch each primary carbon canister was monitored (such as, canister No. 5—mix tank volume displacement, canister No. 3—aborted goods hopper volume displacement, canister No. 1—hopper 307 discharge into coater, and the like). In addition, upon carbon canister breakthrough, the permittee shall keep records of the date and time the secondary carbon canister is moved into the primary carbon canister position and a new canister is placed in the secondary canister position. These records shall be retained for a minimum of five years and shall be made available to the Department upon request.

33. The permittee shall keep the following records associated with the LDAR program:

a. A list of identification numbers for the IPP equipment monitored under the LDAR program. Connectors/flanges need not be individually identified if all connectors/flanges in a designated area or length of pipe are identified as a group and the number of connectors is indicated.

b. Visual inspections shall be logged and dated.

c. When an equipment leak is detected, records shall be kept of the equipment identification number, operator name, initials, the date the leak was detected, the date of first attempt to repair the leak, the date of successful repair of the leak and the maximum monitoring instrument (HNU) reading after it is successfully repaired.

d. Monitored methylene chloride concentration from the pressure relief valve within 5 days after a pressure release.

e. Records shall be kept if a repair is delayed and the reasons for the delay of repair.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

34. The permittee shall keep records showing that each piece of piping equipment that needs replaced is replaced with ANSI compliant components. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

35. The permittee shall submit semiannual reports of the following information associated with the LDAR program:

a. The number of valves for which leaks were detected, the percent leakers and the total number of valves monitored.

b. The number of valves for which leaks were not repaired within 15 calendar days, including actions taken and a leak repair schedule.

c. The number of pumps for which leaks were detected and the total number of pumps monitored.

d. The number of pumps for which leaks were not repaired within 15 calendar days, including actions taken and a leak repair schedule.

e. The number of compressors for which leaks were detected.

f. The number of compressors for which leaks were not repaired within 15 calendar days, including actions taken and a leak repair schedule.

g. The number of agitators for which leaks were detected and the total number of agitators monitored.

h. The number of agitators for which leaks were not repaired within 15 calendar days, including actions taken and a leak repair schedule.

i. The number of connectors/flanges for which leaks were detected, the percent of connectors/flanges leaking and the total number of connectors/flanges monitored.

j. The number of connectors/flanges for which leaks were not repaired within 15 calendar days, including actions taken and a leak repair schedule.

k. The results of the monitoring to show compliance with the pressure relief device concentration limitation of less than 500 ppm.

The semiannual reports shall be submitted to the Department no later than September 1 (for January through June) and March 1 (for July through December of the previous year).

36. The permittee shall submit semiannual reports of the date and time, identity of carbon canister (that is, canister No. 1, No. 3 or No. 5) and the results of each primary carbon canister monitoring performed (that is, ppm inlet and ppm outlet, breakthrough yes or no) and

shall specify at what part of the IPP process batch each primary carbon canister was monitored (such as, canister No. 5—mix tank volume displacement, canister No. 3—aborted goods hopper volume displacement, canister No. 1—hopper 307 discharge into coater, and the like). In addition, upon carbon canister breakthrough, the permittee shall submit records of the date and time the secondary carbon canister is moved into the primary carbon canister position and a new canister is placed in the secondary canister position.

The semiannual reports shall be submitted to the Department no later than September 1 (for January through June) and March 1 (for July through December of the previous year).

37. The permittee shall submit semiannual reports of the mass of methylene chloride entering into, accumulating in and leaving the IPP each month (that is, methylene chloride mass balance). These reports shall include records of weighing the primary canisters before and after use and after each month to determine the amount of methylene chloride in carbon. In addition, the reports shall include the supporting mass balance calculations to determine the quantity of methylene chloride emissions each month and shall verify compliance with the monthly average methylene chloride emission limitation (pounds per ton of production) and the methylene chloride emission limitation in any 12 consecutive month period.

The semiannual reports shall be submitted to the Department no later than March 1 (for January through December of the previous year) and September 1 (for July of the previous year through June of the current year).

Copies of the application are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling Kathy Arndt at (570) 327-3693.

Interested persons may submit written comments, suggestions or objections concerning the proposed plan approval to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period should include the name, address and telephone number of the commentator, identification of proposed plan approval number 49-00005B and a concise statement regarding the relevancy of the information or objections to the issuance of the plan approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact the Department or the Pennsylvania AT&T Relay Service at 800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

10-346A: Scrap Salvage and Surplus, Inc. (690 Glenwood Way, Butler, PA 16001) for installation of a torch cutting facility with a movable building and baghouse and diesel engine for providing electricity to their facility in Center Township, **Butler County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the State Only operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- The torch cutting and the diesel engine shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41.
- The torch cutting and the diesel engine shall comply with 25 Pa. Code § 123.21.
- The particulate matter emissions from the torch cutting operation shall not exceed 0.02 gr/dscf.
- The particulate matter emissions from the diesel engine shall comply with 25 Pa. Code § 123.13.
- The permittee shall maintain the baghouse in accordance with the manufacturer's specifications and shall maintain records of the pressure drop.
- The permittee shall perform a daily Method 22 on the enclosure for the torch cutting operations.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05004: Grove US LLC (1650 Buchanan Trail East, Shady Grove, PA 17256) for operation of their crane manufacturing facility in Antrim Township, **Franklin County**. Surface coating operations account for most of the emissions from the facility. This action is a renewal of the facility's Title V operating permit issued in May 2000.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Muhammad Zaman, Facilities Permitting Chief, (570) 327-0512.

49-00002: ConAgra Grocery Products Co. (30 Marr Street, Milton, PA 17487) for renewal of the Title V operating permit for their food manufacturing facility in Milton Borough, **Northumberland County**. The facility is currently operating under Title V operating permit 49-00002. The facility's main sources include four natural gas/No. 2 fuel oil fired boilers, three product storage silos, six natural gas fired poppers and roasters, and a wastewater treatment facility which have the potential to emit major quantities of NOx and SOx. The facility has the potential to emit 10 micron or less particulate matter, CO, hazardous air pollutants and VOCs below the major emission thresholds. The facility is subject to all applicable regulatory requirements of Reasonably Available Control Technology for NOx emissions. The proposed Title

V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

15-00044: Sunoco, Inc.—R and M—Exton Terminal (623 East Lincoln Highway, Exton, PA 19341) for a non-Title V Facility, State-Only, Synthetic Minor Operating Permit in the Lower West Whiteland Township, **Chester County**. The Sunoco, Inc.—R and M Exton Terminal loads distillate from three on-site aboveground storage tanks by means of a truck loading rack into tank trucks for distribution to commercial and residential customers. The facility also operates and maintains a vapor control unit to combust gasoline vapors from tank trucks that last held gasoline. The facility's major emission points are the ASTs, truck loading rack, and VCU, from which the main pollutants emitted are VOCs and Hazardous Air Pollutants. The facility pollutant potentials to emit for VOCs and HAPs exceed the major facility threshold of 25 tons per year. However, the facility will limit the loading of distillate into tank trucks that last held gasoline to prevent exceeding these thresholds. The permit will contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

67-03071: Companion Animal Cremation Services (210 Andersontown Road, Mechanicsburg, PA 17055) for operation of their animal crematories in Monaghan Township, **York County**. The facility has the potential to emit 2 tons NOx per year. The State-only operating permit will include emission restrictions, work practice standards, and testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00061: RAM Terminals, Inc. (One Fifth Street, New Kensington, PA 15068) for crushing and screening at New Kensington Crushing Plant in New Kensington Borough, **Westmoreland County**. This is a State Only Operating Permit Renewal.

**COAL AND NONCOAL MINING
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous

Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits

The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|-----------------------|---------------------------------|------------------------------|
| iron (total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| manganese (total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |

alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56970301 and NPDES Permit No. PA0234362. Fieg Brothers Coal Company, 3070 Stoystown Road, Stoystown, PA 15563, large noncoal (industrial minerals) permit transfer to Garrett Limestone Company, Inc., 451 Stoystown Road, Suite 104, Somerset, PA 15501 in Black and Summit Townships, **Somerset County**, affecting 174.4 acres. Receiving streams: Casselman River classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received December 2, 2004.

56663135 and NPDES Permit No. PA0605921. Zubek, Inc., 173 House Coal Road, Berlin, PA 15530, surface mining permit renewal in Stonycreek Township, **Somerset County**, affecting 128.2 acres. Receiving stream: to Schrock Run classified for the following uses: CWF. The first downstream potable water supply intake from the point of discharge is Hooversville Boro Municipal Authority Stonycreek Surface Water Intake. Application received December 10, 2004.

56823123 and NPDES Permit No. PA0608548. Croner, Inc., 1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541, surface mining permit renewal in Brothersvalley Township, **Somerset County**, affecting 231.0 acres. Receiving streams: UNT to Buffalo Creek and UNT to Swamp Creek classified for the following uses: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 10, 2004.

32950104 and NPDES Permit No. PA0213055. Big Mack Leasing Company, Inc., R. D. 6, Box 231, Kittanning, PA 16201, surface mining permit renewal for reclamation only in Young Township, **Indiana County**, affecting 48.2 acres. Receiving streams: UNT to/and Whisky Run to Blacklegs Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 3, 2004.

Knox District Mining Office: P. O. Box 669, Knox, PA 16232, (814) 797-1191.

24980106 and NPDES Permit No. PA0227919. Fairview Coal Company (P. O. Box R, Ridgway, PA 15853). Revision to an existing bituminous surfaces strip operation in Horton Township, **Elk County** affecting 228.8 acres. Receiving streams: UNTs to Johnson Run and UNTs to Brandy Camp Creek, classified for the following use: CWF. There are no potable surface water supply

intakes within 10 miles downstream. Revision to add 5.7 acres. Application received: December 23, 2004.

1316-24980106-E-1. Fairview Coal Company (P. O. Box R, Ridgway, PA 15853). Application for a stream encroachment to conduct mining activities within 100 feet of Johnson Run in Horton Township, **Elk County** affecting 228.8 acres. Receiving streams: UNTs to Johnson Run and UNTs to Brandy Camp Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 23, 2004.

33793033 and NPDES Permit No. PA0119032. Cloe Mining Company, Inc. (P. O. Box J, Grampan, PA 16838). Renewal of an existing bituminous surface strip and auger operation in Gaskill Township, **Jefferson County** affecting 94.0 acres. Receiving streams: UNTs to Stony Run and UNTs to Bear Run, classified for the following use: HQ CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: December 27, 2004.

24030103 and NPDES Permit No. PA0242390. AMFIRE Mining Company, LLC (One Energy Place, Suite 2800, Latrobe, PA 15650). Revision to an existing bituminous surface strip and auger operation in Horton Township, **Elk County** affecting 581.1 acres. Receiving streams: Little Toby Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Revision to add beneficial use of coal ash. Application received: January 3, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

17970112 and NPDES Permit No. PA0220680. Hilltop Coal Company (12 Dutchtown Road, Houtzdale, PA 16651). Revision to an existing bituminous surface mine permit for a Change in Permit Acreage from 209.0 to 212.4 acres. Receiving streams: unnamed stream to Muddy Run classified for the following use: CWF. Application received: November 24, 2004.

17040113 and NPDES Permit No. PA0256137. Waroquier Coal Company (P. O. Box 128, Clearfield, PA 16830). Commencement, operation and restoration of a bituminous surface mine permit in Goshen Township, **Clearfield County** affecting 18.5 acres. Receiving streams: UNTs of Bloody Run classified for the following use: CWF. The first downstream potable water supply intake from the pint of discharge is: none. Application received: December 24, 2004.

12040102 and NPDES Permit No. PA0256145. Allegheny Enterprises, Inc. (3563 Roller Coaster Road, Corsica, PA 15829). Commencement, operation and restoration of a bituminous surface mine-auger permit in Shippen Township, **Cameron County** affecting 206 acres. Receiving stream: Finley Run classified for the following use: CWF. The first downstream potable water

supply intake from the point of discharge is: none.
Application received: December 27, 2004

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

54803201R3. Blaschak Coal Corp. (P. O. Box 12, Mahanoy City, PA 17948), renewal of an existing coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 17.4 acres, receiving stream: none. Application received December 22, 2004.

54783205R4. RJBB Coal Company (144 Trenton

Street, Mahanoy City, PA 17948), renewal of an existing coal refuse reprocessing operation in Delano Township, **Schuylkill County** affecting 4.9 acres, receiving stream: none. Application received December 28, 2004.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|---|-----------------------|---------------------------------|------------------------------|
| suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| Alkalinity exceeding acidity ¹ | | greater than 6.0; less than 9.0 | |

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

59020301 and NPDES Permit No. PA 0243213. Jill D. Cross (P. O. Box 240, 3066 E. Roosevelt Highway, Mainesburg, PA 16932-0240). Transfer of an existing large industrial minerals (gravel) permit located in Lawrence Township, **Tioga County**, affecting 13.8 acres. Receiving stream: Harts Creek. Application received: November 19, 2004.

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

66010802. William C. Pickett (R.D. 2 Box 2951, Laceyville, PA 18623), Stage I & II bond release for a quarry operation in Braintrim Township, **Wyoming County** affecting 1.0 acre on property owned by Dennis Boyanowski. Application received December 22, 2004.

66020803. William C. Pickett (R.D. 2 Box 2951, Laceyville, PA 18623), Stage I and II bond release for a quarry operation in Braintrim Township, **Wyoming County** affecting 2.0 acres on property owned by Eugene Ferris. Application received December 29, 2004.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office

noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E07-389: Chestnut Avenue, L.P., 101 Lakemont Park Boulevard, Altoona, PA 16603 in City of Altoona, **Blair County**, ACOE Baltimore District.

To place fill in 0.04 acre of PEM wetlands for the construction of a 95,500 square foot retail shopping center at a point (40° 31' 36", 78° 23' 3") immediately north of the intersection of SR 4013 and 1st Street in the City of Altoona, Blair County. The acreage of wetland impact is considered de minimus, and wetland replacement is not required.

E44-125: Penn Dot Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16830 in Decatur Township, **Mifflin County**, ACOE Baltimore District

To remove the existing structure and then to construct and maintain a 11-foot by 5-foot concrete box culvert at the channel of Wagner Run (CWF) and associated improvements on SR 0522, Section A02 in order to improve the alignment and safety of the road located in Wagner Village (Alfarata, PA Quadrangle N: 10.4 inches; W: 1.65 inches) in Decatur Township, Mifflin County.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1487. Pennsylvania Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. To replace a bridge in Monroeville Borough and North Versailles Township, **Allegheny County**, Pittsburgh ACOE District. (Braddock, PA Quadrangle N: 3.7 inches; W: 3.2 inches and Latitude: 40° 23' 43"—Longitude: 79° 46' 2"). The applicant proposes to 1) remove existing structures; 2) to construct and maintain a dual span two lane bridge having a span of approximately 503' and underclearance of approximately 50' over Turtle Creek (WWF); 3) to relocate and maintain a 970' long tributary to Turtle Creek (locally known as McGrew Run) (WWF) in a new channel approximately 1,020' long; to construct and maintain 2 temporary stream crossings and causeways in Turtle Creek and a temporary stream crossing in the tributary to Turtle Creek; and to construct and maintain various outfalls to the tributary to Turtle Creek and to operate and maintain and existing outfall to Turtle Creek. The project is located on Mossie Boulevard (SR 48) on the south side of its intersection with SR 130. The total stream impact to the tributary of Turtle Creek will be approximately 970' and approximately 100' to Turtle Creek.

E63-564. Dunhill Development, LLC, 100 Bayberry Court, McMurray, PA 15317. To fill wetlands in Peters Township, **Washington County**, Pittsburgh ACOE District. (Bridgeville, PA Quadrangle N: 0.5 inches; W: 11.4 inches and Latitude: 40° 15' 1"—Longitude: 80° 4' 5"). The applicant proposes to fill in 0.51 acre of PEM wetlands for the purpose of constructing the Reidmont Manor Plan of Lots. The project is located on Breezewood Drive, just northwest from the intersection of Breezewood Drive and Canterwood Drive and will impact 0.51 acre of PEM wetlands. A wetland mitigation area will be constructed behind lots 110 and 111 to compensate for the impacted wetlands. Four driveway culverts will also be constructed to provide access to lots 101—104, and will impact a total of approximately 159.0 linear feet of stream channel.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E37-166, PA Department of Transportation, District 11-0, 45 Thomas Run Road, Bridgeville, PA 15017. SR 2005, Section L02, VanGorder Mill Road Across Slippery Rock Creek, in Perry and Wayne Townships, **Lawrence County**, ACOE Pittsburgh District (Portersville, PA Quadrangle N: 1.65 inches; W: 15.1 inches).

To remove the existing Van Gorder Mill steel truss bridge and to construct and maintain a prestressed concrete or steel beam bridge having two clear spans of 141.25 feet (145 feet bearing to bearing) and a maximum underclearance of 22.8 feet on a 77° skew across Slippery Rock Creek on SR 2005, Section L07 approximately 1.4 miles north of SR 488.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal wastes; discharges to groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457,

(717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|---|-------------------------------------|-----------------------------|
| PA0247537 Sewage | David Hollinger Cherry Place Properties 155 White Oak Lane Denver, PA 17517 | Lancaster County East Cocalico Township | Cocalico Creek/7-J | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|------------------------------|--|--------------------------------------|--|-----------------------------|
| PA0043419 Sewerage Public | Coudersport Area Municipal Authority P. O. Box 820 Coudersport, PA 16915-0820 | Potter Coudersport Borough | Allegheny River 16C | Y |
| PA0209708 (CAFO) | Sullivan Farms R. D. 1, Box 49-C Covington, PA 16917 | Sullivan Township Tioga County | UNT to Canoe Camp Creek (SWP 4A) | Y |
| PA0113956 Sewerage Public | Locust Township 1223A Numidia Drive Catawissa PA 17820 | Columbia Locust Township | UNT to Roaring Creek 5E | Y |

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|-----------------------------|--|---------------------------------------|--------------------------------------|---------------------------|
| PA0096091 Sewage | Aleppo Township Authority P. O. Box 81 Sewickley, PA 15143-0081 | Allegheny County Aleppo Township | Kilbuck Run | Y |
| PA0098957 Sewage | Fayette County Housing Authority 624 Pittsburgh Road Uniontown, PA 15401 | Fayette County Springhill Township | UNT of Georges Creek | Y |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|--|---|-----------------------------|
| PA0221279 | Station Road Property Owners' Association 6992 Station Road Erie, PA 16510 | Harborcreek Township Erie County | UNT to Six Mile Creek 15-6M | Y |
| PA0102822 | Rolling Valley Estates 385 Eagle Mill Road Butler, PA 16001 | Connoquenessing Township Butler County | Little Connoquenessing Creek 20-C | Y |
| PA0029122 | Saxonburg Area Authority 420 West Main Street Saxonburg, PA 16056 | Jefferson and Penn Townships Butler County | Connoquenessing Creek and Thorn Creek 20-C | Y |

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|------------------------------|--|---|--------------------------------------|-----------------------------|
| PA0043834 | Chestnut Run Swimming Beach—Mercer County Regional Council of Governments 2495 Highland Road Hermitage, PA 16148 | South Pymatuning Township Mercer County | Shenango River 20-A | Y |
| PA0221449 | Municipal Authority of Buffalo Township 707 South Pike Road Sarver, PA 16055 | Buffalo Township Butler County | Buffalo Creek 18-F | Y |
| PA0222798 | Westline Inn, Inc. P. O. Box 137 Westline, PA 16740 | Lafayette Township McKean County | UNT to Kinzua Creek | Y |
| PA0026271 Amendment No. 1 | Meadville Area Sewer Authority 984 Water Street Meadville, PA 16335 | City of Meadville Crawford County | French Creek 16-D | Y |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0243949, Industrial Waste, **Porter Instrument Company, Inc.** 245 Township Line Road, Hatfield, PA 19440-0907. This proposed facility is located in Franconia Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval to discharge treated groundwater into an unnamed tributary of Skippack Creek in Watershed 3E-Perkiomen.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0026646, Sewage, **Antietam Valley Municipal Authority**, 502 Butter Lane, Reading, PA 19606-1604. This proposed facility is located in St. Lawrence Borough, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to the Antietam Creek in Watershed 3-C.

NPDES Permit No. PA0247413, Sewerage, **Paul S. Deal**, 880 Fickes Road, Dillsburg, PA 17019. This proposed facility is located in Warrington Township, **York County**.

Description of Proposed Action/Activity: Transfer of Permit.

NPDES Permit No. PA0087441, Industrial Waste, **Moyer Packing Company**, P. O. Box 64395, Souderton, PA 18967-0395.

This proposed facility is located in Washington Township, **Dauphin County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to the Wiconisco Creek in Watershed 6-C.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0228800 Sewage 4952, **Herndon Borough—Jackson Township Joint Municipal Authority**, P. O. Box 381, Herndon, PA 17830-0381. This proposed facility is located in Herndon Borough, **Northumberland County**.

Description of Proposed Activity: Applicant is applying for NPDES coverage for treated sewage discharge from 0.060 mgd wastewater treatment plant.

The receiving stream, Susquehanna River, is in the State Water Plan watershed 6B and is classified for: WWF.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.060 mgd.

| <i>Parameter</i> | <i>Average Monthly (mg/L)</i> | <i>Average Weekly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/L)</i> |
|--|-----------------------------------|----------------------------------|------------------------------------|---|
| Flow | | | | |
| Fecal Coliforms (5/1 to 9/31) (10/1 to 4/30) | | | Monitor 200/100mL 2000/100mL | |
| CBOD ₅ | 25 | 40 | 50 | |
| Total Residual Chlorine | 1.0 | | | 2.3 |
| Total Suspended Solids | 30 | 45 | 60 | |
| Dissolved Oxygen | | 3.0 Minimum at all times | | |
| pH | | Within the Range of 6.0 to 9.0 | | |

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0252557. Industrial. **Coen Oil Company**, 1100 West Chestnut Street, Washington, PA 15301. This proposed facility is located in Buffalo Township, **Washington County**.

Description of Proposed Action/Activity: Groundwater cleanup.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 4604409, Sewerage, **West Norriton Township**, 1630 West Marshall Street, Jeffersonville, PA 19403-3236. This proposed facility is located in West Norriton Township, **Montgomery County**.

Description of Proposed Action/Activity : Rehabilitation of existing pump station.

WQM Permit No. 1500421 C-1, Sewerage, **Upper Uwchlan Township**, 140 Pottstown Pike, Chester Springs, PA 19425. This proposed facility is located in Upper Uwchlan Township, **Chester County**.

Description of Proposed Action/Activity : Collection and conveyance system to include gravity sewers, a pumping station and force main.

WQM Permit No. 1503409 Amendment No. 2, Sewerage, **East Fallowfield Township**, 2264 Strasburg Road, East Fallowfield, PA 19320. This proposed facility is located in East Fallowfield Township, **Chester County**.

Description of Proposed Action/Activity: Increased operating capacity of Robins Cove PS No. 2 from 52,775 gpd to 139,401 gpd.

WQM Permit No. 4604416, Sewerage, **Lower Moreland Township Municipal Authority**, 640 Red Lion Road, Huntingdon Valley, PA 19006-6234. This proposed facility is located in Lower Moreland Township, **Montgomery County**.

Description of Proposed Action/Activity: Construction and operation of a pumping station serving 20 EDU's and discharging into Lower Moreland Twp sanitary sewer collection system.

WQM Permit No. 4604413, Sewerage, **Borough of Conshohocken Authority**, 601 East Elm Street, Conshohocken, PA 19428-1914. This proposed facility is located in Borough of Conshohocken, **Montgomery County**.

Description of Proposed Action/Activity: Construction and operation of 5 buildings consisting of 375 apartments and clubhouse.

WQM Permit No. 1504413, Sewerage, **East Fallowfield Township**, 2264 Strasburg Road, East Fallowfield, PA 19320. This proposed facility is located in East Fallowfield Township, **Chester County**.

Description of Proposed Action/Activity : Construction and operation of a wastewater pump station serving 77 single family residential lots and 81 townhouse units.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6703407, Sewerage, **Paul S. Deal**, 880 Fickes Road, Dillsburg, PA 17019. This proposed facility is located in Warrington Township, **York County**.

Description of Proposed Action/Activity: Transfer of Permit.

WQM Permit No. 2204409, Sewerage, **Susquehanna Township Authority**, 1900 Linglestown Road, Harrisburg, PA 17110. This proposed facility is located in Susquehanna Township, **Dauphin County**.

Description of Proposed Action/Activity: Approval for the construction / operation of sewerage facilities consisting of an 8-inch sanitary sewer from MH 105-11 to MH 58-4.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 3204202, Industrial Waste, **The Central Indiana County Water Authority**, 30 East Wiley Street, Homer City, PA 15748. This proposed facility is located in Center Township, **Indiana County**.

Description of Proposed Action/Activity: Installation of wastewater treatment facilities.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 3704402, Sewerage, **Wayne Township Municipal Authority**, 1418 Wampum Road, Ellwood City, PA 16117. This proposed facility is located in Wayne Township, **Lawrence County**.

Description of Proposed Action/Activity: This project is for the construction and operation of an area wide collection and conveyance system to serve the Squaw Run drainage area.

WQM Permit No. 2574407, Sewerage Amendment No. 1, **Municipal Authority of Middleboro**, P. O. Box 189, McKean, PA 16426. This proposed facility is located in McKean Borough, **Erie County**.

Description of Proposed Action/Activity: This project is for construction of a second treatment tank and updates to the existing tank and treatment facility.

WQM Permit No. 1090402, Sewerage Amendment No. 2, **Concordia Lutheran Ministries**, 134 Marwood Road, Cabot, PA 16023-2299. This proposed facility is located in Jefferson Township, **Butler County**.

Description of Proposed Action/Activity: This project is for a plant capacity upgrade to an existing facility.

WQM Permit No. 6104405, Sewerage, **Sugarcreek Borough**, 212 Fox Street, Franklin, PA 16323. This proposed facility is located in Sugarcreek Borough, **Venango County**.

Description of Proposed Action/Activity: This project is for the construction of a wastewater collection system to serve SR417, Cherrytree Road, Warren Road, Keely Road, Seysler Road and Front Street areas and will include gravity sewers, pump stations and new sewers along with rehabilitation of existing sewer lines.

WQM Permit No. 6103402, Sewerage, **Drake Well Museum**, 202 Museum Lane, Titusville, PA 16354-8902. This proposed facility is located in Cherrytree Township, **Venango County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a new sewage treatment facility.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> | <i>DEP Protocol (Y/N)</i> |
|-------------------------|--|---------------|--------------------------|----------------------------|---------------------------|
| PAI130544 | West Brandywine Township 198 Lafayette Rd. Coatesville, PA 19320 | Chester | West Brandywine Township | 3H Watershed | Y |

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|--|
| PAS504801 | Phoenix Resources, Inc. R. R. 1, Box 12A Wellsboro, PA 16901 | Tioga | Duncan Township | UNT to Wilson Creek/CWF UNT to Rock Run |

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

| | |
|-------------|--|
| PAG-1 | General Permit for Discharges from Stripper Oil Well Facilities |
| PAG-2 | General Permit for Discharges of Stormwater Associated with Construction Activities (PAR) |
| PAG-3 | General Permit for Discharges of Stormwater from Industrial Activities |
| PAG-4 | General Permit for Discharges from Single Residence Sewage Treatment Plants |
| PAG-5 | General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems |
| PAG-6 | General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |
| PAG-8 | General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage |
| PAG-9 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site |
| PAG-9 (SSN) | Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage |
| PAG-10 | General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | (To Be Announced) |
| PAG-12 | CAFOs |
| PAG-13 | Stormwater Discharges from MS4 |

*General Permit Type—PAG-2**Facility Location:*

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|-------------------------------|--|
| York County Springettsbury Township | PAG2-0067-04-127 | Walgreens Jay Tillman Newman-Tillman Properties 850 Ridge Lake Blvd. Memphis, TN 38120 | Mill Creek WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| York County Windsor Township | PAG2-0067-04-061 | Robert C. Holweck Rosebrook II LLC 118 Teila Drive Dallastown, PA 17313 | UNT to Kreutz Creek WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| York County York Township | PAG2-0067-04-067 | Tyler Ness Custom Homes 635 Magnolia Ave. Red Lion, PA 17356 | UNT to Mill Creek WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| York County Fairview Township | PAG2-0067-04-138 | Woodbridge Farms Michael Manning 300 Candlelight Dr. Camp Hill, PA 17011 | Fishing Creek TSF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| York County Penn Township | PAG2-0067-04-109 | The Sheridan Press 450 Fame Ave. Hanover, PA 17331 | Oil Creek WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| Lancaster County West Earl Township | PAG2-0036-04-115 | Victor S. Martin 529 Millway Road Ephrata, PA 17522 | Cocalico Creek/WWF | Lancaster County Conservation District 1383 Arcadia Road, Room 6 Lancaster, PA 17601 (717) 299-5361 |
| Berks County Douglass Township | PAG2-0006-04-104 | Robert Sharp Robert D. Sharp Subdivision 411 Philadelphia Pike Douglassville, PA 19518 | Schuylkill River/WWF | Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533 |
| Berks County Amity Township | PAG2-0006-04-117 | David Hope American Crane & Equipment 531 Old Swede Road Douglassville, PA 19518 | Schuylkill River/WWF | Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533 |
| Berks County Hamburg Borough | PAG2-0006-04-078 | Dave Bhasin Hamburg Realty Properties, Inc. 7720 Main Street, Suite 10 Fogelsville, PA 18051 | Schuylkill River/WWF | Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533 |
| Berks County Colebrookdale Township | PAG2-0006-04-089 | Les Stewart Nick & Les, Inc. 3801 Germantown Pike Collegeville, PA 19426 | Ironstone Creek/TSF | Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533 |

*Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|---------------------------------|---|
| Berks County Spring Township | PAG2-0006-04-116 | John Dallas Spring Township 2800 Shillington Road Reading, PA 19608 | Cacoosing Creek/WWF | Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533 |
| Lebanon County Union Township | PAG2-0038-04-0036 | John Saufley Bldg. 11-12 Service Road FTIG Annville, PA 17003-5002 | Qureg Run/WWF | Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 |
| Allegheny County Kilbuck Township | PAG2050204001 | Antonine G. Chammas Kilbuck Properties, LP One Atlantic Avenue Pittsburgh, PA 15202-1707 | Toms Run (WWF) | Allegheny County CD (412) 241-7645 |
| Cambria County Cambria Township | PAG2001104016 | Stephen J. McAneny McAneny Brothers, Inc. 470 Industrial Park Road Ebensburg, PA 15931 | UNT to Blacklick Creek (CWF) | Cambria County CD (814) 472-2120 |
| Westmoreland County Unity Township | PAG2006504006 | Unity Township Supervisors 1104 Beatty County Rd. Latrobe, PA 15650 | Loyalhanna Creek (WWF) | Westmoreland County CD (724) 837-5271 |
| Westmoreland County Rostraver Township | PAG2006504036 | South Gate Plaza 420 Jamie Drive Belle Vernon, PA 15012 | UNT to Pollock Run (WWF) | Westmoreland County CD (724) 837-5271 |
| Butler County Cranberry Township | PAG2-0010-04-024 | Meineke Car Care Complex ZT Development, LP 1990 McKinney Road Monroeville, PA 15146 | Brush Creek WWF | Butler Conservation District (724) 284-5270 |
| Jefferson County Brookville Borough & Rose Township | PAR103334R | Laurel Brooke Landing WRC Community & Health Service 985 Route 28 Brookville, PA 15825 | UNT to Redbank Creek-TSF | Jefferson Conservation District (814) 849-7463 |
| McKean County Keating Township | PAG2-064204002 | Harry Perrine Pennzoil Quaker State P. O. Box 99 Oil City PA 16301-1413 | Potato Creek-WWF | DEP Northwest Regional Office (814) 332-6942 |

*General Permit Type—PAG-3**Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|--------------------------------|---|
| Eddystone Borough Delaware County | PAR310001 | Baker Petrolite Corp 301 Saville Ave Eddystone, PA 19061 | Delaware River-3G Watershed | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970 |
| Caln Township Chester County | PAR210015 | Faddis Concrete Products 3515 Kings Hwy Downingtown, PA 19335 | Beaver Creek-3H Watershed | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970 |
| Scranton City Lackawanna County | PAR232229 | Poly Hi Solidur, Inc. (Laurel Line Mfg.) 900 North South Road Scranton, PA 18504 | Roaring Brook, CWF | DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511 |

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|---|
| Scranton City Lackawanna County | PAR232230 | Poly Hi Solidur, Inc. (Keyser Valley Mfg.) 900 North South Road Scranton, PA 18504 | Keyser Creek, CWF | DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511 |
| Hazleton City Luzerne County | PAR122215 | General Mills, Inc. 2 Chestnut Hill Drive Hazleton, PA 18201 | Tomhicken Creek, CWF | DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511 |
| Berks County Amity Township | PAR233507 | Hauer Custom Manufacturing, Inc. 447 Old Swede Road Douglassville, PA 19518-1239 | Leaf Creek | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Blair County Logan Township | PAR803615 | Norfolk Southern Railway Company Rose Yard 110 Franklin Road SE, Box 13 Roanoke, VA 24042-0013 | Little Juniata River/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Blair County Altoona | PAR803614 | Norfolk Southern Railway Company Juniata Locomotive Shop 110 Franklin Road SE Box 13 Roanoke, VA 24042-0013 | Little Juniata River/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Lancaster County Lancaster City | PAR803673 | Norfolk Southern Railway Company Lancaster Yard 110 Franklin Road SE Box 13 Roanoke, VA 24042-0013 | Earthen Drainage Ditch/Little Conestoga Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Berks County Exeter Township | PAR233504 | Arkema Inc. 1112 Lincoln Road Birdsboro, PA 19508 | UNT to Schuylkill River/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Lancaster County Columbia Borough | PAR603513 | Frank Sahd Salvage Center, Inc. 1045 Lancaster Ave. Columbia, PA 17512 | Shawnee Run/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Lancaster County East Cocalico Township | PAR213553 | High Concrete Structures, Inc. 125 Denver Road Denver, PA 17517 | Cocalico Creek/TSF Stoney Run/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Lancaster County City of Lancaster | PAR143516 | Packaging Corporation of America 1530 Fruitville Pike Lancaster, PA 17601-4093 | Huber Run/CWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County Fairview Township | PAR703516 | Castrol Heavy Duty Lubricants, Inc. 569 Industrial Drive Lewisberry, PA 17339 | Fishing Creek/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County Penn Township | PAR123510 | Snyder's of Hanover, Inc. P. O. Box 917 Hanover, PA 17331-6917 | Oil Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|---|
| Cumberland County Hampden Township | PAR203521 | Ames True Temper, Inc. 465 Railroad Avenue Camp Hill, PA 17011 | Cedar Run/CWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Berks County Exeter Township | PAR803639 | Con-Way Transportation Services (XRQ) c/o CNF, Inc. 3240 Hillview Avenue Palo Alto, CA 94304 | Monocacy Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Mifflin County Union Township | PAR203546 | Donsco, Inc. Belleville Building No. 8 P. O. Box 2001 Wrightsville, PA 17368-0040 | Kishocoquillas Creek/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County City of York | PAR603588 | Recycle America Alliance, LLC 4555 Mount Pisgah Road York, PA 17402 | Kruetz Creek/Susquehanna River/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Fulton County Needmore Township | PAR223502 | Mellott Wood Preserving Company, Inc. P. O. Box 209 Needmore, PA 17238-0209 | UNT to Palmer Run/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Cumberland County Middlesex Township | PAR803674 | Old Dominion Freight Line, Inc. 500 Old Dominion Way Thomasville NC 27360 | Condoquinet Creek/CWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County York City | PAR113549 | Dentsply International 570 W. College Avenue P. O. Box 872 York, PA 17405 | Codorus Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County Fairview Township | PAR703516 | Castrol Heavy Duty Lubricants, Inc. 9300 Pulaski Highway Baltimore, MD 21220 | Fishing Creek/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County East Manchester Township | PAR403506 | Penn Waste, Inc. 85 Brickyard Road P. O. Box 3066 Manchester, PA 17402-3066 | UNT to Codorus Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Cumberland County Hampden Township | PAR503505 | Waste Management of PA, Inc. 4300 Industrial Park Road Camp Hill, PA 17011 | UNT to Cedar Run/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Berks County Reading City | PAR803587 | United Parcel Service, Inc. UPS—Reading 1821 S. 19th Street Harrisburg, PA 17104 | Schuylkill River/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County York City | PAR803588 | United Parcel Service, Inc. UPS—Market Street 1821 S. 19th Street Harrisburg, PA 17104 | UNT to Codorus Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County York City | PAR803589 | United Parcel Service, Inc. UPS—York 1821 S. 19th Street Harrisburg, PA 17104 | UNT to Little Conewago Creek/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Lancaster County Lancaster City | PAR803590 | United Parcel Service, Inc. UPS—Lancaster 1821 S. 19th Street Harrisburg, PA 17104 | UNT to Little Conestoga Creek/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |

*Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|---|---|
| Dauphin County Swatara Township | PAR803591 | United Parcel Service, Inc. UPS—Lancaster 1821 S. 19th Street Harrisburg, PA 17104 | Spring Creek to Susquehanna River/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Franklin County Chambersburg Borough | PAR803592 | United Parcel Service, Inc. UPS—Chambersburg 1821 S. 19th Street Harrisburg, PA 17104 | Conococheague Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| York County Hanover Township | PAR203605 | Hanover Wire Cloth Division of CCX, Inc. 500 East Middle Street Hanover, PA 17331-2027 | Oil Creek/WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Potter Township Centre County | PAR604815 | Harold R. Bierly H R Bierly Auto Service 585 North Pennsylvania Ave. Centre Hall, PA 16828 | UNT to Gap Run CWF | Water Management Program Manager 208 West Third Street Williamsport, PA 17701 (570) 327-3664 |
| Spring Township Centre County | PAR604818 | Hodes Industries Inc. 153 Tressler Street P. O. Box 5150 Pleasant Gap, PA 16823 | UNT to Logan Branch CWF | Water Management Program Manager 208 West Third Street Williamsport, PA 17701 (570) 327-3664 |
| Coal Township | PAR804805 | Waste Management of Pennsylvania, Inc. 4300 Industrial Park Road Camp Hill, PA 17011-5749 | Shamokin Creek CWF | NorthCentral Regional Office 208 West Third Street Williamsport, PA 17701-6448 (570) 327-3664 |

*General Permit Type—PAG-4**Facility Location &
Municipality*

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|----------------------------------|--|
| Blair County Logan Township | PAG043723 | Tom Delozier 2717 S. 10th Avenue Altoona, PA 16601 | Burgoon Run/TSF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Bedford County Kimmel Township | PAG043626 | Daniel S. Finnegan R. D. 1, Box A-517 East Freedom, PA 16637 | UNT to Boiling Spring Run/CWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Pleasant Township Warren County | PAG049121 | Eugene Gazdak 50 Greenbrier Circle Russell, PA 16345 | Allegheny River 16-B | DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942 |

*General Permit Type—PAG-5**Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|--|
| Warminster Township | PAG050064 | BP Products North America, Inc. 1 West Pennsylvania Avenue Suite 95 Townson, MD 21204-5031 | UNT of the Pennypack Creek TSF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 |

*Facility Location:
Municipality &
County*Springfield
Township
Delaware County*Permit No.*

PAG050049-A1

*Applicant Name &
Address*Motiva Enterprises, LLC
P. O. Box 1243
Waynesboro, VA 229890-1243*Receiving
Water/Use*UNT to Stony
Creek*Contact Office &
Phone No.*Southeast Regional
Office
2 East Main Street
Norristown, PA 19401*General Permit Type—PAG-8 (SSN)**Facility Location:
Municipality &
County*Perry Township
Berks County*Permit No.*PAG080002
PAG080005
PAG080011
PAG080013
PAG083522
PAG083551*Applicant Name &
Address*Jesse Baro, Inc.
4 Quarry Rd.
Douglassville, PA 19518*Site Name &
Location*Heffner Farm 2
Perry Township
Berks County*Contact Office &
Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707West of State Rt.
879, at the
intersection of T-632
and T-623.
Goshen Township
Clearfield County

PAG-08-4817

Clearfield Municipal Authority

Sankeycrest Farm
T-632 & T-623,
Goshen Township
Clearfield CountyNorthcentral
(570) 327-3655US Route 6 East
Sweden Township
Potter County

PAG 08 4833

Coudersport Area Municipal
Authority

John Snyder Farm

NCRO
(570) 327-3655**PUBLIC WATER SUPPLY (PWS)****PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.

Operations Permit issued to: **Jackson Perry**, 1703 Panther Valley Road, Pine Grove, PA 17963 (PWSID 3546495) Wayne Township, **Schuylkill County** on December 17, 2004, for the operation of facilities approved under construction permit No. 5400504 issued June 27, 2001, Minor Amendment issued January 22, 2003 and Minor Amendment issued October 4, 2004.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6704514, Public Water Supply.

Applicant

The York Water Company

Municipality

Spring Grove Borough

County

York

Type of Facility

This PWS permit is for the construction of a booster station in order to supply the Spring Grove distribution system.

Consulting Engineer

Ryan M Ural, P. E.
The York Water Company
130 East Market Street
P. O. Box 15089
York, PA 17405-7089Permit to Construct
Issued:

12/28/2004

Operations Permit issued to: **The York Water Company**, 7670100, York, **York County** on 12/22/2004 for the operation of facilities approved under Construction Permit No. 6704511.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3204505, Public Water Supply.
 Applicant **Cherry Tree Borough Municipal Authority**
 P. O. Box 156
 Cherry Tree, PA 15724
 Borough or Township Cherry Tree Borough
 County **Indiana**
 Type of Facility Water treatment plant—PennVest Project for plant upgrade
 Consulting Engineer Gibson-Thomas Engineering Co., Inc.
 1004 Ligonier Street
 P. O. Box 853
 Latrobe, PA 15650
 Permit to Construct Issued December 21, 2004

Permit No. 2686501-A1, Public Water Supply.
 Applicant **Fairchance Borough**
 125 West Church Street
 Fairchance, PA 15436-1136
 Borough or Township Fairchance Borough
 County **Fayette**
 Type of Facility Water treatment plant
 Consulting Engineer Gaydos-Chambers Associates
 1752 Lexington Avenue
 Uniontown, PA 15401
 Permit to Construct Issued December 21, 2004

Operations Permit issued to: **Pennsylvania American Water Company**, P. O. Box 1290, 300 Galley Road, McMurray, PA 15317, (PWSID 5020039) Robinson Township, **Washington County** on December 22, 2004, for the operation of facilities approved under Construction Permit No. 6303502.

Permit No. 6304505, Minor Amendment. Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 Borough or Township Carroll Township
 County **Washington**
 Type of Facility Water storage tank
 Consulting Engineer
 Permit to Construct Issued December 30, 2004

Permit No. 8328-A1-T1, Minor Amendment. Public Water Supply.

Applicant **Pennsylvania American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 Borough or Township North Strabane Township
 County **Washington**
 Type of Facility Mapleview water storage tank
 Consulting Engineer
 Permit to Construct Issued December 30, 2004

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 1004502, Public Water Supply.
 Applicant **Elmer Sutton Mobile Home Park**
 Borough or Township Clay Township
 County **Butler County**
 Type of Facility PWS
 Permit to Construct Issued 01/04/2005

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.

Plan Location:

| <i>Borough or Township</i> | <i>Borough or Township Address</i> | <i>County</i> |
|----------------------------|---|---------------|
| North Whitehall Township | North Whitehall Township Municipal Building 3256 Levans Road Coplay, PA 18037 | Lehigh |

Plan Description: The Plan provides for a Sanitary Sewer Line extension from Whitehall Township to serve approximately 150 equivalent in the Ormrod area of North Whitehall Township. The proposed sanitary sewer system includes approximately 8,000 linear feet of 8 inch and 2,550 linear feet of 15 inch diameter gravity sewer and appurtenances that will extend from the Coplay Whitehall Sewer Authority System manhole in Reliance Street along Quarry and Portland Streets to Ormrod Village, located along Limestone Streets and Levans Road. Installation of a 15 inch diameter sewer pipe will provide for possible future conveyance of sanitary sewage from outside the Ormrod area. The City of Allentown Wastewater Treatment Facility will be utilized for treatment. The Department's review has not identified any significant environmental impacts resulting from this proposal. The approved project will require a Water Quality Management Permit for the construction and operation of the proposed sewage facilities. The permit application must be submitted in the name of the municipality or authority, as appropriate.

Plan Location: Arcadia East Industrial Park

| <i>Borough or Township</i> | <i>Borough or Township Address</i> | <i>County</i> |
|----------------------------|--|---------------|
| East Allen Township | 5344 Nor-Bath Boulevard Northampton, PA 18067 | Northampton |

Plan Description: The approved plan provides for a 15 lot industrial park on a 129.3 acre tract. The proposed 31,050 gpd of sewage flows will be collected by a gravity sewer system and transported to an onsite pump station. A force main from the pump station will connect into an existing East Allen Township Municipal Authority (EATMA) gravity flow sewer line in Christphalt Drive. The EATMA Sewer System connects to the Bath Borough Authority (BBA) Sewer System for conveyance to the BBA Wastewater Treatment Plant. The proposed onsite sewers, pump station and force main will be dedicated to the EATMA. The EATMA will provide public water to the project. The proposed development is located on PA Route 512 in East Allen Township, Northampton County. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION
UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Route 113 and Bethlehem Pike Site, Hilltown Township, Montgomery County. Craig Herr, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406 on behalf of State Farm Mutual Automobile Insurance Co, One State Farm Plaza, Bloomington, IL has submitted a Final Report concerning remediation of site soil contaminated with lead, arsenic and benzo(a)pyrene. The report is intended to document remediation of the site to meet the Site Specific Standard.

Cassell and Katsarkas Prop./Heating Oil Delivery Truck Traffic Incident, New Britain Township, Bucks County. John Woodruff, Groundwater Svc., Intl., Inc., 1123 Tannerie Run Rd., Ambler, PA 19002 on behalf of Mr. and Mrs. Cassell, 795 N. Limekiln Pike, Chalfont, PA 18914 and Mr. and Mrs. Katsarkas, 779 N. Limekiln Pike, Chalfont, PA 18914 has submitted a Final Report concerning remediation of site soil contaminated with No 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Regional Field Office, Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Pocono Highland Lake Estates (826 Lake Drive), Middle Smithfield Township, Monroe County. Douglas Sammak, P.G., President, American Analytical & Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has submitted a Final Report (on behalf of his client, Indy Mac/Crown Company, c/o Shirley Johnston, P. O. Box 7056, Pasadena, CA 91109-9699) concerning the characterization and remediation of soils and groundwater found or suspected to have been contaminated with home heating oil constituents as the result of an accidental release. The report was submitted to document the attainment of the Statewide health standard through the low-risk sites program option. A Notice of Intent to Remediate was simultaneously submitted.

Comfort Inn—West Hazleton, West Hazleton Borough, Luzerne County. Mr. Matthew Gordon, Walter B. Satterwaite Associates, Inc., 720 Old Fern Road, West Chester, PA 19380 has submitted a Final Report (on behalf of his client, West Hazleton Hospitality, LP, 1244 West Chester Pike, West Chester, PA 19380) concerning the remediation of site groundwater impacted by a suspected upgradient release of petroleum hydrocarbons. The report was submitted to document the attainment of a Background standard. A Notice of Intent to Remediate was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Laird Plastics Site, Swatara Township, Dauphin County. Quad Three Group Inc., 72 Glenmaura National Boulevard, Moosic, PA 18507, on behalf of McCarthy Tire, 1111 Agnes Street, Harrisburg, PA 17104, submitted a Final Report concerning remediation of site soils contaminated by No. 2 fuel oil from an underground storage tank. The report was submitted within 90 days of a release, and it is intended to document remediation of the site to the Statewide Health standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

St. Mary's Church of The Assumption, Wyalusing Borough, Bradford County, Marshall Miller & Assoc., Inc., 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011, has submitted a Final Report concerning soil and

groundwater contaminated with fuel oil. This Final Report is intended to demonstrate attainment of the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

RB & W Inc. Facility (Former), Moon Township, **Allegheny County**. Martin C. Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of John Riley, Moon Township Municipal Authority, 1700 Beaver Grade Road, Moon Township, PA 15108) has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with Chlorinated Solvents, Other Organics, PCBs, and Used Motor Oil. The report is intended to document remediation of the site to meet the Site-Specific Standard.

West Elizabeth Lumber Property, West Elizabeth, **Allegheny County**. Timothy S. Evans, American Geosciences, Inc., 3925 Reed Blvd., Suite 400, Murrysville, PA 15668-1848 (on behalf of Michael Hoag, National Industrial Lumber Company, 489 Rosemont Road, North Jackson, OH 44451) has submitted a Remedial Investigation Report concerning remediation of site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

McKeesport Steel Casting, City of McKeesport, **Allegheny County**. Charles Haefner Jr., P.G., KU Resources Inc., Business Innovation Center, Suite 207, One Library Place, Duquesne, PA 15110 (on behalf of Stahl Gear & Machine, P. O. Box 720, Duquesne, PA 15110) has submitted a Remedial Investigation Report, Risk Assessment Report, and Cleanup Plan concerning remediation of site soil and groundwater contaminated with lead, heavy metals, PAHs, and SVOCs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

East 14th and Parade Street Site, City of Erie, **Erie County**. Pasquale Pontoriero, MACTEC Engineering & Consulting, Carnegie Office Park, 700 North Bell Avenue, building 4, Suite 200, Pittsburgh PA 15106 on behalf of Monica Brower, Greater Erie Industrial Development Corporation, 5240 Knowledge Parkway, Erie PA 16510, has submitted a Final Report concerning remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Xylene, Cumene, Naphthalene and other gasoline constituents. The report is intended to document remediation of the site to meet the Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental

Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Gelb Residence, Plumstead Township, **Bucks County**. Natalie Hsueh and Jason Plucinski, React Env. Svc., Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 17, 2004.

Dreshertown Plaza, Upper Dublin Township, **Montgomery County**. Craig Herr, RT Env. Svc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Roger Bucchianeri, Brandolini Co., 1301 Lancaster Ave., Berwyn, PA 19312 has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with PCE and TCE. The Remedial Investigation Report was approved by the Department on November 30, 2004.

Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Former Antigas Service Station, City of Bethlehem, **Lehigh County**. Matthew Malhame, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 submitted a Final Report (on behalf of his client, Wawa, Inc., 207 West Baltimore Pike, Wawa, PA 19063) concerning the remediation of soils found or suspected to have been contaminated with heating oil, waste oil, hydraulic oil and possibly gasoline constituents. The report demonstrated attainment of the Statewide health standard and was approved on December 29, 2004.

Pocono Highland Lake Estates (826 Lake Drive), Middle Smithfield Township, **Monroe County**. Douglas Sammak, P.G., President, American Analytical & Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 submitted a Final Report (on behalf of his client, Indy Mac/Crown Company, c/o Shirley Johnston, P.O. Box 7056, Pasadena, CA 91109-9699) concerning the characterization and remediation of soils and groundwater found or suspected to have been contaminated with home heating oil constituents as the result of an accidental release. The report met the requirements of the Statewide health standard through the low-risk sites program option and was approved on December 30, 2004.

HRA Unit A, City of Hazleton, **Luzerne County**. Larry Roach, P.G., Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 submitted a Baseline Environmental Remediation Workplan (on behalf of his client Hazleton Redevelopment Authority, City Hall, 40 N. Church St., Hazleton, PA 18201) concerning the remediation of site soils found to be impacted by low concentrations of chlorinated solvents, used motor oil, metals, pesticides and PCBs as the result of historic operations. The workplan was submitted in partial fulfillment of the Special Industrial Area standard of Act 2, and was approved on October 27, 2004.

HRA Unit B and C, City of Hazleton, **Luzerne County**. Larry Roach, P.G., Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 has submitted a Baseline Environmental Remediation Workplan (on behalf of his client Hazleton Redevelopment Authority, City Hall, 40 N. Church St., Hazleton, PA 18201) concerning the remediation of site soils found to be impacted by low concentrations of chlorinated solvents, used motor oil, metals, pesticides and PCBs as the result of historic operations. The workplan was submitted in partial fulfillment of the Special Industrial Area standard of Act 2, and was approved on October 27, 2004.

Former Durkee Foods (1001 Eighth Avenue), City of Bethlehem, **Lehigh County**. Peter Berkhout, Senior Environmental Engineer, Environmental Waste Management Associates, LLC, 100 Misty Lane, Parsippany, NJ 07054 submitted a Final Report (on behalf of his client, Tiger Den Partners, 171 Route 173, Suite 201, Asbury, NJ 08802) concerning the remediation of soils on the western half of the property found to have elevated inorganics and PAHs due to presence of ballast/ash material underlying former railroad spurs. The report demonstrated attainment of the residential Statewide health soil standard and was approved on December 20, 2004.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Meeker Hill Station (M-77), Lawrence Township, **Tioga County**, PPL Service Corp., Two North Ninth St.,

Allentown, PA 18101-1179, has submitted a Final Report concerning soil contaminated with trace amounts of mercury. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2004.

Meeker No. 1(MW-706), Tioga Township, **Tioga County**, PPL Service Corp., Two North Ninth St., Allentown, PA 18101-1179, has submitted a Final Report concerning soil contaminated with trace amounts of mercury. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2004.

GTE Sylvania (OSRAM)(WO-41), Wellsboro Township, **Tioga County**, PPL Service Corp., Two North Ninth St., Allentown, PA 18101-1179, has submitted a Final Report concerning soil contaminated with trace amounts of mercury. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2004.

Champlin Bridge (WD-18), Lawrence Township, **Tioga County**, PPL Service Corp., Two North Ninth St., Allentown, PA 18101-1179, has submitted a Final Report concerning soil contaminated with trace amounts of mercury. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2004.

MP Close Well (MW-703), Lawrence & Tioga Townships, **Tioga County**, PPL Service Corp., Two North Ninth St., Allentown, PA 18101-1179, has submitted a Final Report concerning soil contaminated with trace amounts of mercury. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2004.

Palmer No. 3 (TW-400), Farmington Township, **Tioga County**, PPL Service Corp., Two North Ninth St., Allentown, PA 18101-1179, has submitted a Final Report concerning soil contaminated with trace amounts of mercury. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2004.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

LTV Southside Works (Parcel C2B and C2C), City of Pittsburgh **Allegheny County**. Martin Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Urban and Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219 and Sidney Street Associates, L.P., 400 Penn Centre Boulevard, Suite 211, Pittsburgh, PA 15235 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, PCBs, PAHs, other organics and inorganics. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on November 16, 2004.

LTV Southside Works (Parcel C1A), City of Pittsburgh **Allegheny County**. Martin Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Urban Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219 and 2700 East Carson Street Associates, L.P., 400 Penn Centre Boulevard, Suite 211, Pittsburgh, PA 15235 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, PCBs, PAHs, other organics, and inorganics. The Final Report

demonstrated attainment of the Site-Specific Standard and was approved by the Department on November 16, 2004.

LTV Southside Works (Parcel 2EC), City of Pittsburgh **Allegheny County**. Martin Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Urban Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219 and Soffer Restaurant Park Associates, L.P., 400 Penn Centre Boulevard, Suite 211, Pittsburgh, PA 15235 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, PCBs, PAHs, other organics, and inorganics. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on November 16, 2004.

LTV Southside Works (Parcel 2CA), City of Pittsburgh **Allegheny County**. Martin Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Urban Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219, and Soffer SSW Public Spaces L.P., 400 Penn Centre Boulevard, Suite 211, Pittsburgh, PA 15235 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, PCBs, PAHs, other organics, and inorganics. The Final Report demonstrated attainment of the Site Specific Standard and was approved by the Department on November 16, 2004.

Beazer Adelaide Site/Former Koppers Wood Treating Facility, Dunbar Township **Fayette County**. Jeffrey R. Hale, P.G., Key Environmental Inc., 1200 Arch Street, Suite 200, Carnegie, PA 15106 on behalf of Kurt Paschl, Beazer East, Inc., c/o Three Rivers Management, Inc., One Oxford Centre, Suite 3000, Pittsburgh, PA 15219 has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with inorganics, other organics, and PAHs. The Remedial Investigation Report was approved by the Department on December 9, 2004.

Beazer Adelaide Site/Former Koppers Wood Treating Facility, Dunbar Township **Fayette County**. Jeffrey R. Hale, P. G., Key Environmental Inc., 1200 Arch Street, Suite 200, Carnegie, PA 15106 on behalf of Kurt Paschl, Beazer East, Inc., c/o Three Rivers Management, Inc., One Oxford Centre, Suite 3000, Pittsburgh, PA 15219 has submitted a Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with inorganics, other organics, and PAHs. A letter of Substantive Deficiency was issued for the Risk Assessment Report by the Department on December 10, 2004

Eastman Chemical Resins, Inc. (Formerly Hercules Inc.—Jefferson Plant), Jefferson Borough **Allegheny County**. William A. Baughman, Cummings/Riter Consultants, Inc., 339 Haymaker Road, Parkway Building, Suite 201, Monroeville, PA 15146 on behalf of William C. Hendon, Eastman Company, SR 837, P. O. Box 567 West Elizabeth, PA 15088-0567 has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents, inorganics, other organics, diesel fuel, leaded gasoline, unleaded gasoline, used motor oil and PAHs. The Remedial Investigation Report was approved by the Department on December 8, 2004

Pittsburgh Forgings Company Site, Borough of Coraopolis **Allegheny County**. Steven S. Gerritsen, SE Technologies, Inc., 98 Vanadium Road, Bridgeville, PA 15017 on behalf of American Bridge Corporation, Three Gateway Center, Suite 1100, Pittsburgh, PA 15222 and

Ampco-Pittsburgh Corporation /Old Forgings Company, 600 Grant Street, Suite 4600, Pittsburgh, PA 15219 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with lead, solvents, BTEX and PAHs. The Final Report demonstrated attainment of the Statewide Health and Site-Specific Standards and was approved by the Department on November 12, 2004.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit approved under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and regulations to operate solid waste processing or disposal area or site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 100955. Clinton County Solid Waste Authority, 264 Landfill Lane, P. O. Box 209, McElhattan, PA 17748-0209, located in Wayne Township, **Clinton County**. The permit application for a major modification for an increase in daily average and daily maximum tonnage was deemed complete by the Williamsport Regional Office on November 19, 2004. Alternate review time line of 150 days was negotiated between the Department, the applicant and the host municipality.

Persons interested in reviewing the permit may contact David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-312-026GP: Metal Improvement Co., LLC (3434 State Road, Bensalem, PA 19020) on December 29, 2004, to operate two 300 BHP boilers in Bensalem Township, **Bucks County**.

46-320-037GP: Gemplus Corp. (101 Park Drive, Montgomeryville, PA 18936) on December 29, 2004, to operate a sheet-fed offset lithographic in Montgomery Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP7-67-03082: York Graphic Services Co. (3650 West Market Street, York, PA 17404) on December 21, 2004, to construct/operate a sheetfed offset lithographic printing presses under GP7 in West Manchester Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

GP5-18-179: Texas Keystone, Inc. (Fifth Avenue Place, Suite 2500, Pittsburgh PA 15222) on December 16, 2004, to construct and operate a 1,265 brake horsepower natural gas compression engine and glycol dehydrator with a rated boiler heat input of 0.12 MMBtu/hr pursuant to the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) in Beech Creek Township, **Clinton County**.

GP2-49-00012: El Dorado Properties (P. O. Box 2621, Harrisburg, PA 17105) on December 23, 2004, to construct and operate two bulk storage tanks for the storage of gasoline and/or No. 2 fuel oil/kerosene pursuant to the General Plan Approval and General Operating Permit for Storage Tanks for Volatile Organic Liquids (BAQ-GPA/GP-2) in Point Township, **Northumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

62-159: Great Lakes Energy Partners, LLC (Collins Road and Gleason Hollow Road, Springcreek Township, PA 16365) on December 31, 2004, to operate a natural gas fired compressor engine in Springcreek Township, **Warren County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0115C: QVC Inc. (1200 Wilson Drive, West Chester, PA 19380) on December 29, 2004, to operate an emergency generator (2,000) kW in West Goshen Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05099A: Rolling Hills Landfill Gas, LLC (1300 North 17th Street, Arlington, VA 22209) on December 17, 2004, to construct a landfill gas combustion turbine to generate electricity at their Rolling Hills Landfill in Earl Township, **Berks County**.

36-03005A: Intelligencer Printing Co. (P. O. Box 1768, Lancaster, PA 17608) on December 23, 2004, to install a replacement printing press controlled by a thermal oxidizer in Manheim Township, **Lancaster County**.

36-03076D: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) on December 17, 2004, to modify the existing limestone crushing plant at their Weaverland Quarry in East Earl Township, **Lancaster County**.

36-03147A: A and M Composting, Inc. (2022 Mountain Road, Manheim, PA 17545-9517) on December 21, 2004, to increase the capacity of their sludge composting facility in Penn Township, **Lancaster County**.

36-05017B: Conestoga Wood Specialties Corp. (245 Reading Road, East Earl, PA 17519) on December 17, 2004, to construct a new CEFLA Line with their Finishing Line Expansion in East Earl Township, **Lancaster County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

42-177A: Bradford Forest Inc. (444 High Street, P. O. Box 369, Bradford, PA 16701) on December 21, 2004, to install a wood fired boiler with multi cyclone control at their Bradford facility in the Township of Bradford, **McKean County**.

25-1000A: Advanced Mold Technologies, Inc. (2011 East 30th Street, Erie, PA 16510) on December 8, 2004, to install a decorative chrome, nickel, and copper plating operation in the City of Erie, **Erie County**.

10-030A: Concast Metal Products Co., Inc. (Myoma Road, Mars, PA 16046) on December 14, 2004, to install an additional bag-house to supplement existing controls on the induction melting furnaces in Adams Township, **Butler County**.

10-148B: Ervin Industries, Inc. (681 East Butler Road, Butler, PA 16002) on December 13, 2004, to replace a bag-house to collect nuisance dust from drying and screening steel shot in Summit Township, **Butler County**.

37-304B: Heraeus Electro-Nite (3 Fountain Avenue, Ellwood City, PA 16117) on December 6, 2004, to add a skiving machine and replace the existing baghouse with a larger baghouse in Ellwood City Borough, **Lawrence County**. This is a State Only V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

31-05011C: US Silica Co. (P. O. Box 187, Berkeley Springs, WV 25411) on December 21, 2004, to modify an existing fluid bed dryer to use additional fuels of No. 4 oil, No. 6 oil and recycled oil at their Mapleton Depot Plant in Brady Township, **Huntingdon County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

08-00003A: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda PA 18848) on December 9, 2004, to authorize a trim surface coating operation to operate separately from a lap siding surface coating operation when large trim boards are coated, to authorize the use of propane/air mix fuel for the HVHA and IR drying ovens and to authorize the recording of propane/air mix fuel used in the ovens in terms of natural gas equivalent in Wysox Township, **Bradford County**.

49-331-001: Merck and Co., Inc. (P. O. Box 600, Danville PA 17821) on January 3, 2005, to authorize an increase in the amount of hazardous wastes transferred from the loading/unloading station to tank trucks from 84,000 gallons in any 12 consecutive month period to 164,000 gallons in any 12 consecutive month period in Riverside Borough, **Northumberland County**. There will be a potential VOC emission increase of 0.07 ton per year as a result of the increased throughput limit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

16-132B: Aconcagua Timber Corp. Products (1 Fiberboard Avenue, Shippenville, PA 16254) on April 30, 2004, to modify their fiberboard plant in Paint Township, **Clarion County**.

33-033B: Owens-Brockway Glass Container—Plant 18 (Cherry Street, Brockway, PA 15824) on December 31, 2004, to construct an applied ceramic label process in Brockway, **Jefferson County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Muhammad Zaman, Facilities Permitting Chief, (570) 327-3637.

55-00002: Department of Public Welfare (1401 North 7th Street, Harrisburg, PA 17105) on December 9, 2004, issued a renewal Title V operating permit for their Selinsgrove Center facility in Penn Township, **Snyder County**. The facility's sources include three coal-fired boilers, two parts washers, twelve auxiliary generators, three furnaces and one ash collection system. The renewal Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00137: Oehlert Brothers Inc. (P. O. Box 699, Royersford, PA 19468) on December 29, 2004, to operate a natural minor operating permit in Limerick Township, **Montgomery County**.

46-00128: Verizon, Inc. (966 South Matlack Street, West Chester, PA 19382) on December 29, 2004, to operate a synthetic minor operating permit in Jenkintown Borough, **Montgomery County**.

15-00067: Herr Foods, Inc. (P. O. Box 300, Nottingham, PA 19362) on December 29, 2004, to amend the operation of a Synthetic Minor Operating Permit in West Nottingham Township, **Chester County**.

46-00213: Cremation Society of Pennsylvania (4100 Jonestown Road, Harrisburg, PA 17109) on January 4, 2005, to operate a Natural Minor Operating Permit in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

07-03043: McLanahan Corp. (200 Wall Street, Hollidaysburg, PA 16648) on December 21, 2004, to operate their steel foundry in Hollidaysburg Borough, **Blair County**.

67-03069: H and H Castings, Inc. (4300 Lincoln Highway, York, PA 17406) on December 8, 2004, to operate their aluminum foundry in Hellam Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

17-00050: GKN Sinter Metals, Inc. (One Tom Mix Drive, DuBois, PA 15801) on December 21, 2004, issued a State Only Operating Permit for their DuBois facility in the City of DuBois, **Clearfield County**. The facility's main sources include sixteen Sintering Furnaces, six Space Heaters, four Oil Impregnators, two water heaters and two boilers. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00146: National Fuel Gas Supply Corp. (Township Road, 330, Brockway, PA 15857) on December 29, 2004, to re-issue a Natural Minor Permit to perform natural gas transmission at their Boone Mountain Compressor Station in Horton Township, **Elk County**.

33-00157: National Fuel Gas Supply Corp. (Fisher Road RD 1, Sigel, PA 15860) on December 29, 2004, for re-issuance of a Natural Minor Permit to perform natural gas transmission at their Eldred Compressor Station in Eldred Township, **Jefferson County**.

24-00147: National Fuel Gas Supply Corp. (Owls Nest Road, Kane, PA 16735) on December 29, 2004, to re-issue a Natural Minor Permit to perform natural gas transmission at their Owls Nest Compressor Station in Highland Township, **Elk County**.

37-00011: Dairy Farmers of America (Route 18 and 208, New Wilmington, PA 16142) on December 17, 2004, for a Natural Minor Operating Permit amendment to incorporate the requirements of plan approval 37-0011C in Wilmington Township, **Lawrence County**.

20-00263: The TAPCO Tube Co. (10721 Water Street Extension, Meadville, PA 16335) on January 3, 2005, for a Natural Minor Operating Permit for manufacturing steel tubing by cold forming and surface coating of steel tubing in West Mead Township, **Crawford County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

23-00017: Exelon Generation Co. (Number 1 Industrial Highway, Philadelphia, PA 19101) on December 29, 2004, to amend the operation of a facility Title V Operating Permit in Eddystone Borough, **Delaware County**.

09-00015: Rohm and Haas Co. (200 Route 413, Bristol, PA 19007) on December 29, 2004, to modify the operation of facility Title V Operating Permit in Bristol Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05028: Allegheny Energy Supply Co., LLC. (800 Cabin Hill Drive C109, Greensburg, PA 15601) on December 21, 2004, to operate two natural gas/low-sulfur distillate oil fired simple cycle turbines at their facility in Guilford Township, **Franklin County**. This Title V Operating Permit was administratively amended to incorporate the changes made to 40 CFR Part 60, Subpart

GG—Standard of Performance for Stationary Gas Turbines. This is Revision No. 1.

36-03013: US Boiler Co., Inc. (1135 Dillerville Road, Lancaster, PA 17603) on December 22, 2004, to operate their Dillerville Road Boiler Plant in Manheim Township, **Lancaster County**. This State-only Operating Permit was administratively amended to reflect a change of ownership from Burnham Corporation. This is Revision No. 1.

36-03014: Lancaster Metal Manufacturing, Inc., (1237 Harrisburg Pike, Lancaster, PA 17603) on December 27, 2004, to operate their Fruitville Pike Boiler Plant in Manheim Township, **Lancaster County**. This State-only Operating Permit was administratively amended to reflect a change of ownership from Burnham Corporation. This is Revision No. 1.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

25-00090: Zurn Industries, Inc. (1301 Raspberry Street, Erie, PA 16502) on December 22, 2004, to administratively amend the Natural Minor Operating Permit (issued April 25, 2002) for a gray iron foundry located in the City of Erie, **Erie County**. This administrative amendment incorporates the authorized modifications to the cupola and associated control devices of Plan Approval 25-090B.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-7100.

11743703. NPDES Permit No. PA0214671, RNS Services, Inc. (7 Riverside Plaza, P. O. Box 38, Blossburg, PA 16912), to renew the permit for the Lancashire No. 25 in West Carroll and Barr Townships, **Cambria County** and related NPDES permit. No additional discharges. Permit issued December 23, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32000108 and NPDES Permit No. PA0248801, River Hill Coal Company, Inc., P. O. Box 141, Kylertown, PA 16847, commencement, operation, and restoration of a bituminous surface mine-auger permit in West Wheatfield Township, **Indiana County**, affecting 759.2 acres. Receiving streams: Richards Run, Roaring

Run, UNT-E to Conemaugh River to Conemaugh River to Kiskiminetas River to the Allegheny River. There are no potable water supply intakes within 10 miles downstream. Application received September 21, 2000. Permit issued December 23, 2004. This permit was issued under a Project XL agreement between the Department and the United States Environmental Protection Agency (EPA). Project XL is EPA's program to test innovative approaches to environmental protection using regulatory flexibility to achieve superior environmental performance. Under Project XL, a Consent Order and Agreement between River Hill Coal Company, Inc. and the Department was executed on December 23, 2004. The purpose of this agreement is to improve water quality in the UNT-E to Conemaugh River (Indiana County) through encouraging remining and acid mine drainage abatement measures. The agreement will base compliance on in-stream water quality and the implementation of best management practices, instead of numeric effluent limitations measured at individual discharge points. The agreement applies only to this surface mining permit. UNT-E to Conemaugh River is one of up to eight acid mine drainage impacted watersheds where this approach under Project XL will be evaluated. The full test of the Consent Order and Agreement and the Project XL agreement can be obtained at www.dep.state.pa.us by navigating to Mineral Resources Management, District Mining Operations, Project XL, or by contacting the Department's Cambria District Office at (814) 472-1900.

Greensburg District Mining Office: R. R. 2, Box 603-C, Greensburg, PA 15601, (724) 925-5500.

26040103 and NPDES Permit No. PA0250589. Amerikohl Mining, Inc. (P. O. Box 427, Acme, PA 15610). Permit issued for commencement, operation, and reclamation of a bituminous surface mining site located in German Township, **Fayette County**, affecting 201.4 acres. Receiving streams: UNT to Cats Run to Cats Run to the Monongahela River. Application received: June 15, 2004. Permit issued: December 29, 2004.

Knox District Mining Office: P. O. Box 669, Knox, PA 16232, (814) 797-1191.

10890115 and NPDES Permit No. PA0207683. Mahoning Mining, Inc. (P. O. Box 44, New Bethlehem, PA 16242-0044). Renewal of an existing bituminous surface strip and tippel refuse disposal operation in Brady and Worth Townships, **Butler County** affecting 114.0 acres. This renewal is issued for reclamation only. Receiving streams: UNT to Hogue Run. Application received: November 1, 2004. Permit Issued: December 28, 2004.

33030107 and NPDES Permit PA0242403. Falls Creek Energy Co., Inc. (R. D. 6, Box 231, Kittanning, PA 16201). Revision to an existing bituminous surface strip operation to add 3.4 coal acres and 0.9 support acres in Winslow Township, **Jefferson County**. Receiving streams: UNT to Soldier Run. Application received: October 25, 2004. Permit Issued: December 28, 2004.

33040104 and NPDES Permit No. PA0242527. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127). Commencement, operation, and restoration of a bituminous surface strip operation in Union Township, **Jefferson County** affecting 16.5 acres. Receiving stream: UNT to Simpson Run. Application received: April 20, 2004. Permit Issued: December 22, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

17030118 and NPDES Permit No. PA 0243647. River Hill Coal Co., Inc. (P. O. Box 141, Memorial

Street, Kylertown, PA 16847). Commencement, operation and restoration of a bituminous surface mine-auger permit in Bigler Township, **Clearfield County** affecting 75.4 acres. Receiving stream: unnamed tributary to Clearfield Creek. Application received: December 18, 2004. Permit issued: December 23, 2004.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, Knox, PA 16232, (814) 797-1191.

16990301. Glen Gery Corporation (P. O. Box 7001, 1166 Spring Street, Wyomissing, PA 19610). Renewal of NPDES Permit No. PA0241521, Monroe Township, **Clarion County**. Receiving stream: Reid's Run. Application received: November 1, 2004. Renewal Permit Issued: December 28, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

Small Noncoal Permit—Final Bond Release

08940805. William C Pickett (R. D. 2, Box 2951, Laceyville, PA 18623). Final bond release for a small noncoal mining operation in Wyalusing Township, **Bradford County**. Restoration of 1 acre completed. Application for final bond release received: December 23, 2004. Final bond release approved: January 3, 2005.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151—161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

14044029. Ameron Construction Co., Inc. (2501 N. Atherton Street, State College, PA 16803), for construction blasting, located in Spring Township, **Centre County**, with an expected duration of 196 days. Permit issued: December 23, 2004.

14044030. Glenn O. Hawbaker, Inc. (P. O. Box 135, State College, PA 16804), for construction blasting, located in College Township, **Centre County**, with an expected duration of 363 days. Permit issued: December 23, 2004.

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40044014. NAPCON, Inc., (190 Mundy Street, Wilkes-Barre, PA 18702) and Douglas Explosives, Inc., (P. O. Box 77, Philipsburg, PA 16866), construction blasting at Avondale Mine Reclamation Project in Plymouth Township, **Luzerne County** with an expiration date of December 31, 2005. Permit issued December 23, 2004.

35044107. Hayduk Enterprises, (P. O. Box 554, Dalton, PA 18414), construction blasting for School Side Estates in Throop Borough, **Lackawanna County** with an expiration date of December 31, 2005. Permit issued December 30, 2004.

38044108. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting for Lowe's Home Improvement Center

in North Londonderry Township, **Lebanon County** with an expiration date of December 31, 2005. Permit issued January 3, 2005.

46044103. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting for Club View at Indian Valley in Franconia Township, **Montgomery County** with an expiration date of December 31, 2006. Permit issued January 3, 2005.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-251: PennDot District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Menallen Township, Adams County, ACOE Baltimore District.

To remove the existing structure and then to construct and maintain a single bridge with a centerline line span of 55 feet on a 62° skew with an underclearance of 6.83 feet across Opossum Creek on SR 4008, Section 013, Segment 000, Offset 000, located 1.2 miles northwest of Bendersville Borough (Arendtsville, PA Quadrangle N: 21.65 inches; W: 2.56 inches) in Menallen Township, Adams County.

E05-323: South Woodbury Township, 125 North Road, New Enterprise, PA 16664 in South Woodbury Township, **Bedford County**, ACOE Baltimore District

To construct and maintain approximately 53,000 linear feet of 12-inch, 10-inch, 8-inch, and 6-inch wastewater collection sewer and 4,000 linear feet of wastewater force main in South Woodbury Township, Bedford County, involving:

1. Three dry trench stream crossings of Yellow Creek (HQ-CWF): a) 45-foot by 8-inch (New Enterprise, PA Quadrangle N: 6.5 inches; W: 0.1 inches), b) 40-foot by 8-inch (New Enterprise, PA Quadrangle N: 6.6 inches; W: 0.2 inches), and c) 50-foot by 12-inch (New Enterprise, PA Quadrangle N: 7.0 inches; W: 0.3 inches);

2. One 60-foot by 16-inch bored stream crossing of Yellow Creek (New Enterprise, PA Quadrangle N: 11.9 inches; W: 0.2 inches);

3. One 70-foot by 12-inch dry trench stream crossing of an unnamed tributary to Yellow Creek (HQ-CWF) (New Enterprise, PA Quadrangle N: 6.6 inches; W: 0.0 inches);

4. Sixteen bored stream crossings of Three Springs Run (HQ-CWF): a) 30-foot by 16-inch (New Enterprise, PA Quadrangle N: 8.5 inches; W: 0.8 inches), b) 50-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.6 inches; W: 1.0 inches), c) 30-foot by 4-inch (New Enterprise, PA Quadrangle N: 8.6 inches; W: 1.1 inches), d) 20-foot by 4-inch (New Enterprise, PA Quadrangle N: 8.6 inches; W: 1.3 inches), e) 35-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 1.5 inches), f) 45-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.3 inches; W: 1.5 inches), g) 40-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.3 inches; W: 2.0 inches), h) 65-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 2.4 inches), i) 30-foot by 12-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 2.6 inches), j) 35-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.3 inches; W: 3.1 inches), k) 25-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 3.5 inches), l) 25-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 4.0 inches), m) 25-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 4.05 inches), n) 25-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 4.3 inches), o) 20-foot by 4-inch (New Enterprise, PA Quadrangle N: 7.9 inches; W: 5.7 inches), and p) 20-foot by 4-inch (New Enterprise, PA Quadrangle N: 7.9 inches; W: 5.6 inches);

5. Two dry trench stream crossings of Three Springs Run: a) 20-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 3.2 inches) and b) 10-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.0 inches; W: 5.2 inches);

6. Six bored stream crossings of unnamed tributaries to Three Springs Run (HQ-CWF): a) 25-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 3.7 inches), b) 5-foot by 12-inch (New Enterprise, PA Quadrangle

N: 8.3 inches; W: 3.7 inches), c) 2-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.9 inches; W: 4.8 inches), d) 10-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.2 inches; W: 4.2 inches), e) 2-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 1.9 inches), and f) 2-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.5 inches; W: 2.0 inches);

7. Five dry trench stream crossings of unnamed tributaries to Three Springs Run: a) 2-foot by 6-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 4.1 inches), b) 2-foot by 6-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 4.1 inches), c) 2-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.3 inches; W: 4.1 inches), d) 2-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.4 inches; W: 4.1 inches), and e) 5-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.7 inches; W: 4.6 inches);

8. One 15-foot by 8-inch stream crossing under an existing culvert on an UNT to Three Springs Run (New Enterprise, PA Quadrangle N: 7.9 inches; W: 6.0 inches);

9. One 35-foot by 16-inch bored stream crossing of Potter Creek (HQ-CWF) (New Enterprise, PA Quadrangle N: 11.7 inches; W: 0.3 inches);

10. One 40-foot by 16-inch bored stream crossing of Hickory Bottom Creek (HQ-CWF) (New Enterprise, PA Quadrangle N: 12.4 inches; W: 0.3 inches);

11. One 10-inch outfall with a 22-foot by 5-foot riprap apron on Yellow Creek (Hopewell, PA Quadrangle N: 6.3 inches; W: 17.2 inches);

12. Nine dry trench crossings of Exceptional Value PEM wetlands located on the floodplain of Yellow Creek or Three Springs Run resulting in 1.05 acres of temporary wetland impacts: a) 200-foot by 35-foot (New Enterprise, PA Quadrangle N: 6.4 inches; W: 0.2 inches), b) 265-foot by 35-foot (New Enterprise, PA Quadrangle N: 7.4 inches; W: 0.4 inches), c) 210-foot by 35-foot (New Enterprise, PA Quadrangle N: 7.7 inches; W: 0.4 inches), d) 122-foot by 35-foot (New Enterprise, PA Quadrangle N: 7.8 inches; W: 0.4 inches), e) 131-foot by 35-foot (New Enterprise, PA Quadrangle N: 8.3 inches; W: 1.7 inches), f) 250-foot by 35-foot (New Enterprise, PA Quadrangle N: 8.3 inches; W: 2.2 inches), g) 50-foot by 35-foot (New Enterprise, PA Quadrangle N: 8.3 inches; W: 3.1 inches), h) 10-foot by 35-foot (New Enterprise, PA Quadrangle N: 8.2 inches; W: 3.4 inches), and i) 83-foot by 35-foot (New Enterprise, PA Quadrangle N: 8.2 inches; W: 3.7 inches), and

13. Three bored crossings of Exceptional Value PEM wetlands located on the floodplains of Yellow Creek and Hickory Bottom Creek, Three Springs Run, and an UNT to Three Springs Run resulting in less than 0.01 acre of temporary wetland impacts: a) 16-foot by 16-inch (New Enterprise, PA Quadrangle N: 12.4 inches; W: 0.3 inches), b) 10-foot by 8-inch (New Enterprise, PA Quadrangle N: 8.4; W: 1.9 inches), and c) 25-foot by 14-inch (New Enterprise, PA Quadrangle N: 8.9 inches; W: 4.8 inches).

The project includes a total of 60 linear feet of utility line stream impacts waived under 105.12(a)(2). The project proposes to temporarily impact a total of 986 linear feet of stream channel and temporarily impact 1.05 acre of Exceptional Value PEM wetlands.

E06-588: Penn Dot District 5-0, 1713 Lehigh Street, Allentown, PA 18103 in Colebrookdale Township, **Berks County**, ACOE Baltimore District

To extend and maintain the length of an existing bridge at the upstream end by means of constructing a 20-foot wide by 9.5-foot high by 16.8-foot long concrete box culvert at the channel of an UNT to Swamp Creek (CWF) on SR 0100, Section 00, Segment 0030, Offset 1293, in order to construct a turning lane for the proposed Colebrookdale Village Shopping Center, located just north of Boyertown Borough (Boyertown, PA Quadrangle N: 18.8 inches; W: 0.42 inch) in Colebrookdale Township, Berks County. Project will have a de minimus wetland impact of less than 0.04 AC.

E06-594: Exeter Township Supervisors, 4975 DeMoss Road, Reading, PA 19601 in Exeter Township, **Berks County**, ACOE Baltimore District

To maintain an existing 9-foot by 4-foot box culvert at the channel of an UNT to Antietam Creek (CWF), located in Stoney Creek Mills Village (Birdsboro, PA Quadrangle N: 17.7 inches; W: 16.1 inches) in Exeter Township, Berks County.

E22-482: City of Harrisburg, 123 Walnut Street, Harrisburg, PA 17101 in Susquehanna Township, **Dauphin County**, ACOE Baltimore District

To (1) relocate and place fill in about 800 linear feet of an unnamed tributary to Paxton Creek (WWF), locally known as Black Run; (2) construct and maintain 700 linear feet of new channel; and (3) temporarily impact 0.004 acre and permanently impact 0.002 acre of associated wetlands all for the purpose of restoring the appropriate channel dimension and functional floodplain of a reach of the stream located upstream of Paxton Church Road just east of its intersection with Shutt Mill Road (Harrisburg East, PA Quadrangle N: 10.35 inches; W: 16.80 inches) in Susquehanna Township, Dauphin County. The amount of wetland impact is considered de minimus and mitigation is not required.

E36-766: PennDot District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in West Hempfield Township, **Lancaster County**, ACOE Baltimore District

To maintain an existing stream enclosure which was repaired by means of inserting a 73-inch by 55-inch by 136 feet long stream enclosure at the channel on an UNT to Strickler Run (WWF) on SR 0030, Section 045, Segment 0070, Offset 3040-3220 in to improve the safety condition of the roadway located about 1700 feet east from its intersection with L.R. 36112 (Columbia East, PA Quadrangle N: 7.23 inches; W: 10.45 inches) in west Hempfield Township, Lancaster County.

E67-757: Homewood Retirement Centers, P. O. Box 250, Williamsport, MD 21795 in Penn Township, **York County**, ACOE Baltimore District

To remove an existing 4-foot by 5-foot metal tank road crossing, then construct and maintain: 1) a 27-foot 6-inch low arch metal culvert 85-foot long in Plum Creek, 2) a 24-foot by 60-foot super-cor metal box culvert in an UNT to Plum Creek, 3) a 12-foot by 14-foot footbridge over Plum Creek (WWF) and associated wetlands, and 4) a 6-foot by 14-foot footbridge over Plum Creek, all located (Hanover, PA Quadrangle N: 6.0 inches; W: 17.1 inches) in Penn Township, York County. The amount of wetland impact is considered a de minimus impact of 300 square feet and therefore mitigation is not required.

E67-762: York County Board of Commissioners, One West Marketway, Fourth Floor, York, PA 17401 in Franklin Township, **York County**, ACOE Baltimore District

To remove the existing Bridge No. 236 and then to construct and maintain a 40-foot prestressed concrete spread box beam bridge with reinforced concrete deck, abutments, and wingwalls, located at a point where Ridge Road crosses the North Branch of Bermudian Creek (Dillsburg, PA Quadrangle N: 6.0 inches; W: 7.0 inches) in Franklin Township, York County.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1469. O'Hara Township, 325 Fox Chapel Road, Pittsburgh, PA 15238. To construct an arch culvert in O'Hara Township, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh East, PA Quadrangle N: 20.3 inches; W: 0.3 inch and Latitude: 40° 29' 12"—79° 52' 38"). To construct and maintain an arch culvert having a span of 20.5 ft. and underclearance of 14.0 ft. for approximately 50 ft. over Squaw Run (HQ-WWF), to construct and maintain 18" and 24" diameter outfalls to the same stream, to place and maintain fill in 0.024 acre of wetlands, to construct and maintain a soldier beam retaining wall approximately 115 ft. long and to restore approximately 150 ft. of Squaw Run to pre-Ivan conditions, for a proposed township roadway to provide access to a new development. The roadway will connect River Front Drive to the proposed Chapel Harbor Drive.

E26-321. Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To replace a bridge in Georges Township, **Fayette County**, Pittsburgh ACOE District. (Smithfield, PA Quadrangle N: 8.0 inches; W: 7.9 inches and Latitude: 39° 47' 39"—Longitude: 79° 48' 22"). To remove the existing structures and 1) to construct and maintain a single span precast concrete arch bridge having a normal span of 42.0 ft. and an underclearance of 13.0 ft. over Georges Creek; 2) to construct and maintain a temporary crossing consisting of four 24-inch diameter pipes in Georges Creek; 3) to construct and maintain an 18-inch diameter storm water outfall and an R-4 rock-lined storm water outfall in the floodway of Georges Creek, and 4) to place and maintain fill in 0.17 acre of palustrine emergent wetland. The applicant proposes creation of 0.17 acre of replacement wetland onsite. The project will directly affect a total of 150 linear feet of perennial stream channel and 0.17 acres of PEM wetland. The project is located on SR 3007, Section A20.

E65-854. Westmoreland County Industrial Development Corporation, Courthouse Square, Suite 601, 2 North Main Street, Greensburg, PA 15601. To construct a bridge in East Huntingdon Township, **Westmoreland County**, Pittsburgh ACOE District. (Connellsville, PA Quadrangle N: 20.43 inches; W: 7.46 inches and Latitude: 40° 06' 45"—Longitude: 79° 33' 12"). To remove the existing structure and to construct and maintain an 11.0-foot wide, five-span bridge having normal spans of 11.0 feet, 12.0 feet, 14.0 feet, 14.0 feet, and 13.0 feet and a minimum underclearance of 2.1 feet across Jacobs Creek, and to place and maintain riprap along the outer abutments. The project is located off of SR 1027, 1 mile south of its intersection with SR 819.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E43-306, Department of Transportation, District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. SR 0518, Section A00, Segment 0160, Offset 0575 Across Pine Hollow Run, in City of Hermitage, **Mercer County**, ACOE Pittsburgh District (Sharpsville, PA Quadrangle N: 1.5 inches; W: 11.3 inches).

To remove the existing bridge and to construct and maintain a 43-foot wide prestressed concrete I-beam bridge having two clear spans 137 feet, one span of 122 feet and an underclearance of 44.5 feet across Pine Hollow Run on SR 0518, Section A00, Segment 0160, Offset 0575 approximately 1,500 feet east of SR 18. The proposed bridge is on a new alignment upstream of the existing bridge and involving realignment of a total of approximately 2,700 feet of roadway. Two temporary stream crossings will be utilized consisting of a series of six 35-foot long culverts and clean rock fill located approximately 200 and 350 feet upstream of the existing SR 518 bridge.

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of December, 2004, the Department of Environmental Protection, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder in 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in this Commonwealth. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800-23RADON).

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|--|---|------------------------------|
| AccuStar Labs—Lebanon | 929 Mt. Zion Road Lebanon, PA 17046 | Laboratory |
| James Aldridge, III RHIS, Inc. | 100 Old Kennett Road Wilmington, DE 19807 | Mitigation |
| Sam Azar | 529 Bethlehem Road Catasauqua, PA 18032 | Mitigation |
| Robert Feather Radon Testing Services | 96 Highland Parkway Levittown, PA 19056 | Testing |
| Scott Feeser HomeServe, Inc. | 1529 Rodney Road York, PA 17404 | Mitigation |
| Raymond Fonos | 1216 Edgewood Drive West Homestead, PA 15120 | Testing |
| David Glick | 2061 Kenbrook Road Lebanon, PA 17046 | Testing |
| Lindsey Golubosky | 5193 Forest Avenue Bedford, PA 15522 | Testing |
| Margie Gordon | 125 Nevins Way Coatesville, PA 19320 | Testing & Laboratory |
| Terry Howell Radalink, Inc. | 5599 Peachtree Road Atlanta, GA 39341 | Laboratory |
| Dennis Huson | P. O. Box 255 Mifflinburg, PA 17844 | Mitigation |
| Chester Innamorati | 49 Laurel Drive Mountain Top, PA 18707 | Testing |
| Clete Isenberg | 5126 Chevy Chase Drive Finleyville, PA 15332 | Testing |
| Steven Johnson Homechek, Inc. | 1529 Rodney Road York, PA 17404 | Testing |
| Randy Knesnik | 413 Long Meadow Road Milford, PA 18337 | Mitigation |
| Bruce Lampe | 9615 Berea Street Philadelphia, PA 19114 | Testing |
| Karl May, Jr. | 117 Whitetail Circle Wellsboro, PA 16901 | Testing |

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|--|--|------------------------------|
| Travis Oberrender | 300 Arbutus Park Road Bloomsburg, PA 17815 | Mitigation |
| Thomas Poole Testing Services, Inc. | 1844 Swatara Street Harrisburg, PA 17104 | Testing & Mitigation |
| Joel Schachter | 2901 Hemlock Farms Lords Valley, PA 18428 | Testing |
| Edward Schluth | 242 Newtown Road Warminster, PA 18974 | Mitigation |
| Carol Shoucair | R. R. 1, Box 1833 Henryville, PA 18332 | Testing |
| David Smith | P. O. Box 211 Worthington, PA 16262 | Testing |
| John Staz, III | 1738 North Third Street Harrisburg, PA 17102 | Mitigation |
| Matthew Steger | 2133 Andrew Avenue Elizabethtown, PA 17022 | Testing |
| Bryan Walt | 61 Hessian Run Road Washington Crossing, PA 18977 | Testing |
| John Whitehead | 3304 Dougherty Lane McKeesport, PA 15133 | Testing |

[Pa.B. Doc. No. 05-97. Filed for public inspection January 14, 2005, 9:00 a.m.]

Chesapeake Bay Tributary Strategy Meeting

The Department of Environmental Protection (Department) has scheduled a public meeting for the purpose of presenting information on the Chesapeake Bay Tributary Strategy.

The meeting will take place at 3 p.m. on January 27, 2005, Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Meeting participants should be prepared to obtain visitor passes from the security guards by showing a valid form of picture identification at the guard's desk.

Questions concerning this meeting can be directed to Patricia Buckley at (717) 772-1675 or pbuckley@state.pa.us. The agenda and meeting materials will be available on the Chesapeake Bay Program webpage on the Department's website at www.dep.state.pa.us. (DEP Keyword: Chesapeake Bay).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Karen Price at (717) 772-4785 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 05-98. Filed for public inspection January 14, 2005, 9:00 a.m.]

Oil and Gas Management Technical Advisory Board Meeting Change

The January 6, 2005, workgroup meeting of the Oil and Gas Management Technical Advisory Board (Board) has

been rescheduled. The meeting will now take place at 10 a.m. on February 17, 2005, at the Moshannon District Office in Phillipsburg. The Board will also be meeting at the same time and location on January 27, 2005. These meetings are being held to discuss bonding rates for oil and gas wells.

Questions concerning the meetings should be directed to David Hogeman at (717) 772-2199 or dhogeman@state.pa.us. Information on these meetings is also available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.dep.state.us (DEP Keyword: Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact David Hogeman at (717) 772-2199 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 05-99. Filed for public inspection January 14, 2005, 9:00 a.m.]

Pennsylvania Waste Tire Reuse Grant—Starr Tire Removal

Under section 104(2) of the Solid Waste Management Act (35 P. S. § 6018.104(2)), the Department of Environmental Protection (Department) is authorized to cooperate with appropriate government and private organizations to administer the solid waste management program

and to conduct demonstration projects pertaining to solid waste management systems. The Starr Tire Removal Grant is intended to address the dual concerns of removal of tires and Tire Derived Product (TDP) from the Starr property, located in Greenwood Township, Columbia County, PA and the use and promotion of tire products in this Commonwealth.

Proposals must simultaneously remove tires and TDP from the property and, either through onsite or offsite processing, use the tires for beneficial purposes. Proposals should clearly indicate how removal of tires and/or TDP from the Starr property will occur, how any processing of the tires or TDP will occur and accurately describe any methodologies that will be employed. Proposals should describe the construction of roads and infrastructure necessary to execute the access to and removal of the tires. Proposals should describe, if applicable, the manufacture of any consumer products from the waste tires or TDP, or both. Projects must also include a distinct time line for implementation and completion. Projects that are primarily education, outreach, assessment or planning will not be considered. Projects that do not address both removal and use of the waste tires and TDP will not be considered.

Two general types of projects will be considered for funding—conventional projects and technology and innovative projects. Please identify the type of project you are submitting for consideration.

Conventional Projects

The Starr Tire Removal Grant is seeking applications for projects using conventional tire processing methodologies that result in the removal and processing of 1 to 2 million tires from the Starr Tire Pile Site for the purposes of civil engineering use or other standard market uses within a 1 year time period. Projects that are primarily feasibility or research and development will not be considered.

Technology and Innovations Projects

The Starr Tire Removal Grant is seeking applications for projects using innovation or a novel technology (either onsite or offsite) to consume or use waste tires or TDP currently located at the Max Starr property that result in marketable products to be used or sold in this Commonwealth or abroad. The proposal should be limited to a demonstration-size project to determine feasibility of further implementation of the technology both at the Starr site and potentially at other tire piles sites within this Commonwealth.

Application packages are available for downloading at www.dep.state.pa.us (DEP Keyword: Starr Tires) or by calling the Department at (717) 772-8911.

One original and three copies of the completed grant application must be postmarked (if mailed), or received (if otherwise delivered) by 4 p.m. on February 28, 2005, at: the Department's Office of Energy & Technology Develop-

ment, Attn: Starr Tire Pile, 15th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8772, Harrisburg, PA 17105-8772, (717) 772-8911.

KATHLEEN A. MCGINTY
Secretary

[Pa.B. Doc. No. 05-100. Filed for public inspection January 14, 2005, 9:00 a.m.]

Proposed Water Quality Management General Permit for Construction of Sewer Extensions and Pump Stations (WQG-02)

The Department of Environmental Protection (Department) is proposing a Water Quality Management General Permit for Construction of Sewer Extensions and Pump Stations (WQG-02). This notice is issued under the authority of The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

The proposed permit document package is also available on the Department's website at www.dep.state.pa.us (DEP Keyword "Participate") or by contacting the Bureau of Water Supply and Wastewater Management, P. O. Box 8467, Harrisburg, PA 17105-8467, (717) 783-3795, trutrountma@state.pa.us.

The Department invites public comments for 30 days on the proposed General Permit. Comments must be submitted to the Department by February 14, 2005. If there is significant public interest in the General Permit or if requested, the comment period may be extended at the discretion of the Department for an additional 30-day period. Only the comments received within the specified public comment period will be considered in the formulation of the final documents for this General Permit. If significant issues of public interest are raised, the Department may schedule a public meeting or hearing. Written comments should be submitted to the previously mentioned address. The comments will also be accepted by electronic mail at kebair@state.pa.us. Comments will not be accepted by facsimile or on voice mail.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Following the specified comment period, the Department will review all submitted comments, prepare a written comments and response document (CRD) and prepare a final documents package for this permit. An availability of the final permit documents, including the CRD, will be announced in the *Pennsylvania Bulletin*. Individuals wishing to also receive a copy of the final permit documents may request them by contacting the previously mentioned addresses or telephone numbers.

KATHLEEN A. MCGINTY,
Secretary

3800-PM-WSWM0045a 11/2004
Instructions NOI



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

**WQG-02
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS
NOTICE OF INTENT (NOI)
INSTRUCTIONS**

GENERAL INFORMATION

To Obtain DEP Application Packages. To expedite the processing of the applicant's request, the Department of Environmental Protection (DEP) asks that the most up-to-date NOI package available be used. The most recent version of this package can be obtained by contacting the appropriate DEP regional office, or through our website noted below. This package, as well as other DEP-wide and/or program-specific permit packages are available in Microsoft Word format at this same web location. Applicants can download the appropriate NOI to a personal computer, complete the NOI electronically and print the document for submittal to DEP using the following steps:

- Type in DEP's website address: www.dep.state.pa.us
- Type in "permits" in the block marked "Keyword"
- Select: Program-Specific Permit/Authorization Packages
- Select: Water Management
- Select: Water Quality
- Select: Water Quality Management General Permit for Sewer Extensions and Pump Stations

General Instructions. This package is designed to assist the applicant in completing the NOI identified above. Type or print clearly when completing the NOI. If the information requires more than the space allows, attach additional sheets as necessary. If a question is not applicable to the project, write NA in the appropriate box.

Who may use this NOI? This NOI may be used by eligible permittees seeking coverage under the Water Quality Management (WQM) General Permit For Sewer Extensions and Pump Stations. Sewer extensions serving over 250 equivalent dwelling units (EDUs) (or having the potential to serve over 250 EDUs or receiving flows of 65,500 gallons per day (gpd)), pump stations and force mains require a WQM Permit. Sewer extensions and pump stations and force mains, which are designed in accordance with DEP's *Domestic Wastewater Facilities Manual*, DEP ID: 362-0300-001, available on DEP's website at www.dep.state.pa.us, may be eligible for coverage under this General Permit. DEP may determine that an individual permit is required to ensure compliance with the Clean Water Act (CWA), the Clean Streams Law (CSL) or Title 25 of the Pa. Code.

This permit is only applicable for construction of a sewer extension or a pump station to serve less than 500 EDUs or 131,000 gpd. If more than one pump station is proposed within a system or if the proposed pump station will receive flow from more than one upstream pump station, an individual WQM Permit is required. An individual WQM Permit is also required if the proposed sewer extension or pump station will exceed the current or projected reserve capacity of the most limiting component between the proposed addition and the treatment facility.

Pumps used in laterals are **not** pumping stations. A lateral is the part of the drainage system carrying sewage from an individual structure or property to the public sewer system. Laterals are not covered by WQM Permits.

It is the responsibility of the wastewater facility owner to obtain the WQM Permit. The owner of the facility shall file an administratively complete, acceptable NOI with DEP prior to commencing construction and operation of a sewer extension or pump station. For further information regarding what permits are required for various

3800-PM-WSWM0045a 11/2004
Instructions NOI

activities, refer to *Guide to DEP Permits and Other Authorizations* (8000-BK-DEP0341), available on DEP's website.

The requirements for preparing applications and obtaining a WQM Permit are included in Title 25 Pa. Code Chapter 91 of DEP's Rules and Regulations.

If a stream crossing or other encroachment is involved, contact DEP's regional Water Quality Management Program.

Design Engineer's Report and Seal. A *Design Engineer's Report* as well as drawings and specifications showing clearly the proposed project and the basis of design shall accompany the application. The Registered Professional Engineer Certification, *Design Engineer's Report* and the front cover of each set of drawings and specifications prepared or used by the designer must bear the name, signature and seal of the registered professional engineer, authorized to practice in Pennsylvania, responsible for preparing the application. Each drawing must also bear the imprint, or reasonable facsimile, of this seal.

Where to Submit. Two (2) copies of the NOI form, *Design Engineer's Report* and supplemental information shall be submitted to the appropriate DEP regional office. See DEP offices at the end of the instructions.

Application Fee. A filing fee of \$100.00 must be submitted with the application in the form of a check (less than 10 days old) made payable to "Commonwealth of Pennsylvania." This fee is **not** required of state agencies.

Proof of Public Notice. The NOI must include the Act 537 planning approval letter.

Applicant Responsibility. It is the applicant's responsibility to demonstrate eligibility for coverage under the General Permit. The demonstration must be made as part of the NOI submittal.

DEFINITIONS

To provide the applicant with a better understanding of terminology, DEP has included the following definitions.

Client (Responsible Party). A client (also referred to as applicant or permittee) is a person or organization that requests approval from DEP to perform a regulated activity. Client information is documented and assigned an internal DEP Client ID# for tracking purposes.

Site (Place). A site is a physical location of importance to DEP. A site may include locations where a regulated facility is physically located or where a regulated activity occurs that has the potential to impact the health and safety of the citizens and/or the natural resources of the Commonwealth. A site is not solely defined by geographical location (can span several municipalities and even counties in some cases) but rather by the client/applicant's purpose of doing business. All DEP programs' involvement at a physical location of importance to DEP is grouped under one "entity"– site. This holistic view of site will promote an understanding of the interrelationships of facilities to support pollution prevention, multi-media inspections, a DEP-wide view of compliance, and public understanding and access of information. Site information is documented and assigned an internal DEP Site ID# for tracking purposes.

Site-to-Client Relationships. DEP will create internal records to relate (link) each site with all clients associated with the site and/or facilities.

Facility. A facility (also referred to as Primary Facility (PF)) is a logical bridge between sites and sub-facilities that allows DEP to provide a framework for a facility's/activity's regulation. PF is a way to group a program's involvement at a site (what it regulates) under one heading. For example: One area of the water program groups all of their involvement (regulated entities) under a PF type of "Water Pollution Control Facility." Facility information is documented and assigned an internal DEP Facility ID# for tracking purposes.

Authorization. Any DEP approval. For example: permits, plans, approvals, licenses, registrations, certifications, etc. Authorization information is documented and assigned an internal DEP Auth ID# for tracking purposes.

3800-PM-WSWM0045a 11/2004
Instructions NOI

CLIENT/OPERATOR INFORMATION

DEP Client ID#. DEP-wide unique identification number assigned by DEP to the client after client information is entered into DEP's computer system. This one number identifies the client regardless of the program with which the client is working. When replying to DEP, inclusion of this number will make it easier to process the request in a timely manner. If known, enter the Client ID#. Otherwise skip to the next request for information.

Client Type/Code. Enter the code that represents the type of client acting as the responsible authority for the permitted activity.

| Government | |
|------------|-----------------|
| AUTH | Authority |
| CNTY | County |
| FED | Federal Agency |
| MUNI | Municipality |
| NONPG | Non-PA Govt |
| OTHG | Other (Govt) |
| SCHDI | School District |
| STATE | State Agency |

| Non-Government | |
|----------------|------------------------------|
| ASSOR | Association/Organization |
| LLC | Ltd. Liability Company |
| LLP | Ltd. Liability Partnership |
| NPACO | Non-Pennsylvania Corporation |
| OTHER | Other (Non-Govt) |
| PACOR | Pennsylvania Corporation |
| PARTG | Partnership-General |
| PARTL | Partnership-Limited |
| SOLEP | Sole Proprietorship |

| Individual | |
|------------|------------|
| INDIV | Individual |

Note: If two individuals' names are listed as the NOI's clients, the Client Type/Code of "Partnership-General" should be used.

Organization Name or Registered Fictitious Name. Clients other than individuals must provide the name under which the activity or business is conducted for which the permit or other authorization will be issued.

Individuals should complete the "Organization Name" only if they conduct their business or activity under a name other than their own (for example, "Jones Construction Company," rather than "Mary Jones").

For partnerships, list the business name of the partnership as it appears on the legal partnership papers.

If the applicant is an individual(s) or partnership, also provide the appropriate information on the individual name lines.

Employer ID#. Also referred to as "Federal Tax ID#." The Employer ID# (EIN) aids DEP in identifying the organization and prevents duplicate data entry from occurring. This information is required.

Dun & Bradstreet ID#. (Optional) If known, supply the applicant's Dun & Bradstreet Identification Number.

Individual Last Name, First Name, MI, Suffix, Social Security Number. This information, with the exception of the SSN, must be provided for applicants who are individuals or partnerships. The SSN aids DEP in identifying the individual and prevents duplicate data entry, although it is optional. The SSN is not accessible by the public or other government agencies.

Additional Individual Last Name, First Name, MI, Suffix, Social Security Number. This information, with the exception of the SSN, must be provided for additional applicants who are individuals or partnerships. The SSN aids DEP in identifying the individual and prevents duplicate data entry, although it is optional. The SSN is not accessible by the public or other government agencies.

Mailing Address. The mailing address of the client identified above (this should not include locational data that is not appropriate for a mail piece). In addition to the street number and name, PO Box#, RR#, Box#, or Highway Contract# designations, use any appropriate designation and number to further define the mailing address of the applicant.

| | |
|------|-----------|
| APT | Apartment |
| BLDG | Building |

| | |
|------|------------|
| DEPT | Department |
| FL | Floor |

| | |
|-----|-------|
| RM | Room |
| STE | Suite |

3800-PM-WSWM0045a 11/2004
 Instructions NOI

City, State, ZIP+4, Country. Enter an appropriate city, borough or town designation (do not enter a township designation in this area). Do *not* use abbreviations for the city name. Use the two-character abbreviation for the state. Include the four-digit extension to the ZIP code. If other than USA, provide country.

Client Contact Information. Clients that are organizations must provide the name of a person representing the client (organization). This client contact must be an employee of the organization and must be located at the mailing address of the client and may receive correspondence on behalf of the client. Include the individual's name, title, daytime phone number and e-mail address. DEP will use this contact information for maintaining client data. This individual should be a high-level employee such as CEO, VP, Operations Manager, etc. or someone capable of answering informational questions regarding the organization such as EIN, fictitious name ownership, address data, related organizations, corporate changes, etc. Project contact information should be entered in the Site Contact Information section found in the Site Information section.

SITE INFORMATION

DEP Site ID#. DEP-wide unique identification number assigned to the site after site information is entered into DEP's computer system. This one number identifies the site regardless of the program with which the applicant is working. When replying to DEP, inclusion of this number will make it easier to process the NOI in a timely manner. If known, enter the Site ID#. Otherwise skip to the next request for information.

Site Name. The name of the site at the specific physical location. Do not use abbreviations or acronyms.

EPA ID#. (Optional) Supply the EPA ID# for the site (this number is also referred to as a FINDS ID#).

Description of Site. Provide a written description of the proposed site (e.g., sewage treatment plant, toy factory, etc.).

County, Municipality, State. Indicate the county and municipality in which the site is located. Check the appropriate box to identify the type of municipality entered (city, borough, township).

Site Location. Provide the physical address of the location where the permitted activities will occur. No PO Box Numbers will be accepted for site location information. Provide the city (or municipality), state and the ZIP+4.

Detailed Written Directions to Site. When providing written directions, do not use PO Box address data. Include landmarks and approximate distances from the nearest highway.

Site Contact Information. Provide the name of the person having overall responsibility for environmental matters at the site. Include the individual's name, title, firm, mailing address, daytime phone number and e-mail address (optional).

Site-to-Client Relationship. Enter the relationship code that best describes how the client is related to the activity or operation at the site for which the permit is being sought.

| Code | Type | Code | Type |
|-------|---------------------------------|-------|--------------------------------------|
| OWN | Owner | LESOP | Lessee/Operator |
| AGENT | Agent for the Owner or Operator | CONTR | Contractor for the Owner or Operator |
| OWNOP | Owner/Operator | OPR | Operator |
| LESSE | Lessee | OTHER | Other (Explain) |

FACILITY INFORMATION

Existing Permits. List all permits that were issued or applied for on behalf of this facility by DEP. Include any NPDES and WQM Permits, Earth Disturbance permits, and any other environmental quality permits. Provide the issued permit number and the date issued or applied for.

Facility Location & Drainage Map. Attach the United States Geological Survey (USGS) topographical map showing the facility. A good quality 8½ x 11-inch copy of the portion of the topographic map locations is

3800-PM-WSWM0045a 11/2004
Instructions NOI

acceptable. Provide the name of the 1:24,000 scale USGS 7.5-minute series quadrangle map. Submit a copy of the map(s) with the NOI.

Additional Locational Data Information. This information is being requested in order to determine the method, accuracy and description of the latitude and longitude information that is being provided with the application. If known, please provide this information for the locational data. The list of locational data codes and descriptions can be found electronically on DEP's website under "Permit and Authorization Packages."

FACILITY DESIGN

Check the appropriate box and complete the additional information required.

COMPLIANCE HISTORY REVIEW

Check appropriate box to indicate if the facility owner or operator was/is in violation of any DEP regulation, permit, order or schedule of compliance. If the answer is "No," no further information is needed in this area. If "Yes," list each permit, order or schedule of compliance and provide compliance status of the permitted facility or operation. If needed, use additional sheets to provide information on ALL permits.

CERTIFICATION

The applicant must certify that the information contained in the NOI is true, accurate and complete and agree to abide by the terms and conditions of the General Permit. In addition, the responsible official's signature also certifies that the facility is eligible for coverage under the General Permit.

The NOI shall be signed as follows:

For individually owned operations - the owner of the facility must sign the NOI.

For a Corporation - by a responsible corporate officer. For purposes of this section, a responsible corporate officer means a principal executive officer of at least the level of vice president or an authorized representative, if the representative is responsible for the overall operation of the facility from which the discharge described in the NOI originates.

For a Partnership or Sole Proprietorship - by a general partner or the proprietor, respectively.

For a Municipality - state, federal or other public agency - by either a principal executive officer, ranking elected official or other authorized employee. For purposes of this NOI, a principal executive officer of a federal agency includes:

- a. The chief executive officer of the agency, or
- b. A senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of the Environmental Protection Agency (EPA)).

If signed by a person other than the above, written notification of delegation of signatory authority must be submitted to DEP along with the NOI.

The certification signatures must be notarized.

Registered Professional Engineer. This section is to be completed by the registered professional engineer who prepares this NOI, accompanying report and supporting documentation, whichever are applicable.

APPLICANT'S CHECKLIST

To ensure the NOI is complete, DEP has provided a convenient checklist of what may need to be attached to the NOI. This checklist is to be returned with the completed NOI.

3800-PM-WSWM0045a 11/2004
Instructions NOI

DEP OFFICES

A listing of the Bureau of Water Supply and Wastewater Management's (BWSWM) regional offices can be found on DEP's website. Follow the steps given on the first page of these instructions to the **Water Quality Management General Permit** web page to view BWSWM's **Contacts and DEP Regional Offices**.

DRAFT

3800-PM-WSWM0045b 11/2004
NOI

Applicant Name:



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

**WQG-02
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS
NOTICE OF INTENT (NOI)**

Before completing this form, read the step-by-step instructions provided in this NOI package.

| | | | |
|-------------------------|----------------|-------------------------------|--|
| Related ID#s (If Known) | | DEP USE ONLY | |
| Client ID# _____ | APS ID# _____ | Date Received & General Notes | |
| Site ID# _____ | Auth ID# _____ | | |
| Facility ID# _____ | | | |

CLIENT/OPERATOR INFORMATION

DEP Client ID# _____ Client Type/Code _____

Organization Name or Registered Fictitious Name _____ Employer ID# (EIN) _____ Dun & Bradstreet ID# _____

Individual Last Name _____ First Name _____ MI _____ Suffix _____ SSN _____

Additional Individual Last Name _____ First Name _____ MI _____ Suffix _____ SSN _____

Mailing Address Line 1 _____ Mailing Address Line 2 _____

Address Last Line – City _____ State _____ ZIP+4 _____ Country _____

Client Contact Last Name _____ First Name _____ MI _____ Suffix _____

Client Contact Title _____ Phone _____ Ext _____

E-mail Address _____ FAX _____

SITE INFORMATION

DEP Site ID# _____ Site Name _____

EPA ID# _____

Description of Site _____

County Name _____ Municipality _____ City Boro Twp

Site Location Line 1 _____ Site Location Line 2 _____

Site Location Last Line – City _____ State _____ ZIP+4 _____

3800-PM-WSWM0045b 11/2004
NOI

Applicant Name:

Detailed Written Directions to Site

Site Contact Last Name First Name MI Suffix

Site Contact Title Site Contact Firm

Mailing Address Line 1 Mailing Address Line 2

Address Last Line – City State ZIP+4

Phone Ext FAX E-mail Address

Site-to-Client Relationship

FACILITY INFORMATION

Existing Permits. Identify all environmental quality permits (earth disturbance, NPDES, etc.) issued or applied for on behalf of this facility.

| Permit Type | Permit# | Date Issued/Applied For |
|-------------|---------|-------------------------|
| | | |
| | | |

Attached is a facility location & drainage map. YES NO

Horizontal Accuracy Measure Feet --or-- Meters

Horizontal Reference Datum Code North American Datum of 1983
 World Geodetic System of 1984

Horizontal Collection Method Code

Reference Point Code

Altitude Feet --or-- Meters

Altitude Datum Name The North American Vertical Datum of 1988 (NAVD88)

Altitude (Vertical) Location Datum Collection Method Code

Geometric Type Code

Data Collection Date

Source Map Scale Number Inch(es) = Feet
--or-- Centimeter(s) = Meters

FACILITY DESIGN (Check all appropriate boxes below)

- Sewer Extension (Complete Sewer Extension Information 3800-PM-WSWM0045d)
- Pump Station (Complete Pump Station Information 3800-PM-WSWM0045e)

3800-PM-WSWM0045b 11/2004
NOI

Applicant Name:

COMPLIANCE HISTORY REVIEW

Is/was the facility owner or operator in violation of any DEP regulation, permit, order or Yes No
schedule of compliance at this or any other facility?

If "Yes," list each permit, order and schedule of compliance and provide compliance status. Use additional sheets to provide information on all permits.

Permit Program Permit No.

Brief Description of Noncompliance

| Steps Taken to Achieve Compliance | Date(s) Compliance Achieved |
|-----------------------------------|-----------------------------|
| | |

Current Compliance Status In Compliance In Noncompliance

CERTIFICATION (Check appropriate box below.)

I certify under penalty of law that I

- am the applicant
- am an officer or official of the applicant
- have the authority to make this application (attach delegation of signatory authority)

and that the plans, reports and documents designated and attached here with part of the application are true and correct to the best of my knowledge and belief and is in conformance with the requirements of the *Domestic Wastewater Facilities Manual*.

Name (type or print legibly) _____
Official Title

Signature _____
Date

(Use corporate or professional seal as appropriate.)

Taken, sworn and subscribed before me, this _____ day of _____ 20 _____

Notary Seal

3800-PM-WSWM0045b 11/2004
NOI

Applicant Name:

REGISTERED PROFESSIONAL ENGINEER

This is to certify that I have personally reviewed all engineering information contained in the accompanying drawings, specifications and other documents which are part of this application and that I have found it to be of good engineering quality, true and correct, and is in conformance with the requirements of the *Domestic Wastewater Facilities Manual* and it does not, to the best of my knowledge, withhold information that is pertinent to a determination of compliance with the requirements of DEP.

Name of Design Engineer: _____

Design Firm: _____

Mailing Address: _____ Professional Seal

Telephone Number: () _____ Seal

E-mail Address: _____

Signature of Professional Engineer

NOTICE: It is an offense under Pennsylvania Criminal Code to affirm a false statement in documents submitted to DEP.

DEP will consider the registered professional engineer whose seal is affixed to design documents to be fully responsible for the adequacy of all aspects of facility designs. The application and supporting documentation submitted for sewerage projects will be reviewed to ensure general consistency with good engineering practices, and the applicable design guidelines of DEP.

3800-PM-WSWM0045c 11/2004
Checklist



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

**WQG-02
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS
NOTICE OF INTENT (NOI)
CHECKLIST**

| | | APPLICANT'S CHECKLIST | |
|--|--|--------------------------|--------------|
| APPLICANT NAME | | | |
| <p>Check the following list to make sure that you have included all the required information. Place a checkmark in the column provided for all items completed and/or provided. Failure to provide all of the requested information will delay the processing of the application.</p> <p style="text-align: center;">ENCLOSE THIS CHECKLIST WITH YOUR APPLICATION FORM.</p> | | | |
| | | Check If Included | DEP Use Only |
| 1. | Two (2) copies (original and 1 copy) of application and accompanying drawings and plans. | <input type="checkbox"/> | |
| | a. Certification and proper signatures. | <input type="checkbox"/> | |
| | b. Engineer's professional seal. | <input type="checkbox"/> | |
| | c. <i>Design Engineer's Report.</i> | <input type="checkbox"/> | |
| | d. Properly notarized (original). | <input type="checkbox"/> | |
| | e. Sewer extension and/or pump station information. | <input type="checkbox"/> | |
| | f. Additional copy for Erie and Allegheny counties (if required). | <input type="checkbox"/> | |
| 2. | Appropriate application fee. | <input type="checkbox"/> | |
| 3. | Topographic map with appropriate details. | <input type="checkbox"/> | |
| 4. | Act 537 Planning Approval Letter. | <input type="checkbox"/> | |
| 5. | Other (specify): | <input type="checkbox"/> | |

3800-PM-WSWM0045d 11/2004
Sewer Extension Information

Applicant Name:



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

WQG-02
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS
SEWER EXTENSION INFORMATION

| | | | | | | |
|---|---------|----------|-------------------|--------------------|-----------|---------|
| APPLICANT NAME | | | | | | |
| PROJECT INFORMATION | | | | | | |
| <i>If the project is associated with existing or proposed residential or industrial development, complete the following:</i> | | | | | | |
| Name of Development | | | | | | |
| Type of Development | | | | | | |
| Number of Units | | | | Project Acreage | | |
| WQM Permit No. of Receiving Sewers | | | | | | |
| BASIS OF DESIGN | | | | | | |
| Design Year: | | | | Design Population: | | |
| SEWER SYSTEM | | | | | | |
| 1. INITIAL POPULATION | | | DESIGN POPULATION | | | |
| 2. List the WQM Permit number of the sewer to which this system connects. | | | | | | |
| 3. List the WQM Permit number of the treatment facility receiving flow from this system. | | | | | | |
| 4. What is the reserve capacity of the most limiting component between this connection and the treatment facility? | | | | | | |
| 5. LOCATION | | | | | | |
| USGS Quadrangle Name | | | | | | |
| Latitude/Longitude of Connection Point | | Latitude | | | Longitude | |
| | Degrees | Minutes | Seconds | Degrees | Minutes | Seconds |
| 6. DESIGN FLOW DATA | | | | | | |
| a. Submain Sewers | | (GPCD) | | | | |
| b. Average Daily Flow | | (mgd) | | | | |
| c. Infiltration/Inflow (I/I) | | (mgd) | | | | |
| d. Industrial Waste Flow | | (mgd) | | | | |
| e. Total Average Design Flow | | (mgd) | | | | |
| f. Maximum Expected Flow Rate (Peak Instantaneous) | | (mgd) | | | | |
| 7. Describe measures taken to minimize I/I in the system including leakage test and reference applicable portion of the specifications. | | | | | | |

3800-PM-WSWM0045e 11/2004
Pump Station Information

Applicant Name:



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

**WQG-02
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS
PUMP STATION INFORMATION**

| | | | | | | |
|---|----------|---------------|---------------------------------|--------------------------|---------|---------|
| APPLICANT NAME | | | | | | |
| PUMP STATION (Submit separate module for each pump station.) | | | | | | |
| 1. PUMP STATION NAME: | | | | | | |
| 2. List the WQM Permit number of the sewer to which this system connects. | | | | | | |
| 3. List the WQM Permit number of the treatment facility receiving flow from this system. | | | | | | |
| 4. What is the reserve capacity of the most limiting component between this connection and the treatment facility? | | | | | | |
| 5. LOCATION (Street name, etc.): | | | | | | |
| USGS Quadrangle Name | | | | | | |
| Latitude/Longitude of Pump Station | Latitude | | | Longitude | | |
| | Degrees | Minutes | Seconds | Degrees | Minutes | Seconds |
| | | | | | | |
| Latitude/Longitude of Connection Point | Latitude | | | Longitude | | |
| | Degrees | Minutes | Seconds | Degrees | Minutes | Seconds |
| | | | | | | |
| 6. TYPE (e.g., conventional, suction lift, ejector or submersible): | | | | | | |
| 7. INITIAL POPULATION TO BE SERVED: | | | FUTURE POPULATION TO BE SERVED: | | | |
| DESIGN YEAR: | | | | | | |
| 8. DESIGN INFORMATION: | | AVG (mgd) | | Peak Instantaneous (mgd) | | |
| a. Domestic Flow Rate (based on design population to be served) | | | | | | |
| b. Industrial Flow Rate | | | | | | |
| c. Infiltration/Inflow (I/I) Rate | | | | | | |
| d. Design Flow Rate | | | | | | |
| e. Effective Wet Well Capacity | | (gal) | | | | |
| f. Detention Time | | (min) | | | | |
| g. Design Average Velocity in Force Main | | (fps) | | | | |
| h. Total Dynamic Head (Pump Station + Force Main) | | Static Head | | ft | | |
| | | Friction Loss | | ft | | |
| | | TDH | | ft | | |
| i. Diameter of Force Main | | | | Inches | | |
| 9. Describe the proposed project with respect to the 100-year flood elevation, ventilation, emergency power provision and alarm system. | | | | | | |

NOTICES

3800-PM-WSWM0045e 11/2004
 Pump Station Information

Applicant Name:

| LIST ALL THE PUMPS IN THE PUMP STATION | | | | | | | | | | | |
|--|--------------|---------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|---|----------------------------|---|---------------------------------|---------------|----------|
| NUMBER OF IDENTICAL PUMPS | Type of Pump | Check Columns That Apply To Each Pump | | | | | | | | Pump Capacity | |
| | | E X I S T I N G | P R O P O S E D | V A R I A B L E | C O N S T A N T | A U T O M A T I C | M A N U A L | P N E U M A T I C | S T A N D B Y | gpm | TDH (ft) |
| | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |
| | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | |

3800-PM-WSWM0045f 11/2004
Permit

Permit No.



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

WQG-02
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS
PERMIT NUMBER WQG02_____

| | |
|--|--|
| <p>A. PERMITTEE (Name and Address):</p> <p>CLIENT ID#:</p> | <p>B. PROJECT/FACILITY (Name):</p> |
| | <p>C. LOCATION (County, Municipality):</p> |
| <p>D. This General Permit approves the construction and operation of:</p> <p><input type="checkbox"/> SEWER EXTENSION</p> <p><input type="checkbox"/> PUMP STATION</p> | |
| <p>E. APPROVAL GRANTED BY THIS GENERAL PERMIT IS SUBJECT TO THE FOLLOWING:</p> <p>1. All construction, operations and procedures shall be in accordance with the <i>Domestic Wastewater Facilities Manual</i>.</p> <p>Transfers: In the event the permittee plans to transfer ownership of the facility to another entity, the permittee and the transferee shall submit an application for such transfer to DEP. If the transfer is approved by DEP, the transferee is subject to the terms and conditions of this General Permit.</p> <p>2. The attached conditions apply to this General Permit and are hereby made part of same.</p> | |
| <p>F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS:</p> <p>1. If there is a conflict between the NOI or its supporting documents and amendments and the attached conditions, the attached conditions shall apply.</p> <p>2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this General Permit shall void the authority given to the permittee by the issuance of this General Permit.</p> <p>3. This General Permit is issued pursuant to the Clean Streams Law, Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this General Permit shall not relieve the permittee of any responsibility under any other law.</p> | |
| <p>PERMIT ISSUED:</p> <p>_____</p> | <p>BY: _____</p> <p>TITLE: <u>Water Management Program Manager</u></p> |

3800-PM-WSWM0045f 11/2004
Permit

Permit No.



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

PERMIT CONDITIONS

General

1. Consistent with DEP's technical guidance document *Conducting Technical Reviews of Water Quality Management Permit Wastewater Treatment Facilities*, DEP ID: 362-2000-007, available on DEP's website, DEP considers the registered professional engineer whose seal is affixed to the design documents to be fully responsible for the adequacy of all aspects of the facility's design.
2. The approval is specifically made contingent on the permittee acquiring all necessary property rights, by easement or otherwise, providing for the satisfactory construction, operation, maintenance and replacement of all sewers or sewerage structures in, along or across private property with full rights of ingress, egress and regress.
3. If, at any time, the sewer extension and/or pump station covered by this General Permit creates a public nuisance, including but not limited to, causing malodors or causing environmental harm to waters of the Commonwealth, DEP may require the permittee to adopt appropriate remedial measures to abate the nuisance or harm.
4. This permit does not relieve the permittee of its obligations to comply with all federal, interstate, state or local laws, ordinances and regulations applicable to the facilities.
5. This General Permit does not give any real or personal property rights or grant any exclusive privileges, nor shall it be construed to grant or confirm any right, easement or interest in, on, to, or over any lands which belong to the Commonwealth.
6. No discharge is authorized from these facilities unless approved by an NPDES Permit.

Construction

7. An Erosion and Sedimentation (E&S) Control Plan must be developed prior to construction of the permitted facility, pursuant to Title 25 Pa. Code Chapter 102, and implemented during and after the earth disturbance activity.
If the activity involves 5 or more acres of earth disturbance, or from 1 to 5 acres of earth disturbance with a point source discharge to surface waters of the Commonwealth, an NPDES Permit is required.
In addition to the state NPDES permitting requirements, some municipalities, through local ordinances, require the E&S Control Plan to be reviewed and approved by the local county conservation district office prior to construction. For specific information regarding E&S control planning approval and NPDES permitting requirements please contact your local county conservation district office.
8. The sewer extension and/or pump station shall be constructed under the supervision of a Pennsylvania registered professional engineer in accordance with the approved reports, plans and specifications. Any deviations from approved plans or specifications so revised should, therefore, be submitted well in advance of any construction work which will be affected by such changes to permit sufficient time for review and approval. Structural revisions or other minor changes not affecting capacities, flows or operations will be permitted during construction without approval.
9. The local waterways conservation officer of the Pennsylvania Fish and Boat Commission (PFBC) shall be notified when the construction of any stream crossing and/or outfall is started and completed. A written permit must be secured from the PFBC if there is any use of explosives in any waterways and the permittee shall notify the local waterways conservation officer when explosives are to be used.
10. Manhole inverts shall be formed to facilitate the flow of the sewage and to prevent the stranding of sewage solids. The whole manhole structure shall be built to prevent undue infiltration, entrance of street wash or grit and provide safe access to facilitate manhole maintenance activities.

3800-PM-WSWM0045f 11/2004
Permit

Permit No.

Operation and Maintenance

11. The permittee shall maintain sewer extension and/or pump station operation and maintenance (O&M) manuals at the facility and ensure proper O&M of the permitted facility. The permittee shall file the O&M manuals with DEP upon request.
12. Stormwater from roofs, foundation drains, basement drains or other sources shall not be admitted directly to the sewer extension or pump station.
13. The sewer extension shall have adequate foundation support as soil conditions require. Trenches shall be back-filled to ensure that sewers will have proper structural stability, with minimal settling and adequate protection against breakage. Concrete used in connection with these sewers shall be protected from damage by water, freezing, drying or other harmful conditions until cured.
14. The approved sewer extensions and/or pump stations shall be maintained in good condition, kept free of deposits by flushing or other cleaning methods and repaired when necessary.
15. The sewer extension and/or pump station shall be properly operated and maintained so that the facility will perform as designed.
16. The attention of the permittee is called to the highly explosive nature of certain gases generated by the digestion of sewage solids when these gases are mixed in proper proportions with air and to the highly toxic character of certain gases arising from such digestion or from sewage in poorly ventilated compartments or sewers. Therefore, at all places throughout the facilities where hazard of fire, explosion or danger from toxic gases may occur, the permittee shall post conspicuous permanent and legible warnings. The permittee shall instruct all employees concerning the aforesaid hazards, first aid and emergency methods of meeting such hazards and shall make all necessary equipment and material accessible.
17. There shall be no physical connection between a public water supply system and a sewer or appurtenance to it which would permit the passage of any sewage or polluted water into the potable water supply. No water pipe shall pass through or come in contact with any part of the sewer extension and/or pump station.
18. Collected screenings, slurries, sludge and other solids shall be handled and disposed of in compliance with Title 25 Pa. Code, Chapters 271, 273, 275, 283 and 285 (related to permits and requirements for land filling, land application, incineration and storage of sewage sludge), Federal Regulations 40 CFR Part 257 and the Federal Clean Water Act and its amendments.

3800-PM-WSWM0045g 11/2004
Fact Sheet



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WATER SUPPLY AND WASTEWATER MANAGEMENT

**WQG-02
FACT SHEET
WATER QUALITY MANAGEMENT
GENERAL PERMIT FOR SEWER EXTENSIONS AND PUMP STATIONS**

DEP's regulations at Title 25 Pa. Code §91.27 provide for the issuance of a General Permit. A General Permit is allowed when:

- A. The same, or substantially similar, types of operations are involved.
- B. The same types of waste are being treated.
- C. The same operating conditions are required.
- D. In the judgment of DEP, the discharges are more appropriately controlled under the General Permit than under individual permits.

NOTICE OF INTENT (NOI) FOR COVERAGE UNDER THE GENERAL PERMIT AND ADMINISTRATION OF THE PERMIT

Any applicant who wishes to be covered by the General Permit must file an NOI for coverage with DEP. If the NOI is accepted, DEP will formally notify the applicant of the coverage by transmitting a copy of the General Permit bearing an individual identification number. Notice of each NOI approval will be published by DEP in the *Pennsylvania Bulletin*. The applicant also has the obligation under §510-5 of the Administrative Code (71 P.S. §510-5) to give written notice to the municipality in which the facility is located.

Construction and operation of a sewer extension and/or pump station is NOT authorized by the General Permit when one or more of the following conditions exist:

- A. The proposed design is not consistent with DEP's *Domestic Wastewater Facilities Manual*, DEP ID: 362-0300-001, available on DEP's website.
- B. The applicant is not, or will not be, in compliance with any of the conditions of the General Permit.
- C. The applicant has failed and continues to fail to comply, or has shown a lack of ability or intention to comply, with a prior permit issued by DEP.
- D. DEP determines that such action is necessary for any other reason to ensure compliance with the Clean Water Act, The Clean Streams Law, or Title 25 of the Pa. Code.

DEP may revoke or suspend previously issued coverage under the General Permit and require the permittee to obtain an individual WQM Permit for any of the reasons above. In addition, any interested person may petition DEP to take this action.

If DEP requires a permittee to obtain an individual WQM Permit, the discharger must submit a complete WQM Permit application within 90 days of receipt of the notification. Failure to submit the application within 90 days shall result in automatic termination of coverage under the General Permit. Timely submission of a complete application shall result in continuation of coverage of the applicable facilities under the General Permit, when the facility demonstrates that it has undertaken efforts to address the reasons for the revocation or suspension of coverage, until DEP takes final action on the pending permit application.

As in the case of individual WQM Permits, General Permits may be issued, amended, suspended, revoked, reissued or terminated in accordance with Title 25 Pa. Code Chapter 91.

3800-PM-WSWM0045g 11/2004
Fact Sheet

PUBLIC NOTICE OF GENERAL PERMIT AND PUBLIC HEARING

Public notice of the General Permit will be published in the *Pennsylvania Bulletin*.

There will be a 30-day comment period during which interested persons may submit written comments or petition for a public hearing. All written comments received during the 30-day comment period will be considered in the formulation of the final permit. The period for comment may be extended, at the discretion of DEP, for one additional 15-day period.

A hearing will be held if there is significant public interest in holding a hearing. If a public hearing is to be held, DEP will publish a notice in the *Pennsylvania Bulletin* and in at least one newspaper of general circulation within the geographic areas of the proposed facility. This notice will be published at least 30 days before the hearing.

TYPE OF OPERATION AND AREA OF APPLICABILITY

The *Water Quality Management General Permit for Sewer Extensions and Pump Stations* applies to eligible sewer extensions and pump stations located in the Commonwealth of Pennsylvania meeting the requirements of the General Permit.

COVERAGE UNDER GENERAL PERMIT

As NOIs are received, they will be reviewed to see if coverage under the General Permit is appropriate. DEP will notify the applicant of its findings either in the form of a General Permit coverage letter and copy of the General Permit with a unique WQM Permit number or a denial of the General Permit coverage letter.

DRAFT

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content Under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to

demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number or persons who are speech or hearing impaired may use V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

000212

ABINGTON MEMORIAL HOSPITAL-S
1200 OLD YORK ROAD
ABINGTON, PA 19001
215-576-2350

027180

ADVANCED TOXICOLOGY NETWORK-B
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
901-794-5770

000233

ALBERT EINSTEIN MEDICAL CENTER-S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
215-456-6100

000040

ALIQUIPPA COMMUNITY HOSPITAL LABORATORY-B
2500 HOSPITAL DRIVE
PATHOLOGY DEPT
ALIQUIPPA, PA 15001
724-857-1240

000671

ALLEG CNTY CORONERS DIV OF LABS-SB
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

028233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED-B
320 E NORTH AVENUE
PITTSBURGH, PA 15212
412-359-6886

000077

ALLEGHENY GENERAL HOSPITAL-B
1307 FEDERAL STREET
PITTSBURGH, PA 15212
412-359-3521

000100

ALLEGHENY VALLEY HOSPITAL LAB-S
1300 CARLISLE ST
NATRONA HEIGHTS, PA 15065
724-224-5100

000119

ALTOONA HOSPITAL-SB
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340

000452
ANALYTIC BIO-CHEMISTRIES INC-SB
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000041
ARMSTRONG COUNTY MEMORIAL HOSP-S
1 NOLTE DRIVE
KITTANNING, PA 16201
724-543-8122

000047
ASSOCIATED CLINICAL LABORATORIES-SB
1526 PEACH STREET
ERIE, PA 16501
814-461-2400

000320
BARNES KASSON COUNTY HOSPITAL-S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135

000120
BON SECOURS-HOLY FAMILY REG HLTH-SB
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
814-949-4495

000033
BRADFORD REGIONAL MEDICAL CENTER-SB
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247

000296
BRANDYWINE HOSPITAL-S
201 REECEVILLE ROAD ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000

000102
BROWNSVILLE GENERAL HOSPITAL LAB-S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200

000301
BUTLER MEMORIAL HOSPITAL-S
911 EAST BRADY STREET
BUTLER, PA 16001
724-284-4510

000107
CANONSBURG GENERAL HOSPITAL-SB
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-3916

000131
CARLISLE REGIONAL MEDICAL CENTER-S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212

000215
CENTRAL MONTGOMERY MEDICAL CENTER-S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100

000132
CHAMBERSBURG HOSPITAL-S
112 NORTH SEVENTH ST
CHAMBERSBURG, PA 17201
717-267-7152

000310
CHARLES COLE MEMORIAL HOSPITAL-S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300

000198
CHESTER COUNTY HOSPITAL-S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182

000227
CHESTNUT HILL HOSPITAL-S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630

000228
CHILDRENS HOSP OF PHILADELPHIA-S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000

000329
CLARION HOSPITAL-SB
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500

000026
CLEARFIELD HOSPITAL LABORATORY-S
809 TURNPIKE AVE PO BOX 992
CLEARFIELD, PA 16830
814-768-2280

000034
COMMUNITY HOSPITAL-B
NORTH FRALEY STREET
KANE, PA 16735
814-837-4575

000005
COMMUNITY MEDICAL CENTER-S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125
CONEMAUGH VALLEY MEMORIAL HOSP-SB
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

000326
CORRY MEMORIAL HOSPITAL-S
612 WEST SMITH STREET
CORRY, PA 16407
814-664-4641

000201
CROZER CHESTER MED CENTER-S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000209
CROZER-CHESTER MED CTR-SPRINGFLD-S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
610-447-2000

000204
DELAWARE COUNTY MEMORIAL HOSP-S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100

000266
DEPT OF PATHOLOGY & LAB MED-HUP-SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

000194
DOYLESTOWN HOSPITAL-S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250

000977
DRUGSCAN INC-SB
1119 MEARNS RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000027
DUBOIS REG MED CTR—WEST UNIT-S
100 HOSPITAL AVE
DUBOIS, PA 15801
814-371-2200

000175
EASTON HOSPITAL-B
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140

000332
ELLWOOD CITY HOSPITAL-S
724 PERSHING ST
ELLWOOD CITY, PA 16117
724-752-0081

000164
EPHRATA COMMUNITY HOSPITAL-S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
717-733-0311

000032
ERHC ST MARYS LABORATORY-B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL-S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510

000085
FORBES REGIONAL HOSPITAL-SB
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560

000192
FRANKFORD HOSP BUCKS CO CAMPUS-S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227

000341
FRANKFORD HOSP TC LAB-S
RED LION & KNIGHTS ROADS
ATTN P FARANO MD
PHILADELPHIA, PA 19114
215-612-4000

000236
FRANKFORD HOSPITAL FRANK DIV-S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068

000115
FRICK HOSPITAL-S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500

000330
FULTON COUNTY MEDICAL CENTER-S
216 SOUTH FIRST STREET
MCCONNELLSBURG, PA 17233
717-485-3155

000173
GEISINGER MEDICAL CENTER-SB
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000019
GEISINGER WYOMING VALLEY MED CTR-S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
570-826-7830

000237
GERMANTOWN COMM HLTH WILLOW TERR-S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
215-951-8800

000122
GETTYSBURG HOSPITAL-SB
147 GETTYS STREET
GETTYSBURG, PA 17325
717-334-2121

000152
GNADEN HUETTEN MEMORIAL HOSP-S
11TH & HAMILTON STS
LEHIGHTON, PA 18235
610-377-1300

000299
GOOD SAMARITAN HOSPITAL-B
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

000182
GOOD SAMARITAN REGIONAL MED CTR-S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
570-621-4032

000238
GRADUATE HOSPITAL-S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
215-893-2240

000196
GRAND VIEW HOSPITAL-S
700 LAWN AVE
SELLERSVILLE, PA 18960
215-257-3611

000105
GREENE COUNTY MEMORIAL HOSPITAL-S
350 BONAR AVENUE
WAYNESBURG, PA 15370
724-627-2608

000654
GUTHRIE CLINIC PATH LAB-S
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

000239
 HAHNEMANN UNIVERSITY HOSPITAL-S
 BROAD & VINE STS MS 113
 PHILADELPHIA, PA 19102
 215-762-1783

000046
 HAMOT MEDICAL CENTER-S
 201 STATE STREET
 ERIE, PA 16550
 814-877-3131

000139
 HANOVER HOSPITAL,INC.-SB
 300 HIGHLAND AVE
 HANOVER, PA 17331
 717-637-3711

000155
 HARRISBURG HOSPITAL LABORATORY-SB
 SOUTH FRONT STREET
 HARRISBURG, PA 17101
 570-782-2832

000010
 HAZLETON GENERAL HOSPITAL-SB
 700 EAST BROAD
 HAZLETON, PA 18201
 570-501-4152

000169
 HEALTH NETWORK LABORATORIES-S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 610-402-2236

000549
 HEALTH NETWORK LABORATORIES-S
 1200 SOUTH CEDAR CREST BLVD
 ALLENTOWN, PA 18103
 610-402-8150

000600
 HEALTH NETWORK LABORATORIES-S
 2545 SCHOENERSVILLE ROAD
 BETHLEHEM, PA 18017-7384
 484-884-2259

024655
 HEALTH NETWORK LABORATORIES-SB
 2024 LEHIGH STREET
 ALLENTOWN, PA 18103-4798
 610-402-8150

000166
 HEART OF LANCASTER REGIONAL MEDICAL
 CENTER-S
 1500 HIGHLANDS DRIVE
 LITITZ, PA 17543
 717-625-5000

000103
 HIGHLANDS HOSPITAL-S
 401 EAST MURPHY AVENUE
 CONNELLSVILLE, PA 15425
 724-628-1500

000130
 HOLY SPIRIT HOSPITAL-SB
 503 N 21ST STREET
 CAMP HILL, PA 17011-2288
 717-763-2206

000052
 INDIANA REGIONAL MEDICAL CENTER-S
 HOSPITAL ROAD PO BOX 788
 INDIANA, PA 15701-0788
 724-357-7167

000135
 J C BLAIR MEMORIAL HOSPITAL-S
 1225 WARM SPRINGS AVENUE
 HUNTINGDON, PA 16652
 814-643-8645

000054
 JAMESON MEMORIAL HOSPITAL-S
 1211 WILMINGTON AVENUE
 NEW CASTLE, PA 16105
 724-656-4080

000240
 JEANES HOSPITAL-S
 7600 CENTRAL AVE
 PHILADELPHIA, PA 19111
 215-728-2347

000038
 JEFFERSON REGIONAL MED CTR—S
 565 COAL VALLEY ROAD
 BIBRO BLDG 4TH FLOOR
 PITTSBURGH, PA 15236
 412-469-5723

000200
 JENNERSVILLE REGIONAL HOSPITAL-S
 1015 WEST BALTIMORE PIKE
 WEST GROVE, PA 19390
 610-869-1080

000053
 JRHS BROOKVILLE-S
 100 HOSPITAL RD
 BROOKVILLE, PA 15825
 814-849-2312

000532
 KENSINGTON HOSPITAL-S
 136 WEST DIAMOND STREET
 PHILADELPHIA, PA 19122
 215-426-8100

005618
 LAB CORP OF AMERICA HOLDINGS-SB
 6370 WILCOX ROAD
 DUBLIN, OH 43016-1296
 800-282-7300

001088
 LABCORP OF AMERICA HOLDINGS-SB
 69 FIRST AVE PO BOX 500
 RARITAN, NJ 08869
 908-526-2400

022715
 LABONE INC-SB
 10101 RENNEN BOULEVARD
 LENEXA, KS 66219-9752
 913-888-1770

028960
 LABORATORY CORPORATION OF AMERICA
 HOLDINGS-SB
 901 KEYSTONE INDUSTRIAL PARK
 SUITE A
 THROOP, PA 18512
 570-346-1759

000165
 LANCASTER GENERAL HOSPITAL-S
 555 N DUKE ST PO BOX 3555
 LANCASTER, PA 17604
 717-299-5511

000167
LANCASTER REGIONAL MED CENTER-S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL-S
121 W SECOND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL-B
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL-B
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000213
MAIN LINE CLIN LABS BRYN MAWR CP-S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000242
MAIN LINE CLIN LABS LANKENAU CP-S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP-S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000004
MARIAN COMMUNITY HOSPITAL-S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
717-281-1042

009003
MAYO CLINIC DEPT LAB MED & PATH-SB
200 FIRST STREET SW
HILTON 514
ROCHESTER, MN 55905
507-284-3018

000049
MEADVILLE MED CTR-LIBERTY ST-S
751 LIBERTY STREET
MEADVILLE, PA 16335
814-336-3121

005574
MEDTOX LABORATORIES INC-SB
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
651-367-466

000140
MEMORIAL HOSPITAL CLINICAL LAB-SB
325 S BELMONT ST PO BOX 15118
YORK, PA 17403
717-843-8623

000023
MEMORIAL HOSPITAL LAB-SB
1 HOSPITAL DRIVE
TOWANDA, PA 18848
570-265-2191

000203
MERCY FITZGERALD HOSPITAL-S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP-S
54TH & CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000219
MERCY HEALTH LAB/MSH-S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
610-278-2090

000336
MERCY HOSPITAL-S
746 JEFFERSON AVE
SCRANTON, PA 18510
570-348-7100

000017
MERCY HOSPITAL LABORATORY-S
25 CHURCH STREET
PO BOX 658
WILKES BARRE, PA 18765
570-826-3100

000082
MERCY HOSPITAL OF PITTSBURGH-S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831

000113
MERCY JEANNETTE HOSPITAL-S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
724-527-9330

028436
METHODIST HOSP DIV TJUH INC ER LAB-S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
215-952-9055

000245
METHODIST HOSP DIVISION/TJUH INC-S
1900 S. BROAD STREET
PHILADELPHIA, PA 19145
215-952-9059

000231
MEYERSDALE COMMUNITY HOSPITAL-S
200 HOSPITAL DR
MEYERSDALE, PA 15552
814-634-5911

000269
MIDVALLEY HOSPITAL-S
1400 MAIN STREET
PECKVILLE, PA 18452
570-383-5520

000128
MINERS MEDICAL CENTER-S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
814-948-7171

000108
MONONGAHELA VALLEY HOSPITAL INC-S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
724-258-1021

000323
MONSOUR MEDICAL CENTER-S
70 LINCOLN WAY E
JEANNETTE, PA 15644
724-527-1511

000217
MONTGOMERY HOSPITAL LAB-S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
610-270-2173

000007
MOSES TAYLOR HOSPITAL-S
700 QUINCY AVENUE
SCRANTON, PA 18510
570-340-2100

000214
MOSS REHAB EINSTEIN AT ELKINS PARK-S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
215-663-6102

000025
MOUNT NITTANY MEDICAL CENTER-B
1800 PARK AVENUE
STATE COLLEGE, PA 16803
814-234-6117

000035
MUNCY VALLEY HOSPITAL-S
215 EAST WATER ST
MUNCY, PA 17756
570-546-8282

000304
NASON HOSPITAL-B
NASON DRIVE
ROARING SPRING, PA 16673
814-224-6215

000504
NATIONAL MED SERVICES INC LAB-SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000248
NAZARETH HOSPITAL-S
2601 HOLME AVE
PHILADELPHIA, PA 19152
215-335-6245

029067
NORTHWEST TOXICOLOGY-SB
1141 EAST 3900 SOUTH
SALT LAKE CITY, UT 84124
801-293-2300

000099
OHIO VALLEY GENERAL HOSPITAL-S
25 HECKEL RD
MCKEES ROCKS, PA 15136
412-777-6161

000807
OMEGA MEDICAL LABORATORIES INC-SB
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610
610-378-1900

000334
PALMERTON HOSPITAL-S
135 LAFAYETTE AVE
PALMERTON, PA 18071
610-826-3141

000316
PENN STATE MILTON S HERSHEY MED CTR-S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353

022533
PENNSYLVANIA DEPT OF HEALTH-SB
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

000251
PENNSYLVANIA HOSPITAL OF THE UNIV OF PA
HLTH-S
8TH & SPRUCE STS
PHILADELPHIA, PA 19107
215-829-3541

022306
PHILIPSBURG AREA HOSPITAL-SB
210 LOCH LOMOND ROAD
PHILIPSBURG, PA 16866
814-343-8720

000197
PHOENIXVILLE HOSPITAL LABORATORY-S
140 NUTT RD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612

000157
PINNACLEHLTH/COMM GEN OSTEO HOSP-S
4300 LONDONDERRY RD PO BOX 3000
HARRISBURG, PA 17109
717-657-7214

000520
PITTSBURGH CRIMINALISTICS LABORATORY-SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

000022
POCONO MEDICAL CENTER LAB-SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000221
POTTSTOWN HOSPITAL COMPANY, LLC-S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000

000183
POTTSVILLE HOSP AND WARNE CLINIC-SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262

000300
PUNXSUTAWNEY AREA HOSPITAL-S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500

000315
QUEST DIAGNOSTICS CLINICAL LABS INC-SB
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

027461
QUEST DIAGNOSTICS INC-SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE-SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC-SB
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC-SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000150
READING HOSPITAL & MED CTR-S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080

000206
RIDDLE MEMORIAL HOSPITAL-S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400

000243
ROXBOROUGH MEMORIAL HOSPITAL-S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394

000171
SACRED HEART HOSPITAL-S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727

000087
SAINT CLAIR MEMORIAL HOSPITAL-S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900

000174
SAINT LUKES HOSPITAL-S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558

000328
SAINT MARY MEDICAL CENTER-S
LANGHORNE - NEWTOWN RD
LANGHORNE, PA 19047
215-710-2162

000048
SAINT VINCENT HEALTH CENTER-S
232 WEST 25TH STREET
ERIE, PA 16544
814-452-5383

000101
SEWICKLEY VALLEY HOSPITAL LAB-S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600

000064
SHARON REGIONAL HEALTH SYSTEM-SB
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911

000039
SOLDIERS & SAILORS MEM HOSP-S
CENTRAL AVE
WELLSBORO, PA 16901
570-723-0133

000297
SOMERSET HOSPITAL CENTER FOR HEALTH-B
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000

022376
SPECIALTY LABORATORIES-S
2211 MICHIGAN AVENUE
SANTA MONICA, CA 90404
310-828-6543

000260
ST CHRISTOPHERS HOSP FOR CHILDREN-S
3601 A STREET
PHILADELPHIA, PA 19134
215-427-5337

000151
ST JOSEPH QUALITY MEDICAL LAB-SB
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS-S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS-S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

000195
ST LUKES QUAKERTOWN HOSPITAL-S
11TH ST & PARK AVE PO BOX 9003
QUAKERTOWN, PA 18951
215-538-4681

029015
STERLING REFERENCE LABORATORIES-SB
624 MARTIN LUTHER KING JR WAY
TACOMA, WA 98405
253-552-1551

000094
SUBURBAN GENERAL HOSPITAL PITTSBURGH-S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
412-734-6000

000207
TAYLOR HOSPITAL DIV OF CCMC-S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

000249
TEMPLE EAST INC NE-S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB-S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9200

000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS-S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-707-0977

000265
TEMPLE UNIVERSITY HOSPITAL-S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353

000205
THE MEDICAL CENTER BEAVER PA-SB
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000

000104
THE UNIONTOWN HOSPITAL LABORATORY-S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
724-430-5143

000241
THOMAS JEFFERSON UNIVERSITY HOSP-S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374

000051
TITUSVILLE AREA HOSPITAL-S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851

000313
TYLER MEMORIAL HOSPITAL-S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
570-836-4705

000124
TYRONE HOSPITAL-SB
CLAY AVENUE EXTENSION
TYRONE, PA 16686
814-684-0484

000061
UNITED COMMUNITY HOSPITAL-SB
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
724-450-7125

000258
UNIVERSITY OF PENNA MED CTR-PRESBYTERIAN-S
51 NORTH 39TH ST 5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435

000121
UPMC BEDFORD MEMORIAL-SB
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506

000096
UPMC BRADDOCK-S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291

000059
UPMC HORIZON GREENVILLE-SB
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100

000057
UPMC HORIZON SHENANGO-SB
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500

000126
UPMC LEE REGIONAL HOSPITAL-SB
320 MAIN STREET
JOHNSTOWN, PA 15901
814-533-0130

000098
UPMC MCKEESPORT LABORATORY-S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233

000058
UPMC NORTHWEST-SB
100 FAIRFIELD DRIVE
SENECA, PA 16346
814-676-7120

000084
UPMC PASSAVANT-S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
412-367-6700

005784
UPMC PASSAVANT LABORATORY CRANBERRY-S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370

000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH-S
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
412-648-6000

000091
UPMC SAINT MARGARET HOSPITAL-S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000

000092
UPMC SHADYSIDE-S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
412-623-5950

000093
UPMC SOUTH SIDE-S
2000 MARY STREET
PITTSBURGH, PA 15203
412-488-5731

000622
WARMINSTER HOSPITAL-S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700

000066
WARREN GENERAL HOSPITAL-SB
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300

000111
WASHINGTON HOSPITAL-S
155 WILSON AVE
WASHINGTON, PA 15301
724-223-3136

000298
WAYNE MEMORIAL HOSPITAL-S
601 PARK STREET
HONESDALE, PA 18431
570-253-1300

000133
WAYNESBORO HOSPITAL-S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL-S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM-S
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000112
WESTMORELAND REGIONAL HOSPITAL-S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER-SB
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000106
WINDBER MEDICAL CENTER-B
600 SOMERSET AVE
WINDBER, PA 15963
814-467-6611

000268
WOMAN'S MEDICAL HOSPITAL-S
3300 HENRY AVENUE
PHILADELPHIA, PA 19129
215-842-7306

000018
WVHCS HOSP DBA PENNANT LABORATORY-SB
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

025064
WVU HOSPITAL CLINICAL LABS-S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
304-598-4241

000141
YORK HOSPITAL-SB
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

[Pa.B. Doc. No. 05-102. Filed for public inspection January 14, 2005, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 2004, the maximum compensation payable under the Workers' Compensation Act, under Article 1, §§ 105.1 and 105.2 shall be \$716 per week for injuries occurring on and after January 1, 2005. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 2005, the percentage increase in the Statewide Average Weekly Wage is 3.8%

STEPHEN M. SCHMERIN,
Secretary

[Pa.B. Doc. No. 05-103. Filed for public inspection January 14, 2005, 9:00 a.m.]

Unemployment Compensation Benefit Rate Table

The purpose of this notice is to effect the automatic extension of the Unemployment Compensation Benefit Rate Table. Each year the maximum weekly benefit rate is calculated as 66 2/3% of the average weekly wage in covered employment for the preceding fiscal year. The maximum weekly benefit rate for unemployment compensation purposes in this Commonwealth during calendar year 2005 will be \$478.

Under the authority contained in sections 201 and 404(e)(2) of the Unemployment Compensation Law (43 P. S. §§ 761 and 804(e)(2)) and 34 Pa. Code § 65.111 (relating to benefit table), the table for 2005 is being adopted by this notice and will be codified in 34 Pa. Code Chapter 65, Appendix A. See 14 Pa.B. 4688 (December 29, 1984).

Under section 404(e)(2) of the Unemployment Compensation Law, this table is effective for claimants whose benefit year begins on or after January 2, 2005.

Questions concerning this notice should be directed to Patrick T. Beaty, Deputy Secretary for Unemployment Compensation Programs, Labor and Industry Building, Harrisburg, PA 17120.

STEPHEN M. SCHMERIN,
Secretary

APPENDIX A

Table Specified for Determination of Rate and Amount of Benefits

| <i>Part A</i> Highest Quarterly Wage | <i>Part B</i> Rate of Compensation | <i>Part C</i> Qualifying Wages | <i>Part D</i> Amount of Compensation 26 Weeks | <i>Part E</i> 16 Weeks |
|--|--|--------------------------------------|---|---------------------------|
| \$800 - \$812 | \$35 | \$1,320 | \$910 | \$560 |
| \$813 - \$837 | \$36 | \$1,360 | \$936 | \$576 |
| \$838 - \$862 | \$37 | \$1,400 | \$962 | \$592 |
| \$863 - \$887 | \$38 | \$1,440 | \$988 | \$608 |
| \$888 - \$912 | \$39 | \$1,480 | \$1,014 | \$624 |
| \$913 - \$937 | \$40 | \$1,520 | \$1,040 | \$640 |
| \$938 - \$962 | \$41 | \$1,560 | \$1,066 | \$656 |
| \$963 - \$987 | \$42 | \$1,600 | \$1,092 | \$672 |
| \$988 - \$1,012 | \$43 | \$1,640 | \$1,118 | \$688 |
| \$1,013 - \$1,037 | \$44 | \$1,680 | \$1,144 | \$704 |
| \$1,038 - \$1,062 | \$45 | \$1,720 | \$1,170 | \$720 |
| \$1,063 - \$1,087 | \$46 | \$1,760 | \$1,196 | \$736 |
| \$1,088 - \$1,112 | \$47 | \$1,800 | \$1,222 | \$752 |
| \$1,113 - \$1,162 | \$48 | \$1,840 | \$1,248 | \$768 |
| \$1,163 - \$1,187 | \$49 | \$1,880 | \$1,274 | \$784 |
| \$1,188 - \$1,212 | \$50 | \$1,920 | \$1,300 | \$800 |
| \$1,213 - \$1,237 | \$51 | \$1,960 | \$1,326 | \$816 |
| \$1,238 - \$1,262 | \$52 | \$2,000 | \$1,352 | \$832 |
| \$1,263 - \$1,287 | \$53 | \$2,040 | \$1,378 | \$848 |
| \$1,288 - \$1,312 | \$54 | \$2,080 | \$1,404 | \$864 |
| \$1,313 - \$1,337 | \$55 | \$2,120 | \$1,430 | \$880 |
| \$1,338 - \$1,362 | \$56 | \$2,160 | \$1,456 | \$896 |
| \$1,363 - \$1,387 | \$57 | \$2,200 | \$1,482 | \$912 |
| \$1,388 - \$1,412 | \$58 | \$2,240 | \$1,508 | \$928 |
| \$1,413 - \$1,437 | \$59 | \$2,280 | \$1,534 | \$944 |
| \$1,438 - \$1,462 | \$60 | \$2,320 | \$1,560 | \$960 |
| \$1,463 - \$1,487 | \$61 | \$2,360 | \$1,586 | \$976 |
| \$1,488 - \$1,512 | \$62 | \$2,400 | \$1,612 | \$992 |
| \$1,513 - \$1,537 | \$63 | \$2,440 | \$1,638 | \$1,008 |
| \$1,538 - \$1,562 | \$64 | \$2,480 | \$1,664 | \$1,024 |
| \$1,563 - \$1,587 | \$65 | \$2,520 | \$1,690 | \$1,040 |
| \$1,588 - \$1,612 | \$66 | \$2,560 | \$1,716 | \$1,056 |
| \$1,613 - \$1,637 | \$67 | \$2,600 | \$1,742 | \$1,072 |
| \$1,638 - \$1,662 | \$68 | \$2,640 | \$1,768 | \$1,088 |
| \$1,663 - \$1,687 | \$69 | \$2,680 | \$1,794 | \$1,104 |
| \$1,688 - \$1,712 | \$70 | \$2,720 | \$1,820 | \$1,120 |
| \$1,713 - \$1,737 | \$71 | \$2,760 | \$1,846 | \$1,136 |
| \$1,738 - \$1,762 | \$72 | \$2,800 | \$1,872 | \$1,152 |
| \$1,763 - \$1,787 | \$73 | \$2,840 | \$1,898 | \$1,168 |
| \$1,788 - \$1,812 | \$74 | \$2,880 | \$1,924 | \$1,184 |
| \$1,813 - \$1,837 | \$75 | \$2,920 | \$1,950 | \$1,200 |
| \$1,838 - \$1,862 | \$76 | \$2,960 | \$1,976 | \$1,216 |
| \$1,863 - \$1,887 | \$77 | \$3,000 | \$2,002 | \$1,232 |
| \$1,888 - \$1,912 | \$78 | \$3,040 | \$2,028 | \$1,248 |
| \$1,913 - \$1,937 | \$79 | \$3,080 | \$2,054 | \$1,264 |
| \$1,938 - \$1,962 | \$80 | \$3,120 | \$2,080 | \$1,280 |
| \$1,963 - \$1,987 | \$81 | \$3,160 | \$2,106 | \$1,296 |
| \$1,988 - \$2,012 | \$82 | \$3,200 | \$2,132 | \$1,312 |
| \$2,013 - \$2,037 | \$83 | \$3,240 | \$2,158 | \$1,328 |
| \$2,038 - \$2,062 | \$84 | \$3,280 | \$2,184 | \$1,344 |
| \$2,063 - \$2,087 | \$85 | \$3,320 | \$2,210 | \$1,360 |
| \$2,088 - \$2,112 | \$86 | \$3,360 | \$2,236 | \$1,376 |
| \$2,113 - \$2,137 | \$87 | \$3,400 | \$2,262 | \$1,392 |
| \$2,138 - \$2,162 | \$88 | \$3,440 | \$2,288 | \$1,408 |
| \$2,163 - \$2,187 | \$89 | \$3,480 | \$2,314 | \$1,424 |
| \$2,188 - \$2,212 | \$90 | \$3,520 | \$2,340 | \$1,440 |

| <i>Part A</i> <i>Highest Quarterly</i> <i>Wage</i> | | <i>Part B</i> <i>Rate of</i> <i>Compensation</i> | <i>Part C</i> <i>Qualifying</i> <i>Wages</i> | <i>Part D</i> <i>Amount of Compensation</i> <i>26 Weeks</i> | <i>Part E</i> <i>16 Weeks</i> |
|--|-----------|--|--|---|----------------------------------|
| \$2,213 | - \$2,237 | \$91 | \$3,560 | \$2,366 | \$1,456 |
| \$2,238 | - \$2,262 | \$92 | \$3,600 | \$2,392 | \$1,472 |
| \$2,263 | - \$2,287 | \$93 | \$3,640 | \$2,418 | \$1,488 |
| \$2,288 | - \$2,312 | \$94 | \$3,680 | \$2,444 | \$1,504 |
| \$2,313 | - \$2,337 | \$95 | \$3,720 | \$2,470 | \$1,520 |
| \$2,338 | - \$2,362 | \$96 | \$3,760 | \$2,496 | \$1,536 |
| \$2,363 | - \$2,387 | \$97 | \$3,800 | \$2,522 | \$1,552 |
| \$2,388 | - \$2,412 | \$98 | \$3,840 | \$2,548 | \$1,568 |
| \$2,413 | - \$2,437 | \$99 | \$3,880 | \$2,574 | \$1,584 |
| \$2,438 | - \$2,462 | \$100 | \$3,920 | \$2,600 | \$1,600 |
| \$2,463 | - \$2,487 | \$101 | \$3,960 | \$2,626 | \$1,616 |
| \$2,488 | - \$2,512 | \$102 | \$4,000 | \$2,652 | \$1,632 |
| \$2,513 | - \$2,537 | \$103 | \$4,040 | \$2,678 | \$1,648 |
| \$2,538 | - \$2,562 | \$104 | \$4,080 | \$2,704 | \$1,664 |
| \$2,563 | - \$2,587 | \$105 | \$4,120 | \$2,730 | \$1,680 |
| \$2,588 | - \$2,612 | \$106 | \$4,160 | \$2,756 | \$1,696 |
| \$2,613 | - \$2,637 | \$107 | \$4,200 | \$2,782 | \$1,712 |
| \$2,638 | - \$2,662 | \$108 | \$4,240 | \$2,808 | \$1,728 |
| \$2,663 | - \$2,687 | \$109 | \$4,280 | \$2,834 | \$1,744 |
| \$2,688 | - \$2,712 | \$110 | \$4,320 | \$2,860 | \$1,760 |
| \$2,713 | - \$2,737 | \$111 | \$4,360 | \$2,886 | \$1,776 |
| \$2,738 | - \$2,762 | \$112 | \$4,400 | \$2,912 | \$1,792 |
| \$2,763 | - \$2,787 | \$113 | \$4,440 | \$2,938 | \$1,808 |
| \$2,788 | - \$2,812 | \$114 | \$4,480 | \$2,964 | \$1,824 |
| \$2,813 | - \$2,837 | \$115 | \$4,520 | \$2,990 | \$1,840 |
| \$2,838 | - \$2,862 | \$116 | \$4,560 | \$3,016 | \$1,856 |
| \$2,863 | - \$2,887 | \$117 | \$4,600 | \$3,042 | \$1,872 |
| \$2,888 | - \$2,912 | \$118 | \$4,640 | \$3,068 | \$1,888 |
| \$2,913 | - \$2,937 | \$119 | \$4,680 | \$3,094 | \$1,904 |
| \$2,938 | - \$2,962 | \$120 | \$4,720 | \$3,120 | \$1,920 |
| \$2,963 | - \$2,987 | \$121 | \$4,760 | \$3,146 | \$1,936 |
| \$2,988 | - \$3,012 | \$122 | \$4,800 | \$3,172 | \$1,952 |
| \$3,013 | - \$3,037 | \$123 | \$4,840 | \$3,198 | \$1,968 |
| \$3,038 | - \$3,062 | \$124 | \$4,880 | \$3,224 | \$1,984 |
| \$3,063 | - \$3,087 | \$125 | \$4,920 | \$3,250 | \$2,000 |
| \$3,088 | - \$3,112 | \$126 | \$4,960 | \$3,276 | \$2,016 |
| \$3,113 | - \$3,137 | \$127 | \$5,000 | \$3,302 | \$2,032 |
| \$3,138 | - \$3,162 | \$128 | \$5,040 | \$3,328 | \$2,048 |
| \$3,163 | - \$3,187 | \$129 | \$5,080 | \$3,354 | \$2,064 |
| \$3,188 | - \$3,212 | \$130 | \$5,120 | \$3,380 | \$2,080 |
| \$3,213 | - \$3,237 | \$131 | \$5,160 | \$3,406 | \$2,096 |
| \$3,238 | - \$3,262 | \$132 | \$5,200 | \$3,432 | \$2,112 |
| \$3,263 | - \$3,287 | \$133 | \$5,240 | \$3,458 | \$2,128 |
| \$3,288 | - \$3,312 | \$134 | \$5,280 | \$3,484 | \$2,144 |
| \$3,313 | - \$3,337 | \$135 | \$5,320 | \$3,510 | \$2,160 |
| \$3,338 | - \$3,362 | \$136 | \$5,360 | \$3,536 | \$2,176 |
| \$3,363 | - \$3,387 | \$137 | \$5,400 | \$3,562 | \$2,192 |
| \$3,388 | - \$3,412 | \$138 | \$5,440 | \$3,588 | \$2,208 |
| \$3,413 | - \$3,437 | \$139 | \$5,480 | \$3,614 | \$2,224 |
| \$3,438 | - \$3,462 | \$140 | \$5,520 | \$3,640 | \$2,240 |
| \$3,463 | - \$3,487 | \$141 | \$5,560 | \$3,666 | \$2,256 |
| \$3,488 | - \$3,512 | \$142 | \$5,600 | \$3,692 | \$2,272 |
| \$3,513 | - \$3,537 | \$143 | \$5,640 | \$3,718 | \$2,288 |
| \$3,538 | - \$3,562 | \$144 | \$5,680 | \$3,744 | \$2,304 |
| \$3,563 | - \$3,587 | \$145 | \$5,720 | \$3,770 | \$2,320 |
| \$3,588 | - \$3,612 | \$146 | \$5,760 | \$3,796 | \$2,336 |
| \$3,613 | - \$3,637 | \$147 | \$5,800 | \$3,822 | \$2,352 |
| \$3,638 | - \$3,662 | \$148 | \$5,840 | \$3,848 | \$2,368 |
| \$3,663 | - \$3,687 | \$149 | \$5,880 | \$3,874 | \$2,384 |
| \$3,688 | - \$3,712 | \$150 | \$5,920 | \$3,900 | \$2,400 |
| \$3,713 | - \$3,737 | \$151 | \$5,960 | \$3,926 | \$2,416 |
| \$3,738 | - \$3,762 | \$152 | \$6,000 | \$3,952 | \$2,432 |
| \$3,763 | - \$3,787 | \$153 | \$6,040 | \$3,978 | \$2,448 |
| \$3,788 | - \$3,812 | \$154 | \$6,080 | \$4,004 | \$2,464 |
| \$3,813 | - \$3,837 | \$155 | \$6,120 | \$4,030 | \$2,480 |
| \$3,838 | - \$3,862 | \$156 | \$6,160 | \$4,056 | \$2,496 |

| <i>Part A</i> <i>Highest Quarterly</i> <i>Wage</i> | | <i>Part B</i> <i>Rate of</i> <i>Compensation</i> | <i>Part C</i> <i>Qualifying</i> <i>Wages</i> | <i>Part D</i> <i>Amount of Compensation</i> <i>26 Weeks</i> | <i>Part E</i> <i>16 Weeks</i> |
|--|-------|--|--|---|----------------------------------|
| \$3,863 - \$3,887 | \$157 | \$6,200 | \$4,082 | \$2,512 | |
| \$3,888 - \$3,912 | \$158 | \$6,240 | \$4,108 | \$2,528 | |
| \$3,913 - \$3,937 | \$159 | \$6,280 | \$4,134 | \$2,544 | |
| \$3,938 - \$3,962 | \$160 | \$6,320 | \$4,160 | \$2,560 | |
| \$3,963 - \$3,987 | \$161 | \$6,360 | \$4,186 | \$2,576 | |
| \$3,988 - \$4,012 | \$162 | \$6,400 | \$4,212 | \$2,592 | |
| \$4,013 - \$4,037 | \$163 | \$6,440 | \$4,238 | \$2,608 | |
| \$4,038 - \$4,062 | \$164 | \$6,480 | \$4,264 | \$2,624 | |
| \$4,063 - \$4,087 | \$165 | \$6,520 | \$4,290 | \$2,640 | |
| \$4,088 - \$4,112 | \$166 | \$6,560 | \$4,316 | \$2,656 | |
| \$4,113 - \$4,137 | \$167 | \$6,600 | \$4,342 | \$2,672 | |
| \$4,138 - \$4,162 | \$168 | \$6,640 | \$4,368 | \$2,688 | |
| \$4,163 - \$4,187 | \$169 | \$6,680 | \$4,394 | \$2,704 | |
| \$4,188 - \$4,212 | \$170 | \$6,720 | \$4,420 | \$2,720 | |
| \$4,213 - \$4,237 | \$171 | \$6,760 | \$4,446 | \$2,736 | |
| \$4,238 - \$4,262 | \$172 | \$6,800 | \$4,472 | \$2,752 | |
| \$4,263 - \$4,287 | \$173 | \$6,840 | \$4,498 | \$2,768 | |
| \$4,288 - \$4,312 | \$174 | \$6,880 | \$4,524 | \$2,784 | |
| \$4,313 - \$4,337 | \$175 | \$6,920 | \$4,550 | \$2,800 | |
| \$4,338 - \$4,362 | \$176 | \$6,960 | \$4,576 | \$2,816 | |
| \$4,363 - \$4,387 | \$177 | \$7,000 | \$4,602 | \$2,832 | |
| \$4,388 - \$4,412 | \$178 | \$7,040 | \$4,628 | \$2,848 | |
| \$4,413 - \$4,437 | \$179 | \$7,080 | \$4,654 | \$2,864 | |
| \$4,438 - \$4,462 | \$180 | \$7,120 | \$4,680 | \$2,880 | |
| \$4,463 - \$4,487 | \$181 | \$7,160 | \$4,706 | \$2,896 | |
| \$4,488 - \$4,512 | \$182 | \$7,200 | \$4,732 | \$2,912 | |
| \$4,513 - \$4,537 | \$183 | \$7,240 | \$4,758 | \$2,928 | |
| \$4,538 - \$4,562 | \$184 | \$7,280 | \$4,784 | \$2,944 | |
| \$4,563 - \$4,587 | \$185 | \$7,320 | \$4,810 | \$2,960 | |
| \$4,588 - \$4,612 | \$186 | \$7,360 | \$4,836 | \$2,976 | |
| \$4,613 - \$4,637 | \$187 | \$7,400 | \$4,862 | \$2,992 | |
| \$4,638 - \$4,662 | \$188 | \$7,440 | \$4,888 | \$3,008 | |
| \$4,663 - \$4,687 | \$189 | \$7,480 | \$4,914 | \$3,024 | |
| \$4,688 - \$4,712 | \$190 | \$7,520 | \$4,940 | \$3,040 | |
| \$4,713 - \$4,737 | \$191 | \$7,560 | \$4,966 | \$3,056 | |
| \$4,738 - \$4,762 | \$192 | \$7,600 | \$4,992 | \$3,072 | |
| \$4,763 - \$4,787 | \$193 | \$7,640 | \$5,018 | \$3,088 | |
| \$4,788 - \$4,812 | \$194 | \$7,680 | \$5,044 | \$3,104 | |
| \$4,813 - \$4,837 | \$195 | \$7,720 | \$5,070 | \$3,120 | |
| \$4,838 - \$4,862 | \$196 | \$7,760 | \$5,096 | \$3,136 | |
| \$4,863 - \$4,887 | \$197 | \$7,800 | \$5,122 | \$3,152 | |
| \$4,888 - \$4,912 | \$198 | \$7,840 | \$5,148 | \$3,168 | |
| \$4,913 - \$4,937 | \$199 | \$7,880 | \$5,174 | \$3,184 | |
| \$4,938 - \$4,962 | \$200 | \$7,920 | \$5,200 | \$3,200 | |
| \$4,963 - \$4,987 | \$201 | \$7,960 | \$5,226 | \$3,216 | |
| \$4,988 - \$5,012 | \$202 | \$8,000 | \$5,252 | \$3,232 | |
| \$5,013 - \$5,037 | \$203 | \$8,040 | \$5,278 | \$3,248 | |
| \$5,038 - \$5,062 | \$204 | \$8,080 | \$5,304 | \$3,264 | |
| \$5,063 - \$5,087 | \$205 | \$8,120 | \$5,330 | \$3,280 | |
| \$5,088 - \$5,112 | \$206 | \$8,160 | \$5,356 | \$3,296 | |
| \$5,113 - \$5,137 | \$207 | \$8,200 | \$5,382 | \$3,312 | |
| \$5,138 - \$5,162 | \$208 | \$8,240 | \$5,408 | \$3,328 | |
| \$5,163 - \$5,187 | \$209 | \$8,280 | \$5,434 | \$3,344 | |
| \$5,188 - \$5,212 | \$210 | \$8,320 | \$5,460 | \$3,360 | |
| \$5,213 - \$5,237 | \$211 | \$8,360 | \$5,486 | \$3,376 | |
| \$5,238 - \$5,262 | \$212 | \$8,400 | \$5,512 | \$3,392 | |
| \$5,263 - \$5,287 | \$213 | \$8,440 | \$5,538 | \$3,408 | |
| \$5,288 - \$5,312 | \$214 | \$8,480 | \$5,564 | \$3,424 | |
| \$5,313 - \$5,337 | \$215 | \$8,520 | \$5,590 | \$3,440 | |
| \$5,338 - \$5,362 | \$216 | \$8,560 | \$5,616 | \$3,456 | |
| \$5,363 - \$5,387 | \$217 | \$8,600 | \$5,642 | \$3,472 | |
| \$5,388 - \$5,412 | \$218 | \$8,640 | \$5,668 | \$3,488 | |
| \$5,413 - \$5,437 | \$219 | \$8,680 | \$5,694 | \$3,504 | |
| \$5,438 - \$5,462 | \$220 | \$8,720 | \$5,720 | \$3,520 | |
| \$5,463 - \$5,487 | \$221 | \$8,760 | \$5,746 | \$3,536 | |
| \$5,488 - \$5,512 | \$222 | \$8,800 | \$5,772 | \$3,552 | |

| <i>Part A</i> <i>Highest Quarterly</i> <i>Wage</i> | | <i>Part B</i> <i>Rate of</i> <i>Compensation</i> | <i>Part C</i> <i>Qualifying</i> <i>Wages</i> | <i>Part D</i> <i>Amount of Compensation</i> <i>26 Weeks</i> | <i>Part E</i> <i>16 Weeks</i> |
|--|-----------|--|--|---|----------------------------------|
| \$5,513 | - \$5,537 | \$223 | \$8,840 | \$5,798 | \$3,568 |
| \$5,538 | - \$5,562 | \$224 | \$8,880 | \$5,824 | \$3,584 |
| \$5,563 | - \$5,587 | \$225 | \$8,920 | \$5,850 | \$3,600 |
| \$5,588 | - \$5,612 | \$226 | \$8,960 | \$5,876 | \$3,616 |
| \$5,613 | - \$5,637 | \$227 | \$9,000 | \$5,902 | \$3,632 |
| \$5,638 | - \$5,662 | \$228 | \$9,040 | \$5,928 | \$3,648 |
| \$5,663 | - \$5,687 | \$229 | \$9,080 | \$5,954 | \$3,664 |
| \$5,688 | - \$5,712 | \$230 | \$9,120 | \$5,980 | \$3,680 |
| \$5,713 | - \$5,737 | \$231 | \$9,160 | \$6,006 | \$3,696 |
| \$5,738 | - \$5,762 | \$232 | \$9,200 | \$6,032 | \$3,712 |
| \$5,763 | - \$5,787 | \$233 | \$9,240 | \$6,058 | \$3,728 |
| \$5,788 | - \$5,812 | \$234 | \$9,280 | \$6,084 | \$3,744 |
| \$5,813 | - \$5,837 | \$235 | \$9,320 | \$6,110 | \$3,760 |
| \$5,838 | - \$5,862 | \$236 | \$9,360 | \$6,136 | \$3,776 |
| \$5,863 | - \$5,887 | \$237 | \$9,400 | \$6,162 | \$3,792 |
| \$5,888 | - \$5,912 | \$238 | \$9,440 | \$6,188 | \$3,808 |
| \$5,913 | - \$5,937 | \$239 | \$9,480 | \$6,214 | \$3,824 |
| \$5,938 | - \$5,962 | \$240 | \$9,520 | \$6,240 | \$3,840 |
| \$5,963 | - \$5,987 | \$241 | \$9,560 | \$6,266 | \$3,856 |
| \$5,988 | - \$6,012 | \$242 | \$9,600 | \$6,292 | \$3,872 |
| \$6,013 | - \$6,037 | \$243 | \$9,640 | \$6,318 | \$3,888 |
| \$6,038 | - \$6,062 | \$244 | \$9,680 | \$6,344 | \$3,904 |
| \$6,063 | - \$6,087 | \$245 | \$9,720 | \$6,370 | \$3,920 |
| \$6,088 | - \$6,112 | \$246 | \$9,760 | \$6,396 | \$3,936 |
| \$6,113 | - \$6,137 | \$247 | \$9,800 | \$6,422 | \$3,952 |
| \$6,138 | - \$6,162 | \$248 | \$9,840 | \$6,448 | \$3,968 |
| \$6,163 | - \$6,187 | \$249 | \$9,880 | \$6,474 | \$3,984 |
| \$6,188 | - \$6,212 | \$250 | \$9,920 | \$6,500 | \$4,000 |
| \$6,213 | - \$6,237 | \$251 | \$9,960 | \$6,526 | \$4,016 |
| \$6,238 | - \$6,262 | \$252 | \$10,000 | \$6,552 | \$4,032 |
| \$6,263 | - \$6,287 | \$253 | \$10,040 | \$6,578 | \$4,048 |
| \$6,288 | - \$6,312 | \$254 | \$10,080 | \$6,604 | \$4,064 |
| \$6,313 | - \$6,337 | \$255 | \$10,120 | \$6,630 | \$4,080 |
| \$6,338 | - \$6,362 | \$256 | \$10,160 | \$6,656 | \$4,096 |
| \$6,363 | - \$6,387 | \$257 | \$10,200 | \$6,682 | \$4,112 |
| \$6,388 | - \$6,412 | \$258 | \$10,240 | \$6,708 | \$4,128 |
| \$6,413 | - \$6,437 | \$259 | \$10,280 | \$6,734 | \$4,144 |
| \$6,438 | - \$6,462 | \$260 | \$10,320 | \$6,760 | \$4,160 |
| \$6,463 | - \$6,487 | \$261 | \$10,360 | \$6,786 | \$4,176 |
| \$6,488 | - \$6,512 | \$262 | \$10,400 | \$6,812 | \$4,192 |
| \$6,513 | - \$6,537 | \$263 | \$10,440 | \$6,838 | \$4,208 |
| \$6,538 | - \$6,562 | \$264 | \$10,480 | \$6,864 | \$4,224 |
| \$6,563 | - \$6,587 | \$265 | \$10,520 | \$6,890 | \$4,240 |
| \$6,588 | - \$6,612 | \$266 | \$10,560 | \$6,916 | \$4,256 |
| \$6,613 | - \$6,637 | \$267 | \$10,600 | \$6,942 | \$4,272 |
| \$6,638 | - \$6,662 | \$268 | \$10,640 | \$6,968 | \$4,288 |
| \$6,663 | - \$6,687 | \$269 | \$10,680 | \$6,994 | \$4,304 |
| \$6,688 | - \$6,712 | \$270 | \$10,720 | \$7,020 | \$4,320 |
| \$6,713 | - \$6,737 | \$271 | \$10,760 | \$7,046 | \$4,336 |
| \$6,738 | - \$6,762 | \$272 | \$10,800 | \$7,072 | \$4,352 |
| \$6,763 | - \$6,787 | \$273 | \$10,840 | \$7,098 | \$4,368 |
| \$6,788 | - \$6,812 | \$274 | \$10,880 | \$7,124 | \$4,384 |
| \$6,813 | - \$6,837 | \$275 | \$10,920 | \$7,150 | \$4,400 |
| \$6,838 | - \$6,862 | \$276 | \$10,960 | \$7,176 | \$4,416 |
| \$6,863 | - \$6,887 | \$277 | \$11,000 | \$7,202 | \$4,432 |
| \$6,888 | - \$6,912 | \$278 | \$11,040 | \$7,228 | \$4,448 |
| \$6,913 | - \$6,937 | \$279 | \$11,080 | \$7,254 | \$4,464 |
| \$6,938 | - \$6,962 | \$280 | \$11,120 | \$7,280 | \$4,480 |
| \$6,963 | - \$6,987 | \$281 | \$11,160 | \$7,306 | \$4,496 |
| \$6,988 | - \$7,012 | \$282 | \$11,200 | \$7,332 | \$4,512 |
| \$7,013 | - \$7,037 | \$283 | \$11,240 | \$7,358 | \$4,528 |
| \$7,038 | - \$7,062 | \$284 | \$11,280 | \$7,384 | \$4,544 |
| \$7,063 | - \$7,087 | \$285 | \$11,320 | \$7,410 | \$4,560 |
| \$7,088 | - \$7,112 | \$286 | \$11,360 | \$7,436 | \$4,576 |
| \$7,113 | - \$7,137 | \$287 | \$11,400 | \$7,462 | \$4,592 |
| \$7,138 | - \$7,162 | \$288 | \$11,440 | \$7,488 | \$4,608 |

| <i>Part A</i> <i>Highest Quarterly</i> <i>Wage</i> | | <i>Part B</i> <i>Rate of</i> <i>Compensation</i> | <i>Part C</i> <i>Qualifying</i> <i>Wages</i> | <i>Part D</i> <i>Amount of Compensation</i> <i>26 Weeks</i> | <i>Part E</i> <i>16 Weeks</i> |
|--|-------|--|--|---|----------------------------------|
| \$7,163 - \$7,187 | \$289 | \$11,480 | \$7,514 | \$4,624 | |
| \$7,188 - \$7,212 | \$290 | \$11,520 | \$7,540 | \$4,640 | |
| \$7,213 - \$7,237 | \$291 | \$11,560 | \$7,566 | \$4,656 | |
| \$7,238 - \$7,262 | \$292 | \$11,600 | \$7,592 | \$4,672 | |
| \$7,263 - \$7,287 | \$293 | \$11,640 | \$7,618 | \$4,688 | |
| \$7,288 - \$7,312 | \$294 | \$11,680 | \$7,644 | \$4,704 | |
| \$7,313 - \$7,337 | \$295 | \$11,720 | \$7,670 | \$4,720 | |
| \$7,338 - \$7,362 | \$296 | \$11,760 | \$7,696 | \$4,736 | |
| \$7,363 - \$7,387 | \$297 | \$11,800 | \$7,722 | \$4,752 | |
| \$7,388 - \$7,412 | \$298 | \$11,840 | \$7,748 | \$4,768 | |
| \$7,413 - \$7,437 | \$299 | \$11,880 | \$7,774 | \$4,784 | |
| \$7,438 - \$7,462 | \$300 | \$11,920 | \$7,800 | \$4,800 | |
| \$7,463 - \$7,487 | \$301 | \$11,960 | \$7,826 | \$4,816 | |
| \$7,488 - \$7,512 | \$302 | \$12,000 | \$7,852 | \$4,832 | |
| \$7,513 - \$7,537 | \$303 | \$12,040 | \$7,878 | \$4,848 | |
| \$7,538 - \$7,562 | \$304 | \$12,080 | \$7,904 | \$4,864 | |
| \$7,563 - \$7,587 | \$305 | \$12,120 | \$7,930 | \$4,880 | |
| \$7,588 - \$7,612 | \$306 | \$12,160 | \$7,956 | \$4,896 | |
| \$7,613 - \$7,637 | \$307 | \$12,200 | \$7,982 | \$4,912 | |
| \$7,638 - \$7,662 | \$308 | \$12,240 | \$8,008 | \$4,928 | |
| \$7,663 - \$7,687 | \$309 | \$12,280 | \$8,034 | \$4,944 | |
| \$7,688 - \$7,712 | \$310 | \$12,320 | \$8,060 | \$4,960 | |
| \$7,713 - \$7,737 | \$311 | \$12,360 | \$8,086 | \$4,976 | |
| \$7,738 - \$7,762 | \$312 | \$12,400 | \$8,112 | \$4,992 | |
| \$7,763 - \$7,787 | \$313 | \$12,440 | \$8,138 | \$5,008 | |
| \$7,788 - \$7,812 | \$314 | \$12,480 | \$8,164 | \$5,024 | |
| \$7,813 - \$7,837 | \$315 | \$12,520 | \$8,190 | \$5,040 | |
| \$7,838 - \$7,862 | \$316 | \$12,560 | \$8,216 | \$5,056 | |
| \$7,863 - \$7,887 | \$317 | \$12,600 | \$8,242 | \$5,072 | |
| \$7,888 - \$7,912 | \$318 | \$12,640 | \$8,268 | \$5,088 | |
| \$7,913 - \$7,937 | \$319 | \$12,680 | \$8,294 | \$5,104 | |
| \$7,938 - \$7,962 | \$320 | \$12,720 | \$8,320 | \$5,120 | |
| \$7,963 - \$7,987 | \$321 | \$12,760 | \$8,346 | \$5,136 | |
| \$7,988 - \$8,012 | \$322 | \$12,800 | \$8,372 | \$5,152 | |
| \$8,013 - \$8,037 | \$323 | \$12,840 | \$8,398 | \$5,168 | |
| \$8,038 - \$8,062 | \$324 | \$12,880 | \$8,424 | \$5,184 | |
| \$8,063 - \$8,087 | \$325 | \$12,920 | \$8,450 | \$5,200 | |
| \$8,088 - \$8,112 | \$326 | \$12,960 | \$8,476 | \$5,216 | |
| \$8,113 - \$8,137 | \$327 | \$13,000 | \$8,502 | \$5,232 | |
| \$8,138 - \$8,162 | \$328 | \$13,040 | \$8,528 | \$5,248 | |
| \$8,163 - \$8,187 | \$329 | \$13,080 | \$8,554 | \$5,264 | |
| \$8,188 - \$8,212 | \$330 | \$13,120 | \$8,580 | \$5,280 | |
| \$8,213 - \$8,237 | \$331 | \$13,160 | \$8,606 | \$5,296 | |
| \$8,238 - \$8,262 | \$332 | \$13,200 | \$8,632 | \$5,312 | |
| \$8,263 - \$8,287 | \$333 | \$13,240 | \$8,658 | \$5,328 | |
| \$8,288 - \$8,312 | \$334 | \$13,280 | \$8,684 | \$5,344 | |
| \$8,313 - \$8,337 | \$335 | \$13,320 | \$8,710 | \$5,360 | |
| \$8,338 - \$8,362 | \$336 | \$13,360 | \$8,736 | \$5,376 | |
| \$8,363 - \$8,387 | \$337 | \$13,400 | \$8,762 | \$5,392 | |
| \$8,388 - \$8,412 | \$338 | \$13,440 | \$8,788 | \$5,408 | |
| \$8,413 - \$8,437 | \$339 | \$13,480 | \$8,814 | \$5,424 | |
| \$8,438 - \$8,462 | \$340 | \$13,520 | \$8,840 | \$5,440 | |
| \$8,463 - \$8,487 | \$341 | \$13,560 | \$8,866 | \$5,456 | |
| \$8,488 - \$8,512 | \$342 | \$13,600 | \$8,892 | \$5,472 | |
| \$8,513 - \$8,537 | \$343 | \$13,640 | \$8,918 | \$5,488 | |
| \$8,538 - \$8,562 | \$344 | \$13,680 | \$8,944 | \$5,504 | |
| \$8,563 - \$8,587 | \$345 | \$13,720 | \$8,970 | \$5,520 | |
| \$8,588 - \$8,612 | \$346 | \$13,760 | \$8,996 | \$5,536 | |
| \$8,613 - \$8,637 | \$347 | \$13,800 | \$9,022 | \$5,552 | |
| \$8,638 - \$8,662 | \$348 | \$13,840 | \$9,048 | \$5,568 | |
| \$8,663 - \$8,687 | \$349 | \$13,880 | \$9,074 | \$5,584 | |
| \$8,688 - \$8,712 | \$350 | \$13,920 | \$9,100 | \$5,600 | |
| \$8,713 - \$8,737 | \$351 | \$13,960 | \$9,126 | \$5,616 | |
| \$8,738 - \$8,762 | \$352 | \$14,000 | \$9,152 | \$5,632 | |
| \$8,763 - \$8,787 | \$353 | \$14,040 | \$9,178 | \$5,648 | |
| \$8,788 - \$8,812 | \$354 | \$14,080 | \$9,204 | \$5,664 | |

| <i>Part A</i> <i>Highest Quarterly Wage</i> | | <i>Part B</i> <i>Rate of Compensation</i> | <i>Part C</i> <i>Qualifying Wages</i> | <i>Part D</i> <i>Amount of Compensation 26 Weeks</i> | <i>Part E</i> <i>16 Weeks</i> |
|--|-------|--|--|---|----------------------------------|
| \$8,813 - \$8,837 | \$355 | \$14,120 | \$9,230 | \$5,680 | |
| \$8,838 - \$8,862 | \$356 | \$14,160 | \$9,256 | \$5,696 | |
| \$8,863 - \$8,887 | \$357 | \$14,200 | \$9,282 | \$5,712 | |
| \$8,888 - \$8,912 | \$358 | \$14,240 | \$9,308 | \$5,728 | |
| \$8,913 - \$8,937 | \$359 | \$14,280 | \$9,334 | \$5,744 | |
| \$8,938 - \$8,962 | \$360 | \$14,320 | \$9,360 | \$5,760 | |
| \$8,963 - \$8,987 | \$361 | \$14,360 | \$9,386 | \$5,776 | |
| \$8,988 - \$9,012 | \$362 | \$14,400 | \$9,412 | \$5,792 | |
| \$9,013 - \$9,037 | \$363 | \$14,440 | \$9,438 | \$5,808 | |
| \$9,038 - \$9,062 | \$364 | \$14,480 | \$9,464 | \$5,824 | |
| \$9,063 - \$9,087 | \$365 | \$14,520 | \$9,490 | \$5,840 | |
| \$9,088 - \$9,112 | \$366 | \$14,560 | \$9,516 | \$5,856 | |
| \$9,113 - \$9,137 | \$367 | \$14,600 | \$9,542 | \$5,872 | |
| \$9,138 - \$9,162 | \$368 | \$14,640 | \$9,568 | \$5,888 | |
| \$9,163 - \$9,187 | \$369 | \$14,680 | \$9,594 | \$5,904 | |
| \$9,188 - \$9,212 | \$370 | \$14,720 | \$9,620 | \$5,920 | |
| \$9,213 - \$9,237 | \$371 | \$14,760 | \$9,646 | \$5,936 | |
| \$9,238 - \$9,262 | \$372 | \$14,800 | \$9,672 | \$5,952 | |
| \$9,263 - \$9,287 | \$373 | \$14,840 | \$9,698 | \$5,968 | |
| \$9,288 - \$9,312 | \$374 | \$14,880 | \$9,724 | \$5,984 | |
| \$9,313 - \$9,337 | \$375 | \$14,920 | \$9,750 | \$6,000 | |
| \$9,338 - \$9,362 | \$376 | \$14,960 | \$9,776 | \$6,016 | |
| \$9,363 - \$9,387 | \$377 | \$15,000 | \$9,802 | \$6,032 | |
| \$9,388 - \$9,412 | \$378 | \$15,040 | \$9,828 | \$6,048 | |
| \$9,413 - \$9,437 | \$379 | \$15,080 | \$9,854 | \$6,064 | |
| \$9,438 - \$9,462 | \$380 | \$15,120 | \$9,880 | \$6,080 | |
| \$9,463 - \$9,487 | \$381 | \$15,160 | \$9,906 | \$6,096 | |
| \$9,488 - \$9,512 | \$382 | \$15,200 | \$9,932 | \$6,112 | |
| \$9,513 - \$9,537 | \$383 | \$15,240 | \$9,958 | \$6,128 | |
| \$9,538 - \$9,562 | \$384 | \$15,280 | \$9,984 | \$6,144 | |
| \$9,563 - \$9,587 | \$385 | \$15,320 | \$10,010 | \$6,160 | |
| \$9,588 - \$9,612 | \$386 | \$15,360 | \$10,036 | \$6,176 | |
| \$9,613 - \$9,637 | \$387 | \$15,400 | \$10,062 | \$6,192 | |
| \$9,638 - \$9,662 | \$388 | \$15,440 | \$10,088 | \$6,208 | |
| \$9,663 - \$9,687 | \$389 | \$15,480 | \$10,114 | \$6,224 | |
| \$9,688 - \$9,712 | \$390 | \$15,520 | \$10,140 | \$6,240 | |
| \$9,713 - \$9,737 | \$391 | \$15,560 | \$10,166 | \$6,256 | |
| \$9,738 - \$9,762 | \$392 | \$15,600 | \$10,192 | \$6,272 | |
| \$9,763 - \$9,787 | \$393 | \$15,640 | \$10,218 | \$6,288 | |
| \$9,788 - \$9,812 | \$394 | \$15,680 | \$10,244 | \$6,304 | |
| \$9,813 - \$9,837 | \$395 | \$15,720 | \$10,270 | \$6,320 | |
| \$9,838 - \$9,862 | \$396 | \$15,760 | \$10,296 | \$6,336 | |
| \$9,863 - \$9,887 | \$397 | \$15,800 | \$10,322 | \$6,352 | |
| \$9,888 - \$9,912 | \$398 | \$15,840 | \$10,348 | \$6,368 | |
| \$9,913 - \$9,937 | \$399 | \$15,880 | \$10,374 | \$6,384 | |
| \$9,938 - \$9,962 | \$400 | \$15,920 | \$10,400 | \$6,400 | |
| \$9,963 - \$9,987 | \$401 | \$15,960 | \$10,426 | \$6,416 | |
| \$9,988 - \$10,012 | \$402 | \$16,000 | \$10,452 | \$6,432 | |
| \$10,013 - \$10,037 | \$403 | \$16,040 | \$10,478 | \$6,448 | |
| \$10,038 - \$10,062 | \$404 | \$16,080 | \$10,504 | \$6,464 | |
| \$10,063 - \$10,087 | \$405 | \$16,120 | \$10,530 | \$6,480 | |
| \$10,088 - \$10,112 | \$406 | \$16,160 | \$10,556 | \$6,496 | |
| \$10,113 - \$10,137 | \$407 | \$16,200 | \$10,582 | \$6,512 | |
| \$10,138 - \$10,162 | \$408 | \$16,240 | \$10,608 | \$6,528 | |
| \$10,163 - \$10,187 | \$409 | \$16,280 | \$10,634 | \$6,544 | |
| \$10,188 - \$10,212 | \$410 | \$16,320 | \$10,660 | \$6,560 | |
| \$10,213 - \$10,237 | \$411 | \$16,360 | \$10,686 | \$6,576 | |
| \$10,238 - \$10,262 | \$412 | \$16,400 | \$10,712 | \$6,592 | |
| \$10,263 - \$10,287 | \$413 | \$16,440 | \$10,738 | \$6,608 | |
| \$10,288 - \$10,312 | \$414 | \$16,480 | \$10,764 | \$6,624 | |
| \$10,313 - \$10,337 | \$415 | \$16,520 | \$10,790 | \$6,640 | |
| \$10,338 - \$10,362 | \$416 | \$16,560 | \$10,816 | \$6,656 | |
| \$10,363 - \$10,387 | \$417 | \$16,600 | \$10,842 | \$6,672 | |
| \$10,388 - \$10,412 | \$418 | \$16,640 | \$10,868 | \$6,688 | |
| \$10,413 - \$10,437 | \$419 | \$16,680 | \$10,894 | \$6,704 | |
| \$10,438 - \$10,462 | \$420 | \$16,720 | \$10,920 | \$6,720 | |

| <i>Part A</i> <i>Highest Quarterly</i> <i>Wage</i> | | <i>Part B</i> <i>Rate of</i> <i>Compensation</i> | <i>Part C</i> <i>Qualifying</i> <i>Wages</i> | <i>Part D</i> <i>Amount of Compensation</i> <i>26 Weeks</i> | <i>Part E</i> <i>16 Weeks</i> |
|--|--------------|--|--|---|----------------------------------|
| \$10,463 - \$10,487 | \$421 | \$16,760 | \$10,946 | \$6,736 | |
| \$10,488 - \$10,512 | \$422 | \$16,800 | \$10,972 | \$6,752 | |
| \$10,513 - \$10,537 | \$423 | \$16,840 | \$10,998 | \$6,768 | |
| \$10,538 - \$10,562 | \$424 | \$16,880 | \$11,024 | \$6,784 | |
| \$10,563 - \$10,587 | \$425 | \$16,920 | \$11,050 | \$6,800 | |
| \$10,588 - \$10,612 | \$426 | \$16,960 | \$11,076 | \$6,816 | |
| \$10,613 - \$10,637 | \$427 | \$17,000 | \$11,102 | \$6,832 | |
| \$10,638 - \$10,662 | \$428 | \$17,040 | \$11,128 | \$6,848 | |
| \$10,663 - \$10,687 | \$429 | \$17,080 | \$11,154 | \$6,864 | |
| \$10,688 - [or more] 10,712 | \$430 | [*] \$17,120 | \$11,180 | \$6,880 | |
| \$10,713 - \$10,737 | \$431 | \$17,160 | \$11,206 | \$6,896 | |
| \$10,738 - \$10,762 | \$432 | \$17,200 | \$11,232 | \$6,912 | |
| \$10,763 - \$10,787 | \$433 | \$17,240 | \$11,258 | \$6,928 | |
| \$10,788 - \$10,812 | \$434 | \$17,280 | \$11,284 | \$6,944 | |
| \$10,813 - \$10,837 | \$435 | \$17,320 | \$11,310 | \$6,960 | |
| \$10,838 - \$10,862 | \$436 | \$17,360 | \$11,336 | \$6,976 | |
| \$10,863 - \$10,887 | \$437 | \$17,400 | \$11,362 | \$6,992 | |
| \$10,888 - \$10,912 | \$438 | \$17,440 | \$11,388 | \$7,008 | |
| \$10,913 - \$10,937 | \$439 | \$17,480 | \$11,414 | \$7,024 | |
| \$10,938 - \$10,962 | \$440 | \$17,520 | \$11,440 | \$7,040 | |
| \$10,963 - \$10,987 | \$441 | \$17,560 | \$11,466 | \$7,056 | |
| \$10,988 - \$11,012 | \$442 | \$17,600 | \$11,492 | \$7,072 | |
| \$11,013 - \$11,037 | \$443 | \$17,640 | \$11,518 | \$7,088 | |
| \$11,038 - \$11,062 | \$444 | \$17,680 | \$11,544 | \$7,104 | |
| \$11,063 - \$11,087 | \$445 | \$17,720 | \$11,570 | \$7,120 | |
| \$11,088 - \$11,112 | \$446 | \$17,760 | \$11,596 | \$7,136 | |
| \$11,113 - \$11,137 | \$447 | \$17,800 | \$11,622 | \$7,152 | |
| \$11,138 - \$11,162 | \$448 | \$17,840 | \$11,648 | \$7,168 | |
| \$11,163 - \$11,187 | \$449 | \$17,880 | \$11,674 | \$7,184 | |
| \$11,188 - \$11,212 | \$450 | \$17,920 | \$11,700 | \$7,200 | |
| \$11,213 - \$11,237 | \$451 | \$17,960 | \$11,726 | \$7,216 | |
| \$11,238 - \$11,262 | \$452 | \$18,000 | \$11,752 | \$7,232 | |
| \$11,263 - \$11,287 | \$453 | \$18,040 | \$11,778 | \$7,248 | |
| \$11,288 - \$11,312 | \$454 | \$18,080 | \$11,804 | \$7,264 | |
| \$11,313 - \$11,337 | \$455 | \$18,120 | \$11,830 | \$7,280 | |
| \$11,338 - \$11,362 | \$456 | \$18,160 | \$11,856 | \$7,296 | |
| \$11,363 - \$11,387 | \$457 | \$18,200 | \$11,882 | \$7,312 | |
| \$11,388 - \$11,412 | \$458 | \$18,240 | \$11,908 | \$7,328 | |
| \$11,413 - \$11,437 | \$459 | \$18,280 | \$11,934 | \$7,344 | |
| \$11,438 - \$11,462 | \$460 | \$18,320 | \$11,960 | \$7,360 | |
| \$11,463 - \$11,487 | \$461 | \$18,360 | \$11,986 | \$7,376 | |
| \$11,488 - \$11,512 | \$462 | \$18,400 | \$12,012 | \$7,392 | |
| \$11,513 - \$11,537 | \$463 | \$18,440 | \$12,038 | \$7,408 | |
| \$11,538 - \$11,562 | \$464 | \$18,480 | \$12,064 | \$7,424 | |
| \$11,563 - \$11,587 | \$465 | \$18,520 | \$12,090 | \$7,440 | |
| \$11,588 - \$11,612 | \$466 | \$18,560 | \$12,116 | \$7,456 | |
| \$11,613 - \$11,637 | \$467 | \$18,600 | \$12,142 | \$7,472 | |
| \$11,638 - \$11,662 | \$468 | \$18,640 | \$12,168 | \$7,488 | |
| \$11,663 - \$11,687 | \$469 | \$18,680 | \$12,194 | \$7,504 | |
| \$11,688 - \$11,712 | \$470 | \$18,720 | \$12,220 | \$7,520 | |
| \$11,713 - \$11,737 | \$471 | \$18,760 | \$12,246 | \$7,536 | |
| \$11,738 - \$11,762 | \$472 | \$18,800 | \$12,272 | \$7,552 | |
| \$11,763 - \$11,787 | \$473 | \$18,840 | \$12,298 | \$7,568 | |
| \$11,788 - \$11,812 | \$474 | \$18,880 | \$12,324 | \$7,584 | |
| \$11,813 - \$11,837 | \$475 | \$18,920 | \$12,350 | \$7,600 | |
| \$11,838 - \$11,862 | \$476 | \$18,960 | \$12,376 | \$7,616 | |
| \$11,863 - \$11,887 | \$477 | \$19,000 | \$12,402 | \$7,632 | |
| \$11,888 - or more | \$478 | * \$19,040 | \$12,428 | \$7,648 | |

* The claimant will be ineligible for benefits unless 20% [of the claimant's total base year wages] of the qualifying wage (\$19,040) was paid in a quarter or quarters of the base year other than the high quarter.

[Pa.B. Doc. No. 05-104. Filed for public inspection January 14, 2005, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Medical Assistance Program; Prior Authorization List

The purpose of this notice is to announce that the Department of Public Welfare (Department) will add an item to the Medical Assistance (MA) Program's list of services requiring prior authorization.

Section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior authorization by publication of notice in the *Pennsylvania Bulletin*.

The MA Program will require prior authorization of prescriptions for Proton Pump Inhibitors (PPIs) dispensed on and after February 7, 2005, that meet any of the following conditions:

1. The prescription is for a PPI other than Prilosec Over-The-Counter (OTC), including prescription brand name Prilosec and generic Omeprazole.
2. The prescription is for Prilosec OTC and Prilosec OTC was prescribed for 4 months in the preceding 180 days.
3. The prescription for Prilosec OTC is for a quantity greater than 84 tablets per month, or a dosage greater than 40 mg per day, or both.

Exception: Prior authorization is not required for the following:

1. Oral liquid or IV forms of PPIs for recipients under 15 years of age and 65 years of age or older.
2. Omeprazole, 10 mg, limit one tablet per day.
3. Alternative preparations such as dissolvable or orally soluble forms of PPIs for recipients under 15 years of age.

Fiscal Impact

The estimated savings for Fiscal Year 2004-2005 is \$1.875 million (\$0.879 million in State funds). The estimated savings for Fiscal Year 2005-2006 is \$7.500 million (\$3.449 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department at the following address: Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office. Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent changes to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-407. No fiscal impact; (8) recommends adoption. This public notice provides for estimated savings to the Medical Assistance—Outpatient Appropria-

tion of \$879,000 during the remainder of Fiscal Year 2004-05 and \$3.449 million for Fiscal Year 2005-06.

[Pa.B. Doc. No. 05-105. Filed for public inspection January 14, 2005, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Sale of Land No Longer Needed for Transportation

The Department of Transportation (Department), under section 2003(e)(7) of The Administration Code of 1929 (71 P. S. § 513(e)(7)), intends to sell certain land owned by the Department. The following property is available for sale by the Department: 894 Horseshoe Pike (Route 322) in East Brandywine Township, Chester County, PA. The parcel contains 4,481 square feet of unimproved land. Estimated fair market value is \$4,000.

Interested public entities are invited to express their interest in purchasing the site, within 30 calendar days from the date of publication of this notice to Ray DeMasi, R/W, District 6-0, 7000 Geerdes Blvd., King of Prussia, PA 19406-1525, (610) 205-6507.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 05-106. Filed for public inspection January 14, 2005, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (act) (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission's comments are based upon the criteria contained in section 5.2 of the Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg No.</i> | <i>Agency/Title</i> | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|----------------|---|---|-------------------------------------|
| 18-378 | Department of Transportation Access to and Occupancy of Highways by Driveways, Local Roads and Structures | 12/1/04 | 1/3/05 |

34 Pa.B. 5355 (October 2, 2004)

| <i>Reg No.</i> | <i>Agency/Title</i> | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|----------------------------------|---|---|-------------------------------------|
| 12-58 | Department of Labor and Industry Boiler and Unfired Pressure Vessel Regulations | 12/6/04 | 1/5/05 |
| 34 Pa.B. 6033 (November 6, 2004) | | | |

**Department of Transportation Regulation No.
18-378 (IRRC No. 2434)**

**Access to and Occupancy of Highways by
Driveways, Local Roads and Structures
January 3, 2005**

We submit for your consideration the following comments that include references to the criteria in the Regulatory Review Act (71 P. S. § 745.5b) which have not been met. The Department of Transportation (Department) must respond to these comments when it submits the final-form regulation. The public comment period for this regulation closed on December 1, 2004. If the final-form regulation is not delivered within two years of the close of the public comment period, the regulation will be deemed withdrawn.

1. General.—Fiscal impact; Reasonableness; Implementation procedure; Clarity.

Actions or requests by the Department

Multiple provisions throughout the proposed regulation indicate that the Department will take or require applicants or permittees to take some type of action. For example, the traffic impact study must include a description of proposed remedies pursuant to Section 441.3a(c)(5)(iii). Clause (B) states the Department will determine if a proposed remedy is acceptable. It is unclear when this determination will be made, and how the Department will notify an applicant of its determination.

Similar provisions in the regulation direct the Department to make determinations, request additional information or changes, approve actions, issue opinions or take actions that become mandates with which a permittee, applicant or other regulated party must comply. Additional examples of these provisions include:

- § 441.3(g)(5)
- § 441.3(g)(5)(ii)
- § 441.3(i)
- § 441.3(s)(1)(iii)
- § 441.3a(a)(3)
- § 441.3a(c)(2)(i)(A)
- § 441.3a(c)(2)(i)(C)
- §§ 441.3a(c)(2)(ii)—(vi)
- § 441.3b(a)(3)
- § 441.3b(b)(2)
- § 441.3b(b)(4)(iii)
- § 441.4(d)(2)
- §§ 441.5(f)(1)—(3)
- § 441.6(1)(vii)(C)
- § 441.6(14)(ii)
- § 441.6(16)(i)
- § 441.7(e)(3)
- § 441.8(a)(2)
- § 441.10(b)(2)

We recognize that discretion and flexibility are necessary because each access by a property to a state highway may be unique and raise different concerns with traffic flow and other conditions. However, discretion and flexibility to respond to unique conditions must also be balanced with a format that provides some direction concerning when and how objectives will be accomplished. We have two concerns.

First, there is no indication of when the Department will take specific actions. For example, when would the Department notify an applicant or permittee of the need for a “curb or other approved structures to be constructed” under Section 441.8(g)(3). The regulation should clearly indicate the time periods in which the Department may act under these various provisions.

Second, there is no indication of how the Department will notify applicants, permittees or other affected parties of its actions. At a minimum, the regulation should state that the Department will notify the affected parties in writing.

Section 441.3a(b) Scoping meeting

Section 441.3a(b)(4) states: “The applicant will receive direction from the Department at the scoping meeting.” From discussion with the Department, many of the items noted above are discussed with the applicant at the scoping meeting. However, these meetings are at the request of the applicant. In addition, Section 441.3a(b)(5) limits the subject matter at a scoping meeting to concerns involving the traffic impact study. The Department should consider expanding these meetings to cover other areas in the regulation where the Department needs to provide direction to an applicant.

Improving state highways and fair cost distribution

A commentator raises the concern that the traffic impact study requirements in Section 441.3(s) will impose unfair costs on permittees. The proposed regulation could compel permittees to pay for improvements of existing poor road conditions. If the road is in poor condition before the access project is initiated, the permittee is not the only one who will benefit from improvements in the highway. The Department should consider other methods to equitably distribute the costs of improving poor road conditions among property owners and others who will benefit.

2. Section 441.1. Definitions.—Reasonableness; Clarity.

AASHTO and TRB

The definitions of the “American Association of State Highway and Transportation Officials (AASHTO)” and “Transportation Research Board, National Research Council (TRB)” include the phrase “currently located in Washington, D.C.” This phrase is not helpful to the reader. The definitions should provide the full current address like what was done in the definition of the “central permit office.”

Highway, local road, and roadway

The proposed regulation and existing language in Chapter 441 contain definitions of “highway,” “local road” or “roadway.” We have concerns with each definition and with their relationships to each other.

First, the term “highway” is defined in the existing portion of Chapter 441 as “[A] highway or bridge on the system of State highways and bridges, including the entire width between right-of-way lines, over which the Department has assumed or has been legislatively given

jurisdiction.” This definition is circular since the term “highway” is used to define itself.

The definition of “local road” includes the statement “[a] public highway other than a State highway” The term “public highway” is not defined. In addition, the word “highway” is already defined as part of the “State highways.” Hence, the use of the term “highway” in this definition is confusing. A commentator has expressed an additional concern with new language in the definition of “local road” that includes “an access for which the owner intends to transfer or dedicate ownership to a governmental body after completion of the permitted work.” This language is problematic since it is local ordinances that would allow such a transfer under certain conditions. The owner’s intent would not be sufficient to accomplish the transfer. The Department should explain this new language or delete it.

The definition of “roadway” is “[t]hat portion of a highway or local road improved, designed or ordinarily used for vehicular travel, exclusive of the sidewalk or shoulder.” The Department has indicated that a “roadway” also includes auxiliary lanes. The definition should be amended to reflect this fact. In addition, does a “highway” or “local road” include a “roadway”? If so and since “roadway” is defined with more detail than “highway” or “local road,” the term “roadway” could be used in part to define “highway” and “local road.”

Plans

The definition of “plans” ends with the phrase “and other details the Department deems appropriate.” Instead of using this phrase, the “other details” should be included in the substantive provisions of the regulation with a cross-reference in the definition.

3. Section 441.3. Permit application procedure.—Consistency with the statute; Reasonableness; Clarity.

Subsection (b) Authorization of local governments to issue permits

This subsection allows the Department to enter into agreements with “local governments” to issue permits. The authorizing statute (36 P. S. § 670-420) uses the term “municipality” instead of “local governments.” For consistency with the statute, the final-form regulation should use the term “municipality.”

Subsection (e) Submission of a completed application

Applicants are instructed by this subsection to submit applications to either the district or county office or the municipality. How can an applicant determine where to submit the application?

Subsection (m) Impact on other property owners

Under this subsection, two commentators expressed concerns related to Paragraph (3). One commentator believes local governments should be exempt from the additional security requirements. Another believes the provision relating to “a form and amount acceptable to the Department” is too vague. We have three questions. What is the reason for not exempting local governments from this requirement? How will the Department determine what is an acceptable form and amount of security? How will the applicant be notified?

Subsection (n) Impact on sensitive or unique property

The phrase “State and Federal environmental requirements” is used in this subsection. A cross-reference should be provided that specifies these requirements.

Subsection (o) Review by governmental bodies

This subsection relates to review by governmental bodies. The phrase “governmental bodies” should be defined in the final-form regulation. Also, the phrase “municipalities and their political subdivisions” is not clear because municipalities do not have political subdivisions.

Under Subsection (o)(5), a governmental body can request to review an application. The Department has indicated that the request to review should be made before the permit is issued and the work begins because it is the only time the governmental body can submit meaningful input. Therefore, final-form regulation should include a timeframe in which governmental bodies can request to review an application.

Subsection (p) Impact on archeological and historic property

This subsection requires the applicant to notify the Pennsylvania Historical and Museum Commission if the proposed work will require the construction or widening of a lane or right-of-way 60 days prior to submission of the application. A commentator questioned the need for a 60 day review period and noted the potential time delay this requirement could cause. What is the need for this review period that must occur before the submission of the application? Would a shorter or concurrent period suffice?

Subsection (s) Traffic impact study

Subsection (s)(1)(iii) states that a traffic impact study will be required, if “[i]n the opinion of the Department, the development is expected to have significant impact on highway safety or traffic flow even though it does not meet subparagraph (i) or (ii).” What is meant by a “significant impact”?

4. Section 441.3a. Preparation of a traffic impact study.—Reasonableness; Clarity.

Traffic impact studies assist the Department in determining if the plans or proposals of the applicant are acceptable. The regulation does not specify when the Department must make these determinations. How long will the Department need to analyze a traffic impact study and how will the Department notify the applicant if it is acceptable? What are the criteria for acceptable plans and proposals?

Subsection (a) General rule

Subsection (a)(2) details who must conduct a study and includes the phrase “other persons authorized by law.” The Department should either list all the other professions that are allowed to conduct a study or delete this phrase from the final-form regulation. The same phrase appears in Section 441.3b(a)(2), relating to preparation of drainage impact study, and we recommend that this section likewise be amended.

Subsection (c) Traffic impact study contents and scope

Subsections (c)(3) and (c)(4) pertain to future traffic conditions with and without development. They require the applicant to describe the ability of the roadway network within the study area to accommodate traffic for the ensuing ten years beyond the opening of the development and other time periods as directed by the Department. What is the “roadway network” and how is the study area determined? Furthermore, why should the study be based on the ability of the roadway to accommodate traffic ten years into the future as opposed to when the development is completed?

Under Subsection (c)(3)(i), what are Metropolitan Planning Organizations or Local Development Districts? These terms should be defined in the final-form regulation.

Subsection(c)(5) references certain "Levels of Service." The Department explained that levels of service range between A and F and rate how a roadway handles traffic. This phrase should be defined in the final-form regulation.

5. Section 441.3b. Preparation of drainage impact report.—Reasonableness; Clarity.

Subsections (b)(1) and (b)(6)(iii) contain the phrases "other pertinent information" and "pertinent policy directives." This information should be listed in the final-form regulation.

Subsection (b)(6)(iv) states that hydraulic computations must be developed "in accordance with procedures and criteria acceptable to the Commonwealth or governmental bodies." The final-form regulation should list the various state agencies or governmental bodies that would have oversight and list or cross-reference the procedures and criteria that would be acceptable.

Under Subsection (b)(7), the drainage impact report must include a description of proposed actions that will remedy identified deficiencies related to flow rate and flow velocity. It states that remedies "may not include projects programmed by the Commonwealth or other governmental bodies." This differs from Section 441.3a(c)(5)(iii)(A), relating to traffic impact studies, which allows remedies to include "projects programmed by the Commonwealth or governmental bodies." We recommend that this subsection be amended to provide for collaboration or integration with other projects that have completion dates that coincide with the applicant's access project.

6. Section 441.4. Permit fees and costs.—Reasonableness; Implementation procedure; Clarity.

In Subsection (d), the Department can assess additional fees if it anticipates that its costs will exceed by a "significant amount" the application or permit fees. How will the Department decide what is a "significant amount"?

7. Section 441.5. Issuance of permits.—Reasonableness; Implementation procedure; Clarity.

Subsection (f) Permit requiring agreement/security

Subsection (f)(2) is one long sentence that contains 116 words. The sentence describes the contents of an agreement between the Department and an applicant. The contents should be set forth with shorter sentences and enumeration as recommended in Section 2.8 and Chapter 7 of the *Pennsylvania Code and Bulletin Style Manual*.

Subsection (j) Photo documentation

Subsection (j)(3) allows the Department to create its own photo documentation and charge the permittee for the costs. This occurs after the Department receives photos from the permittee that are not discernible or otherwise acceptable. As written, the paragraph allows the Department to return the photos to the permittee for resubmission or obtain its own photo documentation and charge the permittee for the cost. Rather than give the Department the option, the regulation should require that the Department notify the permittee of the need to submit better photo documentation before the Department obtains its own photos and charges the permittee for the expense.

8. Section 441.6. General conditions.—Reasonableness; Implementation procedure; Clarity; Statutory Authority.

Paragraph (1) Scope of permit

Under Paragraph (1)(v), the permittee and the property owner will be liable for failure to comply with the permit and this chapter. Section 441.5(b) states that permits will be issued only to the owners of the property. Since permits can only be issued to property owners, what is the need to list both "permittee and the property owner" in this paragraph? We note this phrase is used throughout this chapter and suggest that the Department be consistent with any changes it makes to this phrase.

Paragraph (1)(vii) allows the Department to require changes to an access, structure or associated highway work or improvements. Can these changes be mandated after the permitted work has been completed?

Clause (B) of Paragraph (1)(vii) states that the Department may require a new application. Will an additional application fee be charged?

Paragraph (4) Permittee responsibilities

Paragraph (4)(viii) describes actions the Department could take if a permittee or property owner does not pay an invoice for work performed by the Department. It states that an unpaid bill will "constitute a first lien on the real and personal property of the permittee or owner of the property on which the access or structure is located." If a lending institution or other party already has a "first lien" on a property, what is the Department's statutory authority for replacing that lien with its own?

In addition, this paragraph states that the Department may also "revoke and annul the permit." We have three questions. What is the difference between revoking and annulling a permit? Will the permittee or property owner have an opportunity for a hearing before their permit is revoked and/or annulled? Under what circumstances would a permit be annulled?

Paragraph (16) Future additional driveways

Paragraph (16)(iv) includes a sentence that states, in part, the following: "If the applicant demonstrates that a release cannot be reasonably obtained from each affected property owner . . ." How will an applicant demonstrate that its attempt has been reasonable?

9. Section 441.8. Driveway design requirements.—Reasonableness; Implementation procedure; Fiscal impact; Clarity.

Subsection (a) General

Subsection (a)(1) states that the design of a driveway must take into consideration the amount and type of traffic it is expected to serve and the type and character of the road it accesses. This rulemaking adds the phrase "and other nearby highways" to the last provision. How will the applicant know what other highways to consider?

Subsection (h) Sight distance

Subsection (h)(1)(iv) includes the following sentence: "The owner should locate a driveway at a point which provides optimal sight distance." The word "should" indicates that this provision is optional. Optional provisions should not be included in regulations. Therefore, the word should be changed to "shall."

Subsection (i) Grade of access

Subsection (i)(5)(i) states, in part, the following: "Depressed curb is preferable to the alternative of extending

curb around the driveway radii” This language is not regulatory language and should be deleted from the regulation or replaced with a mandate.

Subsection (k) Access pavement

Subsection (k)(2) relates to low, medium and high volume driveways and local roads which provide access to paved highways. It requires these accesses to be paved “from the pavement edge to at least 20 feet beyond the right-of-way and joints shall be sealed.” A commentator noted that the current regulations do not require local roads to comply with this provision. Will these requirements apply to existing roads? If so, who is responsible for paying for these improvements?

Subsection (m) Medians

Subsection (m)(3) states the following: “Requests for removal of a median divisor will not be granted without approval of the district executive or higher Departmental authority.” When and why would approval of a higher Departmental authority be required? How will the permittee know to whom they should make the request?

Subsection (p) Required right-of-way

This subsection states that the Department may require the applicant to acquire additional right-of-way and “may require the applicant to utilize property acquisition policies, practices and procedures of the Department.” The final-form regulation should provide cross-references to the appropriate policies, practices and procedures.

10. Section 441.10. Penalties and enforcement.—Reasonableness; Implementation procedure; Clarity.

Subparagraph (a)(4)(ii) states that written notice will not have to be provided to a permittee or property owner if it is “impracticable.” Under what circumstances would it be impractical for the Department to notify a permittee or property owner of an action?

11. Miscellaneous Clarity.

The phrase “in a form acceptable to the Department” or “techniques acceptable to the Department” or variations of these phrases are used throughout the regulation. The regulation should provide guidance on what is considered an acceptable form. Examples of these phrases can be found in the following sections: 441.3 (m)(1)—(m)(3); 441.3a(c)(2)(i)—(vi); 441.6(16)(iv); and 441.8(j)(4), (m)(4) and (p).

The phrase “applicant or Department” is used throughout the regulation. How will the affected parties know when they have a duty to act? Examples of this phrase can be found in the following sections: 441.3 (m)(1), (n), (p); 441.3a(c)(2); 441.6(16)(iv); 441.7(d); and 441.8(j)(5).

In § 441.6(4)(iii)(C), what is “flowable fill material”? The term “crashworthy” is used in § 441.6(10). What does this term mean?

Under § 441.8(d), the word “must” should be replaced with the word “may.”

Department of Labor and Industry Regulation No. 12-58 (IRRC No. 2443)

Boiler and Unfired Pressure Vessel Regulations

January 5, 2005

We submit for your consideration the following comments that include references to the criteria in the Regulatory Review Act (71 P. S. § 745.5b) which have not

been met. The Department of Labor and Industry (Department) must respond to these comments when it submits the final-form regulation. The public comment period for this regulation closed on December 6, 2004. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

1. Section 3a.1. Definitions.—Consistency with the statute and other regulations; Clarity.

ASME Code

A commentator suggested a correction to this definition to fully reference the pertinent code of the American Society of Mechanical Engineers (ASME). The words “Rules for Construction of Power Boilers” should be replaced with “The Boiler and Pressure Vessel Code” in the final-form regulation.

Certificate of competency

In this definition, the noun “inspector” should be replaced with the verb “inspect.”

Process boiler

This definition in the regulation differs from the statutory definition. The final-form regulation should use the statutory definition in section 2 of the Boiler and Unfired Pressure Vessel Law (Act) (35 P. S. § 1331.2) or reference the statutory definition.

2. Section 3a.3. Scope.—Consistency with other regulations; Clarity.

Subsection (c) reads, “. . . when the heat exchanger operates at 16 psi or greater, and has 5 cubic feet of volume” To increase technical accuracy of subsection (c), the words “or more” should be placed after the words “5 cubic feet” in the final-form regulation.

In Subsection (d), there is more than one subparagraph labeled as (3). This enumeration error should be corrected in the final-form regulation.

Subsection (d)(10) begins with the following sentence:

Unfired pressure vessels designed to ASME Code section VIII, Division 1 which *meet* one of the following specifications: [Emphasis added.]

A commentator suggested that the word “meet” should be replaced with “do not exceed” in this subsection. We concur.

3. Section 3a.5. Examination for inspector commission.—Reasonableness; Implementation procedure; Clarity.

Subsection (a) states that the Department will conduct the National Board of Boiler and Pressure Vessel Inspectors (National Board) examinations. Subsection (b) indicates that the Department will also conduct a Pennsylvania certificate of competency examination. The role and purpose of these two examinations are unclear. It is our understanding that the Department administers the two different examinations and applicants are required to pass both. The final-form regulation should clearly state that applicants are required to pass these two examinations and how and when each examination will be administered.

Subsection (a)(1) requires that an applicant for examination as a boiler inspector must “meet the National Board rules and regulations, and its education and experience requirements.” The final-form regulation should contain specific references to the pertinent regulations and requirements of the National Board.

Subsection (b)(2) contains a specific list of education and experience prerequisites for those who apply to take the Pennsylvania certificate of competency examination. This list should be moved to the beginning of the section to alert potential applicants of the basic requirements they need to fulfill to qualify to apply for the examination.

4. Section 3a.6. Certificate of competency, commission, credential card and renewal application.—Clarity.

Subsection (a) states, “[t]he Department will issue a certificate of competency, credential card and commission to an applicant who passes an examination for inspector.” Since § 3a.5 includes two different examinations, this section should also clearly affirm that an applicant needs to pass both examinations.

5. Section 3a.8. Reciprocity.—Clarity.

A commentator noted an inconsistency between Subsections (a) and (b). As written, the first subsection would allow a person without a National Board commission to obtain a reciprocal commission in Pennsylvania. However, Subsection (b) requires an applicant for reciprocal commission to submit a copy of his National Board commission. This inconsistency should be corrected in the final-form regulation.

6. Section 3a.24. Boiler controls.—Implementation procedure; Clarity.

The effective date of this section is not stated. It is unclear whether this section applies to boilers installed before effective dates of the national standards or this regulation. The effective date for this section should be specified in the final-form regulation.

7. Section 3a.26. Valves and safety devices.—Clarity.

Subsection (a) refers to § 3a.152 (relating to safety appliances) which is located in a different Subchapter that sets forth rules for unfired pressure vessels installed before September 1, 1937. It is our understanding that the intent of the Department is to have the safety requirements in § 3a.152 apply to all boilers and vessels not just those installed in and before 1937. For this reason, we suggest that the substantive provisions of § 3a.152 be moved to Subchapter B relating to requirements for boilers and unfired pressure vessels. The appropriate cross-reference can be placed in § 3a.152 to insure that the substantive requirements are also applied to the older units.

8. Section 3a.37. Special design.—Clarity.

Subsection (a) reads:

(a) The owner or user of a new boiler or unfired pressure vessel having unusual features of special design intended for installation and operation in this Commonwealth *may* submit all of the following to the Department for approval:

(1) *Duplicate* complete specifications. [Emphasis added.]

There are two concerns. First, there appears to be a conflict between this section and its description in the preamble. According to the preamble, this section “requires owners and operators to submit construction specifications and plans for Department approval prior to the installation” However, the first paragraph of this section uses the word “may” rather than “shall.” The use of the word “may” implies that the provision is optional for owners or users of units with unusual features of special design. The proposed regulation needs to be clear

in stating that owners or users must submit the required information to the Department.

Second, it is unclear what is meant by the phrase “duplicate complete specifications.” It is our understanding that one copy of the complete manufacturer’s specifications is needed by the Department. These items should be clarified in the final-form regulation.

9. Section 3a.81. Major repairs and alterations.—Reasonableness; Clarity.

This section describes the procedures and requirements for repairs to a boiler or unfired pressure vessel. Subsection (b) states that a manufacturer or repair company may not perform certain repairs without holding an “R” stamp. However, subsection (c) includes the following sentences:

A manufacturer holding the appropriate ASME Code stamp may alter a boiler or vessel. A manufacturer holding an ASNI/NB 23 “R” stamp may perform alterations to other vessels.

These two sentences appear to limit alterations or repairs to manufacturers who hold the appropriate ASME or “R” stamp. We acknowledge that anyone who makes repairs or alterations should hold the appropriate stamp. But, is it the Department’s intent to limit alterations or repairs to manufacturers, or can a repair company or anyone with the appropriate stamp also make alterations? If anyone with the appropriate ASME or “R” stamp can make alterations and repairs, this should be clearly stated in the final-form regulation.

In addition, a typographical error is repeated in subsections (b) and (c). Both use the acronym “ASNI/NB 23” which should be “ANSI/NB 23.” The later term is defined in Section 3a.1 as the “National Board Inspection Code, 2001 edition, issued by the National Board of Boiler and Pressure Vessel Inspectors.” The term “ANSI” is defined in Section 3a.1 as the “American National Standards Institute.” The error should be corrected in the final-form regulation.

10. Section 3a.93. Insurance notification.—Reasonableness; Implementation procedure; Need; Clarity.

A commentator questioned the practicality of this requirement since many users of boilers are unaware of insurance changes that occur at the corporate level. We question the need for and effectiveness of this section. The Act is silent concerning this type of notice requirement. The Department should explain how it would use this information or delete the provision from the final-form regulation.

11. Section 3a.94. Accident notification.—Reasonableness; Consistency with statute; Clarity.

Subsection (a) refers to section 16 of the Act and mirrors the statutory directive that an owner or user must “immediately notify” the Department of an accident. We have three concerns.

First, Section 16 of the Act includes the word “operator” among those who must notify the Department. Rather than limit the contact to the owner or user, this subsection should fully reflect the Act by including the term “operator.”

Second, if the Department interprets “immediately notify” as within 24 hours, this specific standard should be in the regulation.

Third, the final-form regulation should include a number or title for the “Department prescribed form” and indicate where and how owners, users or operators can obtain copies of the form. For example, will it be available on the Department’s website?

12. Section 3a.96. Condemnation.—Clarity.

In Subsections (a) and (b), it is unclear whether the “XX” will cover over or be above the existing stamping from the Commonwealth or National Board. If the “XX” are to cover over the existing stamping, this needs to be expressly stated in the final-form regulation.

The second sentence of subsection (b) is missing the word “be” between the words “will” and “at least.” This correction should be made in the final-form regulation.

13. Section 3a.100. Notice of deficiency.—Reasonableness; Implementation procedure; Clarity.

Subsection (a)(2) includes this sentence: “The Department may inspect the boiler or unfired pressure vessel to verify the corrective action or repair.” Are there specific circumstances in which the Department will conduct an inspection? If so, the circumstances in which an inspection will occur for any provision in this section should be described in the final-form regulation.

14. Section 3a.111. Field inspections.—Reasonableness; Implementation procedure; Clarity.

This section gives the impression that the Department will be conducting all inspections. However, this is not the case. Field inspections may also be conducted by insurance inspectors. This section should be changed in the final-form regulation to reflect this fact.

Subsections (d) and (h) state, “an inspector may require an internal inspection because of a vessel’s age or condition.” Department staff members indicate that the inspector will notify the operator, owner or user of the need for an internal inspection verbally during the external inspection or later in writing. This notification process should be described in the final-form regulation.

15. Subchapter H. Special Installations.—Implementation procedure; Clarity.

This subchapter includes 11 sections (§§ 3a.161—3a.171). These sections set forth the applicable national standards and other requirements for different types of equipment which include:

Modular boilers;
 Portable boilers;
 Fired coil water heaters and instantaneous water heaters;
 Storage water heaters;
 Steam/hot water coil storage water heater;
 Miniature boilers and kitchen equipment;
 Hot water/steam heat exchangers;
 Autoclaves and quick opening vessels;
 Fuel trains and piping systems;
 Swimming pool heaters; and
 Locomotive boilers.

Only one of these sections (§ 3a.168 relating to autoclaves and quick opening vessels) specifically mentions inspectors. Subchapter D includes specific provisions on inspections but does not reference Subchapter H or the equipment types in Subchapter H. Hence, it is unclear what, if any, inspection requirements apply to Subchapter H beyond what is expressly mentioned in § 3a.168. The

inspection requirements for this subchapter should be included in the final-form regulation.

[Pa.B. Doc. No. 05-107. Filed for public inspection January 14, 2005, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Stephen Joseph Puth; Doc. No. SC04-12-021

Notice is hereby given of the Order to Show Cause issued on December 17, 2004, by the Deputy Insurance Commissioner in the previously referenced matter. Violation of the following is alleged: 40 P. S. § 310.11.

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency ADA Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-108. Filed for public inspection January 14, 2005, 9:00 a.m.]

Farmer’s Service Station; Prehearing

Appeal of Farmer’s Service Station under the Storage Tank and Spill Prevention Act Underground Storage Tank Indemnification Fund; USTIF File No. 04-110(M); Doc. No. UT04-12-018

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on February 4, 2005, at 10:30 a.m. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102 on or before January 21, 2005. Answers to petitions to intervene, if any, shall be filed on or before January 28, 2005.

A date for a hearing shall be determined, if necessary, at the prehearing telephone conference.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-109. Filed for public inspection January 14, 2005, 9:00 a.m.]

Keystone Health Plan East; Community Rate Filing; Base and Prescription Drugs; Rate Filing

On December 21, 2004, Keystone Health Plan East submitted a base rate filing for the medical and pharmacy plans requesting a rate increase of 16.9% for Base HMO and 11.0% for prescription drug products. The filing will affect 317,000 contracts in medical plans and 242,000 contracts in prescription drug plans. The annualized additional revenue from the proposed rate increases is approximately \$285 million. An effective date of April 1, 2005, is requested.

Unless formal administrative action is taken prior to February 4, 2005, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Department's regional offices in Harrisburg and Philadelphia.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Insurance Department, Bureau of Accident and Health Insurance, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120 within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-110. Filed for public inspection January 14, 2005, 9:00 a.m.]

William G. Kussmaul, III, M.D. and Mark F. Victor, M.D.; Prehearing

Appeal of William G. Kussmaul, III, M.D. and Mark F. Victor, M.D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. Nos. MM04-12-019 and MM04-12-020; Consolidated Doc. No. MM04-12-019

On or before January 25, 2005, the appellants shall file a concise statement setting forth the factual and/or legal

basis for their disagreement with MCARE's determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for February 15, 2005, at 10 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before January 20, 2005. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before February 8, 2005, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before February 14, 2005.

Persons with a disability, who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-111. Filed for public inspection January 14, 2005, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Timothy McIntosh; file no. 04-181-10921; Erie Insurance Exchange; doc. no. P04-12-003; February 23, 2005, 10 a.m.

The following hearings will be held in the Philadelphia Regional Office, Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Theresa M. Laws; file no. 04-265-04255; Liberty Mutual Insurance Company; doc. no. PH04-12-010; February 17, 2005, 10 a.m.

Appeal of Nicole Lloyd; file no. 04 267 02175; Geico Insurance Company; doc. no. PH04-12-013; February 17, 2005, 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-112. Filed for public inspection January 14, 2005, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under subsection (b) or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Administrative Circular No. 04-27—Mailing Address Change—Commonwealth Media Services, Photographic Services, Dated December 9, 2004.

Administrative Circular No. 04-28—State Civil Service Commission Monthly Meetings, Dated December 20, 2004.

MARY JANE PHELPS,
Director
Pennsylvania Bulletin and Code

[Pa.B. Doc. No. 05-113. Filed for public inspection January 14, 2005, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Philadelphia County, Wine & Spirits Shoppe #5149, Market Street, Philadelphia, PA 19104.

Lease Expiration Date: June 30, 2006

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 6,000 net useable square feet of new or existing retail commercial space within the intersection of 44th and Market Street, Philadelphia.

Proposals due: February 4, 2005, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: James M. Bradley, (215) 482-9671

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 05-114. Filed for public inspection January 14, 2005, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's 11 member board on Monday, February 7, 2005, at 10 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HACC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

ALAN B.K. RABINOWITZ,
Administrator

[Pa.B. Doc. No. 05-115. Filed for public inspection January 14, 2005, 9:00 a.m.]

**PENNSYLVANIA
INFRASTRUCTURE
INVESTMENT AUTHORITY
AND
DEPARTMENT OF
ENVIRONMENTAL
PROTECTION**

**Drinking Water State Revolving Fund; Federal FY
2004 and 2005 Project Priority List**

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have amended the combined Federal fiscal year (FY) 2004/2005 Drinking Water State Revolving Fund (DWSRF) Project Priority List (List) of drinking water projects.

The FY 2004/2005 List was prepared in conformance with the requirements of the Safe Drinking Water Act Amendments of 1996 (act) and Federal guidance. The act stipulates that states must maintain a Project Priority List of drinking water projects from which to develop the annual DWSRF Intended Use Plan (IUP) list of projects to be funded.

The projects added to the List will not replace any project on the previously published FY 2004/2005 List. Projects were placed in the appropriate ranking slot in relation to other rated and ranked projects on the List. The rank order standing of projects on the List does not dictate the order in which projects are chosen for funding in the DWSRF program. A project's readiness to proceed and the reasonable availability of alternative sources of funds have a bearing on project selection for funding in the program.

Some projects added to the FY 2004/2005 List are expected to proceed to construction in the near future, and others are being added as potential projects for future construction loan consideration. The projects expected to be ready for loan funding in the near future have submitted applications for funding and may be placed on an IUP to (1) replace projects that have not proceeded timely toward initiation of project construction and/or (2) to fill funding gaps that have developed as a result of cost savings. Projects removed from an IUP will remain on the List and be considered for DWSRF loan funds in the future.

Interested persons are invited to express their views on the priority rating or ranking of projects on the amended FY 2004/2005 List. Persons wishing to offer comments should submit them in writing to the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply and Wastewater Management, 10th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, (717) 787-6744 or amaisano@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Tony Maisano as noted previously or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

A copy of the amended FY 2004/2005 Project Priority List that shows all drinking water projects in priority and ranked order follows this notice and is available for public review in the offices listed below. This list is also accessible electronically through the Department's website:

www.dep.state.pa.us/dep/deputate/watermgt/WSM/WSM_TAO/Finan_Tech_Asst.htm.

DEP—Southeast Region:
Water Supply Program Manager
2 East Main Street
Norristown, PA 19401
(484) 250-5980

DEP—Northeast Region:
Water Supply Program Manager
2 Public Square
Wilkes-Barre, PA 18711-0790
(570) 826-2511

DEP—Southcentral Region:
Water Supply Program Manager
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4708

DEP—Northcentral Region:
Water Supply Program Manager
208 West 3rd Street
Williamsport, PA 17701
(570) 327-3675

DEP—Southwest Region:
Water Supply Program Manager
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4217

DEP—Northwest Region:
Water Supply Program Manager
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6899

DEP—Bureau of Water Supply and Wastewater Management
Division of Municipal Financial Assistance
Administrative Services Section
10th Floor, Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
(717) 787-6744

PENNVEST
22 S. Third Street
4th Floor, Keystone Building
Harrisburg, PA 17101
(717) 787-8137

KATHLEEN A. MCGINTY,
Secretary
Department of Environmental Protection
Vice-Chairperson
Pennsylvania Infrastructure Investment Authority
PAUL K. MARCHETTI,
Executive Director
Pennsylvania Infrastructure Investment Authority

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
DRINKING WATER STATE REVOLVING FUND
FY 2004 - 2005 AMENDED PROJECT PRIORITY LIST**

JANUARY 15, 2005

| | | |
|--|--|--|
| APPLICANT: SCHUYLKILL HAVEN BOROUGH STREET: 12 WEST MAIN STREET CITY: SCHUYLKILL HAVEN, PA 17972 COUNTY: SCHUYLKILL | REGION: WILKES-BARRE PWSID: 3540041 IUP YEAR: 2004 MTGDATE: 11/17/2004 | PROJECT RATING: 75 PROJRANK: 1 PROJECT COST: \$4,350,000 PROJECT TYPE: TREAT, WS, DS |
| APPLICANT: AQUA PA (SHICKSHINNY) STREET: 26 MAIN ROAD CITY: SHICKSHINNY, PA 18655 COUNTY: LUZERNE | REGION: WILKES-BARRE PWSID: 2400029 IUP YEAR: 2003 MTGDATE: 11/20/2002 | PROJECT RATING: 72 PROJRANK: 2 PROJECT COST: \$321,522 PROJECT TYPE: TRANS, TREAT, WS, DS |
| APPLICANT: NELSON TOWNSHIP AUTH. STREET: P. O. BOX 100 CITY: NELSON, PA 16940 COUNTY: TIOGA | REGION: WILLIAMSPORT PWSID: 2590051 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 70 PROJRANK: 3 PROJECT COST: \$819,410 PROJECT TYPE: WS, TREAT, DS |
| APPLICANT: AQUA PA (TAFTON) STREET: 762 LANCASTER AVE. CITY: BRYN MAWR, PA 19010 COUNTY: PIKE | REGION: WILKES-BARRE PWSID: 2520061 IUP YEAR: 2003 MTGDATE: 7/17/2002 | PROJECT RATING: 70 PROJRANK: 4 PROJECT COST: \$1,093,000 PROJECT TYPE: SRC, TREAT, TRANS, WS, |
| APPLICANT: PA AMERICAN WC (MOSHANNON) STREET: P. O. BOX 707 CITY: PHILLIPSBURG, PA 16866 COUNTY: CENTRE/CLEARFIELD | REGION: WILLIAMSPORT PWSID: 4140087 IUP YEAR: 2002 MTGDATE: 3/21/2001 | PROJECT RATING: 70 PROJRANK: 5 PROJECT COST: \$7,000,000 PROJECT TYPE: SRC, TRANS, TREAT, WS, |
| APPLICANT: SPRING TOWNSHIP AUTHORITY STREET: 1309 BLANCHARD STREET CITY: BELLEFONTE, PA 16823 COUNTY: CENTRE | REGION: WILLIAMSPORT PWSID: 4140118 IUP YEAR: State Funds MTGDATE: 11/19/2003 | PROJECT RATING: 68 PROJRANK: 6 PROJECT COST: \$2,305,355 PROJECT TYPE: SRC, TREAT, TRAN, WS |
| APPLICANT: AQUA PA (WHITE ROCK) STREET: 1369 SWOPE DRIVE CITY: BOILING SPRINGS, PA 17007 COUNTY: CUMBERLAND | REGION: HARRISBURG PWSID: 7210048 IUP YEAR: 2005 MTGDATE: 11/17/2004 | PROJECT RATING: 68 PROJRANK: 7 PROJECT COST: \$677,839 PROJECT TYPE: WS |
| APPLICANT: NEWPORT BOROUGH WATER AUTHORITY STREET: 231 MARKET STREET CITY: NEWPORT, PA 17074 COUNTY: PERRY | REGION: HARRISBURG PWSID: 7500022 IUP YEAR: State Funds MTGDATE: | PROJECT RATING: 67 PROJRANK: 8 PROJECT COST: \$3,750,000 PROJECT TYPE: SRC, TRANS, TREAT, WS |
| APPLICANT: NEW ENTERPRISE WATER ASSOCIATION STREET: BOX 96 CITY: NEW ENTERPRISE, PA 16664 COUNTY: BEDFORD | REGION: HARRISBURG PWSID: 4050033 IUP YEAR: 2003 MTGDATE: 7/17/2002 | PROJECT RATING: 66 PROJRANK: 9 PROJECT COST: \$1,450,000 PROJECT TYPE: TRANS, WS, DS |
| APPLICANT: RIVERBY CORP (RIVERSEDGE) STREET: 112 N. COURTLAND STREET CITY: EAST STROUDSBURG, PA 18301 COUNTY: NORTHAMPTON | REGION: WILKES-BARRE PWSID: 3480035 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 63 PROJRANK: 10 PROJECT COST: \$101,500 PROJECT TYPE: SRC, TREAT, WS |

| | | |
|---|--|---|
| APPLICANT: COUDERSPORT BOROUGH AUTHORITY STREET: 201 SOUTH WEST STREET CITY: COUDERSPORT, PA 16915 COUNTY: POTTER | REGION: WILLIAMSPORT PWSID: 6530009 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 57 PROJRANK: 11 PROJECT COST: \$10,782,491 PROJECT TYPE: TREAT, WS, DIST |
| APPLICANT: MANHEIM BOROUGH AUTHORITY STREET: 15 East High Street CITY: MANHEIM, PA 17545 COUNTY: LANCASTER | REGION: HARRISBURG PWSID: 7360078 IUP YEAR: 2003 MTGDATE: 11/20/2002 | PROJECT RATING: 56 PROJRANK: 12 PROJECT COST: \$1,300,000 PROJECT TYPE: TREAT |
| APPLICANT: KENNEDY MOBILE HOME PARK STREET: P. O. BOX 226 CITY: SLIPPERY ROCK, PA 16057 COUNTY: BUTLER | REGION: MEADVILLE PWSID: 5100044 IUP YEAR: 2003 MTGDATE: 7/17/2002 | PROJECT RATING: 56 PROJRANK: 13 PROJECT COST: \$43,812 PROJECT TYPE: TRANS, DS |
| APPLICANT: ANSONVILLE WATER COMPANY STREET: R. D. 1 BOX 79 CITY: IRVONA, PA 16656 COUNTY: CLEARFIELD | REGION: WILLIAMSPORT PWSID: 6170003 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 56 PROJRANK: 14 PROJECT COST: \$152,100 PROJECT TYPE: SRC |
| APPLICANT: PAQUA PA (MEYERS). STREET: 762 LANCASTER AVE. CITY: BRYN MAWR, PA 19010 COUNTY: MONTGOMERY | REGION: CONSHOCKEN PWSID: 1460073 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 55 PROJRANK: 15 PROJECT COST: \$883,025 PROJECT TYPE: TREAT |
| APPLICANT: HAZLE HURST WATER COMPANY STREET: P. O. BOX 195 CITY: HAZEL HURST, PA 16733 COUNTY: MCKEAN | REGION: MEADVILLE PWSID: 6420017 IUP YEAR: State Funds MTGDATE: 11/20/2002 | PROJECT RATING: 55 PROJRANK: 16 PROJECT COST: \$883,850 PROJECT TYPE: |
| APPLICANT: CALLENSBURG BOROUGH STREET: P. O. BOX 24 CITY: CALLENSBURG, PA 16213 COUNTY: CLARION | REGION: MEADVILLE PWSID: IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 50 PROJRANK: 17 PROJECT COST: \$1,500,000 PROJECT TYPE: DS |
| APPLICANT: AQUA PA (MIDWAY MANOR) STREET: 762 LANCASTER AVE. CITY: BRYN MAWR, PA 19010 COUNTY: LUZERNE | REGION: WILKES-BARRE PWSID: 2400104 IUP YEAR: 2005 MTGDATE: 11/17/2004 | PROJECT RATING: 50 PROJRANK: 18 PROJECT COST: \$2,611,380 PROJECT TYPE: WS, TRANS, SRC |
| APPLICANT: AQUA PA (NORTHEAST) STREET: 762 LANCASTER AVE. CITY: BRYN MAWR, PA 19010 COUNTY: LACKAWANNA, MONROE, | REGION: WILKES-BARRE PWSID: 2660036 IUP YEAR: 2004 MTGDATE: 11/19/2003 | PROJECT RATING: 50 PROJRANK: 19 PROJECT COST: \$1,901,700 PROJECT TYPE: DS |
| APPLICANT: GREENFIELD TWP MUN. AUTH. STREET: R. D. 1, BOX 948 CITY: CLAYSBURG, PA 16625 COUNTY: BLAIR | REGION: HARRISBURG PWSID: 4070058 IUP YEAR: State Funds MTGDATE: 7/18/2001 | PROJECT RATING: 50 PROJRANK: 20 PROJECT COST: \$7,294,000 PROJECT TYPE: TREAT, WS, DS, OTHER |
| APPLICANT: LIMESTONE TOWNSHIP GENERAL AUTH. STREET: 161 GAHAGEN ROAD CITY: FAIRMONT CITY, PA 16224 COUNTY: CLARION | REGION: MEADVILLE PWSID: IUP YEAR: State Funds MTGDATE: 7/7/2004 | PROJECT RATING: 48 PROJRANK: 21 PROJECT COST: \$8,059,500 PROJECT TYPE: WS, DIST |

| | | |
|--|--|---|
| APPLICANT: FAIRCHANCE BOROUGH STREET: 125 WEST CHURCH STREET CITY: FAIRCHANCE, PA 15436 COUNTY: FAYETTE | REGION: PITTSBURGH PWSID: 5260007 IUP YEAR: State Funds MTGDATE: 11/20/2002 | PROJECT RATING: 48 PROJRANK: 22 PROJECT COST: \$662,930 PROJECT TYPE: SRC, TRANS |
| APPLICANT: PA AMERICAN WC (BUTLER) STREET: 2736 ELLWOOD ROAD CITY: NEW CASTLE, PA 16101 COUNTY: BUTLER | REGION: MEADVILLE PWSID: 6370011 IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 45 PROJRANK: 23 PROJECT COST: \$4,200,000 PROJECT TYPE: DS |
| APPLICANT: BARKEYVILLE MUNICIPAL AUTHORITY STREET: R. D. 1 CITY: HARRISVILLE, PA 16038 COUNTY: VENANGO | REGION: MEADVILLE PWSID: 6610036 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 45 PROJRANK: 24 PROJECT COST: \$1,356,600 PROJECT TYPE: SRC, TREAT, DS |
| APPLICANT: EAST GREENVILLE BOROUGH STREET: BOX 128 CITY: EAST GREENVILLE, PA 18041 COUNTY: MONTGOMERY | REGION: CONSHOCKEN PWSID: 1460023 IUP YEAR: State Funds MTGDATE: 11/19/2003 | PROJECT RATING: 45 PROJRANK: 25 PROJECT COST: \$5,232,700 PROJECT TYPE: SRC, TRANS, TREAT, WS, D |
| APPLICANT: INDIANA COUNTY MSA STREET: P. O. BOX 351 CITY: INDIANA, PA 15701 COUNTY: INDIANA | REGION: PITTSBURGH PWSID: 5320106 IUP YEAR: 2005 MTGDATE: 11/17/2004 | PROJECT RATING: 43 PROJRANK: 26 PROJECT COST: \$11,714,350 PROJECT TYPE: TREAT |
| APPLICANT: GARRETT BOROUGH STREET: P. O. BOX 218 CITY: GARRETT, PA 15542 COUNTY: SOMERSET | REGION: PITTSBURGH PWSID: 4560035 IUP YEAR: State Funds MTGDATE: 3/20/2002 | PROJECT RATING: 43 PROJRANK: 27 PROJECT COST: \$650,000 PROJECT TYPE: DS |
| APPLICANT: PA AMERICAN WC (CLARION) STREET: 1786 ROUTE 286 SOUTH CITY: INDIANA, PA 15701 COUNTY: CLARION | REGION: MEADVILLE PWSID: 6160001 IUP YEAR: 2002T MTGDATE: 11/14/2001 | PROJECT RATING: 43 PROJRANK: 28 PROJECT COST: \$18,671,000 PROJECT TYPE: TRANS, TREAT, WS, DS |
| APPLICANT: FALLS CREEK BOROUGH MUNICIPAL STREET: 117 TAYLOR AVE. CITY: FALLS CREEK, PA 15840 COUNTY: JEFFERSON | REGION: MEADVILLE PWSID: 6330007 IUP YEAR: State Funds MTGDATE: 11/20/2002 | PROJECT RATING: 40 PROJRANK: 29 PROJECT COST: \$3,450,000 PROJECT TYPE: WS, DS |
| APPLICANT: NORTHERN CAMBRIA MUNICIPAL AUTHORITY STREET: 1202 PHILADELPHIA AVE. CITY: NORTHERN CAMBRIA, PA 15714 COUNTY: CAMBRIA | REGION: PITTSBURGH PWSID: 4110003 IUP YEAR: State Funds MTGDATE: 11/19/2003 | PROJECT RATING: 40 PROJRANK: 30 PROJECT COST: \$8,500,000 PROJECT TYPE: DS, TREAT, SRC |
| APPLICANT: BLYTHE TOWNSHIP MUNICIPAL AUTHORITY STREET: 375 VALLEY STREET CITY: NEW PHILADELPHIA, PA 17959 COUNTY: SCHUYLKILL | REGION: WILKES-BARRE PWSID: 3540017 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 40 PROJRANK: 31 PROJECT COST: \$1,576,862 PROJECT TYPE: SRC, TRANS |

| | | |
|--|--|--|
| APPLICANT: CLEARFIELD MUN AUTH STREET: 107 EAST MARKET STREET CITY: CLEARFIELD, PA 16830 COUNTY: CLEARFIELD | REGION: WILLIAMSPORT PWSID: 6170008 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 40 PROJRANK: 32 PROJECT COST: \$725,000 PROJECT TYPE: DS, WS |
| APPLICANT: GRAHAM TOWNSHIP STREET: MR DINANT BOX 413-A CITY: MORRISDALE, PA 16858 COUNTY: CLEARFIELD | REGION: WILLIAMSPORT PWSID: 6170029 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 38 PROJRANK: 33 PROJECT COST: \$530,000 PROJECT TYPE: DS |
| APPLICANT: WESTMORELAND COUNTY MA STREET: P. O. BOX 730 CITY: GREENSBURG, PA 15601 COUNTY: WESTMORELAND | REGION: PITTSBURGH PWSID: 5650032 IUP YEAR: 2005 MTGDATE: 7/7/2004 | PROJECT RATING: 38 PROJRANK: 34 PROJECT COST: \$101,090 PROJECT TYPE: DS |
| APPLICANT: PETERSBURG BORO AUTH STREET: P. O. BOX 257 CITY: PETERSBURG, PA 16669 COUNTY: HUNTINGDON | REGION: HARRISBURG PWSID: 4310019 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 38 PROJRANK: 35 PROJECT COST: \$1,200,000 PROJECT TYPE: WS |
| APPLICANT: MONACA BOROUGH STREET: 928 PENNSYLVANIA AVENUE CITY: MONACA, PA 15061 COUNTY: BEAVER | REGION: PITTSBURGH PWSID: 5040039 IUP YEAR: 2004 MTGDATE: 11/19/2003 | PROJECT RATING: 38 PROJRANK: 36 PROJECT COST: \$1,997,800 PROJECT TYPE: DS |
| APPLICANT: PITTSBURGH WATER AND SEWER AUTHORITY STREET: 441 SMITHFIELD ST. CITY: PITTSBURGH, PA 15222 COUNTY: ALLEGHENY | REGION: PITTSBURGH PWSID: 5020038 IUP YEAR: 2004 MTGDATE: 11/19/2003 | PROJECT RATING: 38 PROJRANK: 37 PROJECT COST: \$3,472,500 PROJECT TYPE: DS |
| APPLICANT: HEGINS-HUBLEY JOINT AUTHORITY STREET: 915 W. MAPLE STREET CITY: VALLEY VIEW, PA 17983 COUNTY: SCHUYLKILL & DAUPHIN | REGION: WILKES-BARRE PWSID: 3540047 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 38 PROJRANK: 38 PROJECT COST: \$1,188,763 PROJECT TYPE: DS |
| APPLICANT: SOUTHWESTERN PENNSYLVANIA WATER STREET: GREENE/ WASHINGTON STS. POB187 CITY: JEFFERSON, PA 15344 COUNTY: GREENE | REGION: PITTSBURGH PWSID: 5260024 IUP YEAR: 2004 MTGDATE: 11/19/2003 | PROJECT RATING: 37 PROJRANK: 39 PROJECT COST: \$5,486,000 PROJECT TYPE: WS, DS |
| APPLICANT: OIL CITY, CITY OF STREET: 21 SENECA STREET CITY: OIL CITY, PA 16301 COUNTY: VENANGO | REGION: MEADVILLE PWSID: 6610023 IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 37 PROJRANK: 40 PROJECT COST: \$4,718,623 PROJECT TYPE: TREAT, DS |
| APPLICANT: HARMONY BOROUGH WATER AUTHORITY STREET: 217 MERCER STREET CITY: HARMONY, PA 16037 COUNTY: BUTLER | REGION: MEADVILLE PWSID: 5100042 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 36 PROJRANK: 41 PROJECT COST: \$140,000 PROJECT TYPE: DIST |

| | | |
|--|--|---|
| APPLICANT: REDBANK VALLEY MUNICIPAL AUTHORITY STREET: 212 LAFAYETTE ST. CITY: NEW BETHLEHEM, PA 16242 COUNTY: CLARION | REGION: MEADVILLE PWSID: 6160010 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 36 PROJRANK: 42 PROJECT COST: \$626,500 PROJECT TYPE: DIST |
| APPLICANT: EBENSBURG, MA OF THE BOROUGH OF STREET: P. O. BOX 387 CITY: EBENSBURG, PA 15931 COUNTY: CAMBRIA | REGION: PITTSBURGH PWSID: 4110009 IUP YEAR: 2004 MTGDATE: 11/19/2003 | PROJECT RATING: 35 PROJRANK: 43 PROJECT COST: \$4,300,000 PROJECT TYPE: TRANS, WS, DS |
| APPLICANT: BERLIN BOROUGH MA STREET: 700 NORTH STREET, P. O. BOX 115 CITY: BERLIN, PA 15530 COUNTY: SOMERSET | REGION: PITTSBURGH PWSID: 4560029 IUP YEAR: 2005 MTGDATE: 7/7/2004 | PROJECT RATING: 35 PROJRANK: 44 PROJECT COST: \$1,556,000 PROJECT TYPE: WS, DS |
| APPLICANT: RURAL VALLEY BOROUGH STREET: MAIN STREET CITY: RURAL VALLEY, PA 16249 COUNTY: ARMSTRONG | REGION: PITTSBURGH PWSID: 5030012 IUP YEAR: State Funds MTGDATE: 3/20/2002 | PROJECT RATING: 33 PROJRANK: 45 PROJECT COST: \$2,402,000 PROJECT TYPE: SRC, TREAT, WS, DS |
| APPLICANT: CHARLEROI, AUTH. OF THE BORO. OF STREET: 325 MCKEAN AVE, P.O. BOX 211 CITY: CHARLEROI, PA 15022 COUNTY: WASHINGTON & | REGION: PITTSBURGH PWSID: 5630039 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 33 PROJRANK: 46 PROJECT COST: \$8,907,000 PROJECT TYPE: TREAT |
| APPLICANT: PATTON MUNICIPAL AUTHORITY STREET: P. O. BOX 175 CITY: PATTON, PA 16668 COUNTY: CAMBRIA | REGION: PITTSBURGH PWSID: 4110024 IUP YEAR: State Funds MTGDATE: 11/19/2003 | PROJECT RATING: 33 PROJRANK: 47 PROJECT COST: \$2,760,000 PROJECT TYPE: TREAT, DS |
| APPLICANT: FREDONIA BOROUGH STREET: 211 WATER STREET CITY: FREDONIA, PA 16124 COUNTY: MERCER | REGION: MEADVILLE PWSID: 6430036 IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 31 PROJRANK: 48 PROJECT COST: \$386,000 PROJECT TYPE: SRC, WS |
| APPLICANT: AQUA PA (NESHAMINY) STREET: 762 LANCASTER AVE. CITY: BRYN MAWR, PA 19010 COUNTY: BUCKS | REGION: CONSHOCKEN PWSID: 1460073 IUP YEAR: 2002 MTGDATE: 7/17/2002 | PROJECT RATING: 31 PROJRANK: 49 PROJECT COST: \$4,562,625 PROJECT TYPE: TRANS, WS |
| APPLICANT: AKRON BOROUGH STREET: 820 MAIN STREET CITY: AKRON, PA 17501 COUNTY: LANCASTER | REGION: HARRISBURG PWSID: 7360128 IUP YEAR: 2005 MTGDATE: 7/7/2004 | PROJECT RATING: 30 PROJRANK: 50 PROJECT COST: \$662,000 PROJECT TYPE: TREAT |
| APPLICANT: BENTLEYVILLE MUNICIPAL AUTHORITY STREET: 513 MAIN STREET CITY: BENTLEYVILLE, PA 15314 COUNTY: WASHINGTON | REGION: PITTSBURGH PWSID: 5630030 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 30 PROJRANK: 51 PROJECT COST: \$202,200 PROJECT TYPE: DS |
| APPLICANT: CONEMAUGH TOWNSHIP MUN. AUTHORITY STREET: BOX 13, R. D. 3 CITY: HOLLISOPPLE, PA 15935 COUNTY: SOMERSET | REGION: PITTSBURGH PWSID: 4560048 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 30 PROJRANK: 52 PROJECT COST: \$1,497,250 PROJECT TYPE: DS |

| | | |
|--|--|--|
| APPLICANT: WESTMORELAND COUNTY MA STREET: P. O. BOX 730 CITY: GREENSBURG, PA 15601 COUNTY: WESTMORELAND | REGION: PITTSBURGH PWSID: 5650032 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 30 PROJRANK: 53 PROJECT COST: \$742,000 PROJECT TYPE: DS |
| APPLICANT: PITTSBURGH WATER AND SEWER AUTHORITY STREET: 441 SMITHFIELD ST. CITY: PITTSBURGH, PA 15222 COUNTY: ALLEGHENY | REGION: PITTSBURGH PWSID: 5020038 IUP YEAR: State Funds MTGDATE: 7/17/2002 | PROJECT RATING: 30 PROJRANK: 54 PROJECT COST: \$4,821,500 PROJECT TYPE: TRANS, DS |
| APPLICANT: NEW WILMINGTON BOROUGH WATER DEPT. STREET: 140 WEST NESHANNOCK AVE. CITY: NEW WILMINGTON, PA 16142 COUNTY: | REGION: MEADVILLE PWSID: 6370035 IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 30 PROJRANK: 55 PROJECT COST: \$1,700,000 PROJECT TYPE: DS, WS |
| APPLICANT: CHERRY TREE BOROUGH MA STREET: P. O. BOX 155 CITY: CHERRY TREE, PA 15724 COUNTY: INDIANA | REGION: PITTSBURGH PWSID: 5320007 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 30 PROJRANK: 56 PROJECT COST: \$1,155,870 PROJECT TYPE: |
| APPLICANT: WINDSOR BOROUGH COUNCIL STREET: 2 WEST MAIN ST, P. O. BOX 190 CITY: WINDSOR, PA 17366 COUNTY: YORK | REGION: HARRISBURG PWSID: 7670065 IUP YEAR: 2004 MTGDATE: 7/23/2003 | PROJECT RATING: 30 PROJRANK: 57 PROJECT COST: \$614,394 PROJECT TYPE: DS |
| APPLICANT: BCI MA STREET: P. O. BOX 388 CITY: IRVONA, PA 16656 COUNTY: CLEARFIELD | REGION: WILLIAMSPORT PWSID: 6170009 IUP YEAR: 2005 MTGDATE: 7/7/2004 | PROJECT RATING: 28 PROJRANK: 58 PROJECT COST: \$390,000 PROJECT TYPE: DS |
| APPLICANT: BLACKLICK VALLEY MUNICIPAL AUTHORITY STREET: P. O. BOX 272 CITY: TWIN ROCKS, PA 15960 COUNTY: CAMBRIA | REGION: PITTSBURGH PWSID: 4110077 IUP YEAR: State Funds MTGDATE: 7/17/2002 | PROJECT RATING: 28 PROJRANK: 59 PROJECT COST: \$2,700,000 PROJECT TYPE: WS, TRANS, DS |
| APPLICANT: TRI-COUNTY JOINT MUNICIPAL AUTHORITY STREET: BOX 758 CITY: FREDERICKTOWN, PA 15333 COUNTY: WASHINGTON | REGION: PITTSBURGH PWSID: 5630045 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 28 PROJRANK: 60 PROJECT COST: \$390,000 PROJECT TYPE: DIST |
| APPLICANT: ELIZABETHVILLE AREA AUTHORITY STREET: R. D. 1, BOX 20 CITY: ELIZABETHVILLE, PA 17023 COUNTY: DAUPHIN | REGION: HARRISBURG PWSID: 7220003 IUP YEAR: State Funds MTGDATE: 7/17/2002 | PROJECT RATING: 28 PROJRANK: 61 PROJECT COST: \$600,000 PROJECT TYPE: DS |
| APPLICANT: LAPORTE BORO. STREET: P. O. BOX 125 CITY: LAPORTE, PA 18626 COUNTY: SULLIVAN | REGION: WILLIAMSPORT PWSID: 2570004 IUP YEAR: 2003 MTGDATE: 11/15/2000 | PROJECT RATING: 27 PROJRANK: 62 PROJECT COST: \$457,850 PROJECT TYPE: SRC, TRANS, TREAT, DS |

| | | |
|--|--|--|
| APPLICANT: SHALER TOWNSHIP STREET: 300 WETZEL ROAD CITY: GLENSHAW, PA 15116 COUNTY: ALLEGHENY | REGION: PITTSBURGH PWSID: 5020019 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 26 PROJRANK: 63 PROJECT COST: \$3,355,500 PROJECT TYPE: WS |
| APPLICANT: WESTMORELAND COUNTY MA STREET: P. O. BOX 730 CITY: GREENSBURG, PA 15601 COUNTY: WESTMORELAND | REGION: PITTSBURGH PWSID: 5650032 IUP YEAR: State Funds MTGDATE: 3/24/2004 | PROJECT RATING: 25 PROJRANK: 64 PROJECT COST: \$850,000 PROJECT TYPE: DS |
| APPLICANT: GEIGERTOWN WATER CO. STREET: BOX 34 CITY: GEIGERTOWN, PA 19523 COUNTY: BERKS | REGION: HARRISBURG PWSID: 3060030 IUP YEAR: State Funds MTGDATE: 7/14/1999 | PROJECT RATING: 25 PROJRANK: 65 PROJECT COST: \$170,997 PROJECT TYPE: DS |
| APPLICANT: SUGARCREEK BOROUGH STREET: BOX 397 CITY: RENO, PA 16343 COUNTY: VENANGO | REGION: MEADVILLE PWSID: 6610029 IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 23 PROJRANK: 66 PROJECT COST: \$2,504,340 PROJECT TYPE: DS, WS |
| APPLICANT: BEDFORD TOWNSHIP MUN. AUTH. STREET: P. O. Box 371 CITY: BEDFORD, PA 15522 COUNTY: BEDFORD | REGION: HARRISBURG PWSID: 4050037 IUP YEAR: State Funds MTGDATE: 11/17/2004 | PROJECT RATING: 23 PROJRANK: 67 PROJECT COST: \$450,000 PROJECT TYPE: DS |
| APPLICANT: AQUA PA (CANAAN) STREET: 255 BELMONT STREET CITY: WAYMART, PA 18472 COUNTY: WAYNE | REGION: WILKES-BARRE PWSID: 2640032 IUP YEAR: 2003 MTGDATE: 3/20/2002 | PROJECT RATING: 23 PROJRANK: 68 PROJECT COST: \$1,456,750 PROJECT TYPE: TRANS |
| APPLICANT: QUAKERTOWN BOROUGH STREET: P. O. BOX 727 CITY: QUAKERTOWN, PA 18951 COUNTY: BUCKS | REGION: CONSHOCKEN PWSID: 1090082 IUP YEAR: State Funds MTGDATE: 5/7/2003 | PROJECT RATING: 23 PROJRANK: 69 PROJECT COST: \$6,379,300 PROJECT TYPE: DIST |
| APPLICANT: GUYS MILLS MUTUAL WATER ASSOCIATION STREET: P. O. BOX 112 CITY: GUYS MILLS, PA 16327 COUNTY: CRAWFORD | REGION: MEADVILLE PWSID: 6200062 IUP YEAR: State Funds MTGDATE: | PROJECT RATING: 21 PROJRANK: 70 PROJECT COST: \$150,000 PROJECT TYPE: |
| APPLICANT: NEW SEWICKLEY TOWNSHIP MA STREET: P. O. BOX 65 CITY: FREEDOM, PA 15042 COUNTY: BEAVER | REGION: PITTSBURGH PWSID: 5040085 IUP YEAR: 2005 MTGDATE: 7/7/2004 | PROJECT RATING: 21 PROJRANK: 71 PROJECT COST: \$872,250 PROJECT TYPE: DS,WS |
| APPLICANT: SEWICKLEY BOROUGH WATER AUTHORITY STREET: 601 THORN STREET CITY: SEWICKLEY, PA 15143 COUNTY: ALLEGHENY | REGION: PITTSBURGH PWSID: 5020050 IUP YEAR: NOT READY MTGDATE: | PROJECT RATING: 21 PROJRANK: 72 PROJECT COST: \$3,818,770 PROJECT TYPE: WS, DS |
| APPLICANT: WEST COCALICO TOWNSHIP WATER STREET: P. O. BOX 95 CITY: REINHOLDS, PA 17569 COUNTY: LANCASTER | REGION: HARRISBURG PWSID: 7360141 IUP YEAR: State Funds MTGDATE: 7/17/2002 | PROJECT RATING: 21 PROJRANK: 73 PROJECT COST: \$834,820 PROJECT TYPE: SRC, TREAT, TRANS |

APPLICANT: STROUDSBURG MUNICIPAL AUTHORITY
STREET: 410 STOKES AVE., P. O. BOX 237
CITY: EAST STROUDSBURG, PA 18301
COUNTY: MONROE

REGION: WILKES-BARRE
PWSID: 2450034
IUP YEAR: State Funds
MTGDATE: 7/17/2002

PROJECT RATING: 18
PROJRANK: 74
PROJECT COST: \$3,693,017
PROJECT TYPE: DS

APPLICANT: WELLSBORO MUNI AUTH
STREET: 28 CRAFTON STREET
CITY: WELLSBORO, PA 16901
COUNTY: TIOGA

REGION: WILLIAMSPORT
PWSID: 2590042
IUP YEAR: 2005
MTGDATE: 11/17/2004

PROJECT RATING: 18
PROJRANK: 75
PROJECT COST: \$3,312,813
PROJECT TYPE: DS, WS, TREAT

APPLICANT: ROARING CREEK WATER COMPANY
STREET: 204 E. SUNBURY ST.
CITY: SHAMOKIN, PA 17872
COUNTY: NORTHUMBERLAND

REGION: WILLIAMSPORT
PWSID: 4490024
IUP YEAR: NOT READY
MTGDATE:

PROJECT RATING: 6
PROJRANK: 76
PROJECT COST: \$856,892
PROJECT TYPE: WS

APPLICANT: AQUA PA (COAL TWP)
STREET: 204 E. SUNBURY ST.
CITY: SHAMOKIN, PA 17872
COUNTY: NORTHUMBERLAND

REGION: WILLIAMSPORT
PWSID: 4490024
IUP YEAR: State Funds
MTGDATE: 11/17/2004

PROJECT RATING: 4
PROJRANK: 77
PROJECT COST: \$1,054,868
PROJECT TYPE: DS, WS

APPLICANT: ALTOONA CITY AUTHORITY
STREET: 20 GREENWOOD ROAD
CITY: ALTOONA, PA 16601
COUNTY: BLAIR

REGION: HARRISBURG
PWSID: 4070023
IUP YEAR: NOT READY
MTGDATE:

PROJECT RATING: 4
PROJRANK: 78
PROJECT COST: \$1,500,000
PROJECT TYPE: TRANS

LEGEND FOR PROJECT TYPE:

SRC = SOURCE TRANS = TRANSMISSION SYSTEM TREAT = TREATMENT WS = WATER STORAGE DS = DISTRIBUTION SYSTEM

[Pa.B. Doc. No. 05-116. Filed for public inspection January 14, 2005, 9:00 a.m.]

PENNSYLVANIA MUNICIPAL RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by Pennsylvania Municipal Retirement Law (53 P. S. §§ 881.101—881.413), in connection with the Pennsylvania Municipal Retirement Board's denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Pennsylvania Municipal Retirement Board, 1010 North 7th Street, Suite 301, Eastgate Center, Harrisburg, PA 17102.

January 31, 2005 Larry E. Smith 1:30 p.m.
(Disability Retirement)

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Tina Eisenhart at (717) 787-2065 to discuss how the Pennsylvania Municipal Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 16 Pa. Code § 91.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JAMES B. ALLEN,
Secretary

[Pa.B. Doc. No. 05-117. Filed for public inspection January 14, 2005, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by February 7, 2005. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Stanley Crawford, c/o Karen Crawford Carbaugh; Doc. No. A-00058051C

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Stanley Crawford, c/o Karen Crawford Carbaugh, respondent, maintains his principal place of business at 1504 Hillcrest Drive, Chambersburg, PA 17201.

2. That respondent was issued a certificate of public convenience by this Commission on October 10, 1939, at Application Docket No. A-00058051.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 2002, 2003 and 2004.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke respondent's Certificate of Public Convenience at A-00058051.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement
Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
Wendy J. Keezel, Chief of Enforcement

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code

§ 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1168.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-118. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310545F7015. Conestoga Telephone and Telegraph Company and Nextel Communications of the Mid-Atlantic, Inc. Joint petition for approval of a commercial mobile radio services interconnection agreement between Conestoga Telephone and Telegraph Company and Nextel Communications of the Mid-Atlantic, Inc. under section 252(a) of the Telecommunications Act of 1996.

Conestoga Telephone and Telegraph Company and Nextel Communications of the Mid-Atlantic, Inc., by its counsel, filed on November 16, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a commercial mobile radio services interconnection agreement under section 252(a) of the Telecommunications Act of 1996.

Interested parties may file comments concerning the joint petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Conestoga Telephone and Telegraph Company and Nextel Communications of the Mid-Atlantic, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-119. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310401F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Intermedia Communications, Inc. Joint petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Intermedia Communications, Inc. for approval of a master interconnection, collocation and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Intermedia Communications, Inc., by its counsel, filed on November 15, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection, collocation and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the The United Telephone Company of Pennsylvania d/b/a Sprint and Intermedia Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-120. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310074F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Penn Telecom. Joint petition for approval of a master interconnection and resale agreement between The United Telephone Company of Pennsylvania d/b/a Sprint and Penn Telecom under sections 251 and 252 of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Penn Telecom, by its counsel, filed on November 16, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the Petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the United Telephone Company of Pennsylvania d/b/a Sprint and Penn Telecom joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-121. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310531F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Southwestern Bell Communications Services, Inc. d/b/a SBC Long Distance. Joint petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Southwestern Bell Communications Services, Inc. d/b/a SBC Long Distance for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Southwestern Bell Communications Services, Inc. d/b/a SBC Long Distance, by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the The United Telephone Company of Pennsylvania d/b/a Sprint and Southwestern Bell Communications Services, Inc. d/b/a SBC Long Distance joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-122. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-311163F7001. Verizon North Inc. and AT&T Communications of Pennsylvania. Joint petition of Verizon North Inc. and AT&T Communications of Pennsylvania for approval of amendment no. 3 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North Inc. and AT&T Communications of Pennsylvania, by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 3 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the

Verizon Pennsylvania Inc. and AT&T Communications of Pennsylvania joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-123. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-311335F7001. Verizon North Inc. and Expedient Carrier Services, LLC. Joint petition of Verizon North Inc. and Expedient Carrier Services, LLC for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North Inc. and Expedient Carrier Services, LLC, by its counsel, filed on December 8, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and Expedient Carrier Services, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-124. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310531F7001. Verizon North Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance. Joint petition of Verizon North Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance, by its counsel, filed on November 23, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Interested parties may file comments concerning the joint petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-125. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310213F7001. Verizon North Inc. and Teleport Communications Group Inc. d/b/a TCG Pittsburgh and TCG Delaware Valley, Inc. Joint petition of Verizon North Inc. and Teleport Communications Group Inc. d/b/a TCG Pittsburgh and TCG Delaware Valley, Inc. for approval of amendment no. 3 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North Inc. and Teleport Communications Group Inc. d/b/a TCG Pittsburgh and TCG Delaware Valley, Inc., by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 3 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and Teleport Communications Group Inc. d/b/a TCG Pittsburgh and TCG Delaware Valley, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-126. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-311163F7000. Verizon Pennsylvania Inc. and AT&T Communications of Pennsylvania. Joint petition of Verizon Pennsylvania Inc. and AT&T Communications of Pennsylvania for approval of amendment no. 1 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and AT&T Communications of Pennsylvania, by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 1 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and AT&T Communications of Pennsylvania joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-127. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310295 F7000. Verizon Pennsylvania Inc. and CTC Communications Corp. Joint petition of Verizon Pennsylvania Inc. and CTC Communications Corp. for approval of amendment no. 2 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and CTC Communications Corp., by its counsel, filed on December 15, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 2 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and CTC Communications Corp. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-128. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310416F7000. Verizon Pennsylvania, Inc. and Curry Communications, Inc. Joint petition of Verizon Pennsylvania, Inc. and Curry Communications, Inc. of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Curry Communications, Inc., by its counsel, filed on November 29, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Curry Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-129. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-311121F7000. Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company, Inc. Joint petition of Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company, Inc. for approval of a replacement of and amendment no. 1 to an interconnection agreement under section 252(e) of The Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company, Inc., by its counsel, filed on December 2, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a replacement of and amendment no. 1 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Massachusetts Local Telephone Company, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-130. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310947F7000. Verizon Pennsylvania Inc. and OnFiber Carrier Services, Inc. Joint petition of Verizon Pennsylvania Inc. and OnFiber Carrier Services, Inc. for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and OnFiber Carrier Services, Inc., by its counsel, filed on December 15, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and OnFiber Carrier Services, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-131. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-311087F7000. Verizon Pennsylvania Inc. and PaCLEC Corporation. Joint petition of Verizon Pennsylvania Inc. and PaCLEC Corporation for approval of adoption and replacement of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and PaCLEC Corporation, by its counsel, filed on December 13, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption and replacement of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and PaCLEC Corporation joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-132. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310531F7000. Verizon Pennsylvania, Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance. Joint petition of Verizon Pennsylvania, Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance, by its counsel, filed on November 17, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Interested parties may file comments concerning the joint petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Southwestern Bell Communications, Inc. d/b/a SBC Long Distance joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-133. Filed for public inspection January 14, 2005, 9:00 a.m.]

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-135. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310258F7000. Verizon Pennsylvania Inc. and TCG Delaware Valley, Inc. Joint petition of Verizon Pennsylvania Inc. and TCG Delaware Valley, Inc. for approval of an amendment no. 3 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and TCG Delaware Valley, Inc., by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment no. 3 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and TCG Delaware Valley, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-134. Filed for public inspection January 14, 2005, 9:00 a.m.]

Telecommunications

A-310213F7000. Verizon Pennsylvania Inc. and TCG—Pittsburgh. Joint petition of Verizon Pennsylvania Inc. and TCG—Pittsburgh for approval of amendment no. 2 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and TCG—Pittsburgh by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 2 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and TCG—Pittsburgh joint petition are on file with the Commission and are available for public inspection.

Telecommunications

A-310758F7000. Verizon Pennsylvania Inc. and XO Pennsylvania, Inc. f/k/a NEXTLINK Pennsylvania, Inc. Joint petition of Verizon Pennsylvania Inc. and XO Pennsylvania, Inc. f/k/a NEXTLINK Pennsylvania, Inc. for approval of amendment no. 5 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and XO Pennsylvania, Inc. f/k/a NEXTLINK Pennsylvania, Inc., by its counsel, filed on December 10, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 5 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and XO Pennsylvania, Inc. f/k/a NEXTLINK Pennsylvania, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-136. Filed for public inspection January 14, 2005, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept faxed bids for Project # 04-183.P, Asphalt Requirements, until 2 p.m. on Thursday, February 3, 2005. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available January 25, 2005. PRPA is an equal opportunity employer. The contractor must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 05-137. Filed for public inspection January 14, 2005, 9:00 a.m.]

STATE CONTRACTS INFORMATION

DEPARTMENT OF GENERAL SERVICES

Act 266 of 1982 provides for the payment of interest penalties on certain invoices of "qualified small business concerns". The penalties apply to invoices for goods or services when payments are not made by the required payment date or within a 15 day grace period thereafter.


Act 1984-196 redefined a "qualified small business concern" as any independently owned and operated, for-profit business concern employing 100 or fewer employees. See 4 Pa. Code § 2.32. The business must include the following statement on every invoice submitted to the Commonwealth: "(name of business) is a qualified small business concern as defined in 4 Pa. Code 2.32."

A business is eligible for payments when the required payment is the latest of:
 The payment date specified in the contract.
 30 days after the later of the receipt of a proper invoice or receipt of goods or services.
 The net payment date stated on the business' invoice.

A 15-day grace period after the required payment date is provided to the Commonwealth by the Act.

For more information: contact: Small Business Resource Center
 PA Department of Community and Economic Development
 374 Forum Building
 Harrisburg, PA 17120
 800-280-3801 or (717) 783-5700

Reader's Guide



Legal Services & Consultation

① Service Code Identification Number

② Commodity/Supply or Contract Identification No.

B-54137. Consultant to provide three 2-day training sessions, covering the principles, concepts, and techniques of performance appraisal and standard setting with emphasis on performance and accountability, with a knowledge of State Government constraints.

| | | | | |
|-------------|----------------------|--|--|--|
| Department: | General Services | | | |
| Location: | Harrisburg, Pa. | | | |
| Duration: | 12/1/93-12/30/93 | | | |
| Contact: | Procurement Division | | | |
| | 787-0000 | | | |

③ Contract Information

④ Department

⑤ Location

⑥ Duration

⑦

(For Commodities: Contact:
 Vendor Services Section
 717-787-2199 or 717-787-4705

REQUIRED DATA DESCRIPTIONS

- ① Service Code Identification Number: There are currently 39 state service and contractual codes. See description of legend.
- ② Commodity/Supply or Contract Identification No.: When given, number should be referenced when inquiring of contract of Purchase Requisition. If more than one number is given, each number represents an additional contract.
- ③ Contract Information: Additional information for bid preparation may be obtained through the departmental contracting official.
- ④ Department: State Department or Agency initiating request for advertisement.
- ⑤ Location: Area where contract performance will be executed.
- ⑥ Duration: Time estimate for performance and/or execution of contract.
- ⑦ Contact: (For services) State Department or Agency where vendor inquiries are to be made.


(For commodities) Vendor Services Section (717) 787-2199 or (717) 787-4705

PA TREASURY BUSINESS OUTLET—PLUG INTO IT!

The Treasury Department's Bureau of Contracts and Public Records can help you do business with state government agencies. Our efforts focus on guiding the business community through the maze of state government offices. The bureau is, by law, the central repository for all state contracts over \$5,000. Services are free except for the cost of photocopying contracts (15 cents per page); postage; redaction, and certified copies. The bureau may assess reasonable fees for labor and other expenses necessary to comply with the request. A free brochure explains how to take advantage of available services.

Contact: **Bureau of Contracts and Public Records**
 Pennsylvania State Treasury
 Room 201 Finance Building
 Harrisburg, PA 17120
 717-787-4586
 1-800-252-4700
 BizOutlet@patreasury.org

BARBARA HAFER,
State Treasurer



Commodities


CN 0001255 Ergolift mobile electric battery operated lift is complete with digital scale, built-in battery charger - factory mounted, safety feature for energy down, antisway, back-up controls. Ergo lift #60004409 w/scale #600003709. Pricing to include staff inservice and training materials for operation of lift. "Substitutions not acceptable."

Department: Public Welfare
Location: DPW, Ebensburg Center, DPW, Altoona Center
Contact: Marilyn Cartwright, Pur. Agent, (814) 472-0259

RFP (CN00010638) Printed Materials and Related Services, Proposal Due Date 2/15/05 at 1:30 p.m. The location of the proposals to be delivered remains the same - Room 414 North Office Building. The pre-proposal conference will be held on Wednesday, 1/19/05 from 10:00 a.m. to 12 noon. The location is Hearing Room 1, Ground Level of the North Office Building located on North and Commonwealth Streets. Entrance to the building is on North Street and you must have identification to go through security.

Department: General Services
Location: Harrisburg, PA
Duration: 2 years with three 1-year renewals
Contact: Lori Vessella, (717) 705-5794


SERVICES



Construction & Construction Maintenance

MI-846 An addition to Gordinier Hall at Millersville University. It will consist of a drop-off drive and a canopy; drive will enter from and exit to James Street. To request a bid packet go to http://muweb.millersville.edu/~purchase/large_construction.html.


Department: State System of Higher Education
Location: Millersville University
Duration: 5/9/05 - 7/20/05, 10 weeks for BB1; 5/9/05 - 7/5/05, 8 weeks for BB2
Contact: Bernadette Wendler, (717) 872-3570



Demolition—Structural Only

0028-A09 & A10 The Pennsylvania Department of Transportation will be accepting sealed bids for the sale and removal of Industrial, Commercial and Residential dwellings located along State Route 0028 (also known as East Ohio Street) in the City of Pittsburgh, Allegheny County. Contractors will be required to demolish or remove all structures, outbuildings and site improvements. They will also be required to comply with all FHWA, State and Local regulations. For bid information, specifications and further information, please contact Mr. Michael Sudar, District Property Manager at (412) 429-4830.

Department: Transportation
Location: City of Pittsburgh
Duration: 30 days from Notice to Proceed
Contact: Michael Sudar, (412) 429-4830




Environmental Maintenance Service

OSM 11(1018)101.1 Abandoned Mine Reclamation Project, Hollentown Northeast. The principal items of work and approximate quantities include Tipple Demolition, 3,550 square yards of Permanent Swale Lining, 410,438 cubic yards of Grading, 2,690 tons of Coal Recovery, 40 acres of Seeding, planting 35,250 Trees and Water Line Restoration that includes 220 linear feet of New Water Line Installation and 730 linear feet of Rock Underdrain with Perforated 4" PVC Pipe. This project issues on January 14, 2005 and bids will be opened on February 8, 2005 at 2:00 p.m. Payment in the amount of \$10.00 must be received before bid documents will be sent. This project is financed by the Federal Government under the authority given it by P.L. 95-87 dated August 3, 1977, "The Surface Mining Control and Reclamation Act of 1977," and is subject to that Law, and to the Federal Grant for this project.

Department: Environmental Protection
Location: Reade Township, Cambria County
Duration: 365 calendar days after the official starting date.
Contact: Construction Contracts Section, (717) 787-7820

OSM 32(2444)101.1 Abandoned Mine Reclamation Project, Calvary Church. The principal items of work and approximate quantities include: 25,537 cubic yards of grading, 4.9 acres of seeding, planting 1,450 trees, constructing Gas Line Crossings, and Gas Line Relocation. This project issues on January 14, 2005 and bids will be opened on February 8, 2005 at 2:00 p.m. Payment in the amount of \$10.00 must be received before bid documents will be sent. This project is financed by the Federal Government under the authority given it by P.L. 95-87 dated August 3, 1977, The Surface Mining Control and Reclamation Act of 1977, and is subject to that Law, and to the Federal Grant for this project.

Department: Environmental Protection
Location: Green Township, Indiana County
Duration: 90 calendar days after the official starting date.
Contact: Construction Contracts Section, (717) 787-7820



Food

102 Frozen Entrees: Cheese Pizza, 62,000 each, 5.5 oz., prepared frozen. Individual pizza to contain 1-1/2 oz. mozzarella cheese, 1-1/2 oz. tomato sauce and spice on a 2-1/2 oz. enriched crust. Packed 48-64 per case. Net weight: 16 lb./case. Frozen Pierogies, potatoes and cheese filling, individually quick frozen. Portion size: approximately 1.44 oz each, packed 288 per case. Product shall contain at least 45% filling weight. Breaded product unacceptable. Frozen Waffles, round or rectangular shaped. Approximately 1/4 oz. each. 12 per package, 8 packages per case. Amounts are approximate and will be sent out on a bi-monthly bid basis. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200 x1030

113 FROZEN VEGETABLES: Broccoli, frozen 7,000 lbs.; Brussel Sprouts, frozen 9,000 lbs.; Cauliflower, frozen, 7,000 lbs.; Spinach, frozen, 7,000 lbs.; Corn, frozen 7,000 lbs.; Carrots, frozen, 7,000 lbs.; Mixed Vegetables, frozen, 7,000 lbs.; and Peas, frozen, 7,000 lbs. FROZEN FRUITS: Apples, sliced and frozen, 2000 lbs.; Blueberries, frozen 3000 lbs.; and all related items. Items to be bid on a bi-monthly basis and all amounts are approximate for the period of January 1 to December 31, 2005. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, x 1030

121 Tofu: Regular tofu, packed 24 - 12.3 oz packages per case. Approximately 75 cases per month. Items will be bid on a bi-monthly basis; and all amounts are approximate. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, x 1030

130 Oleomargarine: 1-lb., individually wrapped print, 30 lb. cases, approximately 200 cases. Oleomargarine: individual margarine serving, .5 gram per pat (Promise or approved equal) approximately 480 cases, and all related items. Items to be bid on a bi-monthly basis and all amounts are approximate for the period January 1 to December 31, 2005. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, x 1030

126 Cottage Cheese: Low fat, large curd. To contain 2% milk fat and not more than 82.5% moisture. Packaged in 5 lb. containers. Item to be bid on a bi-monthly basis for the period January 1 to December 31, 2005. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, x 1030

110 Produce: Onions, Carrots, Celery, Lettuce (salad mix), Bananas, Apples, Oranges, Grapefruit, Cabbage, Broccoli, Cauliflower, Pears, Plums, Radishes, Potatoes and all related items. USDA Certificate Required. Items to be bid bi-monthly. All amounts are approximate for the period January 1 to December 31, 2005. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1, 2005 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, ext. 1030

105 Ice Cream - in 4 oz. cups, minimum of 1/3 delivery to be with toppings and one meal of sherbert per month. Approximately 480 dozen cups weekly from January 1 to December 31, 2005. Icy Treats, push up type, no stick, popsicle like frozen treat. Approximately 30 boxes per month. Items will be bid on a bi-monthly basis. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, x 1030

101 Eggs, fresh, consumer grade A, Medium, must be candle inspected, Class I, Brown and White, packed 30 dozen/case. Forty (40) pound carton. USDA Certificate required (and all related items). Approximately 1,500 dozen each Monday from January 1 to December 31, 2005. Items will be sent out on a bi-monthly bid basis. Interested vendors must be registered with the Commonwealth's Imagine PA Project and have a registered vendor number. To register with the Commonwealth and obtain a vendor number call 1-866-775-2868.

Department: Corrections
Location: State Correctional Institution at Fayette, 50 Overlook Drive, LaBelle, PA 15450
Duration: January 1, 2005 to December 31, 2005
Contact: Nancy Keller, (724) 364-2200, x 1030

[Pa.B. Doc. No. 05-138. Filed for public inspection January 14, 2005, 9:00 a.m.]

DESCRIPTION OF LEGEND

- | | |
|--|---|
| <p>1 Advertising, Public Relations, Promotional Materials</p> <p>2 Agricultural Services, Livestock, Equipment, Supplies & Repairs: Farming Equipment Rental & Repair, Crop Harvesting & Dusting, Animal Feed, etc.</p> <p>3 Auctioneer Services</p> <p>4 Audio/Video, Telecommunications Services, Equipment Rental & Repair</p> <p>5 Barber/Cosmetology Services & Equipment</p> <p>6 Cartography Services</p> <p>7 Child Care</p> <p>8 Computer Related Services & Equipment Repair: Equipment Rental/Lease, Programming, Data Entry, Payroll Services, Consulting</p> <p>9 Construction & Construction Maintenance: Buildings, Highways, Roads, Asphalt Paving, Bridges, Culverts, Welding, Resurfacing, etc.</p> <p>10 Court Reporting & Stenography Services</p> <p>11 Demolition—Structural Only</p> <p>12 Drafting & Design Services</p> <p>13 Elevator Maintenance</p> <p>14 Engineering Services & Consultation: Geologic, Civil, Mechanical, Electrical, Solar & Surveying</p> <p>15 Environmental Maintenance Services: Well Drilling, Mine Reclamation, Core & Exploratory Drilling, Stream Rehabilitation Projects and Installation Services</p> <p>16 Extermination Services</p> <p>17 Financial & Insurance Consulting & Services</p> <p>18 Firefighting Services</p> <p>19 Food</p> <p>20 Fuel Related Services, Equipment & Maintenance to Include Weighing Station Equipment, Underground & Above Storage Tanks</p> <p>21 Hazardous Material Services: Abatement, Disposal, Removal, Transportation & Consultation</p> | <p>22 Heating, Ventilation, Air Conditioning, Electrical, Plumbing, Refrigeration Services, Equipment Rental & Repair</p> <p>23 Janitorial Services & Supply Rental: Interior</p> <p>24 Laboratory Services, Maintenance & Consulting</p> <p>25 Laundry/Dry Cleaning & Linen/Uniform Rental</p> <p>26 Legal Services & Consultation</p> <p>27 Lodging/Meeting Facilities</p> <p>28 Mailing Services</p> <p>29 Medical Services, Equipment Rental and Repairs & Consultation</p> <p>30 Moving Services</p> <p>31 Personnel, Temporary</p> <p>32 Photography Services (includes aerial)</p> <p>33 Property Maintenance & Renovation—Interior & Exterior: Painting, Restoration, Carpentry Services, Snow Removal, General Landscaping (Mowing, Tree Pruning & Planting, etc.)</p> <p>34 Railroad/Airline Related Services, Equipment & Repair</p> <p>35 Real Estate Services—Appraisals & Rentals</p> <p>36 Sanitation—Non-Hazardous Removal, Disposal & Transportation (Includes Chemical Toilets)</p> <p>37 Security Services & Equipment—Armed Guards, Investigative Services & Security Systems</p> <p>38 Vehicle, Heavy Equipment & Powered Machinery Services, Maintenance, Rental, Repair & Renovation (Includes ADA Improvements)</p> <p>39 Miscellaneous: This category is intended for listing all bids, announcements not applicable to the above categories</p> |
|--|---|

DONALD T. CUNNINGHAM, Jr.
Secretary

