



Volume 31 (2001)

Pennsylvania Bulletin
Repository

4-28-2001

April 28, 2001 (Pages 2263-2352)

Pennsylvania Legislative Reference Bureau

Follow this and additional works at: https://digitalcommons.law.villanova.edu/pabulletin_2001

Recommended Citation

Pennsylvania Legislative Reference Bureau, "April 28, 2001 (Pages 2263-2352)" (2001). *Volume 31 (2001)*. 17.

https://digitalcommons.law.villanova.edu/pabulletin_2001/17

This April is brought to you for free and open access by the Pennsylvania Bulletin Repository at Villanova University Charles Widger School of Law Digital Repository. It has been accepted for inclusion in Volume 31 (2001) by an authorized administrator of Villanova University Charles Widger School of Law Digital Repository.

PENNSYLVANIA BULLETIN

Volume 31

Number 17

Saturday, April 28, 2001 • Harrisburg, Pa.

Pages 2263—2352

Agencies in this issue:

The Courts

Department of Banking

Department of Conservation and Natural
Resources

Department of Environmental Protection

Department of General Services

Department of Health

Department of Transportation

Health Care Cost Containment Council

Independent Regulatory Review Commission

Insurance Department

Pennsylvania Infrastructure Investment Authority


Pennsylvania Public Utility Commission

State Employees' Retirement Board

State Police

Turnpike Commission

Detailed list of contents appears inside.



PRINTED ON 100% RECYCLED PAPER



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 317, April 2001

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE

If information on mailing label is incorrect, please make changes in space provided below and mail to:

FRY COMMUNICATIONS, INC.

Attn: *Pennsylvania Bulletin*

800 W. Church Rd.

Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City)

(State)

(Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 647 Main Capitol Building, State & Third Streets, Harrisburg, Pa. 17120, under the policy supervision and direction of the Joint Committee on Documents pursuant to Part II of Title 45 of the Pennsylvania Consolidated Statutes (relating to publication and effectiveness of Commonwealth Documents). Subscription rate \$82.00 per year, postpaid to points in the United States. Individual copies \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

Copyright © 2001 Commonwealth of Pennsylvania
ISBN 0-8182-0004-9

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 W. Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

LOCAL COURT RULES

Carbon County

Adoption of local criminal rule CARB.C.R.CRIM.P.
700; no. 54 MI 01 2270

Westmoreland County

Rule WO109; no. 65-96-214..... 2270

EXECUTIVE AGENCIES

DEPARTMENT OF BANKING

Notices

Action on applications 2283

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Notices

Exchange of lands 2284

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices..... 2284
Meeting notice..... 2339
Waters Resources Advisory Committee cancellation
of meeting..... 2326

DEPARTMENT OF GENERAL SERVICES

Notices

Contract awards..... 2352
Controlled Insurance Program; insurance coverage
and service..... 2326
State contracts information 2343

DEPARTMENT OF HEALTH

Proposed Rulemaking

Newborn disease screening and follow-up..... 2271

Notices

Applications for exception:
Lancaster General Hospital 2326
Memorial Hospital York..... 2326
Neo Pet, LLC..... 2327
Saint Vincent Health Center 2327
Southern Chester County Medical Center 2327
UPMC Horizon..... 2328
The Western Pennsylvania Hospital..... 2328
Availability of draft maternal and child health
services block grant application for Federal fiscal
year 2002 2328
Decisions on requests for exceptions to health care
facility regulations..... 2328
Pennsylvania Cancer Control Prevention and Re-
search Advisory Board meeting 2332
Requests for exception; long-term care nursing
facilities..... 2332

DEPARTMENT OF TRANSPORTATION

Notices

Contemplated sale of land no longer needed for
transportation purposes..... 2332
Finding 2332

HEALTH CARE COST CONTAINMENT COUNCIL

Notices

Meetings scheduled 2333

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of comments issued 2333
Notice of filing of final rulemakings..... 2336

INSURANCE DEPARTMENT

Notices

Application for approval to acquire control..... 2336
Blue Cross of Northeastern Pennsylvania and Penn-
sylvania Blue Shield; filing 527-ACII-CR-10/1/
2001; access care II community rated group rate
increase..... 2336
Donegal Mutual Insurance Company; private pas-
senger auto insurance rate and rule revision 2337
Nationwide Mutual Insurance Company, et al.; doc.
no. RT01-03-033 2337
The Phoenix Insurance Company; private passenger
automobile insurance rates and rules filing..... 2337
Progressive Northern Insurance Company; private
passenger auto program rate filing..... 2338
Review procedure hearing; cancellation or refusal of
insurance 2338
The Standard Fire Insurance Company; private
passenger automobile insurance rates and rules
filing..... 2338
Teachers Protective Mutual Life; rate filing..... 2339

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

Notices

Meeting notice (2 documents)..... 2339

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Gas service..... 2340
Service of notice of motor carrier applications..... 2340
Sewer service..... 2340
Telecommunications (2 documents)..... 2340, 2341

STATE EMPLOYEES' RETIREMENT BOARD

Notices

Hearings scheduled 2341

STATE POLICE

Notices

Draft request for proposals—review and comment
period 2341

TURNPIKE COMMISSION

Notices

Change in location of the Central Administration
Building 2341

Now Available Online at <http://www.pabulletin.com>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances where the agency may omit the proposal step; they still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania*

Bulletin before it can take effect. If the agency wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, they must re-propose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number and page number. Example: Volume 1, *Pennsylvania Bulletin*, page 801 (short form: 1 Pa.B. 801).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa.Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*.

The *Pennsylvania Code* contains, as Finding Aids, subject indexes for the complete *Code* and for each individual title, a list of Statutes Used As Authority for Adopting Rules and a list of annotated cases. Source Notes give you the history of the documents. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from such a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised; and that the fiscal note shall provide the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the five succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the five succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where "no fiscal impact" is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2001.

4 Pa. Code (Administration)

Adopted Rules

1	1455
7	1456

Proposed Rulemaking

243	1587
245	1587
259	2124

Statements of Policy

9	11, 648, 948, 1862
---------	--------------------

7 Pa. Code (Agriculture)

Adopted Rules

21	1682
130c	1691
137	1701
137a	1701
137b	1701
138g	2110
138i	1729
138j	2116
138k	2110

17 Pa. Code (Conservation and Natural Resources)

Statements of Policy

44	650
----------	-----

10 Pa. Code (Banks and Banking)

Proposed Rulemaking

44	1236, 1564
----------	------------

22 Pa. Code (Education)

Proposed Rulemaking

4	2136
73	2017

25 Pa. Code (Environmental Protection)

Adopted Rules

78	1736
86	145
240	1742
250	235
287	235
288	235
289	235
291	235
293	235
295	235
297	235
299	235
1021	428

Proposed Rulemaking

218	943
221	792
227	792
228	792
261a	796
271	796
272	796
901	1233
977 (correction)	158

28 Pa. Code (Health)

Proposed Rulemaking

27	2126, 2271
28	2271
501	2271
701	2124
703	2124

31 Pa. Code (Insurance)

Adopted Rules

3	2000
11	2001
89 (correction)	145
147	2002

Proposed Rulemaking

146a	1748, 1858
------------	------------

34 Pa. Code (Labor and Industry)

Proposed Rulemaking

65	1564
----------	------

37 Pa. Code (Law)

Adopted Rules

31	1145
33	1145

Proposed Rulemaking

421	788
-----------	-----

40 Pa. Code (Liquor)

Adopted Rules

5	430
7	430
9	430
11	430
13	430

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

3	1225
9	1744
11	147, 151, 1154
39	1362
40	537
43b	1227

Proposed Rulemaking

13	1468
16	2181
18	2181
19	822
21	809
29	1858
40	1470
47	1571
48	1571
49	1571

52 Pa. Code (Public Utilities)

Adopted Rules

62	2005
64	641

Proposed Rulemaking
 59 805
 63 809

Statements of Policy
 69 951

58 Pa. Code (Recreation)
Adopted Rules
 65 1368
 111 1369
 141 1370
 143 1460

Proposed Rulemaking
 53 1461
 61 1373
 69 1373
 91 1375
 93 1377
 105 1379
 111 1375
 131 1746
 137 1746
 139 1463, 1746
 141 2019
 143 1566
 147 1566

201 Pa. Code (Judicial Administration)
Adopted Rules
 1 1319
 3 1555

204 Pa. Code (Judicial System General Provisions)
Adopted Rules
 82 1319
 83 2108

207 Pa. Code (Judicial Conduct)
Adopted Rules
 51 1556

210 Pa. Code (Appellate Procedure)
Adopted Rules
 3 7
 25 627
 35 2108
 65 2108
 67 1458

225 Pa. Code (Rules of Evidence)
Adopted Rules
 Article I 1993
 Article IV 1993
 Article V 1993

Article VIII 1993
 Article X 1993

Proposed Rulemaking
 Article I 405
 Article VII 406
 Article VIII 406
 Article IX 407

231 Pa. Code (Rules of Civil Procedure)
Adopted Rules
 100 137
 200 410, 627
 1500 629
 2120 137
 2150 137
 2170 137
 Part II 7

Proposed Rulemaking
 200 411, 415
 1000 411, 415
 1910 1843
 1930 1843
 3000 416

237 Pa. Code (Juvenile Rules)
 Unclassified 630

246 Pa. Code (Minor Court Rules)
Adopted Rules
 100 1556
 300 926

Proposed Rulemaking
 200 1319
 300 1319
 400 1319
 500 1319
 1000 1319

249 Pa. Code (Philadelphia Rules)
 Unclassified 534, 1139, 1223, 1325,
 1677, 1996

252 Pa. Code (Allegheny County Rules)
 Unclassified 630

255 Pa. Code (Local Court Rules)
 Unclassified 9, 139, 418, 423, 424,
 534, 535, 536, 638, 639, 640,
 780, 785, 786, 926, 941, 942, 1139,
 1142, 1143, 1223, 1326, 1360, 1458, 1459,
 1557, 1562, 1677, 1678, 1846, 1855, 1856, 1857,
 1996, 1999, 2270

THE COURTS

Title 255—LOCAL COURT RULES

CARBON COUNTY

Adoption of Local Criminal Rule CARB.C.R.CRIM.P. 700; No. 54 MI 01

Administrative Order No. 13-2001

And Now, this 11th day of April, 2001, it is hereby Ordered and Decreed that, effective thirty (30) days after publication in the *Pennsylvania Bulletin*, the Carbon County Court of Common Pleas hereby Adopts Local Rule of Criminal Procedure CARB.C.R.CRIM.P. 700 governing the sentencing judge in all pleas of guilty or nolo contendere.

The Carbon County District Court Administrator is Ordered and Directed to do the following:

1. File seven (7) certified copies of this Administrative Order with the Administrative Office of Pennsylvania Courts.
2. File two (2) certified copies and one (1) diskette with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.
3. File one (1) certified copy with the Pennsylvania Criminal Procedural Rules Committee.
4. Forward one (1) copy for publication in the *Carbon County Law Journal*.
5. Forward one (1) copy to the Carbon County Law Library.
6. Keep continuously available for public inspection copies of the Order and Rule in the Clerk of Court's Office.

By the Court

RICHARD W. WEBB,
President Judge

CARB.C.R.CRIM.P. 700. Sentencing Judge.

(B) Sentence on a plea of guilty or nolo contendere may be imposed by a judge other than the judge who received a plea of guilty or nolo contendere upon proper notice to the defendant.

After explanation by the District Attorney's Office or Defendant's counsel, Defendant and Defendant's counsel shall sign an acknowledgement of Notice as prescribed and set forth in Form "A" following this rule.

Form "A"

IN THE COURT OF COMMON PLEAS OF CARBON COUNTY, PENNSYLVANIA CRIMINAL DIVISION
COMMONWEALTH OF PENNSYLVANIA :

VS. : NO.

Defendant :

NOTICE

AND NOW, this day of _____, the above named Defendant does HEREBY acknowledge and agree to the entry of a Guilty Plea before the Honorable with the full and complete understanding that sentencing in the above captioned matter will be held at a later date and imposed by another Judge designated by the Court.

Defendant

Attorney for the Defendant

[Pa.B. Doc. No. 01-722. Filed for public inspection April 27, 2001, 9:00 a.m.]

WESTMORELAND COUNTY Rule WO109; No. 65-96-214

Order

And Now this 9th day of April, 2001, *It Is Hereby Ordered* that Westmoreland County Orphans' Court Rule WO109 is repealed. Sections (c) and (d) of the current rule are adopted as new Rule WO109, Sections (a) and (b) respectively.

By the Court

CHARLES H. LOUGHRAN,
President Judge

Rule WO109. Exceptions.

(a) Upon filing exceptions, the moving party shall present to the court a proposed order, which shall provide for appropriate blank spaces for the scheduling of the filing of briefs and argument.

(b) If not otherwise established by the court, a party filing exceptions must file a brief at least 10 days before the date scheduled for oral arguments. Opposing counsel must file a responsive brief within 5 days of service of opposing counsel's brief. The briefs shall contain, inter alia, a concise statement of issues. A party who has not timely filed a brief may be denied oral argument. Issues not briefed shall be deemed waived.

[Pa.B. Doc. No. 01-723. Filed for public inspection April 27, 2001, 9:00 a.m.]

PROPOSED RULEMAKING

DEPARTMENT OF HEALTH

[28 PA. CODE CHS. 27, 28 AND 501]

Newborn Disease Screening and Follow-Up

The Department of Health (Department), with the approval of the State Advisory Health Board (Board), proposes to amend Chapter 28 (relating to metabolic diseases of the newborn). The Department also proposes to amend specific sections of Chapters 27 and 501 (relating to communicable and noncommunicable diseases; and birth centers), as made necessary by the changes being proposed to Chapter 28. The proposed amendments are set forth in Annex A.

Purpose of the Proposed Amendments

The Department is proposing to amend its regulations to incorporate changes to the Newborn Screening and Follow-Up Program (Program) required as a result of amendments to the Newborn Child Testing Act (act) (35 P. S. §§ 621—625), made by the act of July 9, 1992 (P. L. 398, No. 86). The amendments to the act add maple syrup urine disease (MSUD) and sickle-cell hemoglobinopathies (disease and trait) to the list of diseases for which routine screening of newborns is conducted, provide for the addition to the list by regulation of any other disease approved for inclusion by the Department and the Board, and require a screening and follow-up program to identify and treat newborn children with one of the diseases listed in the act or identified by regulation. See section 3 of the act (35 P. S. § 623). The Department is given the authority under the act to promulgate regulations, with the approval of the Board, to carry out these requirements. See section 5 of the act (35 P. S. § 625). The Department is also proposing to amend the regulations to include additional screens for galactosemia and congenital adrenal hyperplasia (CAH) under its authority to add to the list of diseases for which routine screening of newborns is to be conducted, by regulation, any other disease approved for such inclusion by the Department and the Board. The Department is further proposing to amend the regulations to screen for hemoglobinopathies (hemoglobin diseases) other than sickle cell hemoglobinopathies because the detection of other hemoglobin diseases, some of which may be life threatening, is unavoidable with the testing methodology currently available.

The Department's Bureau of Family Health, through the Program, began administering a Statewide newborn screening program for the detection of phenylketonuria (PKU) in 1965. Screening for hypothyroidism was added to the Program in 1978. Detection and follow-up of newborn children with these two diseases have been conducted under regulations promulgated by the Department and the Board under authority of the Disease Prevention and Control Law of 1955 (35 P. S. §§ 521.1—521.21) and the act. These regulations appear in Chapter 28.

Amendment of the act to include sickle cell hemoglobinopathies and MSUD in the list of diseases of the newborn child, for which screening is to be done, requires expansion of the Program. To meet these requirements, the Department implemented statewide screening for sickle cell hemoglobinopathies and MSUD on September 28, 1992, and March 22, 1993, respectively. Screening for galactosemia and CAH is currently occurring on a voluntary basis.

To reflect the expansion of the Program as required by the act, the proposed amendments add MSUD and hemoglobin diseases (sickle cell hemoglobinopathies and other clinically significant abnormal hemoglobin) to the list of diseases in § 28.2 (relating to metabolic diseases listed) for which newborns are routinely screened. It is proposed that the title of that section be revised to "Newborn diseases listed." Galactosemia and CAH are not required by the act, but would be added by the Department with Board approval and through regulation as permitted by the act. The proposed regulations also update existing procedures for screening and follow-up testing for those diseases which are currently listed, as well as the four added by these proposed amendments. The proposed amendments clarify the circumstances under which a health care provider is responsible for collecting the initial and any repeat blood specimens for testing. Perhaps most importantly, the proposed amendments include new time frames for specimen collection and transmission to the testing laboratory, which reflect the need for speedy results to alleviate the deadly consequences of MSUD, CAH and galactosemia, commensurate with the need for accuracy in testing, which requires collection to be made no earlier than 24 hours after birth.

The Department is also proposing minor amendments to Chapters 27 and 501. Both sets of minor revisions are necessary to ensure that no inconsistencies exist between the updated requirements of the expanded Program and other Department regulations.

Major revisions to Chapter 27 were published as proposed at 30 Pa.B. 2717 (May 27, 2000). The minor revisions to that chapter being proposed in Annex A will be reevaluated upon final passage of the proposed amendments published on May 27, 2000, and any necessary changes will be incorporated into the final version of the regulations currently being proposed.

Chapter 28. Metabolic Diseases of the Newborn

The following is a discussion of the major amendments, additions and deletions proposed to the regulations governing screening for the diseases of the newborn in Chapter 28. First, the Department is proposing to change the name of this chapter to "Screening and follow-up for diseases of the newborn" to more accurately reflect the nature of the Program. The act authorizes the Department, with the approval of the Board, to establish screening requirements for diseases leading to mental retardation or physical disabilities, some of which, like hemoglobin disease, are not necessarily metabolic in nature.

Section 28.1. Definitions.

Several terms used in the current regulations are confusing, outdated or inadequately defined. The Department proposes to revise and replace those terms and definitions with language which reflects the current practice of the Program, and which more adequately reflects the procedures being used. For example, the Department has chosen to replace the term "initial presumptive positive test result," used to denote a test result that indicates the probable presence of disease, with the term "presumptive abnormal test result." The proposed term and its accompanying definition eliminate all reference to a positive or negative result and redesignate screening results as simply normal or abnormal. This change emphasizes that the Program is a screening program, not a diagnostic one. The term "presumptive positive" indi-

cates the confirmation of disease, something that the Program is not intended to do. The term "abnormal" is more appropriate for a screening program as it indicates a screening result, not a diagnosis.

The Department also proposes to eliminate the term "phenylketonuria program clinic" in favor of a term which reflects the expansion of the Program. This term would be replaced by "treatment center." "Treatment center" encompasses clinics seeing referrals for all diseases diagnosed through the Program.

The proposed amendments also introduce other new terms warranting definition. Other terms that would be added to the definition section include: "abnormal confirmatory test result," "abnormal screening test result," "health care provider," "hemoglobin disease," "hospital," "newborn screening program," "presumptive abnormal test result," "repeat specimen," "repeat test," "specimen collection form" and "specimen collection kit." These terms reflect the current operation of the Program.

Additional terms that would be removed from this section are "bureau," "confirmatory test specimen," "health care facility," "hypothyroid referral clinic laboratory" and "initial test."

Section 28.2. Metabolic diseases listed.

The Department is proposing to change the title of this section to "Newborn diseases listed" to remove the inaccurate impression that only the diseases for which newborn children are screened under the Program are metabolic diseases. The diseases for which newborn children are screened under the Program are not all metabolic in nature, therefore, the Department proposes deleting all references in this section and other sections to "metabolic diseases" and replacing it with "newborn diseases."

In this section the Department proposes to add CAH, galactosemia, hemoglobin disease and MSUD to the list of diseases for which mandatory newborn screening is conducted throughout this Commonwealth. It sets out the requirements contained in the act and reflects screening practices in this Commonwealth following the amendment of the act in 1992.

The term "hemoglobin disease" encompasses sickle cell hemoglobinopathies (disease and trait) as defined in the act as well as other hemoglobin diseases and their carrier state (trait). While the primary purpose of neonatal screening of hemoglobin is to identify infants with sickle cell disease, the current testing methodology available for hemoglobin screening also identifies infants with other potentially life threatening abnormal hemoglobin conditions. The Department believes these other hemoglobin diseases should be reported to the health care provider and parent so that, if confirmed, treatment can be initiated.

Sickle cell disease is a disorder that changes the shape of red blood cells as a result of abnormal hemoglobin. This disease, which predominantly affects persons of African-American and Mediterranean descent, may be inherited if both parents carry the sickle cell trait. Early detection of sickle cell disease, followed by prompt medical treatment, will save the lives of many infants with the disease, reduce the high incidence of bacterial infections which would otherwise afflict these children, and decrease the number and length of hospital admissions for these children. Further, detection of sickle cell trait, which is identified during the screening for sickle cell disease, enables the child and the child's family to receive the necessary education and counseling to prevent passage of sickle cell disease to future offspring.

MSUD, the other disease added by the act in 1992, is a serious genetic disorder most prevalent in members of the Mennonite sect. The incidence of MSUD in this Commonwealth is three times greater than the National average. This disease affects the way the body processes protein, resulting in a blood toxicity, which interferes with brain functions. If not diagnosed and treated within 7 days of birth, MSUD can cause severe and irreversible mental retardation and physical incapacitation requiring lifetime care, or death. However, with early diagnosis and treatment affected children can survive. In addition to vastly improving the quality of life and chances for survival for these children, early diagnosis drastically reduces hospital costs and virtually eliminates costs otherwise required for residential care.

Galactosemia is a genetic metabolic condition, which affects the body's ability to break down galactose, a simple sugar found in milk products and many formulas. The most common forms of galactosemia may result in death from sepsis within the first weeks of life or mental retardation in those who survive. Prompt diagnosis and intervention can prevent further damage.

CAH involves a deficiency of enzymes that catalyzes severe salt wasting, hypertension, stunted growth and incorrect sex assignment in female newborns. Mortality from adrenal crisis is high. Prompt diagnosis and intervention leads to proper medical treatment, which replaces the deficient balance of hormones and permits near normal development.

Section 28.3. Tests to be performed.

This section would be repealed. The text in subsection (a) would be deleted. With technological advancements enabling the detection and treatment of many more diseases and conditions, identifying a host of methodologies in regulation is counterproductive, as some will surely become dated. The Department will prescribe methods and procedures to be used and the standards of accuracy and precision required for each test through the process of selecting a testing laboratory.

The text in subsection (b) would be transferred, without substantive change, to § 28.12 (relating to religious objections), as new subsection (a). This reorganization would clarify existing regulations by grouping all provisions concerning religious objections to testing under a single section.

Section 28.4. Standards for collecting and testing specimens.

This section would be repealed. The proposed amendments would incorporate the substantive portion of this section in amendments to proposed § 28.21 (relating to responsibility). The title of that section would be changed to "Responsibility for collecting and testing initial and repeat specimens."

Section 28.5. Confidentiality.

This section would be new. As proposed, it sets out confidentiality requirements for health care providers, the testing laboratory, the Department, and any other person or entity involved in the Program. Under the Disease Prevention and Control Law of 1955, under which reporting of these diseases of the newborn is made to the Department, all information obtained under that law, or used by the Department to take action on the information, is strictly confidential. To make it clear that all information maintained by the Program is governed by confidentiality provisions even if there is some question as to whether the information is governed by the Disease

Prevention and Control Law of 1955, the Department has chosen to explicitly state its confidentiality requirements in this regulation. It has always been the Department's policy, under the Disease Prevention and Control Law of 1955, to permit the release of certain aggregate statistical information when no identifying information is involved, or to release information concerning an individual upon the tendering of the appropriate consent forms. This proposed regulation reflects that policy.

As proposed, the text in subsection (a)(3) follows closely the language in 35 P. S. § 10101 (relating to individual consent) which permits a minor who is 18 years of age or older, or has graduated from high school, or has married, or has been pregnant to give effective consent for medical, dental and health services. A minor who can consent to health care must be able to access his records in order to receive that care. This subsection, as proposed, makes that possible.

Section 28.11. Informing the parent or guardian.

This section would remain largely unchanged. The proposed changes to this section would reflect current Program terminology.

Section 28.12. Religious objections.

The text from § 28.3(b) (relating to tests to be performed) would be transferred to subsection (a) of this section. The existing text, without substantive change, would become subsection (b).

Section 28.21. Responsibility.

The Department is proposing to change the name of this section to "Responsibility for collecting and testing initial and repeat test specimens" to clarify that this section refers to the responsibility of health care providers to collect initial and repeat specimens.

The Department also proposes to expand the section itself to clarify the circumstances under which the health care provider would have responsibility for collecting from newborn children the initial and any repeat specimens required. The proposed amendment specifically states that a birth center or hospital would be responsible for collecting all necessary specimens from each newborn delivered at the facility. When a newborn is delivered in a place other than in a birth center or hospital, the health care practitioner who delivered the newborn would be responsible for collecting all necessary specimens.

This section also would be amended to expressly state that it is the responsibility of the health care provider to collect the specimen as set forth in the regulations, to submit properly completed specimen collection forms along with the blood filter paper specimens, and to assist with follow-up of inconclusive, presumptive abnormal, abnormal and unacceptable test results.

Section 28.22. Timing of initial specimen collection and handling in health care facilities.

The Department is proposing to change the name of this section to "Timing of initial specimen collection by birth centers or hospitals" to accurately reflect the purpose of this section.

The regulation as it is currently written requires that health care facilities (which includes only birth centers and hospitals in the current regulations) collect the initial blood filter paper specimen from the newborn between the 5th and 6th day of age. The birth center or hospital may wait until the newborn is as old as 9 days to collect the initial blood filter paper specimen if the newborn's medical condition is unstable. The birth center or hospital

may also collect the initial specimen earlier if circumstances, such as early discharge of the newborn from the facility, warrant.

In some cases, these time frames could hamper effective screening. Screening results are less reliable if blood specimens are collected before 24 hours of age because substances in the blood which are measured for detection of these diseases fluctuate significantly within the first 24 hours after birth. If the newborn is discharged before 24 hours of age, screening results may be inaccurate. Repeat testing is necessary in such cases to ensure accuracy of the screening result and efficacy of the Program.

Further, the requirement for screening for MSUD, CAH and galactosemia requires revisions to the time frames currently set out in regulation. Infants with MSUD must be identified by the 7th to 14th day of life to initiate effective treatment. Failure to determine whether a newborn has MSUD by the 7th day after birth could result in the death of that newborn child. Similarly, an infant born with CAH may go into adrenal crisis and die within days of birth or an infant born with galactosemia may die from sepsis within the first weeks of life. The current time frames must be altered to reflect this urgency. Given the absolute necessity of early detection in order to initiate treatment for all newborn diseases for which the Department screens, the Department proposes to revise the time frames in this section to require collection of the initial specimen at as close to 48 hours of age as possible but not later than 72 hours.

Finally, the Department proposes to move § 28.23(b) (relating to timing of initial specimen by health care practitioners) to subsection (b). This subsection addresses the hospital's responsibility to obtain a specimen from a child who was delivered somewhere other than a hospital, who is later admitted into a hospital, and who has no record of results of an approved screening test for the newborn diseases listed in § 28.2. This subsection, therefore, more properly belongs in the section of the regulations which sets out the responsibilities of birth centers and hospitals, not in § 28.23 which sets out responsibilities of health care practitioners.

Section 28.23. Timing of initial specimen collection and handling for home births.

The Department is proposing to change the name of this section to "Timing of initial specimen collection by health care practitioners" to accurately reflect the purpose of this section.

This section would be amended so that it would no longer use the term "home birth" to define the circumstance under which the health care practitioner has responsibility for specimen collection. The responsibility for specimen collection by the health care practitioner would be triggered by a birth "other than in a hospital or birth center." The proposed amendments to § 28.22 (relating to timing of initial specimen collection by birth centers or hospitals) and this section would mirror the dichotomy proposed in § 28.21, births would be separated into birth center or hospital births and nonbirth center or hospital births, with birth centers and hospitals having responsibility for specimen collection for birth center or hospital births and practitioners having responsibility for specimen collection for nonbirth center or hospital births. Regardless of which health care provider has the responsibility for collection of the initial specimen, however, that specimen is to be collected from the newborn as close to 48 hours of age as possible but not later than 72 hours of age.

Section 28.24. Negative test results.

The Department is proposing to change the name of this section to "Normal test results" to accurately reflect current Program terminology.

As proposed, all references to "negative test results" would be deleted and replaced with "normal test results." These changes would be made to reflect the changes in Program terminology to "normal" or "abnormal" test results rather than "positive" or "negative" test results.

Section 28.25. Followup recall specimens.

The Department is proposing to change the name of this section to "Circumstances requiring repeat specimens" to accurately reflect the purpose of this section.

As it is presently written, this section requires health care facilities (birth centers and hospitals) and practitioners to collect a "recall" specimen when the initial specimen is unsuitable for testing or the test results are inconclusive. The Department is proposing to retain the requirements outlined previously, but to change the term to "repeat" specimen. Proposed subsection (b) would also add a circumstance in which a repeat specimen is required; a birth center or hospital that discharges a newborn prior to 24 hours of age would be required to collect a repeat specimen. Repeat testing is necessary in this situation because, while it is necessary to obtain a specimen before early discharge in case the infant is not available for testing following discharge, the specimen obtained at less than 24 hours of age will not produce a definitively valid result. Testing should be repeated automatically by the health care provider without consulting with the Department. Finally, this section, as proposed, includes a new subsection (c), which would give the Department discretion to require a repeat specimen when the results of the initial screening are abnormal.

Section 28.26. Timing of recall specimen collection, handling and reporting.

The Department is proposing to change the name of this section to "Timing of repeat specimen collection" to accurately reflect the purpose of this section.

As proposed, subsection (a) would require a birth center or hospital to collect a repeat specimen from a newborn child who was discharged before 24 hours of age as close to 48 hours of age as possible, but not later than 72 hours of age. As proposed, subsection (b) would require that a health care provider collect a repeat specimen within 72 hours of receipt of notice from the Department or testing laboratory that the initial specimen was unacceptable or yielded an inconclusive result.

The Department is proposing that the text of subsection (c) be deleted as it is no longer relevant due to the changes being proposed in subsections (a) and (b), and that the text of subsection (d) be transferred, without substantial change, to subsection (c).

Section 28.27. Followup of presumptive positive test results.

The Department is proposing to change the name of this section to "Abnormal screening test results" to accurately reflect Program terminology and the purpose of this section.

The Department has determined that this section as it is currently written provides inadequate direction for effective response to the full range of abnormal results. The existing section requires follow-up by the health care provider only for results which are presumptively positive, that is, results at the highest level of abnormality.

The narrow scope of this provision has created ambiguity with regard to the responsibility of the health care provider for follow-up of only slightly abnormal test results.

The Department proposes, therefore, to amend this section to specify general procedures for the health care provider to follow upon receipt of notification from the Department that the results of the screening test were abnormal. Under this section, as revised, the Department would determine the appropriate level of follow-up based upon the nature of the abnormal result and instruct the health care provider accordingly. Further, the regulation, as amended, would assign responsibility directly to the health care provider for promptly notifying a parent or guardian of the newborn child with an abnormal test result and arranging for follow-up services. Finally, the revisions to this section would place primary responsibility on the health care provider for locating a parent or guardian of the child.

As amended, this section will also be revised to consolidate and allow for deletion of the text in §§ 28.30 and 28.31 (relating to phenylketonuria; and hypothyroidism). In all cases, the Department will assist the health care provider with and make available confirmatory testing. If the result of the confirmatory test is abnormal, the Department will assist with referral for diagnosis, treatment and other follow-up services for the newborn child through designated treatment centers or clinical specialists.

Section 28.29. Confirmatory test specimen required.

This section would be repealed. Section 28.25 (relating to circumstances requiring repeat specimens) would now address when repeat specimens are required.

Section 28.30. Phenylketonuria.

This section would be repealed. The subject matter now addressed in this section would be addressed in § 28.27.

Section 28.31. Hypothyroidism.

This section would be repealed. The subject matter now addressed in this section would be addressed in § 28.27.

Section 28.41. Recordkeeping requirements.

Amendments to this section would add language to reflect the current practice of health care providers of collecting and forwarding data semiannually to the Department, including the aggregate number of specimens collected and the reasons that certain specimens are not collected.

Chapter 27. Communicable and Noncommunicable Diseases

The proposed minor revisions to Chapter 27 include adding CAH, galactosemia, MSUD, PKU, primary congenital hypothyroidism and sickle cell disease in children under 5 years of age as reportable diseases in § 27.2. The Department also proposes adding CAH, galactosemia, MSUD and sickle cell disease in children under 5 years of age as diseases to be reported, and changing hypothyroidism to primary congenital hypothyroidism and phenylketonuria to PKU in children under 5 years of age in § 27.22(b) and revising what reports need to be submitted to the Department's Division of Maternal and Child Health under § 27.22(d). As proposed, these amendments would not require the reporting under these sections of any hemoglobin disease other than sickle cell disease, as it is the most severe. The identification of other hemoglobin diseases through screening will assist

physicians with diagnosis and eliminate confusion with iron deficiency anemia, however, there would be no benefit to having them reported under these sections.

Further, the Department proposes revising § 27.30 to reflect the change to the name of Chapter 28.

Chapter 501. Birth Centers

The proposed revisions to §§ 501.3 and 501.49 (relating to reports/contact person; and newborn infant care policies and procedures) bring these sections into conformity with the proposed procedures and time frames for specimen collection in the proposed §§ 28.21, 28.22, 28.25—28.28 and 28.41.

Affected Persons

The proposed amendments will affect all health care providers providing care to pregnant women and newborn children in this Commonwealth, as well as the treatment centers and any laboratory with which the Department contracts to provide the screening services. Health care providers will be required to collect blood filter paper specimens in accordance with updated procedures, assist the Department with follow-up of certain test results, and forward data on specimen collection semiannually to the Department. Sick cell and MSUD treatment centers will be required to provide services to an increased number of children identified through the expanded Program. Treatment centers for galactosemia will be identified and in place prior to the commencement of Statewide screening for that condition. It is anticipated that CAH will be dealt with in a similar fashion as primary congenital hypothyroidism, through referral to an endocrinologist. The laboratory with which the Department contracts will be required to perform testing for MSUD, hemoglobin disease, galactosemia and CAH, in addition to PKU and primary congenital hypothyroidism.

These regulations also generally affect all infants born in this Commonwealth, and, in particular, children born in populations at greatest risk for certain diseases (such as, Mennonites and African-Americans).

Cost and Paperwork Estimate

A. Cost

Statutorily mandated expansion of the Program to include testing for MSUD and sickle cell hemoglobinopathies (hemoglobin disease) will result in increased cost to the Commonwealth and, on a lesser scale, to health care providers. Annual costs of the Program are expected to increase by approximately \$ 1.3 million to cover testing and follow-up for MSUD, hemoglobin disease, galactosemia and CAH. This amount would be funded entirely by State funds. The total annual budget for the expanded Program includes testing of 150,000 specimens for each of the six diseases (PKU, primary congenital hypothyroidism, MSUD, hemoglobin disease, galactosemia and CAH), additional personnel, new and replacement equipment for the Bureau of Laboratories and the testing laboratory, and follow-up of children who are identified with one of the six diseases listed.

The cost to the private sector would be the cost incurred by health care providers in connection with providing the necessary follow-up to abnormal test results. The Department currently does not charge hospitals or parents for the costs of laboratory screening.

Expansion of the Program to include screening for MSUD, hemoglobin disease, galactosemia and CAH, however, will result in long-term savings as well. The total

cost of screening all newborn children in this Commonwealth, including follow-up and some treatment for PKU, primary congenital hypothyroidism, MSUD and sickle cell disease is estimated at approximately \$32 per child.

B. Additional Paperwork

The testing laboratory and health care providers will have additional reporting responsibilities resulting from the addition of diseases to the list of diseases for which screening is required. The increase in paperwork requirements would be minimal, however, because the specimens necessary for screening for MSUD, hemoglobin disease, galactosemia and CAH will be collected on the same specimen collection form currently used solely for PKU and primary congenital hypothyroidism screening. Furthermore, the testing laboratory will report screening test results for the newly added diseases on the same report form currently used solely for PKU and primary congenital hypothyroidism. Under the proposed amendments, health care providers will be required to submit data regarding specimen collection to the Department semiannually. The existing regulations require only that this data be maintained. Paperwork requirements within the Department will not change significantly except to the extent that the addition of MSUD, hemoglobin disease, galactosemia and CAH will result in more instances in which follow-up of abnormal results will be required.

It should also be noted that the expanded Program for screening for sickle cell hemoglobinopathies (hemoglobin disease) and MSUD was mandated by statute in 1992, and has, in fact, been operating since that time. As has been stated, screening for sickle cell hemoglobinopathies (hemoglobin disease) began in September of 1992, and for MSUD began in March of 1993. Screening for galactosemia and CAH began on a voluntary basis in State fiscal year 2000/2001. These proposed amendments will not add to the paperwork currently being done by providers of their own volition, nor will they, for the most part, increase costs currently incurred as screening mandated by the act is carried out.

Effectiveness/Sunset Dates

The final-form regulations will become effective upon final publication in the *Pennsylvania Bulletin*. No sunset date has been established; the Department will continually review and monitor the effectiveness of the Program.

Statutory Authority

The Department obtains its authority to promulgate these regulations from several sources. Generally, the Disease Prevention and Control Law of 1955 provides the Board with the authority to issue rules and regulations on a variety of issues relating to communicable and noncommunicable diseases, including the methods of reporting diseases, the contents of those reports and the health authorities to whom diseases are to be reported. Section 16(b) of the Disease Prevention and Control Law of 1955 (35 P. S. § 521.16(b)) gives the Secretary of Health (Secretary) the authority to review existing regulations and make recommendations to the Board for changes the Secretary considers to be desirable.

The Department also finds general authority for the promulgation of its regulations in The Administrative Code of 1929 (71 P. S. §§ 51—732). Section 2102(g) of The Administrative Code (71 P. S. § 532(g)) gives the Department the general authority. Section 2111(b) of The Administrative Code (71 P. S. § 541(b)) provides the Board with additional authority to promulgate regulations deemed by the Board to be necessary for the prevention of disease, and for the protection of the lives and the health of the

people of this Commonwealth. That section further provides that the regulations of the Board shall become the regulations of the Department.

The Department's specific authority for promulgating the regulations relating to newborn screening and follow-up is found in the act. Section 5 of the act provides the Department, with the approval of the Board, with the authority to promulgate regulations for the implementation and administration of the act. Section 3(b) of the act (35 P. S. § 623(b)) provides the Department, with the approval of the Board, with the authority to establish by regulation those diseases for which newborn children shall be tested and the methods for testing and disseminating test results. Section 4(b) of the act (35 P. S. § 624(b)) provides the Department with the authority to establish by regulation the methods of procurement of blood specimens of newborn children by health care providers.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P. S. § 745.5(a)), on April 18, 2001, the Department submitted a copy of these proposed amendments to the Independent Regulatory Review Commission (IRRC) and to the Chairpersons of the House Health and Human Services Committee and the Senate Public Health and Welfare Committee. In addition to submitting the proposal, the Department has provided IRRC and the Committees with a copy of a detailed Regulatory Analysis Form prepared by the Department in compliance with Executive Order 1996-1, "Regulatory Review and Promulgation." A copy of this material is available to the public upon request.

If IRRC has objection to any portion of the proposed amendments, it will notify the Department within 10 days of the close of the Committees' review period. The notification shall specify the regulatory review criteria which have not been met by that portion. The Regulatory Review Act specifies detailed procedures for review, prior to final publication of the regulation by the Department, the General Assembly and the Governor, of objections raised.

Contact Person

Interested persons are invited to submit written comments, suggestions or objections regarding the proposed amendments within 30 days following publication to Jack W. Means, Jr., Director of the Newborn Screening and Genetic Services Section of the Division of Maternal and Child Health, Bureau of Family Health, Department of Health, P. O. Box 90, Harrisburg, PA 17108, (717) 783-8143. If you are a person with a disability, comments, suggestions or objections regarding the proposed regulations may also be submitted to Jack Means in alternative formats, such as by audio tape, braille or using ITT (717) 705-5494. Persons with a disability who require an alternative format of this document (such as, large print, audio tape or braille), should contact Jack Means to make the necessary arrangements.

(Editor's Note: A proposal to amend §§ 27.2 and 27.22 remains outstanding at 31 Pa.B. 2126 (April 21, 2001).)

ROBERT S. ZIMMERMAN, Jr.,
Secretary

Fiscal Note: 10-137. (1) General Fund; (2) Implementing Year 2000-01 is \$1.3 million; (3) 1st Succeeding Year 2001-02 is \$1.3 million; 2nd Succeeding Year 2002-03 is \$1.3 million; 3rd Succeeding Year 2003-04 is \$1.3 million; 4th Succeeding Year 2004-05 is \$1.3 million; 5th Succeed-

ing Year 2005-06 is \$1.3 million; (4) 1999-00 Program—\$2,571,742; 1998-99 Program—\$3,098,769; 1997-98 Program—\$3,264,480; (8) recommends adoption. The \$4 million appropriation to the Department of Health for newborn screening made by the General Appropriation Act of 2000 includes \$1.3 million for 2000-01 costs.

Annex A

**TITLE 28. HEALTH AND SAFETY
PART III. PREVENTION OF DISEASES
CHAPTER 27. COMMUNICABLE AND
NONCOMMUNICABLE DISEASES
Subchapter A. GENERAL PROVISIONS**

§ 27.2. Reportable diseases.

The Board declares the following communicable diseases, unusual outbreaks of illness, noncommunicable diseases and conditions to be reportable:

* * * * *

Congenital adrenal hyperplasia (CAH) in children under 5 years of age.

* * * * *

Galactosemia in children under 5 years of age.

* * * * *

Maple syrup urine disease (MSUD) in children under 5 years of age.

* * * * *

Phenylketonuria (PKU) in children under 5 years of age.

* * * * *

Primary congenital hypothyroidism in children under 5 years of age.

* * * * *

Sickle cell disease in children under 5 years of age.

* * * * *

Subchapter B. REPORTING OF DISEASES

GENERAL

§ 27.22. Reporting laboratory results indicative of certain infections or conditions.

* * * * *

(b) The conditions or diseases to be reported include the following:

* * * * *

Congenital adrenal hyperplasia (CAH) in children under 5 years of age.

* * * * *

Galactosemia in children under 5 years of age.

* * * * *

[Hypothyroidism in infants up to 24 months old.]

* * * * *

Maple syrup urine disease (MSUD) in children under 5 years of age.

* * * * *

Phenylketonuria (PKU) in children under 5 years of age.

* * * * *

Primary congenital hypothyroidism in children under 5 years of age.

* * * * *

Sickle cell disease in children under 5 years of age.

* * * * *

(d) The report shall be submitted by the person in charge of a laboratory as follows:

(1) Reports except for venereal diseases, [hypothyroidism in infants up to 24 months old, phenylketonuria] CAH in children under 5 years of age, galactosemia in children under 5 years of age, MSUD in children under 5 years of age, PKU in children under 5 years of age, primary congenital hypothyroidism in children under 5 years of age, sickle cell disease in children under 5 years of age and lead poisoning or lead toxicity. Reports shall be made to the appropriate health authority of Philadelphia or the county department of health if the patient resides in such an area. Other reports shall be sent to the Division of Epidemiology, Department of Health, Post Office Box 90, Harrisburg, Pennsylvania 17108.

* * * * *

(3) [Phenylketonuria and hypothyroidism in infants up to 24 months old] CAH in children under 5 years of age, galactosemia in children under 5 years of age, MSUD in children under 5 years of age, PKU in children under 5 years of age, primary congenital hypothyroidism in children under 5 years of age and sickle cell disease in children under 5 years of age. Reports shall be made to the Division of Maternal[/] and Child Health, Department of Health, Post Office Box 90, Harrisburg, Pennsylvania 17108.

* * * * *

§ 27.30. Reporting test results [of metabolic disease testing in] which identify specific diseases of the newborn [child].

In addition to the requirements that may be applicable under this chapter, testing conducted on newborn children shall be reported in accordance with Chapter 28 (relating to [metabolic] screening and followup for diseases of the newborn).

CHAPTER 28. [METABOLIC] SCREENING AND FOLLOWUP FOR DISEASES OF THE NEWBORN

GENERAL PROVISIONS

§ 28.1. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

Abnormal confirmatory test result—A test result obtained from a specimen of blood, serum or plasma which is diagnostic of the newborn disease under investigation.

Abnormal screening test result—A test result obtained from a specimen collected on a specimen collection form which is outside the parameters for

a normal test result according to testing criteria applicable to the screening test result.

Admission—The formal acceptance of custody or care by a [health care facility] birth center or hospital of a newborn child who is provided with bassinet or incubator, nutrition and continuous nursing service.

[Childbearing] Birth center—[A facility owned and operated by an individual, group of individuals, health agency or corporation except a hospital to provide antenatal, intrapartum and postpartum services] As defined in section 802a of the Health Care Facilities Act (35 P. S. § 448.802a).

[Bureau—The Bureau of Laboratories of the Department.

Confirmatory test specimen—A specimen of blood, serum or plasma collected from the newborn child on which a confirmatory test is performed in accordance with standards established or approved by the Bureau relating to the quantitative determination of these constituents; results of the tests may be used for diagnostic purposes.]

* * * * *

Discharge—The release of the newborn child from care and custody within and by the [health care facility] birth center or hospital to the care and custody of the parent or guardian.

[Health care facility—A hospital or institution licensed or supervised by the Commonwealth and approved to provide inpatient perinatal or pediatric services, or both, and childbearing centers.]

Health care practitioner—A licensed physician or a practitioner licensed [to provide maternity care and] to deliver and care for pregnant women and newborn children.

Health care provider—A birth center, hospital or health care practitioner.

Hemoglobin diseases—Sickle cell (SS, SC, SV, S β Thalassaemia, S O Arab) disease or trait or other clinically significant hemoglobin (CC, EE, F, H) disease or trait.

Hospital—As defined in section 802a of the Health Care Facilities Act.

[Hypothyroid referral clinic laboratory—A clinic/laboratory sponsored and supported by the Department to provide followup serum laboratory testing, consultation, diagnosis and treatment of infants with hypothyroidism.]

Inconclusive screening test result—A test [in which the] result obtained from a specimen collected on a specimen collection form that is equivocal [by criteria established or approved by the Bureau] according to criteria applicable to the screening test result and which indicates the need for a [recall] repeat specimen and repeat testing.

[Initial presumptive positive test—A test result indicating that a metabolic disease listed in § 28.2 (relating to metabolic diseases listed) may be present; the results shall be followed by confirmatory testing for diagnostic purposes.]

Initial specimen—The first sample of blood collected [for testing purposes] from the newborn [on a special filter paper collecting device] child and submitted for testing purposes on a specimen collection form.

[*Initial test*—The first analysis performed on an initial specimen.]

* * * * *

Newborn screening program—The association of the Department, the testing laboratory and the health care provider to ensure that every newborn child born in this Commonwealth has a blood specimen collected and screened for the newborn diseases listed in § 28.2 (relating to newborn diseases listed).

[*Phenylketonuria Program Clinic*—A clinic sponsored and supported by the Department to provide expert consultation, diagnosis and treatment for children with phenylketonuria.]

Presumptive abnormal test result—An abnormal screening test result which is sufficiently abnormal to indicate the probable presence of a newborn disease listed in § 28.2.

[*Recall*] *Repeat specimen*—A specimen collected from [the] a newborn child on a specimen collection form after the initial specimen [; the specimens are collected for one of the following reasons:

(i) Early discharge of newborn child from hospital.

(ii) Unacceptable specimen.

(iii) Inconclusive test result.]

[*Recall*] *Repeat test*—The [test] laboratory testing performed on a [recall] repeat specimen.

Specimen collection form—The official newborn screening program specimen form that includes both a multipart section for providing required information about the newborn child and a filter paper tab for application of blood.

Testing laboratory—[Licensed] The licensed clinical laboratory under contract with the Department to perform [screening tests] testing for the [metabolic] newborn diseases listed in § 28.2.

Transfer—The release of the newborn child from care and custody within and by [the health care facility for] a birth center or hospital and subsequent admission to [care and custody of] another [health care facility or to a similar health care facility in another state] hospital.

Treatment center—A center under contract with the Department to provide expert consultation, diagnosis and treatment for children with a presumptive abnormal test result.

Unacceptable specimen—[Blood] A blood specimen collected from a newborn child on a [special filter paper collecting device] specimen collection form which is found to be [unacceptable] unsuitable for testing in accordance with [standards established or

approved] accepted laboratory testing standards as determined by the [Bureau] Department.

§ 28.2. [Metabolic] Newborn diseases listed.

[The] A newborn child born in this Commonwealth shall be screened for the following [metabolic] diseases [of the newborn child are believed to] which may cause mental retardation [or], physical defects, or death [in the newborn child] if not detected and treated soon after birth:

(1) Congenital adrenal hyperplasia (CAH).

(2) Galactosemia.

(3) Hemoglobin diseases.

(4) Maple syrup urine disease (MSUD).

[(1)] (5) Phenylketonuria (PKU).

[(2)] (6) [Hypothyroidism] Primary congenital hypothyroidism.

§ 28.3. [Tests to be performed] (Reserved).

[(a) The following tests have been approved for the screening and detection of the these respective diseases:

(1) *Phenylketonuria*. The following tests are approved for the detection of phenylketonuria:

(i) The Guthrie Bacterial Inhibition Assay (GBIA).

(ii) The McCaman and Robins Fluorometric method.

(iii) Other tests approved by the Bureau.

(2) *Hypothyroidism*. The following tests are approved for detection of hypothyroidism:

(i) Radioimmunoassay techniques for Thyroxine (T4) and Thyroid Stimulating Hormone (TSH) according to standards established or approved by the Bureau.

(ii) Other tests approved by the Bureau.

(b) Tests may not be administered if the parent or guardian of the newborn child objects on the grounds that the tests conflict with parent's or guardian's religious beliefs or practices.]

§ 28.4. [Standards for collecting and testing specimens] (Reserved).

[A health care facility or practitioner required by law or regulation to administer or cause to be administered tests for the detection of metabolic diseases in the newborn child, as specified in § 28.2 (relating to metabolic diseases listed), shall collect specimens necessary to conduct the tests in accordance with standards established by the Bureau. Specimens collected shall be sent by first class mail or by other means acceptable to the Department to laboratory specified by the Department within 48 hours of collection. The Bureau will ensure the commencement of testing procedures by the testing laboratory within 48 hours of receipt of the specimen. Chapter 5 (relating to clinical laboratories), applies to the laboratories performing the tests specified in § 28.3 (relating to tests to be performed).]

§ 28.5. Confidentiality.

(a) No health care provider, testing laboratory, the Department, or any other entity involved in the newborn screening program may release any identifying information relating to a newborn child screened in the newborn screening program to anyone other than a parent or guardian of the newborn child or the health care provider for the newborn child designated by a parent or the guardian except as follows:

(1) As may be necessary to provide services to the newborn child.

(2) With the consent of the newborn child's parent or guardian.

(3) With the child's consent when the child is 18 years of age or older, has graduated from high school, has married or has been pregnant.

(b) Only the Department will have the authority to release or authorize the release of nonidentifying information concerning the newborn screening program.

[ADVICE TO PARENTS EXPLAINING] PURPOSE AND ADMINISTRATION OF TESTS

§ 28.11. Informing the parent or guardian.

[The] Prior to specimen collection, the health care [facility or practitioner responsible for care of the pregnant woman or mother] provider shall provide [her] the pregnant woman, prior to the infant's birth, or the mother or guardian, after the infant's birth, with a pamphlet supplied by the Department to explain the nature of the newborn screening [neonatal] blood tests for the [metabolic] diseases listed in § 28.2 (relating to [metabolic] newborn diseases listed).

§ 28.12. Religious objections.

(a) No health care provider may collect or cause to be collected, a specimen from a newborn child if the parent or guardian of the newborn child objects on the ground that the specimen collection conflicts with religious beliefs or practices held by the parent or guardian.

(b) If the parent or guardian of the newborn child objects to [a test] the collection of the specimen for screening on the ground that the [test] specimen collection conflicts with [his] religious beliefs or practices held by the parent or guardian, the health care [facility or practitioner responsible for the care of the newborn child shall be responsible to see] provider shall ensure that the recorded objection of the parent or guardian is entered into the medical record of the newborn child. The entry shall include a written statement of the objection signed by the parent or guardian.

[TIMING OF COLLECTION, HANDLING OF SPECIMENS, AND REPORTS] SPECIMEN COLLECTION AND FOLLOWUP

§ 28.21. Responsibility for collecting and testing initial and repeat specimens.

[The health care facility or practitioner to whom care of the newborn has been entrusted or who assisted the mother at delivery shall direct blood

specimens to be collected and sent for testing in accordance with §§ 28.4, 28.11 and 28.12 (relating to standards for collecting and testing specimens; informing the parent or guardian; and religious objections)] (a) A birth center or hospital shall collect or cause to be collected from each newborn child delivered in that birth center or hospital, in accordance with instructions for newborn screening specimen collection in subsection (d), the initial and repeat specimens necessary to conduct the tests necessary for the detection of the newborn diseases specified in § 28.2 (relating to newborn diseases listed).

(b) When a newborn child is delivered other than in a birth center or hospital, the health care practitioner who delivered the newborn child shall collect or cause to be collected from the newborn child, in accordance with instructions for newborn screening specimen collection in subsection (d), the initial and repeat specimens necessary to conduct the tests necessary for the detection of the newborn diseases specified in § 28.2.

(c) The health care provider shall designate a newborn screening coordinator to do the following:

(1) Ensure that a specimen collection form contains correct and complete information.

(2) Ensure that the individual who collected the specimen records that act in the newborn child's medical record.

(3) Send all specimens collected by first class mail to the testing laboratory within 24 hours of collection.

(4) Record the laboratory screening results in the newborn child's medical records.

(5) Check each newborn child's record prior to discharge or release to ensure that a specimen has been collected.

(6) Ensure, in the event of transfer of the newborn child prior to 48 hours of age, that the receiving health care provider has been notified that it has the responsibility to collect the initial specimen.

(7) Assist the Department in followup of an abnormal or presumptive abnormal test result.

(8) Followup inconclusive test results.

(9) Receive notification from the testing laboratory or from the Department of the need for a repeat specimen.

(d) The health care provider shall ensure that the individual responsible for specimen collection shall collect the specimen necessary to conduct tests in accordance with consensus standards developed by the National Committee for Clinical Laboratory Standards (NCCLS) and accepted by the Department. The Department will publish these standards, and any revisions thereto, in a notice in the *Pennsylvania Bulletin*.

§ 28.22. Timing of initial specimen collection [and handling in health care facilities] by birth centers or hospitals.

(a) [An] A birth center or hospital shall collect the initial specimen [shall be collected in health care facilities] from each newborn [infants, irrespective]

child regardless of [age or] feeding history[, discharged on or before the fifth day of age, as close to the time of discharge from the health care facility as is practicable] or medical condition, as close to 48 hours of age as possible but not later than 72 hours of age unless the newborn child falls into one of the following categories:

(1) *Transfer.* If the newborn child is transferred to another [health care facility] hospital for continuing care [on or before the fifth day of age, the initial] prior to 48 hours of age, the hospital to which the newborn child has been transferred shall collect a specimen [shall be collected between the fifth and sixth day of age] from the newborn child, [irrespective] regardless of feeding history [, by the health care facility to which the newborn child has been transferred] or medical condition, as close to 48 hours of age as possible but not later than 72 hours of age.

[(2) *Late discharge.* If the newborn child is discharged from the health care facility beyond the fifth day of age, the initial blood specimen shall be collected from the newborn child between the fifth and sixth day of age, irrespective of feeding history.

(3) *Instability.* If the newborn child is transferred or detained and the child's medical condition is unstable and renders the collection of the specimen undesirable at the designated time as stated in paragraph (1) or (2), whenever practicable, the initial specimen shall be collected as soon as it is deemed appropriate, but within the first 6 to 9 days of age.]

[(4)] (2) *Exchange transfusion.* [Where] If the newborn child is to undergo an exchange transfusion, the birth center or hospital shall collect the initial specimen [shall be collected] for testing immediately prior to the exchange transfusion.

[(5)] (3) *Early discharge.* [Where] If the newborn child is discharged from the [health care facility] birth center or hospital before 24 hours of age, the birth center or hospital shall collect the initial [blood] specimen [shall be collected] from the newborn child as close to the time of discharge as is practicable, [irrespective] regardless of feeding history or medical condition. [Arrangements with the parent or guardian shall be made by the health care facility or the practitioner] The birth center or hospital shall give the parent or guardian in whose care and custody the newborn child is discharged written notification of the need for a repeat specimen and shall also provide instructions to the parent or guardian for obtaining a [recall blood] repeat specimen from the newborn child as described in § 28.26 (relating to timing of [recall] repeat specimen collection [, handling and reporting]).

(b) When a newborn child, who was delivered other than in a birth center or hospital, is admitted to a hospital within the first 27 days of age and the hospital has received no record of results of an approved screening test for the newborn diseases listed in § 28.2 (relating to newborn diseases listed), the hospital to which the newborn child is admitted

shall collect the initial specimen within 48 hours of admission to the hospital and shall send the specimen to the testing laboratory specified by the Department within 24 hours of collection.

§ 28.23. Timing of initial specimen collection [and handling for home births] by health care practitioners.

[(a) When a newborn child is born at home and is not admitted to a health care facility by the fifth day of age,] A health care practitioner who delivers a newborn child other than in a birth center or hospital shall collect or cause to be collected the initial specimen [shall be obtained] from the newborn child [and sent for testing between the second and sixth day of age by the practitioner to whom care of the newborn child has been entrusted or who assisted the mother at time of delivery or by the person who signed the newborn child's birth certificate], regardless of feeding history or medical condition, as close to 48 hours as possible but not later than 72 hours of age.

[(b) When a newborn child is admitted to a health care facility within the first 27 days of age who has not been born in nor admitted to a health care facility within the first 5 days of age and who has no record of results of an approved screening test for the metabolic diseases listed in § 28.2 (relating to metabolic diseases listed), the initial specimen shall be collected within 48 hours of admission to a health care facility and sent for testing.]

§ 28.24. [Negative] Normal test results.

(a) No later than 7-calendar days following the day when the testing laboratory obtains the [negative] normal test results, the testing laboratory shall send those results to the health care [facility or practitioner under whose care the specimen was collected] provider that collected the specimen from the newborn child.

(b) The health care [facility or practitioner] provider to whom the [negative] normal test results are reported shall record the test results in the medical record of the [patient] newborn child.

§ 28.25. [Followup recall] Circumstances requiring repeat specimens.

(a) [If] The health care provider responsible for collecting the initial specimen shall collect or cause to be collected and submit for testing a repeat specimen if the initial specimen collected is either of the following:

(1) [unacceptable] Unacceptable for testing [if the results of testing are inconclusive, a recall specimen is required].

(2) Yields an inconclusive screening test result.

(b) If a birth center or hospital collects the initial specimen from a newborn child prior to 24 hours of age because the newborn child is discharged from the birth center or hospital prior to 24 hours of age, the birth center or hospital shall collect or cause to be collected a repeat specimen.

(c) If the initial specimen collected yields an abnormal screening test result, the Department

may require the health care provider responsible for collecting the initial specimen to collect a repeat specimen.

§ 28.26. Timing of [recall] repeat specimen collection[, handling, and reporting].

(a) When the newborn child has been discharged from [the health care facility] a birth center or hospital before 24 hours of age, [a recall filter paper specimen shall be collected for testing between the sixth to ninth day whenever practicable by the health care facility or practitioner to whom care of the newborn has been entrusted] the birth center or hospital shall collect or cause to be collected a repeat specimen from the newborn child, regardless of feeding history or medical condition, as close to 48 hours of age as possible but not later than 72 hours of age.

(b) When the initial specimen is unacceptable [for testing] or when [the results of] the initial specimen [are] yields an inconclusive screening test result, [a recall filter paper specimen shall be obtained promptly from the newborn child upon telephone notification by] the Department [to] or testing laboratory will notify the health care [facility or practitioner who is providing ongoing care to the child according to procedures delineated in §§ 28.3(b) and 28.12 (relating to tests to be performed; and religious objections)] provider that collected the initial specimen. Within 72 hours of receipt of notice from the Department or testing laboratory, the health care provider that collected the initial specimen shall collect or cause to be collected from the newborn child a repeat specimen.

[(c) In a case where the parent or guardian has no ongoing health care provider for the newborn child, the Department will assist the parent or guardian in arranging for recall specimen collection.

(d) (c) If the [appropriate] health care [facility or practitioner] provider cannot locate [the parents] a parent or guardian of the newborn child within 4 days of notification of need for a [filter paper recall] repeat specimen, the health care [facility or practitioner] provider shall [telephone] contact the Department[, which will assist in location of the parents] for consultation regarding additional means for locating a parent or guardian.

§ 28.27. [Followup of presumptive positive] Abnormal screening test results.

(a) [If the results of any filter paper test are presumptive positive, the health care facility or practitioner to whom the results were reported shall promptly notify the parents or guardian and arrange for followup and shall enter the report of the result into the patient's medical record.] When testing of the initial or repeat specimen yields an abnormal screening test result, the Department will notify the health care provider that collected the

specimen. The health care provider shall promptly notify a parent or guardian of the newborn child.

(b) If the health care [facility or practitioner to whom the presumptive positive test report was made] provider cannot locate the newborn child's parent or guardian within 48 hours of receiving [the report] notice from the Department, the health care [facility or practitioner] provider shall [notify] contact the Department [, which will assist in] for consultation regarding additional means for locating [the parents] a parent or guardian.

(c) The Department will assist the health care provider with and make available confirmatory testing.

(d) If the result of the confirmatory test is abnormal, the Department will assist with referral for diagnosis, treatment and other followup services for the newborn child through designated treatment centers or clinical specialists.

§ 28.28. Followup of symptoms consistent with [metabolic] newborn diseases.

When a sick child exhibits [signs] symptoms suggestive of a [metabolic] newborn disease listed in § 28.2 (relating to [metabolic] newborn diseases listed) and has not already been determined to have one of those [metabolic] newborn diseases, [a] the health care [facility or practitioner] provider to whom care of the sick child has been entrusted by the parent or guardian shall collect and submit a blood specimen for [metabolic] newborn disease testing in accordance with standard diagnostic procedures.

§ 28.29. [Confirmatory test specimen required] (Reserved).

[If the results of any test are presumptive positive, collection of a confirmatory test specimen is required. Within 24 hours after the test results have been obtained, the Department will telephone the results to the appropriate health care facility or practitioner and followup with a written report.]

§ 28.30. [Phenylketonuria] (Reserved).

[(a) *Presumptive positive tests.* For presumptive positive tests the following shall apply:

(1) If the results of any test for phenylketonuria are presumptive positive, the Department will provide prompt confirmatory testing of the newborn child in accordance with standards established by the Bureau.

(2) The confirmatory laboratory testing of the newborn child will be completed within 24 hours of the receipt of the confirmatory test specimen or as soon as thereafter as practicable by the Department and will be reported and followed up under the same procedures set forth for presumptive positive tests in §§ 28.27 and 28.29 (relating to followup of presumptive positive test results; and confirmatory test specimen required).

(3) The Department will telephone confirmatory test results to its designated Phenylketonuria Program Clinics.

(b) *Positive confirmatory tests.* If the results of the confirmatory tests for phenylketonuria are positive, the Department will arrange for referral, diagnosis, treatment, and habitative and other followup services for the child and family in accordance with standards set or approved by the Department.]

§ 28.31. [Hypothyroidism] (Reserved).

[(a) *Presumptive positive tests.* If the results of any hypothyroidism tests are presumptive positive, the Department will make available confirmatory laboratory testing in accordance with standards established or approved by its Bureau. Testing will be initiated within 24 hours of receipt of the specimen or as soon thereafter as is practicable by the Department's designated Hypothyroid Referral Clinics/Laboratories and will be reported and followed up under the same procedures set forth for presumptive positive tests in §§ 28.27 and 28.29 (relating to followup of presumptive positive test results; and confirmatory test specimen required).

(b) *Positive confirmatory tests.* If the results of any tests for neonatal hypothyroidism are positive, the Department will provide telephone or clinic consultative services through its designated Hypothyroid Referral Clinics/Laboratories in accordance with standards set or approved by the Department.]

RECORDS

§ 28.41. Recordkeeping requirements.

A health care [facility providing] provider offering maternity and newborn services shall [be required by the Department to keep data] collect and forward data semi-annually to the Department on the number of patients for whom specimens for [metabolic] newborn disease testing have been collected and the number of patients for whom the specimens have not been collected, together with the reason in each instance for the failure to collect.

PART IV. HEALTH FACILITIES

Subpart E. Birth Center

CHAPTER 501. BIRTH CENTERS

§ 501.3. Reports/contact person.

(a) The facility shall report regularly to the Department, on forms issued by the Department, statistical information that the Department may request and shall comply with the requirements for recordkeeping in § 28.41 (relating to recordkeeping requirements).

* * * * *

§ 501.49. Newborn infant care policies and procedures.

The newborn infant care policies, protocols[,] and procedures shall include, but not be limited to, the following:

* * * * *

(4) The birth center shall explain to the mother the purpose and nature of the screening tests for metabolic diseases, required by Chapter 28 (relating to [metabolic] screening and followup for diseases of the newborn), give her an informational pamphlet provided by the Department, inform her of her right to refuse the tests because of religious beliefs or practices, and see that the recorded written objection is entered into the medical record of the newborn child and signed by the parent or guardian, if screening is refused.

(5) The birth center shall [collect an initial filter paper blood specimen, for the detection of metabolic diseases, as close to the time of discharge from the facility as is practicable, irrespective of feeding history, unless the newborn is transferred to another health care facility for continuing care. Arrangements with the parent shall be made by the birth center, for collecting an additional blood filter paper specimen between the 2nd to 9th day of age] comply with the requirements for specimen collection, testing and followup set forth in §§ 28.21—28.28.

* * * * *

[Pa.B. Doc. No. 01-724. Filed for public inspection April 27, 2001, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 17, 2001.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-9-01	Northwest Savings Bank, Warren, and Heritage Trust Company, Erie Surviving institution— Northwest Savings Bank, Warren	Warren	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-17-01	People's State Bank of Wyalusing Wyalusing Bradford County	202 S. Turnpike St. Dushore Sullivan County	Approved

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-10-00	Promistar Bank Johnstown Cambria County	<i>Into:</i> 534 Main Street Berlin Somerset County	Effective
		<i>From:</i> 506 Main Street Berlin Somerset County	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
4-11-01	Freedom Credit Union, Philadelphia, and Braceland Federal Credit Union, Philadelphia Surviving institution— Freedom Credit Union, Philadelphia	Philadelphia	Approved

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-725. Filed for public inspection April 27, 2001, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Exchange of Lands

The Department of Conservation and Natural Resources (Department), acting through the Bureau of Forestry (Bureau), and C & S Lumber Company, Inc. of Roulette, PA, are proposing to negotiate an exchange of lands in Cameron and Potter Counties, PA.

The Bureau is proposing to acquire from C & S Lumber Company, Inc. property consisting of 106 acres of land in Grove Township, Cameron County, completely interior to the Elk State Forest and Sinnemahoning State Park.

In return, the Bureau proposes to convey to C & S Lumber Company, Inc. property consisting of 77.5 acres of land along Lehman Run in Hector Township, Potter County.

As is the policy of the Department, the public is hereby notified of this exchange. A 30-day period for public inquiry and/or comment will be in effect commencing April 30, 2001, and ending May 29, 2001. Oral or written comments or questions concerning this proposed exchange may be addressed to: Dr. James R. Grace, State Forester, Bureau of Forestry, P. O. Box 8552, Harrisburg, PA 17105-8552, (717) 787-2703. These oral and/or written comments will become part of the official document used in the final decision process.

If, in the duration of the 30-day comment period, a significant amount of public concern develops, the Secretary of the Department may schedule a public informational meeting.

JOHN C. OLIVER,
Secretary

[Pa.B. Doc. No. 01-726. Filed for public inspection April 27, 2001, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and the Pennsylvania Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0056596	Craig C. Forwood 204 Delphi Road Schwenksville, PA 19473	Montgomery Lower Frederick	Mine Run	

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA-0055172 Industrial	Buckeye Pipe Line Co., LP P. O. Box 358 Emmaus, PA 18049	Lehigh County Lower Macungie Township	Unnamed tributary to Swabia Creek in Watershed #2c	Yes

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0024228	Pennfield Farms, Inc. P. O. Box 70 Fredericksburg, PA 17026	Berks County Bethel Township	Deep Run (7D—Swatara Creek)	Yes
PA0028720	Reading Regional Airport Authority 2501 Bernville Road Reading, PA 19605	Berks County Bern Township	Schuylkill River (3C—Tulpehocken Creek)	Yes

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0111911	Construction Specialties P. O. Box 380 Muncy, PA 17756-0380	Lycoming County Clinton Township	Turkey Run 10C	Renewal Yes
PA0046159	Municipal Sewer Authority of Houtzdale Borough P. O. Box 277 Houtzdale, PA 16651-0277	Clearfield County Woodward Township	Beaver Run 8D	Renewal Yes
PA0037966	Moshannon Valley Joint Sewer Authority P. O. Box 581 Phillipsburg, PA 16866-0581	Centre County Rush Township	Moshannon Creek 8D	Renewal

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application #PA0103047. Sewage, **Jerome M. Laughlin, Laughlin Builders**, 8333 Edinboro Road, McKean, PA 16426.

This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary to Elk Creek in McKean Township, **Erie County**. This is an existing discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, there are potable water supplies (PWS) at or near the point of discharge, nor until Elk Creek reaches Lake Erie.

The proposed effluent limits for Outfall 001, based on average design flow of 0.0017 MGD, are:

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>
CBOD ₅ (5-1 to 10-31)	20	40
(11-1 to 4-30)	25	50
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31)	2.5	5.0
(11-1 to 4-30)	7.5	15.0
Phosphorus as "P"	1.0	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
Total Residual Chlorine	0.49	1.14
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	4,800/100 ml as a geometric average	
pH	6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

PA0209996, Sewage. **The Salvation Army—Camp Allegheny**, 424 Third Avenue, Pittsburgh, PA 15219.

This facility is located in Wayne Township, **Lawrence County**.

Description of Proposed Activity: renewal of sewage discharge.

The receiving stream, Slippery Rock Creek, is in watershed 20C and classified for: cold water fishes, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on a design flow of 0.06 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
	CBOD ₅	25	
Total Suspended Solids	30		60
Fecal Coliform (5-01 to 9-30)	200/100 ml as a geometric average		
(10-01 to 04-30)	100,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.17
Dissolved Oxygen	Minimum of 3.0 mg/l at all times.		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

PA0210196—Amendment No. 2, Industrial Waste. **Seneca Landfill, Inc.**, P. O. Box 1080, Mars, PA 16046.

This proposed facility is located in Jackson Township, **Butler County**.

Description of Proposed Activity: an existing discharge of treated industrial waste.

The receiving stream, Connoquenessing Creek, is in watershed 20C and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Zelienople Municipal Water Works on Connoquenessing Creek located at Zelienople, approximately 2.6 miles below point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.025 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
(MO) Flow (MGD)	XX				
*CBOD ₅	7.72	29.21	37	140	175
*NH ₃ -N	1.04	2.08	4.9	10	12.5
Fecal Coliform (5-1 to 9-30)					
(10-1 to 4-30)					
*TSS	5.63	18.36	27	88	110
Oil & Grease	XX		15		30
Aluminum	XX	XX	0.275	0.55	0.69
Barium	XX	XX	0.3	0.6	0.75
Boron	XX	XX	3.0	6	7.5

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Cobalt	XX	XX	0.05	0.1	0.13
Iron, Total	XX	XX	3.5	7.0	8.8
Manganese	XX	XX	1.0	2.0	2.5
Arsenic	XX	XX	0.05	0.1	0.13
Cadmium	XX	XX	0.005	0.01	0.01
Chromium, Total	XX	XX	0.125	0.25	0.31
Copper	XX	XX	0.05	0.1	0.13
Lead	XX	XX	0.036	0.07	0.09
Nickel	XX	XX	0.15	0.3	0.38
Selenium	XX	XX	0.075	0.15	0.187
Vanadium	XX	XX	0.009	0.02	0.023
*Zinc	XX	XX	0.11	0.2	0.25
*4,4'—DDT			0.00015	0.0003	0.0004
Total Residual Chlorine			XX		XX
*a-Terpineol	XX	XX	0.016	0.033	0.041
*Benzoic Acid	XX	XX	0.071	0.12	0.15
*p-Cresol	XX	XX	0.014	0.025	0.031
*Phenol	XX	XX	0.015	0.026	0.032
pH	Within limits of 6.0 to 9.0 standard units at all times.				

XX—Monitor and report on DMRs.

The proposed effluent limits for Outfall 002, based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand					
Oil and Grease					
Total Dissolved Solids (TDS)					
Total Organic Carbon (TOC)					
Barium (Total)					
Chromium (Total)					
Lead (Total)					
Mercury (Total)					
Magnesium (Total)					
Magnesium (Dissolved)					
Selenium (Total)					
Silver (Total)					
Ammonia					
Arsenic (Total)					
Cyanide (Total)					
Nitrate plus Nitrite Nitrogen					
Iron (Dissolved)					
pH					

The proposed effluent limits for Outfall 003, based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand					
Oil and Grease					
Total Dissolved Solids (TDS)					
Total Organic Carbon (TOC)					
Barium (Total)					
Chromium (Total)					
Lead (Total)					
Mercury (Total)					
Magnesium (Total)					
Magnesium (Dissolved)					
Selenium (Total)					
Silver (Total)					
Ammonia					
Arsenic (Total)					

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Cyanide (Total)					
Nitrate plus Nitrite Nitrogen					
Iron (Dissolved)					
pH					

The proposed effluent limits for Outfall 004, based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chemical Oxygen Demand					
Oil and Grease					
Total Dissolved Solids (TDS)					
Total Organic Carbon (TOC)					
Barium (Total)					
Chromium (Total)					
Lead (Total)					
Mercury (Total)					
Magnesium (Total)					
Magnesium (Dissolved)					
Selenium (Total)					
Silver (Total)					
Ammonia					
Arsenic (Total)					
Cyanide (Total)					
Nitrate plus Nitrite Nitrogen					
Iron (Dissolved)					
pH					

In addition to the effluent limits, the permit contains the following major special conditions.

The EPA Waiver is in effect.

PA0031305, Sewage. **The Summit School, Inc.**, P. O. Box 13, 839 Herman Road, Herman, PA 16039.

This facility is located in Summit Township, **Butler County**.

Description of Proposed Activity: renewal of sewage discharge.

The receiving stream, unnamed tributary to Bonnie Brook, is in watershed 20C and classified for: warm water fishes, water supply and recreation.

The proposed effluent limits for Outfall 001, based on a design flow of 0.04 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	10		20
(11-1 to 4-30)	20		40
Total Suspended Solids	30		60
NH ₃ -N			
(05-01 to 10-31)	2.5		5
(11-01 to 4-30)	7.5		15
Total Residual Chlorine	0.5		1.17
Total Phosphorus			
(4-1 to 10-31)	2.0		4.0
Fecal Coliform			
(5-01 to 9-30)		200/100 ml as a geometric average	
(10-01 to 4-30)		2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0056413, Sewage, **Lower Salford Township Authority**, 57 Main Street, Harleysville, PA 19438.

This application is for renewal of an NPDES permit to discharge treated sewage from Mainland Sewage Treatment plant in Lower Salford Township, **Montgomery County**. This is an existing discharge to Skippack Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The first downstream potable water supply intake from this facility is the Philadelphia Suburban Water Company.

The proposed effluent limits for Outfall 001, based on an average flow of .9 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
Suspended Solids	30	45	60
Ammonia (as N) (5-1 to 10-31)	1.4		2.8
(11-1 to 4-30)	4.2		8.4
Phosphorus (as P) (4-1 to 10-31)	2.0		4.0
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
Copper, Total	Monitor/Report		
Lead, Total	Monitor/Report		
Silver, Total	Monitor/Report		

Other Conditions:

The EPA Waiver is in effect.

Effective disinfection.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA#0012963, Industrial, **Rock Tenn Company**, Paper Mill Road, Delaware Water Gap, PA 18327.

This proposed facility is located in Smithfield Township, **Monroe County**.

Description of Proposed Activity: Renewal of a NPDES Permit.

The receiving stream, Trout Stocking, is in the State Water Plan watershed #1E and is classified for: trout stocking fishery. The nearest downstream public water supply intake for Easton Water Authority is located on Delaware River is 31.2 miles below the point of discharge.

The proposed effluent limits are as follows:

Outfall 001—Combined Discharge—0.291 MGD

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
pH	6.0 to 9.0 at all times.		

Outfall 101—Process Wastewater Discharge—0.024 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	311	621	1693	3386	4232
Total Suspended Solids	220	440			
Total Dissolved Solids			5000		10,000
pH	6.0 to 9.0 Std. Units at all times.				

Outfalls 002 to 009 are stormwater discharges. There are no specific effluent limitations for these discharges.

The EPA waiver is not in effect.

PA#0064114, Sewage, **Jim Thorpe Area School District**, 140 West 10th Street, Jim Thorpe, PA 18229.

This proposed facility is located in Kidder Township, **Carbon County**.

Description of Proposed Activity: Issuance of a new NPDES Permit to discharge treated sewage.

The receiving stream, Dilldown Creek, is in the State Water Plan watershed #2A-Tobyhanna Creek and is classified for: High Quality-Cold Water Fishery. The nearest downstream public water supply intake is for the City of Hazleton, located on Lehigh River 10 miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 0.070 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD ₅	25.0		50.0
Total Suspended Solids	10.0		20.0
NH ₃ -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Phosphorus as "P"	2.0		4.0
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	1.2		2.8

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAG# 213511, CAFO, **Ronald E. and Timothy R. Goss**, 123 Decatur Road, McClure, PA 17841.

This proposed facility is located in Decatur Township, **Mifflin County**.

Description of Proposed Activity: An existing family farm consisting mostly of a 4,200-head swine operation with a total 605.85 average AEU.

The receiving stream, an unnamed tributary of Jack's Creek, is in the State Water Plan watershed 12-A and is classified for: CWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG# 123509, CAFO, **David D. Zimmerman, Meadowview Farms, LLC**, 915 Galen Hall Road, Reinholds, PA 17569.

This proposed facility is located in West Cocalico Township, **Lancaster County**.

Description of Proposed Activity: An existing 600-head dairy farm with a total 780 average AEU.

The receiving stream, Little Cocalico Creek is in the State Water Plan watershed 7-J and is classified for: TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act

and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG# 123510, CAFO, **Harmony Farms LLC**, P. O. Box 248, Camp Hill, PA 17001.

This proposed facility is located in North Codorus Township, **York County**.

Description of Proposed Activity: An existing swine farm with a total 1,716.875 average AEU.

The receiving stream, South Branch Codorus Creek, is in the State Water Plan watershed 7-H and is classified for: WWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0217107, Industrial Waste, SIC, **Republic Technologies International, LLC**, 1001 Main Street, Gate 3, Johnstown, PA 15909.

This application is for renewal of an NPDES permit to discharge treated process water and untreated cooling water, stormwater and groundwater from the Johnstown Plant in Franklin Borough, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters of Conemaugh River, Little Conemaugh River and Peggy's Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Saltsburg Municipal Authority, located at 308 Point Street, Saltsburg, PA 15681, 49 miles below the discharge point.

Outfall 110: existing discharge, design flow of 7.2 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfall 120: existing discharge, design flow of 7.2 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfall 130: existing discharge, design flow of 2.88 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfall 140: existing discharge, design flow of 2.88 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfall 114: existing discharge, design flow of 0.10 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	
Flow (MGD)	Monitor and Report					
Temperature (°F)				110		
Total Suspended Solids				30	100	125
Oil and Grease				15	20	
pH	not less than 6.0 nor greater than 9.0					

Outfall 122: existing discharge, design flow of 0.072 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	
Flow (MGD)	Monitor and Report					
Oil and Grease				15		30
pH	not less than 6.0 nor greater than 9.0					

Outfall 132: existing discharge, design flow of 0.216 MGD

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Total Suspended Solids	17.16	48.0	25	70	87.5
Oil and Grease	6.84	20.58	10	30	
Lead	0.21	0.61	0.3	0.9	1.13

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Zinc	0.31	0.93	0.45	1.35	1.69
pH	not less than 6.0 nor greater than 9.0				

Outfalls 001—003, 101, 302A—C, 303A, 305A—B, 306, 307, 307A—C and 900—903: existing discharges, design flow of varied MGD

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
The discharge from these outfalls shall consist of uncontaminated stormwater and uncontaminated groundwater.					

Other Conditions: This facility is temporarily closed.

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238511, Sewage, **Peter and Emily Daloni**, 2646 Mercer-West Middlesex Road, West Middlesex, PA 16159.

This facility is located in Shenango Township, **Mercer County**.

Description of Proposed Activity: a new treated sewage discharge.

The receiving stream is the unnamed tributary to Hogback Run, is in watershed 20-A and classified for: warm water fishes, water supply and recreation.

The proposed effluent limits for Outfall 001, based on a design flow of 0.000800 MGD.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Maximum Daily (mg/l)
CBOD ₅	10		20
Total Suspended Solids	20		40
Fecal Coliform (10-1 to 4-30) (5-1 to 9-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average	
Total Residual Chlorine	1.4		3.3
pH	6.0		9.0

The EPA Waiver is in effect.

**Water Quality Management Permits
Controlled Industrial Waste and Sewage
Wastewater
Applications Under the Pennsylvania Clean
Streams Law
Part II Permits**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted above the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public

response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin*, at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

**Industrial Waste and Sewerage Applications under
The Clean Streams Law (35 P.S. §§ 691.1—
691.1001).**

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1501410. Sewage. **Tredyffrin Township Municipal Authority**, 1100 DuPortail Road, Berwyn, PA 19312. Applicant is requesting approval for the construction and extension of its existing sewage collection and conveyance system known as Tredyffrin Township Church Rd. Sewer Extension/Pump Station located in Tredyffrin Township, **Chester County**.

WQM Permit No. 1501411. Sewage. **City of Coatesville Authority**, 114 East Lincoln Highway, P. O. Box 791, Coatesville, PA 19320. Applicant is requesting approval for the construction and operation of a STP that will convey wastewater generated by the proposed West Sadsbury Commons a commercial development located in West Sadsbury Township, **Chester County**.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 5400407. Sewerage. **Municipal Authority of the Borough of Orwigsburg**, 209 North Warren Street, Orwigsburg, PA 17961-1829.

This proposed facility is located in North Manheim Township, **Schuylkill County**.

Description of Proposed Action/Activity: Application for the proposed wastewater treatment facility expansion project, which will serve North Manheim Township, Schuylkill County.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3601403. Sewerage, **Suburban Lancaster Sewer Authority**, P. O. Box 458, Lancaster, PA 17608-0458.

This proposed facility located in Lancaster Township and Lancaster City, **Lancaster County**.

Description of Proposed Action/Activity: Replace the existing Lyndon Sewage Pumping Station.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2501410. Sewerage, **David J. Burek**, 35581 Brown Hill Road, Union City, PA 16438.

This proposed facility is located in LeBoeuf Township, **Erie County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability who require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period, should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10 D116. Stormwater, **Riggio and Associates, Inc.**, P. O. Box 147, Black Eddy, PA 18972, has applied to discharge stormwater associated with a construction activity located in Nockamixon Township, **Bucks County** to Rapp Creek (EV).

NPDES Permit PAS10-D117. Stormwater, **Ettore Angelo**, 1535 Broad Street, Quakertown, PA 18951, has applied to discharge stormwater associated with a construction activity located in Milford Township, **Bucks County** to tributary to Unami Creek (HQ-TSF).

NPDES Permit PAS10 G464. Stormwater, **Jeff Holcomb**, 101 West Elm Street, Conshohocken, PA 19428, has applied to discharge stormwater associated with a construction activity located in Tredyffrin and East Whiteland Townships, **Chester County** to Valley Creek (EV).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Carbon County Conservation District: 5664 Interchange Rd., Lehighon, PA 18235-5114, (610) 377-4894.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS101323	Lehigh Gorge Trail Rehabilitation DCNR 400 Market St. Harrisburg, PA 17105	Carbon County Jim Thorpe Borough Lehigh Township Kidder Township	Lehigh River TSF

Luzerne County
White Haven Borough
Foster Township
Dennison Township

Lackawanna County Conservation District: 1300 Old Plank Rd., Mayfield, PA 18433, (570) 281-9495.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10N029	First Industrial Development Services 200 Philips Rd. Exton, PA 19341-1326	Lackawanna County Covington Township Clifton Township	Tamarack Creek Meadow Brook/ Lehigh River HQ-CWF

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, (610) 391-9583.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q107-R	Trexler Development Associates Donald Frederick 3500 Winchester Rd. Allentown, PA 18104	Lehigh County City of Allentown	Little Lehigh Creek HQ-CWF
PAS10Q071-1R	Cedar Fair, L.P. John Albino 3830 Dorney Park Rd. Allentown, PA 18104	Lehigh County S. Whitehall Township	Little Lehigh Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit PAS10 M095-R, Stormwater. **Robert Eberly**, P. O. Box 323, Greencastle, PA 17225, has applied to discharge stormwater associated with a construction activity located in Greencastle Borough, **Franklin County** to Muddy Run (HQ-CWF).

Franklin County Conservation District: 550 Cleveland Avenue, Chambersburg, PA 17201, (717) 264-8074.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10M095-R	Robert Eberly P. O. Box 323 Greencastle, PA 17225	Greencastle Borough Franklin County	Muddy Run (HQ-CWF)

Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit PAS10X059R, Stormwater. **Elaine C. Zdrale**, by her attorney in fact, Charles J. Alberts, 12801 Route 30, Suite 9, North Huntingdon, PA 15642, has applied to discharge stormwater associated with a construction activity located in North Huntingdon Township, **Westmoreland County** to Long Run/HQ-TSF.

Westmoreland County Conservation District: R. R. 12, Box 202-B, Donohoe Center, Greensburg, PA 15601, (724) 837-5271.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10X059R	Elaine C. Zdrale by her attorney in fact Charles J. Alberts 12801 Route 30, Suite 9 North Huntingdon, PA 15642	Westmoreland County North Huntingdon Twp.	Long Run/HQ-TSF

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 5401503, Public Water Supply.

Applicant **Pennsylvania American Water Co.**

Township or Borough West Mahanoy Township, **Schuylkill County**

Responsible Official Steven J. Seidel
Vice President—Engineering
Pennsylvania American Water Co.
800 West Hershey Park Drive
Hershey, PA 17033

Type of Facility Public Water Supply

Consulting Engineer Peter J. Lusardi, P.E.
CET Engineering Services
1240 North Mountain Rd.
Harrisburg, PA 17112

Application Received Date March 26, 2001

Description of Action Proposed action includes the construction of a new well station, bringing a new well on-line and new main construction to transport water from the well station to the existing Center Street Treatment Facility.

Permit No. 4888506, Public Water Supply.

Applicant **Mountain View MHC Investors, L.L.C.**

Township or Borough Lehigh Township, **Northampton County**

Responsible Official Gregory L. Johnloz, Regional Mgr.
11211 Gold Country Blvd.,
Suite 100
Gold River, CA 95670
(916) 852-0112
Richard C. Becker, Owner
Mt. View Mobil Home Park
R.D. 1
Walnutport, PA 18088
(610) 767-5248

Type of Facility Community Water System

Application Received Date March 27, 2001

Description of Action Request for transfer of Public Water Supply Permit No. 4888506, issued April 9, 1990.

Permit No. 0101506, Public Water Supply.

Applicant **Cavalry Heights, Inc.**

Municipality Mt. Pleasant Township

County **Adams**

Responsible Official William H. Weiss, President
2160 Hanover Road
Gettysburg, PA 17325

Type of Facility Public Water Supply

Consulting Engineer Janet R. McNally, P.E.
William F. Hill & Assoc., Inc.
207 Baltimore St.
Gettysburg, PA 17325

Application Received Date April 10, 2001

Description of Action Construction of a 5,000-gallon finished water storage tank and a finished water pump station at the existing Cavalry Heights mobile home park.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1801502, Public Water Supply.

Applicant **Leonard G. Young Oakridge Personal Care Home**

Township Colebrook Township, **Clinton County**

Responsible Official Leonard G. Young, Owner
Oakridge Personal Care Home
82 Oakridge Lane
Mill Hall, PA 17751

Type of Facility Public Water Supply

Consulting Engineer Richard M. Mulfinger, P.E.
207 Irish Hollow Road
Bellefonte, PA 16823

Application Received Date April 4, 2001

Description of Action New water supply for a personal care home consisting of two wells and treatment

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3200501-A2, Public Water Supply.

Applicant **Indiana County Municipal Services Authority**
827 Water Street
Indiana, PA 15701

[Township or Borough] Pine Township

Responsible Official Michael Duffalo, Executive Director

Type of Facility New source of supply for the Heilwood Water Treatment Plant

Consulting Engineer Gibson Thomas Engineering Co., Inc.
P. O. Box 853
Latrobe, PA 15650

Application Received Date March 13, 2001

Description of Action New drinking water source

Permit No. 0401502, Public Water Supply.
 Applicant **Vanport Township Municipal Authority**
 [Township or Borough] Vanport Township
 Responsible Official David Brooks, Superintendent
 Type of Facility Well no. 3R
 Consulting Engineer KLH Engineers Inc.
 5173 Campbell's Run Road
 Pittsburgh, PA 15205
 Application Received Date March 20, 2001
 Description of Action Connection of replacement well no. 3R to existing treatment and distribution system

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 2001501, Public Water Supply.
 Applicant **Borough of Saegertown**
 P. O. Box 558
 Saegertown, PA 16433
 Township or Borough Saegertown Borough,
Crawford County
 Responsible Official Gerry Deane, President of
 Borough Council
 P. O. Box 558
 Saegertown, PA 16433
 Type of Facility Community Water Supply
 Consulting Engineer Bradley R. Stinebiser, P.E.
 The EADS Group, Inc.
 450 Aberdeen Dr.
 P. O. Box 837
 Somerset, PA 15501
 Application Received Date April 9, 2001
 Description of Action New well #5 at Crawford
 County Home

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Application No., Minor Amendment.
 Applicant **Huston Township Water Authority**
 Township Huston Township,
Clearfield County
 Responsible Official Kay DeSalve
 Huston Township Water Authority
 P. O. Box 166
 Penfield, PA 15849
 Type of Facility Public Water Supply
 Consulting Engineer Gibson-Thomas Engineering
 Co., Inc.
 P. O. Box 853
 Latrobe, PA 15650

Application Received Date March 15, 2001
 Description of Action Replacement of 1,560 feet of
 waterline and 4 fire hydrants

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 1086503-MA1, Minor Amendment.
 Applicant **Caravan Court MHP**
 2190 William Flynn Hwy.
 Butler, PA 16001
 Township or Borough Center Township,
Butler County
 Responsible Official Larry Soose
 Type of Facility Public Water Supply
 Consulting Engineer William J. McGarvey, P.E.
 McGarvey Engineering
 172 Woodcrest Rd.
 Butler, PA 16002

Application Received Date April 11, 2001
 Description of Action New pressure tank and softener

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as

a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Papp Property, Darby Township, **Delaware County**. Martin Leibhardt, Mulry & Cresswell Environmental, Inc., 1691 Horseshoe Pike, Suite 1, Glenmoore, PA 19343, on behalf of Mr. and Mrs. Papp, 302 Eggleston Terrace, Sharon Hill, PA, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Delaware County Daily Times* on March 2, 2001.

309 Washington Street Property, Conshohocken Borough, **Montgomery County**. Richard P. Almquist, Jr., OXFORD Engineers & Consultants, Inc., 2621 Van Buren Ave., Suite 500, Norristown, PA 19403, on behalf of Washington St. Associates, L.P., 700 S. Henderson Rd., Suite 225, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead, heavy metals, solvents, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Times Herald* on April 6, 2001.

Former Sears Logistics Services, Inc., Terminal Freight Facility, City of Philadelphia, **Philadelphia County**. Thomas E. Farrell, Resource Control Corp., P. O. Box 579, 103 Wills St., Rancocas, NJ 08073-0579, on behalf of William Staffieri, 3820 N. 2nd St., Philadelphia, PA 19140, has submitted a Notice of Intent to Remediate site soil contaminated with lead, BTEX, polycyclic aromatic hydrocarbons and cumene; and groundwater contaminated with lead, BTEX, polycyclic aromatic hydrocarbons, MTBE and cumene. The applicant proposes to remediate the site to meet a combination of Statewide Health and Background Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Inquirer* on April 9, 2001.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Green Garden, Inc., Somerset Township, **Somerset County**. Sean Isgan, P.E., PLS, CME Engineering, Inc., 821 West Main Street, Somerset, PA 15501, on behalf of Green Garden, Inc., 1108 Green Garden Lane, Bedford, PA 15522, has submitted a Notice of Intent to Remediate soil contaminated with cyanide. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Somerset Daily American* on March 13, 2001.

Fourway Properties—Breezewood Development—Area 1, Moon Township, **Allegheny County**. John P. Englert, on behalf of Fourway Properties, L.P., 1198 Mulberry Street, Bridgewater, PA 15009, has submitted a Notice of Intent to Remediate soil contaminated with solvents. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Allegheny County Times* on March 30, 2001.

Tuscarora Incorporated, Vanport Township, Brighton Township and Industry Borough, **Beaver County**. Victoria Brind'Amour, on behalf of Tuscarora Incorporated, P. O. Box 448, New Brighton, PA 15066, has submitted a Notice of Intent to Remediate soil contaminated with lead and heavy metals. The applicant proposes to remediate the site to meet the Background Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Beaver County Times* on March 8, 2001.

SOLID AND HAZARDOUS WASTE OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101187. County Landfill, P. O. Box 237, 344 Wally Run Drive, Leeper, PA 16233, Farmington Township, **Clarion County**. An application to modify the Pad 8 liner system through the addition of a geosynthetic clay liner, to incorporate a radiation protection plan, to incorporate a meteorological monitoring plan, and to utilize alternative daily cover materials at the landfill. The application was accepted by the Regional Office on April 16, 2001.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

New Sources and Modifications

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the

permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice, and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code §§ 127.521 and 127.424, notice is hereby given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements; and Title V Operating Permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management using the appropriate Regional Office telephone number noted. For additional information, contact the appropriate Regional Office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the Regional Office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the

reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate, should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Michael Safko, Facilities Permitting Chief, (570) 826-2531.

35-00010: MACTAC, Inc. (4560 Darrow Road, Stow, OH 44224) in Moosic Borough, **Lackawanna County**. MACTAC, Inc. contains processes used in the manufacture of coated paper. As a result of emissions of Volatile Organic Compounds (VOCs), MACTAC is considered a major stationary source subject to the Title V Operating Permit requirements adopted in 25 Pa. Code 127, Subchapter G. The proposed revision of the Title V Operating Permit will incorporate applicable air quality requirements from the New Source Performance Standards (NSPS) for sources at the facility, and include the Department's revised VOC air quality regulations. In addition, Plan Approval No. 35-318-081 will be incorporated into the Title V operating permit through an administrative amendment along with this revision. Plan Approval No. 35-318-081 is for installation and operation of a hot melt coater (509), curing ovens and an 8 MMBTU hot oil boiler. The plan approval limits VOC emissions from the new hot melt coater to 39.9 tons per year on a 12-month rolling sum. The operating permit will contain additional record keeping and operating restrictions designed to keep the source operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Kanu Patel, Facilities Permitting Chief, (717) 705-4702.

06-05064: Atlantic Refining and Marketing Corp. (1801 Market Street, Philadelphia, PA 19103) for a revision to their Title V Operating Permit as per 25 Pa. Code § 127.542 for their Montello Terminal in Spring Township, **Berks County**. The original Title V Operating Permit was issued on January 12, 1998. On March 28, 2000, the United States EPA made the determination that some of the facility sources were subject to the Gasoline Distribution MACT (that is, 40 CFR 63, Subpart R). Subsequent to the issuance of the original Title V Operating Permit, the permittee had obtained separate approvals on January 11, 2000, to add a new storage tank (that is, Storage Tank #13) under the conditions in GP2-06-05064 and on December 14, 2000, to add a new vapor control unit (VCU) under the conditions in Plan Approval 06-05064A. The applicable requirements relating to the addition of Storage Tank #13 and the new VCU will also be included in the final revised Title V Operating Permit.

OPERATING PERMITS

Applications Received and Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03120: Memorial Park for Pets (57 Host Road, Womelsdorf, PA 19567) for a Natural Minor Operating Permit for an animal crematory in Tulpehocken Township, **Berks County**.

67-05080: York Building Products, Inc. (P. O. Box 1708, York, PA 17405) for a Synthetic Minor Operating Permit for a limestone crushing operation in Jackson Township, **York County**.

PLAN APPROVALS

Applications Received for Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Michael Safko, Acting New Source Review Chief, (570) 826-2531.

54-323-001: First Quality Nonwovens, Inc. (P. O. Box 518, 101 Green Mountain Road, Hazleton, PA 18201) of construction of a die cleaning/burnoff oven and associated air cleaning device in East Union Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

07-05035: Grannas Bros. Stone and Asphalt Co., Inc. (P. O. Box 488, Hollidaysburg, PA 16648) for construction of a batch asphalt plant in Frankstown Township, **Blair County**. A fabric collector will control particulate emissions. This source is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

36-03125: Susquehanna Valley Organics Corp. (3705 Trindle Road, Camp Hill, PA 17011-4334) for construction of a sludge (biosolids) heat drying facility in Lancaster Township, **Lancaster County** that will accept dewatered municipal wastewater solids and convert it into palletized granules for use as a commercial fertilizer. The facility will consist of biosolids handling, biosolids drying, product storage and handling and air emission controls. The air emission control system consists of a condensing scrubbing unit and a coriolis scrubber unit. This project is subject to 40 CFR Part 61, Subpart E—National Emission Standard for Mercury.

36-05117: Dart Container Corp. of PA (60 East Main Street, Leola, PA 17540) for construction of an expandable polystyrene cup manufacturing operation at the Pitney Road site in East Lampeter Township, **Lancaster County**. The cup manufacturing operation will be subject to Major New Source Review requiring the purchase of Emission Reduction Credits (ERCs) and controlling emissions using the Lowest Achievable Emission Rate (LAER). The facility's two 800 horsepower boilers will be subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

34-303-002B: Jay Fulkroad and Sons, Inc. (R. R. 1, Box 3060, McAlisterville, PA 17049) for installation of a batch asphalt plant controlled by a fabric collector and crusher in Fayette Township, **Juniata County**. These sources are subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels and Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.

Intent to Issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

Notice of Intent to Issue a Plan Approval and Amend a Title V Operating Permit

37-264E: Ellwood Quality Steels Co.—New Castle Facility (EQS) (700 Moravia Street, New Castle, PA 16101) to increase production levels from 279,000 ton per year (tpy) of steel to 413,000 tpy of steel. EQS is a steel ingot manufacturing facility. This operation consists of an electric arc furnace (EAF), two ladle refining furnaces, a vacuum degasser, two ingot teeming aisles, an internal scrap yard, six natural gas fired annealing furnaces, miscellaneous steel cutting/grinding and four process steam boilers. The Department issued a plan approval for construction of the second ladle furnace on September 25, 1998. The plan approval required stack testing for the ladle furnace, as well as the EAF. The stack tests were conducted in 1999 and indicated that a Prevention of Significant Deterioration (PSD) approval would be necessary for the company to increase production levels beyond 325,000 tpy of steel. This application is subject to PSD regulations (40 CFR 52.21). This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into their Title V Operating Permit through an administrative amendment at a later date.

Sources subject to PSD regulations must meet certain conditions prior to the issuance of a pre-construction/modification approval. These conditions are briefly described. For exact text, refer to the regulations.

1. The best available control technology must be utilized to limit the emissions of all pollutants regulated under the act, which are emitted in "significant" amounts. This determination is made on a case-by-case basis taking into account energy, environmental, and economic impacts and other costs.

2. A source impact analysis must be performed to demonstrate that the proposed emissions would not cause or contribute to air pollution in violation of any National Ambient Air Quality Standard or any maximum allowable increase over baseline concentrations.

3. An analysis of the impairment to visibility, soils and vegetation that would occur as a result of the source operation and associated growth in commercial, residential and industrial activity must be performed.

Information submitted by EQS indicates that the emissions from the source shall comply with all applicable requirements of PSD regulations and any applicable requirements contained in the State Implementation Plan (SIP) as approved for Pennsylvania by the Environmental Protection Agency.

The permit would be subject to the following conditions.

1. The production and operations of the above sources shall be modified in accordance with the plan submitted with the application (as approved herein).

2. The ladle furnaces shall both be controlled by the baghouse manufactured by Wheelabrator-Frye (Model Number 168) during all times that the sources are operated.

3. The sources are subject to 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor and visible emissions, respectively.

4. The production of steel ingots from the facility shall not exceed 413,000 ton of steel ingots per year (based on a 12 month rolling total).

5. The operating hours for the facility shall not exceed 8,760 hours per year. This condition removes the prior plan approval condition that limited the facility to 8,160 hours per year (based on a 12-month rolling total and the operation of the EAF).

6. The total natural gas consumption from the number 15, 16, 18 and 19 furnace (equipped with low NOx burners) shall not exceed 769,137 MCF of natural gas per year (based on a 12-month rolling total). The NOx emissions from the number 15 furnace shall not exceed 65 lb/MMCF. The NOx emissions from the number 16, number 18 and number 19 furnaces shall not exceed 65 lb/MMCF (for each unit, respectively).

7. The total natural gas consumption from the number 17 and 20 furnaces shall not exceed 212,195 MCF of natural gas per year (based on a 12 month rolling total).

8. The total natural gas consumption from the scrap torch, gas cutter, and the miscellaneous heaters shall not exceed 221,269 MCF of natural gas per year (based on a 12 month rolling total).

9. The natural gas consumption from the boiler shall not exceed 203,570 MCF of natural gas per year (based on a 12 month rolling total).

10. The natural gas consumption from the two ladle preheaters shall not exceed 119,637 MCF of natural gas per year (based on a 12 month rolling total).

11. The natural gas consumption from the EAF preheat shall not exceed 38,451 MCF of natural gas per year (based on a 12 month rolling total).

12. The emissions from the EAF shall not exceed the following (the TPY limit shall be based on a 12 month rolling total)

Source	CO (TPY)	NOx (TPY)	Sox (TPY)	VOC (TPY)	PM-10 (TPY)
EAF	1032.5	20.7	92.9	62.0	31.0
Source	CO (lb/ton)	NOx (lb/ton)	Sox (lb/ton)	VOC (lb/ton)	PM-10 (lb/ton)
EAF	5.0	0.1	0.45	0.3	0.15

13. Within 60 days of achieving production levels in excess of 350,000 TPY and 400,000 TPY, respectively (based on 12 month rolling total), a test procedure and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples shall be submitted to the Department.

14. Within 120 days of achieving production levels in excess of 350,000 TPY and 400,000 TPY, respectively (based on 12 month rolling total), stack tests shall be

performed in accordance with the provisions of Chapter 139 to show compliance with the CO and PM-10 emissions for the EAF in condition number 12 for the EAF. The stack tests shall be performed while the aforementioned sources are operating at the maximum rated capacity as stated on the application (based on 413,000 TPY). During the stack test for PM-10, the sampling time and volume for each run shall be at least 4 hours and 160 dscf. The CO testing for the EAF shall be conducted in the duct prior to the positive pressure baghouse.

15. At least 2 weeks prior to the test, the Department shall be informed of the date and time of the test.

16. Within 45 days after completion of the test, two copies of the complete test report, including all operating conditions, shall be submitted to the Department for approval.

17. The PM-10 emissions from the baghouse that controls the two ladle furnaces shall not exceed 4.13 TPY (based on a 12 month rolling total), and shall not exceed 0.02 lb/ton of steel.

18. A magnehelic gauge shall be permanently installed and maintained at a conveniently readable location to indicate the pressure drop across each of the baghouses.

19. Twenty percent of the total number of bags in each of the baghouses is required to be on hand.

20. The ladle furnaces and the baghouse for those furnaces shall be maintained and operated in accordance with the manufactures specifications and in accordance with good air pollution control practices. The owner and operator of the facility shall perform weekly preventative maintenance inspections of the fabric filters and check the pressure drop across each of the fabric filters.

21. The owner and operator of the facility shall maintain a rolling total of the CO, NOx, SOx, VOC and PM-10 emissions from the EAF. The rolling total shall be determined by adding the amount of emissions from the most recent calendar month to the previous 11 calendar months.

22. The owner and operator of the facility shall maintain a rolling total of the natural gas consumption and facility production by adding the monthly totals to the 11 previous months.

23. The owner and operator of the facility shall install and maintain fuel meters to indicate the natural gas consumption of the furnaces (No. 15—20), the boiler, the two ladle preheaters, the EAF preheater, the scrap torch, the gas cutter and the miscellaneous heaters.

24. Issuance of an operating permit is contingent upon satisfactory compliance with condition numbers 1—23, upon the source being constructed and operated as stated on the application, and upon the satisfactory demonstration that the emissions from the source will not be in violation of applicable rules and regulations of the Department.

25. Any information required to be submitted as part of the previous conditions should be submitted to Devendra Verma, Engineering Services Chief, Air Quality, 230 Chestnut St., Meadville, PA 16335.

The Department has determined that the application reflects the use of best available control technology, as required by the PSD regulations.

The facility will trigger PSD for CO pollutants only. The EPA model ISCST3 was used to estimate maximum concentrations on all of the terrain in the vicinity of the EQS facility. Meteorological surface data collected at a

COPAMS site approximately 1/2 mile north of the EQS facility was used in the modeling. Supplemental surface and upper air meteorological data from the Pittsburgh International Airport during the period 1987–1991 was also used to complete the data set for the modeling application. A PSD increment analysis is not required because increment concentration threshold values do not exist for CO. The CO 1-hour maximum concentration was 4,021 ug/m³ combined with the background concentration of 8,239 ug/m³, the total ground level impact was 12,260 ug/m³, which is less than the NAAQS of 40,000 ug/m³. The CO 8-hour maximum concentration was 2,175 ug/m³ combined with the background concentration of 2,747 ug/m³, the total ground level impact was 4,922 ug/m³, which is less than the NAAQS of 10,000 ug/m³. An additional impacts analysis was performed to assess the impact of EQS proposed production increase on growth, and soils and vegetation. A visibility analysis was not performed because CO is not considered a visibility-related pollutant by the current visibility models. Both the growth, and the soils and vegetation analyses indicate the impact from the EQS facility are below criteria levels and is not expected to cause an adverse impact. Also, because EQS is more than 240 km away from a Class I area (Dolly Sods and Otter Creek Wilderness Areas in WV), and since Class I Area PSD Screening Levels do not exist for CO, a Class I Area analysis was not required.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1–1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301–3326); The Clean Streams Law (35 P. S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51–30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1–1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001–4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments, objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121–77.123 and 86.31–88.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102,

88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

13010201. Rossi Excavating Company (9 West 15th Street, Hazleton, PA 18201). Commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Banks Township, **Carbon County** affecting 580.0 acres, receiving stream—none. Application received April 9, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2, Box 603-C, Greensburg, PA 15601-0982.

03900110. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201-5022). Renewal application received for continued operation and reclamation of a bituminous surface mine located in Boggs Township, **Armstrong County**, affecting 81.3 acres. Receiving streams: unnamed tributaries to North Fork Pine Creek to Pine Creek to Allegheny River. Renewal application received: April 16, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

11960104. Permit Renewal, L & J Energy Company, Inc. (P. O. Box I, Grampian, PA 16838). For continued operation of a bituminous surface and auger mine in Susquehanna Township, **Cambria County**, affecting 108.2 acres, receiving stream West Branch Susquehanna River; unnamed tributaries to West Branch Susquehanna River. Application received April 6, 2001.

56900110. Permit Renewal for reclamation only, Hardrock Coal Company (275 Saddle Ridge Road, Berlin, PA 15530), for continued restoration of a bituminous surface mine in Conemaugh Township, Somerset County, affecting 61.3 acres, receiving stream unnamed tributaries to Quemahoning Creek. Application received April 10, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

37891601. Shamrock Minerals Corp. (R. D. 2, Box 2139, Wampum, PA 16157). To renew the permit for the Shamrock Prep. Plant in New Beaver Borough,

Lawrence County to renew the existing permit, no additional discharges. Application received February 22, 2001.

03841307. Keystone Coal Mining Corp. (P. O. Box 219, Shelocta, PA 15774). To renew the permit for the Emilie No. 4 deep mine in Plumcreek Township, **Armstrong County** to renew the existing permit for reclamation only, no additional discharges. Application received June 6, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

33950108. T.L.H. Coal Company (R. D. 1, Box 170, Rochester Mills, PA 15771). Renewal of an existing bituminous surface strip and auger operation in Perry Township, **Jefferson County** affecting 67.0 acres. Receiving streams: McCracken Run. Application received April 9, 2001.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

64010301. MBK Associates, LLC (Tar Hollow Road, P. O. Box 776, Hancock, NY 13783), commencement, operation and restoration of a quarry operation in Buckingham Township, **Wayne County** affecting 25.56 acres, receiving stream—Delaware River. Application received April 6, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982.

02010301. Redland Brick Inc. (Rich Hill Road, R. D. 3, Cheswick, PA 15024). Application received for large noncoal (limestone) surface mine, located in Harmar Township, **Allegheny County** affecting 48 acres. Receiving stream: Deep Creek. Application received: March 2, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

07960301. Grannas Brothers Stone & Asphalt Co., Inc. (P. O. Box 488, Hollidaysburg, PA 16648), renewal of NPDES Permit No. PA0213306 in Catharine Township, **Blair County**, receiving stream unnamed tributary to Frankstown Branch Juniata River and Frankstown Branch Juniata River. NPDES Renewal application received February 15, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

43010303. Buckeye Leasing, Inc. (8063 Southern Boulevard, Youngstown, OH 44512). Commencement, operation and restoration of a slag operation in the City of Hermitage, **Mercer County** affecting 90.1 acres. Receiving streams: Shenango River. Application received April 11, 2001.

FEDERAL WATER POLLUTION CONTROL ACT

SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as rel-

evant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-660. Constance Braendel, 1885 Swedesford Road, Malvern, PA 19355, Tredyffrin Township, **Chester County**, ACOE Philadelphia District.

To modify and maintain an existing 177 square-foot dock within a 1.30-acre reservoir associated with Dam Permit D15-383 located along an unnamed tributary to Valley Creek (EV-CWF-MF). The site is located approximately 1,000 feet northwest of the intersection of North Valley Road and Swedesford Road (Valley Forge, PA Quadrangle North: 11.7 inches West: 16.5 inches).

E15-664. OnFiber Communications, Inc., 12 Cristina Lane, Oxford, PA 19363, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To install and maintain three aerial crossings consisting of six 1.5-inch fiber optic conduits by attaching them to existing bridges that span Valley Creek (EV) and an unnamed tributary to Valley Creek (EV). These crossings are located within the right-of-way of Morehall Road (SR 0029) and Old Morehall Road as part of the Great Valley Project (Malvern, PA Quadrangle N: 10.7 inches; W: 4.3 inches).

E51-108. Pier 25 North Associates, 415 N. North Delaware Avenue, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To renovate the existing Pier 25 North structure by removing the low deck structure, Kat-Man-Du Restaurant and Hooters Night Club, a permanently moored vessel along the southeastern side of pier 25 north, and to construct, operate and maintain in its place, a 40 unit condominium and parking facility supported by 644 H-type pilings in and along the Delaware River (WWF-MF). The project will occupy the previous footprint of Pier 25 North, which includes a 1.18-acre portion, which was severely damaged by a fire in the mid-1970s. Pier 25 north is located 1,500 feet north of the Benjamin Franklin Bridge, along Christopher Columbus Blvd. (AKA Delaware Avenue) (Philadelphia, PA-NJ Quadrangle N: 15.0 inches; W: 1.75 inches).

E51-188. Fairmount Park Commission, 42 and N. Concourse Drive, Memorial Hall West Park, Philadelphia, PA 19131-0901, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To perform the following work associated with Fairmount Park Commission's Wissahickon Valley Park Forbidden Drive Trail Improvements Project:

1. To place and maintain approximately 330 linear feet of riprap bank stabilization
2. To place and maintain a timber barrier in the floodway
3. To remove a gravel bar measuring 220 feet by 33 feet
4. To replace and maintain a twin 15-inch diameter storm drain and to install and maintain riprap
5. To install and maintain a 12-inch diameter storm drain with inlet, endwall and riprap within the floodway

This work occurs in and along Wissahickon Creek (TSF) (Germantown, PA Quadrangle N: 10.5 inches; W: 13.1 inches and N: 5.0 inches; W: 9.5 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E48-303. Lower Mount Bethel Township Supervisors, P. O. Box 213R, in Lower Mount Bethel Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure under Del Haven Road and to construct and maintain an 8-foot diameter R.C.P. culvert and a channel change having a length of approximately 2,835 feet in a tributary to the Delaware River (CWF). The project is located east of the intersection of Township Road T703 (Del Haven Road) and S. R. 1004 (Martins Creek-Belvidere Road) (Bangor, PA-NJ Quadrangle N: 6.7 inches; W: 2.6 inches).

E45-409. PYKA, Limited Land Development, R. R. 5, Box 5241G, 45-409 in Smithfield Township, Monroe County, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain an aerial utility line stream crossing across tributary to Sambo Creek (CWF, MF) consisting of 4-inch diameter PVC sanitary sewer line in a 6-inch diameter steel carrier pipe attached to an 18-inch steel beam. The project is located on the north side of S. R. 0209 approximately 0.35 mile west of Township Road T536 (Airport Road) (East Stroudsburg, PA Quadrangle N: 5.2 inches; W: 4.9 inches).

E66-125. Procter & Gamble Paper Products Company, P. O. Box 32, in Washington Township, **Wyoming County**, U.S. Army Corps of Engineers, Baltimore District.

To place fill in 0.49 acre of PEM wetlands and to construct and maintain an open bottom, structural plate arch culvert having a span of 15 feet 4 inches and underclearance of 9 feet 3 inches in a tributary to the Susquehanna River (CWF). This work is associated with a proposed 9,000 foot long rail siding project extending from the Vosburg Tunnel to the existing west yard on the property of the Procter & Gamble Paper Products Company between the Susquehanna River S. R. 0087 (Meshoppen, PA Quadrangle N: 12.4 inches; W: 3.6 inches).

E48-301. Williams Township, 655 Cider Press Road, in Williams Township, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain an 8 foot by 6 foot concrete box culvert depressed 1 foot below the streambed of a tributary to the Delaware River (CWF). The project is located along Township Road T396 (Browns Drive), approximately 0.3 mile west of S. R. 0611 (Easton, PA-NJ Quadrangle N: 3.7 inches; W: 11.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E31-170. Sue Alexander, Oneida Township, P. O. Box 406, Huntingdon, PA 16652 in Oneida and Henderson Townships, **Huntingdon County**, ACOE Baltimore District.

To remove an existing structure and to construct and maintain a 19-foot, 10-inch by 7-foot, 8-inch aluminum box culvert in the channel of Murray Run (HQ-CWF) at a point at Wike Road (T-483) (Donation, PA Quadrangle N: 6.9 inches; W: 10.5 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E41-480. Harold P. Eck, 771 Pearson Road, Jersey Shore, PA 17740. Submerged log removal, in the City of Williamsport, Loyalsock Township, South Williamsport Borough, Duboistown Borough, Armstrong Township, Susquehanna Township, Nipponose Township, Piatt Township and Woodward Township, **Lycoming County**, ACOE Susquehanna River Basin District (Williamsport, PA Quadrangle N: 19.6 inches; W: 0.9 inch to Linden, PA Quadrangle N: 13.7 inches; W: 9.9 inches).

To remove selected submerged old growth timber logs, not including the log cribs, from the West Branch Susquehanna River bed within a 13-mile bank-to bank reach immediately upstream of the Hepburn Street Dam. The project proposes to insignificantly disturb 13 miles of streambed of the West Branch of the Susquehanna River, which is designated a warm water fishery.

E53-355. Gary A. Buchsen, 918 East Second Street, Coudersport, PA 16915. Buchsen Footbridge, in Coudersport Borough, **Potter County**, ACOE Pittsburgh River Basin District (Sweden Valley, PA Quadrangle N: 3.0 inches; W: 14.0 inches).

To construct, operate and maintain a single span steel I-beam footbridge across Mill Creek (Cold Water Fishery) to provided access to hiking trails. The footbridge shall be constructed with a minimum single span of 26-feet, width of 4-feet and underclearance of 5-feet. Construction will also include installing 20-feet of R-4 riprap that shall be installed in dry work conditions by the use of dams and pumping or fluming stream flow around the work area. The construction activity will not impact wetlands while impacting 20-feet of waterway. The project is located

along the southern right-of-way of SR 0006 approximately 2,000-feet east of SR 0872 and SR 0006 intersection.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E26-282. Georges Creek Municipal Authority, P. O. Box 338, Smithfield, PA 15478. Georges Township and Smithfield Borough, **Fayette County**, ACOE Pittsburgh District.

To construct and maintain approximately 189 L.F. of an 8-inch SDR35 sewage pipe enclosed in an 18-inch steel casing over Georges Creek located approximately 20 feet downstream of S.R. 3007 Bridge (Smithfield, PA Quadrangle N: 7.98 inches; W: 7.86 inches).

E63-507. Glencannon Homeowners Association, 425 Hunting Creek Road, Canonsburg, PA 15317. North Strabane Township, **Washington County**, ACOE Pittsburgh District.

To place and maintain fill along the banks of an unnamed tributary to Little Chartiers Creek, to place and maintain rip rap bank stabilization along the banks of said stream and to dredge and maintain the channel of said stream for the purpose of rehabilitating the existing Glencannon Pond. The project is located on the west side of Hunting Creek Road, approximately 2,400 feet northeast from the intersection of McClelland Road, Galley Road and Route 19 (Canonsburg, PA Quadrangle N: 1.8 inches; W: 2.7 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E27-063. Northern Allegheny Resources, 218 Elm Street, Tionesta, PA 16353. Northern Allegheny Resources—John's Run Culvert, in Tionesta Township, **Forest County**, ACOE Pittsburgh District (Tionesta, PA Quadrangle N: 15.4 inches; W: 5.8 inches).

To upgrade a General Permit 8—Temporary Road Crossing to permanent status for the maintenance of a 6-foot-diameter 30-foot-long steel pipe culvert installed in John's Run (CWF) in 1998, located approximately 2.3 miles northeast of Tionesta.

E33-203. Young Township, 101 North Foundry Street, Punxsutawney, PA 15767. T-452 Across Elk Run, in Young Township, **Jefferson County**, ACOE Pittsburgh District (Punxsutawney, PA Quadrangle N: 19.5 inches; W: 12.7 inches).

To remove the existing bridge and to construct and maintain a corrugated metal box culvert having a 19.4-foot wide by 6.4-foot high waterway opening in Elk Run on T-452 approximately 600 feet east of S.R. 310 near Adrian Mines.

E43-295. Mercer County, 503 Mercer County Courthouse, Mercer, PA 16137-1242. Mercer County Bridge 2324 T-307 Across Bobby Run, in City of Hermitage, **Mercer County**, ACOE Pittsburgh District (Sharon East, PA Quadrangle N: 12.4 inches; W: 12.35 inches).

To remove the existing County Bridge No. 2324 and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear span of 32.3 feet and an underclearance of 7.5 feet on a 70 degree skew across Bobby Run on T-307 (Lynnwood Drive) approximately 0.1 mile north of S.R. 3004.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA37-001NW. Erskin Resources, Inc., P. O. Box 78, Hillsville, PA. Hillsville—New Castle Limestone—Quarry

Road Reclamation Project, in Mahoning Township, **Lawrence County**, ACOE Pittsburgh District (Campbell, OH-PA Quadrangle N: 8.0 inches; W: 1.3 inches).

To fill 0.98 acre of wetlands and to construct 1.10 acres of onsite wetlands associated with the grading and reclamation at an abandoned limestone mine site.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

NPDES AND WQM PART II PERMITS INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by this action may appeal, under Section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1500202. Amendment No. 1 Industrial Waste. Sunoco Inc., 4041 Market Street, P.O. Box 2060, Aston, PA 19014. Applicant is granted approval to amend its existing permit for the operation of an industrial wastewater treatment plant and well injection of treated wastewater located in East Whiteland Township, **Chester County**.

WQM Permit No. 1501404. Sewage. East Marlborough Township, 721 Unionville Pike, Kennett Square, PA 19348. Applicant is granted approval for the construction and operation of a sewage pump station and force main to serve Hicks Tract Northwest Subdivision located in East Marlborough Township, **Chester County**.

NPDES Permit No. PA0051713. Industrial Waste. Degussa Corporation, 1200 West Front Street, Chester, PA 19012. Applicant is authorized to discharge from a facility located in the City of Chester, **Delaware County** into Delaware Estuary Zone 4.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0063991, Industrial Waste, **Essroc Cement Corporation (Nazareth Plant 1)**, Route 248 and Easton Road, Nazareth, PA 18064.

This proposed facility is located in Upper Nazareth Township, **Northampton County**.

Description of Proposed Action/Activity: discharge from a facility to unnamed tributary to Shoeneck Creek.

NPDES Permit No. PA-0062464, Sewerage, **Blue Mountain Lake Associates, L.P.**, One Blue Mountain Lake, East Stroudsburg, PA 18301.

This proposed facility is located in Stroud Township, **Monroe County**.

Description of Proposed Action/Activity: to discharge from a facility to Sambo Creek.

NPDES Permit No. PA-0061361, Sewerage, **Smithfield Sewer Authority**, R.R. 5, P. O. Box 5229, East Stroudsburg, PA 18301.

This proposed facility is located in Smithfield Township, **Monroe County**.

Description of Proposed Action/Activity: to discharge from a facility to Sambo Creek.

NPDES Permit No. PA-0062324, Sewerage, **Pike County Environmental, Inc.**, P. O. Box 127, Matamoras, PA 18336.

This proposed facility is located in Westfall Township, **Pike County**.

Description of Proposed Action/Activity: to discharge from a facility to Delaware River.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0084841, Industrial Waste, **Texas Eastern Transmission Corporation**, 5400 Westheimer Court, Houston, TX 77056-5310.

This proposed facility is located in East Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Susquehanna River in Watershed 7G (Chickies Creek).

NPDES Permit No. PA0087777, Industrial Waste, **Wernersville State Hospital**, P. O. Box 300, Wernersville, PA 19565.

This proposed facility is located in South Heidelberg Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Hospital Creek in Watershed 3-C.

NPDES Permit No. PA0032379, Industrial Waste, **Safe Harbor Water Power Corporation**, One Powerhouse Road, Conestoga, PA 17516.

This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to the Conestoga River (Outfall 001) and Susquehanna River (Outfall 002) in Watershed 7-J.

NPDES Permit No. PA0080284, Sewage, **Dauberton Manor, Inc.**, 4380 York Road, New Oxford, PA 17350.

This proposed facility is located in Mount Pleasant Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to unnamed tributary to South Branch Conewago Creek in Watershed 7F—Conewago Creek.

NPDES Permit No. PA0032557, Sewage, **Board of Supervisors of the Township of Logan, Greenwood Plant**, 800 39th Street, Altoona, PA 16602-1799.

This proposed facility is located in Logan Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Juniata River in Watershed 11A—Frankstown Branch Juniata River—Little Juniata River.

NPDES Permit No. PA0083992, Sewage, **Delores J. Carrigan**, 112 Pondview Lane, Clearville, PA 15535.

This proposed facility is located in Southampton Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary to Sweet Root Creek in Watershed 13-A.

NPDES Permit No. PA0085171, Sewage, **Lyons Borough Municipal Authority**, 316 South Kemp Street, P. O. Box 131, Lyon Station, PA 19536-0131.

This proposed facility is located in Maxatawny Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Maiden Creek in Watershed 3-B.

NPDES Permit No. PA0087050, Sewage, **Licking Creek Estates Homeowners Association**, 15811 Crabbs Branch Way, Rockville, MD 20855.

This proposed facility is located in Montgomery Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to discharge to Licking Creek in Watershed 13-C.

NPDES Permit No. PA0083852, Sewage, **Ferryboat Campsites, Inc.**, R. D. 2, P. O. Box 324, Liverpool, PA 17045.

This proposed facility is located in Buffalo Township, **Perry County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 6-C (Mahantango—Wiconisco Creeks).

WQM Permit No. 0100408, Sewerage, **Dauberton Manor, Inc.**, George Adams, 4380 York Road, New Oxford, PA 17350.

This proposed facility is located in Mount Pleasant Township, **Adams County**.

Description of Proposed Action/Activity: Modifications to the construction/operation of Sewage Treatment Facilities.

WQM Permit No. 0700404, Sewerage, **Board of Supervisors of the Township of Logan**, Greenwood Plant, 800 39th Street, Altoona, PA 16602-1799.

This proposed facility is located in Logan Township, **Blair County**.

Description of Proposed Action/Activity: Construction of Sewage Treatment Plant.

WQM Permit No. 0693430, Sewerage, **Stephen Baro**, 28 Creamery Road, Boyertown, PA 19512.

This proposed facility is located in Douglass Township, **Berks County**.

Description of Proposed Action/Activity: transfer of ownership

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. 5901401. Sewerage. **Richard Hummer**, 571 Stauffer Church Rd., Palmyra, PA 17078.

This proposed facility is located in Charleston Township, **Tioga County**.

Description of Proposed Action/Activity: Is authorized to discharge treated effluent to receiving waters named Little Marsh Creek.

NPDES Permit No. 1700407. Sewerage. **Huston Township Sewer Authority**, P. O. Box 121, Penfield, PA 15849.

This proposed facility is located in Huston Township, **Clearfield County**.

Description of Proposed Action/Activity: Construct and operate a new sewage treatment plant. Screening, Bio-Wheel Reactor, Sedimentation, Disinfection, Aerobic Digestion, Sludge Storage.

NPDES Permit No 1401403. Sewerage. **The Pennsylvania State University**, Physical Plant Building, University Park, PA 16802.

This proposed facility is located in State College Borough, **Centre County**.

Description of Proposed Action/Activity: New sewer line extends from south of Bryce Jordan Center to SW of the University Drive/College Ave. interchange. Provide new pumps for E. Campus Steam plant and Porter Road pump stations. New sewer line will alleviate surcharging of manhole where opposing flows from College Ave. and University Drive meet at the intersection of College Avenue and the SW ramp of University Drive and provide additionally capacity for expansion of Beaver Stadium. The pumps at the E Campus steam plant and Porter Road pump station need replacement as well as the force main that flow between the pump stations.

WQM Permit No. 1991401. Sewerage. **Hemlock Municipal Sewer Cooperative**, P. O. Box 243, Bloomsburg PA 17815.

This proposed facility is located in Montour Township, **Columbia County**.

Description of Proposed Action/Activity: Hydraulic re-rating of the maximum monthly design flow of the Hemlock MSC wastewater treatment plant. Chapter 94 requirement.

WQM Permit No 4901402. Sewerage. **West Chillisquaque Township Municipal Authority**, P. O. Box 168, Montandon, PA 17850-0168.

This proposed facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Proposed Action/Activity: Construction of collection sewers and pump station. Eliminate malfunctioning on-lot systems at Countryside Manor and Clymer MHP and the abandonment of a private treatment plant at Astro Village MHP.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0205991. Industrial. **Moon Township Municipal Authority**, 1000 Beaver Grade Road, Coraopolis, PA 15108 is authorized to discharge from a facility located at the Moon Township Municipal

Authority Water Filtration Plant, Moon Township, **Allegheny County** to receiving waters named Ohio River.

NPDES Permit No. PA0216097. Industrial Waste. **Trinity Industries, Inc. (Standard Forged Products, Inc.)**, 100 Iron Street, Johnstown, PA 15906-2610 is authorized to discharge from a facility located at City of Johnstown, **Cambria County** to receiving waters named Conemaugh River.

NPDES Permit No. PA0095940. Sewage. **Albert Gallatin Area School District**, 10 West Church Street, Masontown, PA 15461-1800 is authorized to discharge from a facility located at D. Fred Swaney Elementary School Wastewater Treatment Facility, Georges Township, **Fayette County** to receiving waters named York Run.

NPDES Permit No. PA0096725. Sewage. **Belle Vernon Area School District**, R. D. 2, Crest Avenue, Belle Vernon, PA 15012 is authorized to discharge from a facility located at Belmar-Marion School STP, Washington Township, **Washington County** to receiving waters named Downers Run.

NPDES Permit No. PA0204650. Sewage. **Drew L. Knopfel**, 7032 Leechburg Road, New Kensington, PA 15068 is authorized to discharge from a facility located at Knopfel Single Residence STP, Plum Borough, **Allegheny County** to receiving waters named unnamed tributary of Bodies Run.

NPDES Permit No. PA0217166. Sewage. **Kenneth W. Grey**, R. D. 9, Box 26, Kittanning, PA 16201 is authorized to discharge from a facility located at Grey Personal Care Home STP, Kittanning Township, **Armstrong County** to receiving waters named unnamed tributary of Cowanshannock Creek.

Permit No. 0200415. Sewerage. **Allegheny County Sanitary Authority**, 3300 Preble Avenue, Pittsburgh, PA 15233. Construction of Force Main Relocation located in O'Hara Township, **Allegheny County** to serve Portion of Montrose Pump Station Force Main.

Permit No. 0471408-A1. Sewerage. **Hopewell Township**, 1700 Clark Boulevard, Aliquippa, PA 15001. Construction of Sewage Treatment Plant and Interceptor located in, Hopewell Township, **Beaver County** to serve Raccoon Creek.

Permit No. 6374406-A5. Sewerage. **Canonsburg-Houston Joint Authority**, 68 East Pike Street, Canonsburg, PA 15317. Construction of Parallel Pump Station and Force Main located in Cecil Township, **Washington County** to serve Chartiers Creek.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0032468, Sewage, **Cook Forest State Park, PA Department of Conservation and Natural Resources**, 195 Park Road, P. O. Box 387, Prospect, PA 16052-0387.

This proposed facility is located in Barnett Township, **Forest County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Clarion River.

WQM Permit No. 2501405, Sewage, **Interstate Antique Mall**, 6205 West Lake Road, Erie, PA 16505.

This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a small flow treatment facility.

WQM Permit No. 1001401, Sewerage, **Borough of Prospect**, 159 Monroe Street, Prospect, PA 16052.

This proposed facility is located in Borough of Prospect, **Butler County**.

Description of Proposed Action/Activity: This project is for modifications to an existing sanitary sewer collection system.

WQM Permit No. 2001406, Sewerage, **Mary E. Berry**, 19112 Berry Lane, Meadville, PA 16335.

This proposed facility is located in Union Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

WQM Permit No. 4301406, Sewerage, **Richard D. Story**, 19 South Summit Road, Greenville, PA 16125.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

WQM Permit No. 2001404, Sewerage, **James H. and Katherine L. Hilliard**, 16499 South Townline Road, Linesville, PA 16424.

This proposed facility is located in Conneaut Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

WQM Permit No. 1001404, Sewerage, **P. Joseph and Lynne Barth**, 138 Bradman Estates, Slippery Rock, PA 16057.

This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the construction of a Single Residence Sewage Treatment Plant.

NPDES STORMWATER INDIVIDUAL PERMITS (PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-5312	Philadelphia Authority for Industrial Development 1413 Langley Avenue, Quarters A Philadelphia Naval Business Center Philadelphia, PA 19112	Philadelphia	City of Philadelphia	Delaware River (MF)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q181	Robyn Realty Co. 3906 Mountain View Drive Danielsville, PA 18038	Lehigh	Lowhill Township	Jordan Creek HQ-CWF
PAS10Q212	Westbury Park, Inc. 824 Eighth Ave. Bethlehem, PA 18018	Lehigh	Upper Milford Township	Little Lehigh Creek HQ-CWF
PAS10U144	Taras W. Zawarski, Pres. Nic Zawarski & Sons, Developers, Inc. 1441 Linden St. Bethlehem, PA 18018	Northampton	Forks Township	Bushkill Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS104509	Mount Union Area School Dist. 28 W. Market Street Mount Union, PA 17066	Mifflin	Kistler Borough	Unt to the Juniata River (HQ-CWF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10C042	Forino Company 555 Mountain Home Road Sinking Spring, PA 19608	Berks	Robeson Township	Beaver Run (HQ-CWF-MF)
PAS10C043	Longswamp Township Board of Supervisors 112 State Street P. O. Box 37 Mertztown, PA 19539	Berks	Longswamp Township	Unt to Toad Creek (HQ-CWF)
PAS102805	Hustontown Joint Municipal Authority 299 North Clear Ridge Road P. O. Box 577 Hustontown, PA 17229	Fulton	Dublin Township Taylor Township	Lamberson Branch (HQ-CWF) Fortune Teller Creek (HQ-CWF)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10F094	Craig W. Kissell 311 Rt. 322 Nittany Meadow Lane Boalsburg, PA 16827	Centre	Harris Township	Spring Creek HQ-CWF

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage Under (1) General NPDES Permits to Discharge Wastewater into the Waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of this Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

*General Permit Type—PAG-2**Facility*

<i>Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Northampton Township Bucks County	PAR10-D526	Cecelia Reckltis 117 Jacksonville Road Ivyland, PA 18974	Little Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Northampton Township Bucks County	PAR10-D528	Kahn Development Corp 55 Country Club Drive Downingtown, PA 19335	Little Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Buckingham Township Bucks County	PAR10-D538	Toll Brothers, Inc. 3103 Philmont Avenue Huntingdon Valley, PA	Neshaminy Creek (TSF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
New Britain Township Bucks County	PAR10-D542	Site Development, LLC 17000 Horizon Way Mt. Laurel, NJ 08054	West Branch Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Middletown Township Bucks County	PAR10-D544	George School 1690 Newtown-Langhorne Newtown, PA 18940	Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Doylestown Township Bucks County	PAR10-D545	J. G. Realty 30 South Main Street Doylestown, PA 18901	Cooks Run Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Bensalem Township Bucks County	PAR10-D551	Regents Glen, LP 721 Dresher Road Horsham, PA 19044	Tributary Mill Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Bristol Township Bucks County	PAR10-D559	Laurence Silvi 355 New Bold Road Fairless Hills, PA	Delaware River (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Plumstead Township Bucks County	PAR10-D562	Central Bucks School Dist. 16 Welden Drive Doylestown, PA 18901	North Branch Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
New Britain Township Bucks County	PAR10-D571	Joseph A. Cairone 6017 Rising Sun Avenue Philadelphia, PA 19111	West Branch Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Bristol Township Bucks County	PAR10-D531-1	Keystone Industrial Part- ners 6707 Democracy Boule- vard Suite 510 Bethesda, MD	Neshaminy Creek (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Buckingham Township Bucks County	PAR10-D123-2	The Buckingham Group 102 Harvard Lane Bryn Mawr, PA 19010	Watson Creek (CWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
City of Philadelphia Philadelphia County	PAR10-5336	Philadelphia Eagles, LLP Nova Care Complex 1 Nova Care Way Philadelphia, PA 19145	Delaware River (WWF, MF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Lackawanna County South Abington Township	PAR 10N117	Michael Noto P. O. Box 716 Waverly, PA 18471	Ackerly Creek CWF	Lackawanna County Conservation District (570) 281-9495
Marion Township Berks County	PAR 10C349	Allen Brubacker R. D. 1 Box 66 Richland, PA 17087	Mill Creek	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Girard Township Clearfield County	PAR101772	Girard Township Municipal Authority P. O. Box 36 Leontes Mills, PA 16850	Bald Hill Run CWF	Clearfield County Conservation District 650 Leonard St. Clearfield, PA 16830 (814) 765-2629
Sandy Township and City of DuBois Clearfield County	PAR101773	PA Dept. of Transportation 1924-30 Daisy St. Clearfield, PA 16830	Pentz Run CWF	Clearfield County Conser- vation District 650 Leonard St. Clearfield, PA 16830 (814) 765-2629

Southwest Region: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Cambria County Cambria Township	PAR101072	S&P Estates Anthony T. Sossong 201 Maplebrook Road Ebensburg, PA 15931	UNT to Howells Run/CWF	Cambria County Conservation District (814) 472-2120
Somerset County Somerset Borough	PAR106141	Wheeler Bros., Inc. 384 Drum Avenue Somerset, PA 15501	UNT to Kimberly Run/CWF	Somerset County Conservation District (814) 445-4652

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Berks County Cumru Township	PAR113547	Windsor Service, Inc. P. O. Box 13787 2335 Kutztown Road Reading, PA 19612-3787	Schuylkill River	DEP—Southcentral Re- gion 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Reading City	PAR143514	Sealed Air Corporation 450 Riverfront Drive Reading, PA 19602	Schuylkill River	DEP—Southcentral Re- gion 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

NOTICES

2311

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Clearfield County Lawrence Township	PAR804859	Department of Military and Veterans Affairs Fort Indiantown Gap Annville, PA 17003-5002	Unnamed tributary West Branch Susquehanna River	Northcentral Regional Office DEP 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Adams Township Butler County	PAR808357	Edward L. Sr. and Margaret L. Vogel 362 Myoma Road Mars, PA 16046	Breakneck Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Venango Township Erie County	PAR148302	International Paper Erie Mill 1540 East Lake Road Erie, PA 16533	Unnamed tributary to French Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Clarion Borough Clarion County	PAR218310	Owens-Brockway Glass Container, Inc.—Plant #17 One SeaGate Toledo, OH 43666	Trout Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-4</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Potter County Sharon Township	PAG044897	Harry and Carolyn Slocum P. O. Box 147 Shinglehouse, PA 16748	Unnamed tributary of Blauvelt Hollow 16C	Northcentral Regional Office DEP 208 West Third St. Suite 101 Williamsport, PA 17701
Union Township, Crawford County	PAG048724	Mary E. Berry 19112 Berry Lane Meadville, PA 16335	Tributary French Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
West Salem Township, Mercer County	PAG048719	Richard D. Story 19 South Summit Road Greenville, PA 16125	Unnamed tributary to Booth Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Slippery Rock Township, Butler County	PAG048723	P. Joseph and Lynne Barth 138 Bradman Estates Slippery Rock, PA 16057	Unnamed tributary to Long Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Conneaut Township, Crawford County	PAG048720	James H. and Katherine L. Hilliard 16499 South Townline Road Linesville, PA 16424	Unnamed tributary to Fish Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Cussewago Township, Crawford County	PAG048365	Thomas E. and Tamara L. Mook 22417 Fry Road Venango, PA 16440-1333	Unnamed tributary of Wolf Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone</i>
Little Britain Township Lancaster County	PAG083501 PAG082201 PAG080009 PAG080008 PAG080002 PAG083515 PAG080003 PAG082203 PAG083522 PAG083517 PAG080001 PAG083825 PAG083542 PAG083547 PAG083502 PAG080007 PAG083551 PAG083506 PAG080006 PAG070003	Synagro Mid-Atlantic 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Galen Fite-Little Britain Farm Little Britain Township Lancaster County	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone</i>
Snyder County Spring Township	PAG124803	Lamar E. Troup Box 151 Beaver Springs, PA 17812	Unnamed tributary to Middle Creek 6A	Dept. of Environmental Protection 208 W. Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2520095, Operations Permit. Public Water Supply.

Applicant **Resort Construction Company, Inc.**
Oak Manor Estates Water Company
P. O. Box 133
Milford, PA 18711
Dingman Township
Pike
Community Water Supply
Joseph Sincavage
August 10, 1999

[Borough or Township]
County
Type of Facility
Consulting Engineer
Permit to Construct Issued

Permit No., Minor Amendment. Public Water Supply.

Applicant **State College Borough Water Authority**
1201 West Branch Road
State College, PA 16801
Harris Township
Centre
Public Water Supply
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602
Permit to Construct Issued April 10, 2001

Permit No., Minor Amendment. Public Water Supply.

Applicant **State College Borough Water Authority**
1201 West Branch Road
State College, PA 16801

Township Harris Township
 County Centre
 Type of Facility Public Water Supply
 Consulting Engineer Gwin, Dobson & Foreman, Inc.
 3121 Fairway Drive
 Altoona, PA 16602
 Permit to Operate Issued April 10, 2001

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No 2595504-MA1, Minor Amendment. Public Water Supply.

Applicant **Woodhaven MHP**
 7950 Page Rd.
 Wattsburg, PA 16442.
 Borough or Township Greene Township
 County Erie
 Type of Facility Community Water Supply
 Consulting Engineer Lake Engineering
 140 Meadville St.
 Edinboro, PA 16412.
 Permit to Construct Issued April 11, 2001

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approval Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location: The **Richard Henderson Subdivision** is located on the northwest side of T-536 approximately 500' north of the intersection with T-494.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East St. Clair Township	1445 Quaker Valley Road New Paris, PA 15554	Bedford County

Plan Description: The plan provides for an approval granted April 13, 2001, as a revision to the Official Plan of East St. Clair Township, Bedford County. Project involves construction of a small flow sewage treatment facility to serve a proposed dwelling located on the northwest side of T-536. Treated effluent is to be discharged to an unnamed tributary to Dunnings Creek. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require

the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Holy Guardian Angels Church, Muhlenberg Township, **Berks County**. Advanced GeoServices Corporation, Chadds Ford Business Campus, Routes 202 and 1, Brandywine One, Suite 202, Chadds Ford, PA 19317, on behalf of Holy Guardian Angels Parish, 3121 Kutztown Road, Reading, PA 19605 and Diocese of Allentown, 1101 Hamilton Boulevard, Allentown, PA 18101, has submitted a Final Report concerning remediation of site soils contaminated with lead. The report is intended to document remediation of the site to meet the Statewide Health standard requirements.

Flint Ink Corporation, City of Lancaster, **Lancaster County**. URS Corporation, 2325 Maryland Road, Second Floor, Willow Grove, PA 19090, on behalf of Flint Ink Corp., 216 Greenfield Road, Lancaster, PA 17606; Flint Ink Corporation, 4600 Arrowhead Drive, Ann Arbor, MI 48105; and RR Donnelley & Son's Company, 1375 Harrisburg Pike, Lancaster, PA 17601, has submitted a Final Report concerning remediation of site soils contaminated with toluene. The report is intended to document remediation of the site to meet the Statewide Health standard requirements.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Green Garden, Inc., Somerset Township, **Somerset County**. Sean Isgan, P.E., PLS CME Engineering, Inc., 821 West Main Street, Somerset, PA 15501, on behalf of Green Garden, Inc., 1108 Green Garden Lane, Bedford, PA 15522, has submitted a Final Report concerning remediation of site soil contaminated with cyanide. The report is intended to document remediation of the site to meet the Site Specific Standard.

Pechin Leasing Company, East Bethlehem and Fredericktown Townships, **Washington County**. John Conroy, TriLine Associates, 506 Valleybrook Road, McMurray, PA 15317, on behalf of Pechin Leasing Company, 1 Pechin Road, P. O. Box 340 Dunbar, PA 15431-0340, has submitted a Final Report concerning remediation of site soil contaminated with PCBs, lead, solvents,

BTEX, PHCs and PAHs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Spang Specialty Metal Plant, 154 Eastbrook Lane, East Butler, PA 16029, Summit Township, **Butler County** and Robert J. Valli P.G. of Civil and Environmental Consultants Inc., 333 Baldwin Road, Pittsburgh, PA 15205, has submitted a Risk Assessment Report concerning remediation of Sediment contaminated with Heavy Metals. The report is intended to document remediation of the site to meet the Background Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Milito Property, Norristown Borough, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of Michael Milito, Charles Milito, Mary Milito and Delores Milito, 701 E. Marshall St., Norristown, PA 19401, has submitted a Baseline Remedial Investigation Report concerning the remediation of site soil contaminated with PCBs, lead, heavy metals, polycyclic aromatic hydrocarbons and solvents; and site groundwater contaminated with lead, heavy metals and solvents. The site is located in a Special Industrial Area. The report was approved by the Department on April 10, 2001.

Branch Road Farm Property, East Rockhill Township, **Bucks County**. Walter H. Hungarter, III, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Heritage Building Group, 3326 Old York Rd., Furlong, PA 18925, has submitted a Final Report concerning remediation of site soil contaminated with heavy metals and pesticides. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on April 12, 2001.

Former Manheim Laundry Site, City of Philadelphia, **Philadelphia County**. Jeffrey K. Walsh, Gilmore & Associates, Inc., 184 W. Main St., Trappe, PA 19426, on behalf of Germantown Friends School, 5342-48 Germantown Ave., Philadelphia, PA 19144, has submitted a Revised Remedial Investigation Work Plan for this Special Industrial Area site. The Work Plan was approved by the Department on April 9, 2001.

Gordon, Gonzales, Marchesani, Welsh Property, City of Philadelphia, **Philadelphia County**. Robert R. Botterman, TolTest, Inc., 339 Haymaker Rd., Suite 1101, Monroeville, PA 15146, on behalf of Howard Gordon, 1521 E. Wingohocking St., Philadelphia, PA 19124, Geraldine & Ferdinand Gonzales, 1515 E. Wingohocking St., Philadelphia, PA 19124, Nino Marchesani, 4411 Castor Ave., Philadelphia, PA 19124 and Richard Welsh, 1509 Wingohocking St., Philadelphia, PA 19124, has submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning remediate of site soil and groundwater contaminated with solvents, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The Reports and Cleanup Plan were disapproved by the Department on April 9, 2001.

Spring City Electrical Manufacturing Co., Spring City Borough, **Chester County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Spring City Electrical Manufacturing Co., Main & Hall Sts., Spring City, PA 19475, has submitted a Final Report concerning remediation of site soil contaminated with solvents and polycyclic aromatic hydrocarbons; and site groundwater contaminated with solvents. The report did not demonstrate attainment of Statewide Health and Background Standards and was disapproved by the Department on April 10, 2001.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Byler Property, Former Oil Terminal, Lewistown Borough, **Mifflin County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19408, on behalf of Ray Byler, R. D. 1, Box 41, Belleville, PA 17004, has submitted a final report concerning the

remediation of site soils and groundwater contaminated with PHCs, PAHs, BTEX, lead and EDB. The final report demonstrated attainment of a combination of the State-wide Health and site-specific standards, and was approved by the Department on April 13, 2001.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Issued

Lancaster Oil Company, 1062 Old Manheim Pike, Lancaster, PA 17601. License No. **PA-AH 0679**. Effective April 13, 2001.

Reserve Environmental Services, Inc., P. O. Box 1038, Ashtabula, OH 44005-1038. License No. **PA-AH 0678**. Effective April 12, 2001.

Hazardous Waste Transporter License Renewed

Hukill Chemical Corporation, 7013 Krick Road, Bedford, OH 44146. License No. **PA-AH 0625**. Effective April 13, 2001.

Marcor Remediation, Inc., 246 Cockeysville Road, P. O. Box 1043, Hunt Valley, MD 21030. License No. **PA-AH 0568**. Effective April 13, 2001.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southwest Region: Division of Municipal and Residual Waste, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. PAD000606285, Hercules, Inc.—Jefferson Plant, P. O. Box 567, State Highway 837, West Elizabeth, PA 15088-0567. Operation of a captive hazardous waste storage in Jefferson Hills Borough, **Allegheny County**. Permit providing for storage of hazardous waste fuel in containers and aboveground storage tanks at an existing resin manufacturing plant was issued in the Regional Office on April 16, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 063423. Greenfield Township Municipal Authority, Greenfield Township, **Blair County**. Burket Farm. The permit was revoked by the Southcentral Regional Office on April 16, 2001.

Persons interested in reviewing the general permit may contact Mary DiSanto, File Review Coordinator, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4732. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

Permit No. 063423. Greenfield Township Municipal Authority, Greenfield Township, **Blair County**. Weyant Farm. The permit was revoked by the Southcentral Regional Office on April 16, 2001.

Persons interested in reviewing the general permit may contact Mary DiSanto, File Review Coordinator, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4732. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05063: York Building Products Co., Inc. (P. O. Box 1708, York, PA 19494) authorized use of a general permit for the construction/operation of a portable nonmetallic mineral processing plant in West Manchester Township, **York County**.

Operating Permit Administrative Amendments Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 (relating to administrative operating permit amendments).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Thomas McGinley, New Source Review Chief, (610) 832-6242.

23-0006A: Foamex International, Inc. (1500 East Second Street, Eddystone, PA 19022) on April 13, 2001, for Facility VOC/NOx RACT in Eddystone Borough, **Delaware County**.

09-0126: Air Liquide America Corp. (19 Steel Road West, Morrisville, PA 19067) on April 13, 2001, for Specialty Gas Plant in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05017: Hess-Armaclad, Inc. (P. O. Box 127, Quincy, PA 17247) for an administrative amendment to incorporate the ownership change in the Title V Operating Permit in Quincy Township, **Franklin County**. This facility was formerly owned by Hess Manufacturing. The facility's major sources of emissions include surface coating operations, which primarily emit VOC. This amendment is Revision #1 of the facility's Title V Operating Permit.

67-05020: Exelon Generation Co., LLC (1848 Lay Road, Delta, PA 17314) for an administrative amendment to incorporate the ownership change in the Title V Operating Permit in Peach Bottom Township, **York County**. This facility was formerly owned by PECO Energy Company. The facility's major sources of emis-

sions include boilers, which primarily emit NOx. This amendment is Revision #1 of the facility's Title V Operating Permit.

Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

22-03025: John R. Shultz Funeral Home (406 Market Street, Lykens, PA 17048) on April 12, 2001, for a Natural Minor Operating Permit in Lykens Borough, **Dauphin County**.

36-05008: Tyson Foods, Inc. (P. O. Box 1156, 403 South Custer Avenue, New Holland, PA 17557-0901) on April 12, 2001, for a Synthetic Minor Operating Permit in Earl Township, **Lancaster County**.

67-05031: Wayneco, Inc. (800 Hanover Road, York PA 17404) on April 9, 2001, for a Synthetic Minor Operating Permit in Jackson Township, **York County**.

67-05049: Trenwyth Industries, Inc. (P. O. Box 438, One Connelly Road, Emigsville, PA 17318) on April 10, 2001, for a Synthetic Minor Operating Permit in Manchester Township, **York County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-124C: S.W.E.C., LLC (5000 Dominion Boulevard, Glen Allen, VA 23060) on March 27, 2001, approving the transfer and use of nitrogen oxides (NOx) and volatile organic compound (VOC) emission reduction credits (ERCs) for use as offsets in accordance with 25 Pa. Code § 127.208(2) for the proposed construction of a combined cycle electric power plant in Falls Township, **Bucks County**. Plan Approval No. 09-124C does not authorize the construction, modification, reactivation or installation of a source.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05002A: Lehigh Portland Cement Co. (P. O. Box 619, Blandon, PA 19510-0619) on April 10, 2001, for installation of new equipment on two cement kilns equipped with cyclones, spray towers and fabric collectors at the Evansville Plant in Maiden creek Township, **Berks County**. These sources are subject to 40 CFR Part 63, Subpart LLL—National Emission Standards for Hazardous Air Pollutants for Source Categories; Portland Cement Manufacturing Industry.

07-05001D: Appleton Papers, Inc. (100 Paper Mill Road, Roaring Spring, PA 16673) on April 9, 2001, for installation of a LVHC System venting to an A.H. Lundberg packed bed scrubber and a backup incinerator at the Spring Mill Plant in Roaring Spring Borough, **Blair County**. These sources are subject to 40 CFR Part 63, Subpart S—National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Richard Maxwell, New Source Review Chief, (570) 327-3637.

08-0004A: Masonite Corp. (P. O. Box 311, Towanda, PA 18848) on March 19, 2001, for reactivation of a 161,000,000 BTU per hour woodwaste and natural gas-fired boiler (#2 boiler) controlled by an electrostatic precipitator in Wysox Township, **Bradford County**.

14-310-019A: Con-Stone, Inc. (P. O. Box 28, Bellefonte, PA 16823) on March 26, 2001, for construction of various pieces of stone crushing, screening, conveying, etc., equipment and associated air cleaning device (a water spray dust suppression system) in Haines Township, **Centre County**. Most of the crushing, screening, conveying, etc. equipment is subject to Subpart 000 of the Federal Standards of Performance for New Stationary Sources.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

65-00910B: McKnight Cylinder Co. (168 Pattern Shop Road, R.D. 1, Box 338, Ruffs Dale, PA 15679) on March 27, 2001, for operation of a Shot Blaster in South Huntingdon Township, **Westmoreland County**.

04-235B: Pennsylvania Power Co. (76 South Main Street, Akron, OH 44308) on March 26, 2001, for operation of Units 1 and 2 at Bruce Mansfield in Shippingport Borough, **Beaver County**.

32-206A: Mears Enterprises, Inc. (P. O. Box 157, Clymer, PA 15728) on March 27, 2001, for operation of a Coal Prep Plant at Clymer Tipple in Cherryhill Township, **Indiana County**.

30-131A: Foree Oil Co. (8235 Douglas Avenue, Suite 402 LB 27, Dallas, TX 75225) on March 29, 2001, for operation of Combustion Engines/Gas Heated Dehydrator at Foree Compressor Station in Franklin Township, **Greene County**.

63-649E: Polycom Huntsman, Inc. (90 West Chestnut Street, Washington, PA 15301) on March 30, 2001, for operation of compounding and extrusion equipment at Donora Plant No. 1 in Donora Borough, **Washington County**.

Plan Approvals Extensions Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions).

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Thomas McGinley, New Source Review Chief, (610) 832-6242.

23-0009A: Boeing MACAM Sys Group—Philadelphia (Stewart Avenue and Route 291, Eddystone, PA 19013) on April 12, 2001, for operation of four gas turbine generators in Ridley Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

67-03063: Advanced Recycling Technology, Inc. (340 South Broad Street, Hallam, PA 17406) on April 8, 2001, to authorize temporary operation of an industrial dryer controlled by a wet scrubber, covered under this Plan Approval until August 5, 2001, in Hallam Borough, **York County**.

Plan Approval Minor Modification Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Richard Maxwell, New Source Review Chief, (570) 327-3637.

14-310-019A: Con-Stone, Inc. (P. O. Box 28, Bellefonte, PA 16823) on April 6, 2001, to correct several minor errors regarding conveyor identification in Haines Township, **Centre County**.

55-0005B: Wood-Mode, Inc. (1 Second Street, Kreamer, PA 17833) on April 10, 2001, to extend the deadline for the performance of volatile organic compound stack testing on a wood cabinet molding finishing operation and associated air cleaning device (a regenerative thermal oxidizer) to June 4, 2001 in Middlecreek Township, **Snyder County**.

08-399-001C: OSRAM SYLVANIA Products, Inc. (Hawes Street, Towanda, PA 18848-0504) on April 6, 2001, to authorize the use of alternate air cleaning devices (a fabric collector and absolute filter) to control the air contaminant emissions from a butt welder in North Towanda Township, **Bradford County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Issued

Greensburg District Mining Office: Armbrust Building, R. R. 2, Box 603-C, Greensburg, PA 15601-0982.

03990105. Seven Sisters Mining Co., Inc. (P. O. Box 300, 200 U.S. Route 22, Delmont, PA 15626-0300). Permit issued for commencement, operation, and reclamation of a bituminous surface/auger mine located in South Bend and Burrell Townships, **Armstrong County**, affecting 206.2 acres. Receiving streams: unnamed tributary to Fagley Run and to Fagley Run. Application received: August 4, 1999. Permit issued: April 11, 2001.

65960106. V. P. Smith Co., Inc. (P. O. Box 242, Ligonier, PA 15658). Permit renewed for continued reclamation only of a bituminous surface mine located in East Huntingdon Township, **Westmoreland County**, affecting 82.6 acres. Receiving streams: unnamed tributary to Buffalo Run to Sewickley Creek and unnamed tributary to Stauffer Run to Jacobs Creek. Application received: January 26, 2001. Reclamation only renewal issued: April 11, 2001.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

32960104. Permit Renewal for reclamation only, D. J. & W. Mining, Inc. (P. O. Box 425, Indiana, PA 15701), for continued restoration of a bituminous surface and auger mine in Rayne Township, **Indiana County**, affecting 79.4 acres, receiving stream unnamed tributary to Brush Run; unnamed tributary to Crooked Creek; Brush Run; and Crooked Creek. Application received March 19, 2001. Issued April 9, 2001.

56950108. Permit Renewal, Fieg Brothers (3070 Stoystown Road, Stoystown, PA 15563), for continued operation of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 127.4 acres, receiving stream unnamed tributaries to Buffalo Creek. Application received January 10, 2001. Issued April 12, 2001.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317.

32841302. Pennsylvania Mines Corporation, (P. O. Box 367, Ebensburg, PA 15931), to revise the permit for the Greenwich #1 Mine—Main Complex in Green and Susquehanna Townships, **Indiana and Cambria Counties** to revise the permit to change the post-mining land use to commercial and light industrial, no additional discharges. Permit issued March 28, 2001.

30831303. RAG Cumberland Resources, L.P., (P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Whiteley Township, **Greene County** to add 3,530 acres subsidence control plan, add 150 acres underground, delete 849 acres underground, no additional discharges. Permit issued April 9, 2001.

17823701. Bradford Coal Co., Inc., (P. O. Box 368, Bigler, PA 16825), to revise the permit for the Refuse Disposal Area No. 1 in Bradford Township, **Clearfield County** to add 7.1 surface acres to the existing permit for use as a haul road, no additional discharges. Permit issued April 10, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669.

6433-10000103-E-1. Seneca Landfill, Inc. (P. O. Box 1080, Mars, PA 16046) Application for a stream encroachment to mine through six unnamed tributaries to Connoquenessing Creek in Jackson & Lancaster Townships, **Butler County**. Receiving streams: unnamed tributaries to Connoquenessing Creek. Application received: April 20, 2000. Permit Issued: October 4, 2000.

6433-10000103-E-2. Seneca Landfill, Inc. (P. O. Box 1080, Mars, PA 16046) Application for a stream encroachment to conduct mining activities within 100 feet but no closer than 25 feet of unnamed tributary UT-A2B to Connoquenessing Creek in Jackson and Lancaster Townships, **Butler County**. Receiving streams: unnamed tributaries to Connoquenessing Creek. Application received: April 20, 2000. Permit Issued: November 4, 2000.

Noncoal Permits Issued

Greensburg District Mining Office: Armbrust Building, R. R. 2, Box 603-C, Greensburg, PA 15601-0982.

3372SM24/26840402. Commercial Stone Co., Inc. (2200 Springfield Pike, Connellsville, PA 15425). NPDES renewal issued for continued operation and reclamation of a large noncoal surface mine (limestone quarry) located in Connellsville Township, **Fayette County**. Receiving streams: Connell Run. Application received: February 5, 2001. NPDES Renewal issued: April 12, 2001.

3472SM18. Commercial Stone Co., Inc. (2200 Springfield Pike, Connellsville, PA 15425). NPDES renewal issued for continue operation and reclamation of a large noncoal surface mine (limestone quarry) located in Rostraver Township, **Fayette County**. Receiving streams: none. Application received: February 5, 2001. NPDES Renewal issued: April 12, 2001.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-884. Springford Country Club, Country Club Road, Royersford, PA 19468, Limerick Township, **Montgomery County**, ACOE District.

To perform the following activities associated with the restoration of the Springford Country Club Reservoir:

1. To construct and maintain a forebay area where the creek enters the reservoir by installing an approximately 6-foot high gabion wall.

2. To install and maintain an approximately 3-foot high gabion wall associated with stabilization of the existing eroded banks along portion of the west shoreline.

This work also includes the removal of the accumulated sediment from the reservoir located within an unnamed tributary to Mingo Creek (WWF) in order to maintain the original impoundment capacity of the reservoir. The applicant also proposes to remove the former footbridge foundation pilings from the middle of the reservoir. The site is located approximately 1,500 feet northeast of the intersection of Royersford Road and Reifsnnyder Road (Phoenixville, PA USGS Quadrangle N: 13.8 inches; W: 4.4 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E39-388. Handwerk Farms II, 5664 Railroad Road, Germansville, PA 18053. Heidelberg Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To place fill in 0.21 acre of wetlands for the purpose of constructing an 18-hole golf course. The project includes three road crossings of wetlands (Crossing A-1: three 24-inch culverts, Crossing A-2: 24-inch culverts, and Crossing C: an 8-foot x 2.5-foot concrete box culvert) along access roads, and four single-span bridge crossings of wetlands along golf cart paths. The permittee is required to provide 0.25 acre of replacement wetlands. The site is located immediately south of the intersection of S.R. 4026 (Railroad Road) and S.R. 4014 (Church Road) (Slatedale, PA Quadrangle N: 15.1 inches; W: 7.6 inches).

E39-393. LaFarge Corporation, 5160 Main Street, Whitehall, PA 18052-1827. Whitehall Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To modify and maintain an existing intake structure along the Lehigh River, with work consisting of constructing a steel bar screen against the face of the intake house. The intake opening is approximately 6 feet high by 5 feet wide. The project includes removal of stone fill, within an area of approximately 25 feet by 15 feet, which had been placed in the river during an emergency to facilitate clearing of the intake opening. The project is located along the west bank of the Lehigh River, approximately 300 feet south of the S.R. 329 (Main Street) bridge (Cementon, PA Quadrangle N: 11.7 inches; W: 0.5 inch).

E54-281, Wesley J. Levan II, 145 North Tulpehocken Street, Pine Grove, PA 17963, Pine Grove Borough, **Schuylkill County**, ACOE Philadelphia District.

To construct and maintain an approximate 30-foot x 26-foot wooden deck attached to an existing residential dwelling within the floodway of Swatara Creek. The project is located along Tulpehocken Street approximately 500 feet south east of the intersection of Tulpehocken Street and Outwood Road, (Pine Grove, PA Quadrangle N: 10.6 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E36-700. Pequea Township, 1028 Mill Wood Road, Willow Street, PA 17584 in Pequea Township, **Lancaster County**, ACOE Baltimore District.

To construct and maintain a 48-inch diameter outfall and its associated structures along the right bank of Goods Run (TSF) located immediately downstream of Baumgardner Road bridge (LR 36027) (Conestoga, PA Quadrangle N: 5.2 inches; W: 4.6 inches).

E67-688. Kinard Truck, Incorporated, 310 N. Zarfoss Road, York, PA 17404 in West Manchester Township, **York County**, ACOE Baltimore District.

To realign 1,400 linear feet of an unnamed tributary to the Codorus Creek (WWF) within a 6-foot bottom width turf matting lined trapezoidal channel and to construct two rail-line spur crossing with 90 linear feet of 6-foot by 2-foot diameter reinforced concrete box culverts at each crossing of the reconstructed channel located along the York railroad line between North Zarfoss Road and east side of SR 30. The permit also authorizes removal of an existing culvert and construction of a new 58-inches by 36-inches pipe arch culvert under North Zarfoss Road. The project is for the proposed 138,600 SF additional expansion of the Kinard Trucking Warehouse building (West York, PA Quadrangle N: 11.8 inches; W: 6.7 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-385. Craig and Kathleen Kissell, 2041 Cato Avenue, State College, PA 16801. Kissell Crossing, in Harris Township, **Centre County**, ACOE Baltimore District (State College, PA Quadrangle N: 5.6 inches; W: 0.5 inch).

To remove the existing three cell structure which consists of a 24 inches, 36 inches and 42 inches culvert and to construct, operate and maintain a three cell culvert crossing containing a 42 inches culvert and two 36 inches relief culverts measuring 25 lineal feet in length. The 42 inch culvert shall be depressed 6 inches to convey the natural stream bed and aquatic habitat. This project is located .5 mile east on SR 322 from the intersection with SR 2001 (State College, PA Quadrangle, N: 5.6 inches, W: .5 inch) State College Borough, Centre County. This permit was issued under Section 105.13(e), Small Projects. This permit also includes 401 Water Quality Certification.

E19-209. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754. Bridge SR 2054, Sect. 02M, in Benton Township, **Columbia County**, ACOE Baltimore District.

To maintain a 14.0 feet by 6.5 feet by 45.2 feet long cast-in place reinforced concrete box culvert on a 45 degree left ahead skew, depressed 1.0 foot into the streambed with an effective waterway opening of 14.0 feet by 5.5 feet and to maintain riprap along the northern bank of Colley Run. The bridge is located on SR 254 at Segment 380, offset 0000 over Cully Run approximately 1,000 feet south of the intersection of SR 487 with SR 0254 in Benton Township, Columbia County. This permit was issued under Section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-326, LBHB-D'Orsay Associates, LP, 215 Executive Drive, Cranberry Township, PA 16066. Preserve Plan

of Lots, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 16.5 inches; W: 13.0 inches).

To conduct the following activities associated with construction of a single-family residential development north of Goehring Road approximately 0.5 mile east of Interstate 79 (Mars, PA Quadrangle N: 16.5 inches; W: 13.0 inches) in Cranberry Township, Butler County:

1. To fill a total of 0.24 acre of wetlands (PEM), PSS and PEM/PSS) for widening of Goehring Road, lot development and stormwater basin outlets.

2. To enclose approximately 500 feet of a tributary to Brush Creek (WWF) having a contributory drainage area less than 100-acres for roadway and lot construction at the northwest corner of the project.

3. To enclose approximately 1,100 feet of a tributary to Brush Creek (WWF) having a contributory drainage area less than 100-acres for roadway and lot construction at the northeast corner of the project.

4. To grade and fill within the left 50-foot floodway of a tributary to Brush Creek (WWF) along a total reach of approximately 500 feet extending upstream from Goehring Road.

5. To remove the existing culvert and install and maintain a 48-inch diameter culvert in a tributary to Brush Creek (WWF) on Goehring Road.

Project includes creation of 0.38 acre of replacement wetland on site.

E62-372, City of Warren, 318 West Third Avenue, Warren, PA 16365-2388. Riverfront Development Project Along Allegheny River, in City of Warren, **Warren County**, ACOE Pittsburgh District (Warren, PA Quadrangle N: 17.1 inches; W: 3.2 inches).

To conduct the following activities along the right bank of the Allegheny River associated with the City of Warren's Riverfront Development Project at the existing Liberty Street parking lot upstream of the Hickory Street Bridge (Warren, PA Quadrangle N: 17.1 inches; W: 3.2 inches) in the City of Warren, Warren County:

1. To lower approximately 350 feet of the existing concrete stream bank retaining wall by 10 feet and excavate the area behind the wall back approximately 16 feet.

2. To construct and maintain approximately 350 feet of reinforced concrete retaining wall approximately 16 feet back from the existing wall.

3. To construct and maintain approximately 350 feet of 16-foot wide concrete sidewalk between the new wall and existing wall.

4. To construct and maintain a pile supported wooden observation deck over the sidewalk.

5. To install and maintain approximately 350 feet of rock riprap bank protection along the toe of the existing concrete retaining.

6. To rehabilitate and maintain the remaining existing concrete stream bank retaining wall.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504 and 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
01-02-016	George A. Douds Neville Chemical Company 2800 Neville Road Pittsburgh, PA 15225-1496	Allegheny	Neville Township	1 AST Storing Process Distillates	217,000 gallons

SPECIAL NOTICES

CERTIFIED EMISSION REDUCTION CREDITS IN PENNSYLVANIA'S ERC REGISTRY

Emission reduction credits (ERCs) are surplus, permanent, quantified and Federally enforceable emission reductions used to offset emission increases of oxides of nitrogen (NOx), volatile organic compounds (VOCs) and the following criteria pollutants: carbon monoxide (CO), lead (Pb), oxides of sulfur (SOx), particulate matter (PM), PM-10 and PM-10 precursors.

The Department of Environmental Protection (Department) maintains an ERC registry in accordance with the requirements of 25 Pa. Code § 127.209. The ERC registry system provides for the tracking of the creation, transfer and use of ERCs. Prior to registration of the credits, ERC Registry Applications are reviewed and approved by the Department to confirm that the ERCs meet the requirements of 25 Pa. Code §§ 127.206—208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. The following registered, and certified ERCs in the ERC Registry are currently available for use as follows:

- (1) To satisfy new source review (NSR) emission offset ratio requirements;
- (2) To "net-out" of NSR at ERC-generating facilities;
- (3) To sell or trade the ERCs for use as emission offsets at new or modified facilities.

The certified ERCs shown, expressed in tons per year (tpy), satisfy the applicable ERC requirements contained in 25 Pa. Code §§ 127.206—127.208. ERCs created from the curtailment or shutdown of a source or facility expire for use as offsets 10 years after the emission reduction occurs. ERCs generated by the over control of emissions by an existing facility do not expire for use as offsets. However, credits in the registry, which are not used in a plan approval, will be discounted if new air quality requirements are adopted by the Department or United States Environmental Protection Agency (EPA).

For additional information concerning this listing of certified ERCs, contact Virendra Trivedi, Bureau of Air Quality, Division of Permits, Department of Environmental Protection, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
American National Can Company County: Lehigh Ozone Nonattainment Status: Moderate Contact Person: R. M. Rivetna Telephone Number: (312) 399-3392	VOCs	166.7	11/06/2002	Trading
National Fuel Gas Supply Corp. Knox Compressor Station County: Jefferson Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young Telephone Number: (814) 871-8657	NOx	95.7	06/30/2002	Internal Use and Trading
National Fuel Gas Supply Corp. Roystone Compressor Station County: Warren Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young Telephone Number: (814) 871-8657	NOx	103.3	12/28/2002	Internal Use and Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
U.S. Naval Hospital County: Philadelphia Nonattainment Status: Severe Contact Person: Mark Donato Telephone Number: (215) 897-1809	NOx	30.5	03/31/2005	Trading
Lord Corporation Source: Two coal fired boilers County: Erie Ozone Nonattainment Status: Moderate Contact Person: Robert E. Nipper Telephone Number: (814) 868-0924	NOx	9.5	12/20/2004	Trading
Julian B. Slevin, Inc. Recipient/Holder: Ronald W. Lockhart Sandra S. Lockhart Source Location: Lansdowne County: Delaware Ozone Nonattainment Status: Severe	VOCs	85.22	12/20/2005	Trading
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: David A. York Telephone Number: (717) 293-2056	VOCs	33.0		Internal Use
Kurz Hastings Inc. County: Philadelphia Nonattainment Status: Severe Contact Person: Robert Wallace Telephone Number: (215) 632-2300	VOCs	323.0	ERCs will be proportionally reduced to comply with MACT standards.	Trading
Sharon Steel Corp. Source Location: Farrell County: Mercer Ozone Nonattainment Status: Moderate Contact Person: Robert Trbovich Telephone Number: (412) 983-6161	VOCs	10.7	11/30/2002	Trading
Pennsylvania Power Company (PA Power) Source Location: New Castle Plant County: Lawrence Ozone Nonattainment Status: Moderate Contact Person: Donald R. Schneider Telephone Number: (412) 652-5531	NOx	214.0	04/02/2003	Trading
Ford New Holland, Inc. Source Location: Mountville County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: William E. Knight Telephone Number: (717) 355-4903	NOx VOCs	4.0 78.0	01/22/2003	Trading
Mercersburg Tanning Company Source Location: Mercersburg County: Franklin Ozone Nonattainment Status: Moderate Contact Person: David W. Warne Telephone Number: (717) 765-0746	VOCs	20.0	10/1/2004	Trading
I.H.F.P., Inc. Source Location: Milton Borough County: Northumberland Ozone Nonattainment Status: Moderate Contact Person: Michael West Telephone Number: (717) 742-6639	NOx VOCs	24.45 12.88	04/1/2006	Trading
3M Minnesota Mining & Manufacturing Plant Location: Bristol, Bucks Ozone Nonattainment Status: Severe Contact Person: Jeff Muffat Telephone Number: (651) 778-4450	VOCs VOCs	13.05 186.95	05/13/2001 10/18/2001	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Scranton-Altoona Terminal Corporation Source Location: Pittston Township County: Luzerne Ozone Nonattainment Status: Moderate Contact Person: John M. Arnold Telephone Number: (717) 939-0466	VOCs	18.36	01/1/2003	Trading
Metallized Paper Corporation of America Recipient/Holder: PNC Bank, National Association, assignee (by private lien foreclosure) from Metallized Paper Corp. Source Location: McKeesport County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Martin Mueller Telephone Number: (412) 762-5263	VOCs	41.7	06/30/2006	Trading
PPG Industries, Inc. Source Location: Springdale Complex County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Lori Burgess Telephone Number: (412) 274-3884	VOCs	171.82		Trading
York International Corporation Sources: Trichloroethylene Vapor Degreaser (151) Trichloroethylene Vapor Degreaser (152) Source Location: Spring Garden Township County: York Ozone Nonattainment Status: Moderate Contact Person: Garen Macdonald Telephone Number: (717) 771-7346	VOCs VOCs	12.2 2.7	06/01/2006 10/01/2005	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn Telephone Number: (713) 546-6941	NOx	31.6	04/15/2002	Trading
REXAM DSI Source Location: Muhlenberg Township County: Berks Ozone Nonattainment Status: Moderate Contact Person: LeRoy H. Hinkle Telephone Number: (610) 916-4248	NOx SOx	9.42 51.05	11/22/2005	Trading
ERC Generating Facility: Fasson Div. of Avery Dennison Corp. Recipient/Holder of ERC: Coastal Aluminum Rolling Mills Inc. ERC-generating facility location: Quakertown, Bucks Ozone Nonattainment Status: Severe Contact Person: Jesse Hackenberg Telephone Number: (570) 323-4430	VOCs	3.62		Internal Use/ Trading
Baldwin Hardware Corporation Source Location: Reading County: Berks Ozone Nonattainment Status: Moderate Contact Person: D. David Hancock, Jr. Telephone Number: (215) 777-7811	VOCs	18.0	07/28/2005	Trading

NOTICES

2323

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Magee Rieter Automotive Systems Source Location: Bloomsburg County: Columbia Ozone Nonattainment Status: Moderate Contact Person: Tim Bergerstock Telephone Number: (717) 784-4100	NOx VOCs	0.39 0.02	04/17/2006	Internal Use
Congoleum Corporation Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: Theresa C. Garrod Telephone Number: (609) 584-3000	NOx	5.2		Trading
CNG Transmission Corporation Source Location: Leidy Township County: Clinton Ozone Nonattainment Status: Moderate Contact Person: Sean R. Sleigh Telephone Number: (304) 623-8462	NOx VOCs	39.28 0.55	10/27/2004	Internal use and trading
Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Ozone Nonattainment Status: Moderate Contact Person: Joseph E. Schindler Telephone Number: (610) 694-5104	NOx VOCs	1012.0 778.8	Varies from 3/28/2008 to 6/19/2008	Trading
Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Ozone Nonattainment Status: Moderate Contact Person: Joseph E. Schindler Telephone Number: (610) 694-5104	NOx	488.0	Varies from 11/18/2005 to 3/3/2007	Trading
Morgan Adhesives Company (MActac) Source Location: Scranton County: Lackawanna Ozone Nonattainment Status: Moderate Contact Person: Tim Owens Telephone Number: (330) 688-1111	VOCs	75	06/30/2008	Trading
Meritor Heavy Vehicle Systems LLC Source Location: New Castle County: Lawrence Ozone Nonattainment Status: Moderate Contact Person: Harry Klodowski Telephone Number: (412) 281-7997	NOx	64.2	05/31/2003	Trading
National Fuel Gas Supply Corporation Sources: Generators, # 1 Source Location: Ellisburg Station County: Potter Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young Telephone Number: (814) 871-8657	NOx VOCs	16.14 1.80	02/1/2009	Internal Use
General Electric Company Source Location: Lawrence Park County: Erie Ozone Nonattainment Status: Moderate Contact Person: Scott Gowdy Telephone Number: (814) 875-2427	VOCs	44.2	Varies from 12/31/2003 to 12/31/2005.	Internal Use/ Trading
Occidental Chemical Corp., Vinyls Division Source Location: Lower Pottsgrove Township County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Bradley A. Okoniewski Telephone Number: (610) 327-6505	NOx	2	02/28/2007	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Sun Company, Inc. Source: API Separator 10 & 1-F Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: John A. Rossi	VOCs	2.37	09/30/2004	Internal Use
TYK America, Inc. Source Location: Irvona Facility County: Clearfield Ozone Nonattainment Status: Moderate Contact Person: David B. Orr Telephone Number: (412) 384-4259	NOx VOCs PM-10	0.30 0.02 0.24	11/6/2008	Trading
Smithkline Beechman Pharmaceuticals Sources: Two boilers and oxidizer Source Location: Spring Garden Street Facility Ozone Nonattainment Status: Severe Contact Person: Eileen Ackler Telephone Number: (610) 239-5239	NOx VOCs	5.72 0.1	12/31/2008	Trading
Merck and Company, Inc. Source Location: West Point County: Montgomery Ozone Nonattainment Status: Severe	NOx	119.8		Internal Use

QUATERLY SUMMARY OF ERC TRANSACTION

The following ERC transactions are approved by the Bureau of Air Quality, Department of Environmental Protection, Commonwealth of Pennsylvania. The ERC transaction requirements are specified in 25 Pa. Code § 127.208.

ERC GENERATING FACILITY INFORMATION

ERC Generating Facility Name: USX Corporation, United States Steel Group

Location of Source: Fairless Works, Bucks County

Certified ERCs (tpy): 805.7 tpy of NOx

Amount of ERCs traded to Purchaser/Recipient: 805.7 tpy of NOx

Date of ERCs Transfer: March 22, 2001

ERCs available for future use: None

PURCHASER/RECIPIENT OF ERCs

Purchaser/Recipient of ERCs: S.W.E.C., LLC

Location of Source: Falls Township, Bucks County

Plan Approval Number: 09-124C

NOx credits used: 805.7 tpy

NOx credits available for future use: 0

ERC GENERATING FACILITY INFORMATION

ERC Generating Facility Name: Bethlehem Steel Corporation

Location of Source: Bethlehem Plant, Northampton County, PA

Certified ERCs (tpy): 730 tpy of NOx

Amount of ERCs traded to Purchaser/Recipient: 242 tpy of NOx

Date of ERCs Transfer: January 30, 2001

ERCs available for future use: 488 tpy of NOx

PURCHASER/RECIPIENT OF ERCs

Purchaser/Recipient of ERCs: Allegheny Energy Services Corporation

Location of Source: Springdale, Allegheny County, PA

Plan Approval Number: 0580-1002

NOx credits used: 242 tpy

NOx credits available for future use: None

ERC GENERATING FACILITY INFORMATION

ERC Generating Facility Name: Bethlehem Steel Corporation

Location of Source: Bethlehem Plant, Northampton County, PA

Certified ERCs (tpy): 1012 tpy of NOx and 787.8 tpy of VOCs

Amount of ERCs traded to Purchaser/Recipient: 9 tpy of VOCs

Date of ERCs Transfer: March 7, 2001

ERCs available for future use: 1012 tpy of NOx and 778.8 tpy of VOCs

PURCHASER/RECIPIENT OF ERCs

Purchaser/Recipient of ERCs: Consol Pennsylvania Coal Company

Location of Source: Bailey Prep Plant, Green County

Plan Approval Number: 30-072C
VOCs credits used: None
VOCs credits available for future use: 9 tpy

ERC GENERATING FACILITY INFORMATION

ERC Generating Facility Name: ICI Paints North America, The Glidden Company
Location of Source: Reading, Berks County
Certified ERCs (tpy): 35 tpy of VOCs
Amount of ERCs traded to Purchaser/Recipient: 35 tpy of VOCs
Date of ERCs Transfer: February 12, 2001
ERCs available for future use: None

PURCHASER/RECIPIENT OF ERCs

Purchaser/Recipient of ERCs: National Fuel Gas Supply Corporation
Location of Source: Ellisburg Compressor Station, Potter County
Plan Approval Number: None
VOCs credits used: None
VOCs credits available for future use: 35 tpy

ERC GENERATING FACILITY INFORMATION

ERC Generating Facility Name: Minnesota Mining & Manufacturing, Inc. (3M)
Location of Source: Bristol Township, Bucks County
Certified ERCs (tpy): 641.9 tpy of VOCs
Amount of ERCs traded to Purchaser/Recipient: 175 tpy and 145 tpy
Amount of ERCs donated: 121.9 tpy
Date of ERCs Transfer: March 22, 2001; April 4, 2001; April 9, 2001
ERCs available for future use: 200 tpy of VOCs

PURCHASER/RECIPIENT OF ERCs

Purchaser/Recipient of ERCs: S.W.E.C., LLC
Location of Source: Falls Township, Bucks County
Plan Approval Number: 09-124C
VOCs credits used: 175 tpy
VOC credits available for future use: 0

Purchaser/Recipient of ERCs: KeySpan Ravenswood Services Corporation
Location of Source: Vernon Blvd, Queens County, New York
Plan Approval Number: 2-6304-00024/00039
VOCs credits used: 145 tpy
VOC credits available for future use: 0

Recipient of ERCs: Clean Air Council (CAC)
Address: 135 South 19th Street, Philadelphia, PA 19103
Intended Use: Retirement
VOCs credits retired: 121.9 tpy

ERC GENERATING FACILITY INFORMATION

ERC Generating Facility Name: Superpac, Inc.
Location of Source: S.W.E.C., Inc.
Certified ERCs (tpy): 26.91 tpy of VOC
Amount of ERCs traded to Purchaser/Recipient: 26.91 tpy of VOCs
Date of ERCs Transfer: March 22, 2001
ERCs available for future use: None

PURCHASER/RECIPIENT OF ERCs

Purchaser/Recipient of ERCs: S.W.E.C., LLC
Location of Source: Falls Township, Bucks County
Plan Approval Number: 09-124C
VOCs credits used: 13.82 tpy
VOCs credits available for future use: 13.09 tpy

[Pa.B. Doc. No. 01-727. Filed for public inspection April 27, 2001, 9:00 a.m.]

Water Resources Advisory Committee Cancellation of Meeting

Because of a lack of agenda items, the Water Resources Advisory Committee's (Committee) May 9, 2001, meeting has been cancelled. The Committee's next meeting will be held on July 11, 2001, at 9:30 a.m., in Room 105, Rachel Carson State Office Building, Harrisburg.

For further information, contact Carol Young at (717) 787-9637.

DAVID E. HESS,
Acting Secretary

[Pa.B. Doc. No. 01-728. Filed for public inspection April 27, 2001, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Controlled Insurance Program; Insurance Coverage and Service

Project No. DGS 377-1; Construction of a Prototypical 1,000 Cell Medium Security Correctional Facility, Jenks Township, Forest County, PA

Marsh USA will receive written proposals for a Controlled Insurance Program for the construction of the Forest County State Correctional Institution. The facility is to be located 2 miles north of Marienville, PA bordering the Allegheny National Forest. The Department of General Services has rejected all proposals due to changes in the risk element of the project.

Separate and sealed proposals will be received at the Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. Proposals must be received at this location no later than 10 a.m. on Friday, May 4, 2001. At their option, one or more of the proposers may be required to make an oral presentation at either the Insurance Broker or Construction Manager's office. The presentation will be within 30 days of the date established for receipt of written proposals.

Copies of the underwriting submission may be obtained at the office of Marsh USA, Six PPG Place, Suite 300, Pittsburgh, PA 15222, on or after April 20, 2001.

Proposals shall be submitted in the form described in the underwriting submission.

For purposes of clarification, we provide the following information:

Owner of the Project: Commonwealth of Pennsylvania
Department of General Services

Construction Manager: O'Brien Kreitzberg/DMJM

Design Professional: STV/H.F. Lenz Company

Insurance Broker: Marsh USA

The project team reserves the right to accept or reject any or all proposals.

Work performed on any contract awarded on this project is subject to the requirements of the Pennsylvania Prevailing Wage Act.

Marsh USA is an equal opportunity employer and does not discriminate against any applicant for employment, any independent contractor or any other person because of race, color, religion, creed, ancestry, national origin, age or sex.

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 01-729. Filed for public inspection April 27, 2001, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Lancaster General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Lancaster General Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 7.2.A4 (relating to patient bathrooms).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-730. Filed for public inspection April 27, 2001, 9:00 a.m.]

Application of Memorial Hospital York for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Memorial Hospital York has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-731. Filed for public inspection April 27, 2001, 9:00 a.m.]

Application of Neo Pet, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Neo Pet, LLC has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-732. Filed for public inspection April 27, 2001, 9:00 a.m.]

Application of Saint Vincent Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Saint Vincent Health Center has

requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 9.9.A1 (relating to minimum space requirements for endoscopy procedure rooms).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-733. Filed for public inspection April 27, 2001, 9:00 a.m.]

Application of Southern Chester County Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Southern Chester County Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154

for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-734. Filed for public inspection April 27, 2001, 9:00 a.m.]

Application of UPMC Horizon for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that UPMC Horizon has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-735. Filed for public inspection April 27, 2001, 9:00 a.m.]

Application of The Western Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that The Western Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 7.7.B2 (relating to post anesthetic care units).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-736. Filed for public inspection April 27, 2001, 9:00 a.m.]

Availability of Draft Maternal and Child Health Services Block Grant Application for Federal Fiscal Year 2002

The Draft Maternal and Child Health Services Block Grant Application for FFY 2002, under 42 U.S.C.A. § 705(a)(5)(F), is available for review and comment on the Department of Health (Department) website. This application is the Commonwealth of Pennsylvania's request to the United States Department of Health and Human Services for block grant funding.

The Block Grant Application describing proposed services, program goals and objectives and activities can be obtained on the Department website at: <http://www.health.state.pa.us/php/>.

The draft Block Grant Application can also be obtained by contacting the Department's Bureau of Family Health at (717) 787-7192. Persons with a disability who require an alternative format of the previously mentioned application (that is, large print, audio tape or Braille) should also contact the Bureau of Family Health at (717) 787-7192, V/TT: (717) 783-6514 or Pennsylvania AT&T Relay Service at (800) 654-5584 [TT].

Comments may be submitted to Ivonne C. Bucher, Director, Bureau of Family Health, Room 733 Health & Welfare Building, Department of Health, P. O. Box 90, Harrisburg, PA 17108. Comments are due by May 29, 2001. Persons with a disability who desire to comment in alternative format (that is, large print, audio tape or Braille) should notify the Bureau of Family Health at (717) 787-7192, TDD: (717) 783-6514.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-737. Filed for public inspection April 27, 2001, 9:00 a.m.]

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b), for

exceptions to regulations contained in 28 Pa. Code, Part IV Health Facilities, Subparts B—G.

Section 51.33(d) provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from January 1, 2001, through March 31, 2001. Future publications of decisions on exception requests will appear on a quarterly basis.

All requests for additional information on the exception requests and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals and ambulatory surgical facilities shall be addressed to the Division of Acute and Ambulatory Care, Elaine Gibble, Director, P. O. Box 90, Harrisburg, PA 17108. Inquiries regarding long-term care facilities shall be addressed to the Division of Nursing Care Facilities, Susan Getgen, Director, P. O. Box 90, Harrisburg, PA 17108. Those persons requiring special assistance for speech and/or hearing impairment should call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

Exception Requests—Hospitals

<i>Regulation</i>	<i>Facility Name</i>	<i>Published</i>	<i>Decision</i>
28 Pa. Code § 51.3	Chambersburg Hospital	1/27/2001	granted
28 Pa. Code § 51.3(c)	Ellwood City Hospital	1/27/2001	granted
28 Pa. Code § 51.23	Butler Health System	3/17/2001	granted
28 Pa. Code § 51.23	Christopher Chapman, M.D.	10/14/2000	granted
28 Pa. Code § 51.23	Crozer Chester Med Center	2/17/2001	granted
28 Pa. Code § 51.23	Customized Delivery System	2/17/2001	granted
28 Pa. Code § 51.23	Forbes Regional Hospital	2/17/2001	granted
28 Pa. Code § 51.23	Graduate Hospital	3/17/2001	granted
28 Pa. Code § 51.23	Hahnemann University Hospital	3/17/2001	granted
28 Pa. Code § 51.23	Mercy Community Hospital	2/17/2001	granted
28 Pa. Code § 51.23	St. Luke's Hospital	2/17/2001	granted
28 Pa. Code § 51.23	Westmoreland Health System	3/17/2001	granted
28 Pa. Code § 107.2	Guthrie Robert Packer Hospital	10/21/2000	granted
28 Pa. Code § 107.2	Healthsouth Greater Pittsburgh	3/17/2001	granted
28 Pa. Code § 107.2	Healthsouth Rehab Hospital of Sewickley	1/27/2001	granted
28 Pa. Code § 107.2	LifeCare Hospitals of Pittsburgh	3/17/2001	granted
28 Pa. Code § 107.2	Memorial Hospital Towanda	2/17/2001	granted
28 Pa. Code § 107.2	Roxborough Memorial Hospital	1/27/2001	granted
28 Pa. Code § 107.2	Wyoming Valley Health Care System	3/17/2001	granted
28 Pa. Code § 107.62	Altoona Hospital	2/17/2001	denied
28 Pa. Code § 115.22	Lehigh Valley Hospital	1/27/2001	waiver not req
28 Pa. Code § 115.32(b)	Chester County Hospital	1/27/2001	denied
28 Pa. Code § 138.11(b)	Robert Packer Hospital	1/11/2000	granted through 7/1/01
28 Pa. Code § 153.1	Berwick Hospital Center	2/17/2001	granted
28 Pa. Code § 153.1	Brownsville General Hospital	3/17/2001	granted
28 Pa. Code § 153.1	Canonsburg General Hospital	3/17/2001	denied
28 Pa. Code § 153.1	Millcreek Community Hospital	3/17/2001	granted
28 Pa. Code § 551.22(d)(ii)	Lance O. Yarus, D.O.	11/11/2000	deferred
28 Pa. Code § 553.1	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 553.2	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 553.3	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 553.31	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 553.4	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 555.1	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 555.3	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 555.4	Allegheny Valley Hospital	11/11/2000	granted

<i>Regulation</i>	<i>Facility Name</i>	<i>Published</i>	<i>Decision</i>
28 Pa. Code § 557.2	Allegheny Valley Hospital	1/11/2000	granted
28 Pa. Code § 561.1	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 563.2	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 563.3	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 567.2	Allegheny Valley Hospital	11/11/2000	granted
28 Pa. Code § 571.1	St Mary Medical Center	1/27/2001	granted

Exception Requests—Nursing Care Facilities

<i>Regulation</i>	<i>Facility</i>	<i>Published</i>	<i>Decision</i>
28 Pa. Code § 201.17	Millcreek Manor	5/27/2000	approved
28 Pa. Code § 201.17	Montgomery Hospital Skilled Nursing Unit	11/27/1999	approved
28 Pa. Code § 201.17	Parkview Skilled Nsng Facility	11/27/1999	approved
28 Pa. Code § 201.18(e)	Grand View Hospital Skilled Nursing	8/5/2000	approved
28 Pa. Code § 201.18(e)	Harmar Village Care Center	8/5/2000	approved
28 Pa. Code § 201.18(e)	Medical Center Beaver LTC	5/27/2000	no longer required
28 Pa. Code § 201.18(e)	Montgomery Hospital Skilled Nursing Unit	5/27/2000	approved
28 Pa. Code § 201.18(e)	Progressive Care Center @ Hamot	11/27/1999	no longer required
28 Pa. Code § 201.18(e)	Somerset Hospital Center for Health	11/27/1999	approved
28 Pa. Code § 201.18(e)	St Lukes Quakertown Hospital Transitional Care	5/27/2000	approved
28 Pa. Code § 201.18(e)	The St. Joseph Trans. Level of Care	10/28/2000	temporary approval
28 Pa. Code § 201.18(e)	Transitional Care Unit	2/3/2001	approved
28 Pa. Code § 201.18(e)	Wood River Village Nursing Center	10/28/2000	temporary approval
28 Pa. Code § 201.22 (c)(k)	UPMC Horizon TCU—Shenango	11/27/1999	denied
28 Pa. Code § 201.22(c)(k)	Meadville Medical Center	11/27/1999	denied
28 Pa. Code § 201.22(c)(k)	UPMC Horizon TCU—Greenville	11/27/1999	denied
28 Pa. Code § 201.22(c)(k)	Northwest Medical Center TCU	11/27/1999	denied
28 Pa. Code § 201.22(c)(k)	Sewickley Valley Hospital Transitional Care Unit	5/27/2000	denied
28 Pa. Code § 201.22(c)(k)	UPMC Passavant Subacute Unit	11/27/1999	denied
28 Pa. Code § 201.22(e)	Washington Hospital Transitional Care Unit	5/27/2000	denied
28 Pa. Code § 205.6(a)	Harmarvillage Care Center	10/28/2000	approved
28 Pa. Code § 205.6(a)	Jewish Home of Greater Harrisburg	5/27/2000	approved
28 Pa. Code § 205.6(a)	Laurelbrooke Landing/Pa Mem Home	5/27/2000	approved
28 Pa. Code § 205.6(a)	Liberty Court, Genesis Eldercare	12/23/2000	approved
28 Pa. Code § 205.6(a)	Manor Care Health Services Yardley	10/28/2000	denied
28 Pa. Code § 205.6(a)	ManorCare Health Services	8/5/2000	approved
28 Pa. Code § 205.6(a)	ManorCare Health Services—Elizabethtown	8/5/2000	approved
28 Pa. Code § 205.6(a)	ManorCare Health Sevices—Carlisle	8/5/2000	approved
28 Pa. Code § 205.6(a)	Presbyterian Medical Center of Washington, PA, Inc.	2/3/2001	approved
28 Pa. Code § 205.6(a)	Presbyterian Medical Center of Oakmont	2/3/2001	approved
28 Pa. Code § 205.6(a)	Sharon Regional Health Sys.	10/28/2000	temporary approval
28 Pa. Code § 205.6(a)	Somerset Patriot Manor	8/5/2000	approved
28 Pa. Code § 205.6(a)	St. Francis Nursing Center Cranberry	10/28/2000	approved
28 Pa. Code § 205.6(a)	Stonebridge Health & Rehab Center	8/5/2000	approved
28 Pa. Code § 205.6(a)	Tandem Health Care of North Strabane	2/17/2001	approved
28 Pa. Code § 205.6(a)	The Baptist Home	11/27/1999	approved

<i>Regulation</i>	<i>Facility</i>	<i>Published</i>	<i>Decision</i>
28 Pa. Code § 205.6(a)	The Bethlen Home	8/5/2000	approved
28 Pa. Code § 205.6(a)	Westbury United Methodist Comm.	12/23/2000	approved
28 Pa. Code § 205.10(a)	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.10(e)	Quarryville Presbyterian Home	5/27/2000	approved
28 Pa. Code § 205.12(b)	Clepper Manor	10/28/2000	approved
28 Pa. Code § 205.18(e)	Wood River Village Nursing Center	10/28/2000	temporary approval
28 Pa. Code § 205.20(b)	Green Ridge Nursing Home	5/27/2000	no longer required
28 Pa. Code § 205.24(a)	Frick Hospital Skilled Nursing Unit	5/27/2000	approved
28 Pa. Code § 205.24(a)(b)	Neshaminy Manor Home	5/27/2000	no longer required
28 Pa. Code § 205.25	Laurelbrooke Landing/PA Memorial Home	5/27/2000	approved
28 Pa. Code § 205.25(a)	Carleton Senior Care and Rehab Ctr.	10/28/2000	approved
28 Pa. Code § 205.25(a)	Evergreen Terrace	5/27/2000	approved
28 Pa. Code § 205.25(b)	York Terrace	5/27/2000	approved
28 Pa. Code § 205.25(d)	Skilled Nursing Unit—Greene Cty. Mem.	11/27/1999	no longer required
28 Pa. Code § 205.26	Laurelbrooke Landing/PA Memorial Home	5/27/2000	approved
28 Pa. Code § 205.26(a)	Carleton Senior Care & Rehab	10/28/2000	approved
28 Pa. Code § 205.26(e)	Friendly Nursing Home	5/27/2000	approved
28 Pa. Code § 205.27	Frick Hospital Skilled Nursing Unit	5/27/2000	approved
28 Pa. Code § 205.28(a)	Wesbury United Meth. Comm.	1/27/2001	approved
28 Pa. Code § 205.28(b)	Laurelbrooke Landing/PA Memorial Home	5/27/2000	approved
28 Pa. Code § 205.28(b)	The Wesley Village	10/28/2000	no longer required
28 Pa. Code § 205.28(c)(1)	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.28(c)(3)	Westbury United Methodist Comm	1/27/2001	approved
28 Pa. Code § 205.31	Jewish Home of Greater Harrisburg	10/28/2000	approved
28 Pa. Code § 205.33	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.33(a)	Presbyterian Med. Center of Washington	5/27/2000	denied
28 Pa. Code § 205.33(a)	Skilled Nursing Unit—Greene Cty. Mem.	11/27/1999	no longer required
28 Pa. Code § 205.33(a)(b)(c)	Dunmore Health Care Center	2/3/2001	temporary approval
28 Pa. Code § 205.36(a)	Skilled Nursing Unit—Greene Cty. Mem.	11/27/1999	no longer required
28 Pa. Code § 205.36(c)	Foulkways @ Gwynedd	11/27/1999	approved
28 Pa. Code § 205.36(d)(h)	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.36(e)	Meadow View Senior Living Center	12/23/2000	denied
28 Pa. Code § 205.36(f)	Meadow View Senior Living Center	10/28/2000	approved
28 Pa. Code § 205.36(h)	Dunmore Health Care Center	2/3/2001	temporary approval
28 Pa. Code § 205.37(b)	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.38(a)(b)	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.38(b)	Meadow View Senior Living Center	5/27/2000	approved
28 Pa. Code § 205.38(c)(d)	Skilled Nursing Unit—Greene Cty. Mem.	11/27/1999	no longer required
28 Pa. Code § 205.38(d)(e)	Neshaminy Manor Home	5/27/2000	no longer required
28 Pa. Code § 205.38(e)	Laurelbrooke Landing/PA Memorial Home	5/27/2000	approved
28 Pa. Code § 205.67(k)	Blair Nursing Home, Inc.	6/3/2000	approved
28 Pa. Code § 205.71	Denver Nursing Home	8/5/2000	temporary approval
28 Pa. Code § 205.71	Kinkora Pythian Home	10/28/2000	temporary approval
28 Pa. Code § 205.71	Pleasant View Retirement Comm	5/27/2000	denied
28 Pa. Code § 205.72	Villa Teresa	5/27/2000	approved
28 Pa. Code § 211.12(e)	Bear Creek Health Care Center	8/5/2000	denied
28 Pa. Code § 211.12(f)(1)(h)	The Long Home	10/28/2000	denied
28 Pa. Code § 211.16(a)	ManorCare Health Services—Harrisburg	10/28/2000	denied

<i>Regulation</i>	<i>Facility</i>	<i>Published</i>	<i>Decision</i>
28 Pa. Code § 211.6(c)	Regina Community Nursing Center	5/27/2000	approved
28 Pa. Code 205.6(a)	Masonic Homes	10/28/2000	approved

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-738. Filed for public inspection April 27, 2001, 9:00 a.m.]

Pennsylvania Cancer Control Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board, established under the Pennsylvania Cancer Control, Prevention and Research Act (35 P. S. § 5633) will hold a public meeting on June 14, 2001, from 8 a.m. to 12 p.m. at the Pennsylvania Medical Society, 777 East Park Drive, Room C, Harrisburg, PA.

For additional information, contact Susan F. George, Program Manager, Department of Health, Cancer Control Program, Room 1011 Health and Welfare Building, Harrisburg, PA, at (717) 787-5251.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Susan F. George at (717) 787-5251. V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-739. Filed for public inspection April 27, 2001, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.2 (incorporating 42 CFR 483.70(d)(1)(ii) (relating to physical environment):

Nipple Convalescent Home
100 South Front Street
Liverpool, PA 17045

Loving Care Nursing Center
P. O. Box 403
Selinsgrove, PA 17870

The requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aide service or other accommodation

to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 01-740. Filed for public inspection April 27, 2001, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

Notice is hereby given that the Department of Transportation, pursuant to 71 P. S. § 513(e)(7), intends to sale certain land owned by the Department.

The following property is available for sale by the Department.

Parcel No. 49—City of Pittsburgh, Allegheny County. This parcel contains approximately 25,073 square feet or 0.0575 acre of vacant land situated along the westerly side of Saw Mill Run Boulevard, in the 18th Ward, City of Pittsburgh, Allegheny County. The property will be sold in "as is condition." The estimated fair market value of the parcel is \$30,700. It has been determined that the is no longer needed for present or future transportation purposes.

Interest public entities are invited to express their interest in purchasing the site within 30-calendar days from the date of publication of this notice to: Raymond S. Hack, District Engineer, PA Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-741. Filed for public inspection April 27, 2001, 9:00 a.m.]

Finding Northampton County

Pursuant to the provisions of 71 P. S. § 2002(b), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration and the Department of Transportation plan to replace the Paint Mill

Bridge which carries Schoenersville Road over Monacy Creek in the City of Bethlehem, Northampton County and Hanover Township, Lehigh County.

The subject project will use approximately 0.030 hectare (0.075 acre) from the National Register Eligible Henry Erwin and Sons Paint Mill Property.

The environmental, economic, social and other effects of the proposed project as enumerated in Section 2002 of The Administrative Code have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize such effects.

No adverse environmental effect is likely to result from the replacement of the Paint Mill Bridge and reconstruction of this section of highway.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 01-742. Filed for public inspection April 27, 2001, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The following meetings of the Health Care Cost Containment Council (Council) have been scheduled: Wednesday, May 2, 2001, Data Systems Committee Meeting—10 a.m., Education Committee Meeting—1 p.m.; Thursday, May 3, 2001, Council Meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Individuals who need accommodation due to a disability and want to attend the meetings, should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, or call (717) 232-6787, at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 01-743. Filed for public inspection April 27, 2001, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Sections 5(d) and 5(g) of the Regulatory Review Act (71 P. S. §§ 745.5(d) and (g)) provide that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committees' comment period. The Commission's comments are based upon the criteria contained in sections 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission issued comments on the following proposed regulations. The agencies must consider these comments in preparing the final-form regulations. The final-form regulations must be submitted by the date indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
7-361	Environmental Quality Board Household Hazardous Waste	04/12/01	03/12/03
7-360	Environmental Quality Board Radiological Health	04/12/01	03/12/03
35-28	Deputy Sheriffs' Education and Training Board Deputy Sheriffs' Education and Training Board	04/12/01	03/12/03
16A-601	State Board of Vehicle Manufacturers, Dealers and Salespersons Consignment Sales	04/12/01	03/12/03

Environmental Quality Board Regulation No. 7-361 Household Hazardous Waste

April 12, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Environmental Quality Board (EQB) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 12, 2003, the regulation will be deemed withdrawn.

1. Status of regulation of household waste—Clarity.

Sections 261a.4, 271.1 and the Preamble describe a process to encourage certain household wastes to be disposed of as hazardous waste, rather than as municipal waste. However, as described, these provisions are confusing. It is unclear when the status of the waste changes from being regulated as municipal waste to being regulated as hazardous waste.

Section 261a.4. Exclusions.

The intent of paragraph (1) is unclear. It states, "the exclusion of 40 CFR 261.4(b)(1) (relating to exclusions) does not apply to household hazardous waste as defined in § 271.1. . . ." The confusion is further compounded because the proposed definition of "household hazardous waste" in § 271.1 references 40 CFR 261.4(b)(1). The person in possession of this waste needs to clearly know whether to comply with Article VII. Hazardous Waste Management or Article VIII. Municipal Waste.

Section 271.1. Definitions.

The definition of "household hazardous waste" raises two concerns. First, designating waste as "household hazardous waste" is no longer relevant once it has been collected. After collection, this waste is regulated as hazardous waste, regardless of whether it was produced by a household. Since paragraph (i) describes hazardous waste, why is it needed in the definition of "household hazardous waste?"

Second, related to our first concern, the definition contains a mix of what is and what is not regulated as hazardous waste. The definition should only describe the term "household hazardous waste." The substantive provisions in paragraphs (i) and (ii) should be moved to the body of the regulation.

The Preamble

The Preamble also is unclear. The Preamble description of amendments to § 261a.4 states,

...the changes to the regulation will ensure that when household hazardous waste has been collected as part of a household hazardous waste collection program, *it will continue to be managed and transported as a hazardous waste* rather than as part of the municipal waste stream. (Emphasis added.)

The phrase "continue to" implies the household waste was regulated as hazardous prior to collection. Is the household waste regulated as hazardous waste prior to collection?

2. Section 271.1. Definitions.

The terms "eligible entity," "sponsor," "collection contractor" and "collection event" are defined in the Small Business and Household Pollution Prevention Program Act and are used throughout this regulation. For increased clarity, these four terms should be referenced in the definitions section of this regulation.

3. Section 272.314. Limits on Department's authority to award grants—Clarity.

Under subsection (b)(3), an applicant must demonstrate "to the Department's satisfaction" that it has complied with the Small Business and Household Pollution Prevention Program Act. What is the applicant required to provide to satisfy the Department?

4. Section 272.383. Grant application—Clarity.

Subsection (a)

This subsection requires an application to be accompanied by "appropriate supporting documentation." How will an applicant know what supporting documentation is "appropriate?" The Department should describe the appropriate supporting documentation.

Subsection (b)

This subsection requires the grant applicant to "ascertain that a record of operations" has been sent to the Department. There are two questions. First, what purpose is served by the applicant "ascertaining" the Department is in possession of a record? Would this be included in the Department's review of the application?

Second, why is this requirement separate from the information on the form required by subsection (a)?

5. Section 272.531. Basic operational requirements—Clarity.

There is a typographical error in paragraph (a)(3). A closing parenthesis is missing.

**Environmental Quality Board Regulation No. 7-360
Radiological Health
April 12, 2001**

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Environmental Quality Board (EQB) must respond to these Comments

when it submits the final-form regulation. If the final-form regulation is not delivered by March 12, 2003, the regulation will be deemed withdrawn.

1. Section 221.11. Registrant responsibilities—Reasonableness; Clarity.

Subsection (k)—"shall v. should"

This subsection replaces the word "shall" with the word "should." The Preamble states this revision is "necessary due to the wide range of spectral characteristics of X-ray films on the market today, which makes it difficult for practitioners to maintain an exact match." However, it does not appear that the existing language requires an "exact match." Instead, the current language of this subsection uses the words "spectrally compatible." This subsection needs to use the word "shall" if this is to be a binding requirement.

Subsections (g), (m) and (n)—"reducing unnecessary exposure"

Each of these three subsections contains rules designed to limit or prevent unnecessary exposure to X-rays. Are three separate subsections necessary? Can the three subsections be combined into a concise set of rules or a general rule?

Subsection (1)—guidelines

The existing language in this subsection states that a registrant's "quality assurance program shall be in accordance with guidelines promulgated by the ACR (American College of Radiology), the AAPM (American Association of Physicists in Medicine) or another accrediting organization. . ."

The proposed regulation revises this rule to state that a "quality assurance program shall be in accordance with guidelines established by the department (Department of Environmental Protection)."

The Preamble states:

This change will make it easier for the Department to add and change guidelines as needed without specifically acknowledging each new quality assurance guideline issued by medical specialty organizations.

It is our understanding that the guidelines will be enforced as requirements and registrants can be cited for nonconformance to the guidelines. Only a regulation is enforceable and provides adequate notice to affected parties. Hence, the specific content or source of the guidelines should be included in the regulation. Additionally, the regulation should indicate how registrants can obtain copies of the guidelines.

2. Miscellaneous Typographical Errors—Clarity.

Section 221.13. Information to be submitted by persons proposing to conduct healing arts screening.

In the *Pennsylvania Bulletin*, the word "mammography" in paragraph (14) is moved to the beginning of the sentence. It should be capitalized.

Section 228.36. Radiation monitoring requirements.

Also in the *Pennsylvania Bulletin*, the first five words of this section read: "LAN independent radiation monitoring system. . ." "LAN" is an apparent error and should be replaced by the word "An."

**Deputy Sheriffs' Education and Training Board
Regulation No. 35-28**

Deputy Sheriffs' Education and Training Board

April 12, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Deputy Sheriffs' Education and Training Board (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 12, 2003, the regulation will be deemed withdrawn.

1. Section 421.1. Definitions—Clarity.

Continuing education

The term "periodically" in this definition is vague. Section 2107(c) of the Deputy Sheriffs' Education and Training Act (act) (71 P. S. §§ 2103—2108) requires deputy sheriffs with less than 5 years of experience to meet all the requirements of the act within 2 years. As such, "periodically" should be replaced with "2 years" in the final-form regulation.

2. Section 421.3. Training required—Reasonableness; Clarity.

Subsection (a)

This subsection implements section 5 of the act (71 P. S. § 2105). Specifically, this section requires deputy sheriffs to undergo basic training "in the amount of hours established by the Board." A 1998 amendment to section 5 of the act deleted the word "regulation" and allowed the Board to establish basic training requirements "subject to the review and approval of the Commission."

The Board interprets this amendment as authorizing it to establish the required number of hours for the basic training program through a Statement of Policy (SOP). However, nothing in the amendment precludes the Board from promulgating regulations. Furthermore, requirements should be established through regulation since regulations establish binding norms and have the full force and effect of law. An SOP, by definition, provides guidance, not binding norms. Therefore, an SOP is subject to challenge by anyone who believes that specific requirements should be waived in their case. If it is the Board's intention to require compliance with the basic training requirements in the SOP, these requirements should be contained in the final-form regulation.

Subsection (b)

The Board, in a similar vein, established the number of hours for continuing education in the SOP. For the reasons stated, the hourly requirements for continuing education should be contained in the final-form regulation.

Subsection (c)

Under this subsection, ". . . a deputy sheriff shall attain at least a minimum score established by the Board. . ." To successfully complete basic training, however, the minimum score which must be attained is not specified in the regulation. For clarity, the final-form regulation should list the required minimum score.

3. Section 421.4. Waiver of training—Reasonableness; Clarity.

Subsection (a)

This subsection states that the Board, "upon request and for cause shown may grant additional time for a newly hired deputy sheriff to fulfill basic training requirements." We have two concerns with this subsection. First, the phrase "for cause shown" is vague. The Board should include examples that would meet "for cause shown" in the final-form regulation.

Second, the phrase "additional time" is unclear. For clarity, the Board should replace this phrase with a maximum time period.

Subsection (b)

This subsection states that the Board will make a waiver determination "based upon. . . criteria set forth by the Board." The regulation does not list the criteria. Instead, they are set forth in § 421.103 of the Board's SOP. Included in the criteria are training requirements that deputy sheriffs must meet relating to training and certification (37 Pa. Code § 421.103(3) and (4)). For the reasons stated in Issue 2, these requirements should be contained in the final-form regulation.

4. Section 421.12. Continuing education—Clarity.

This subsection states that "Continuing education will consist of topics to be determined periodically by the Board." We have two concerns. First, the term "periodically" is vague and should be deleted.

Second, the regulation does not convey how continuing education topics are determined and what those topics are. It is our understanding that continuing education is developed and administered as the result of outreach to deputy sheriffs and two request-for-proposal processes. Continuing education is then offered at locations throughout the State in a 20-hour block. Clarity would be improved by explaining the development and availability of continuing education in the preamble to the final-form regulation. Additionally, this section of the final-form regulation should be amended to state where deputy sheriffs can obtain information on continuing education requirements.

5. Section 421.31. Reimbursement to counties—Reasonableness; Clarity.

Subsection (c)

This subsection states "Reimbursement will be given only for attendance at a school as defined in this chapter. The revised language replaces "§ 421.1 (relating to definitions)" with "this chapter." However, the reference to § 421.1 is clearer than the vague reference to "this chapter." Retaining the existing language would improve clarity.

Subsection (d)

Under this subsection, the county may apply to the Commission on Crime and Delinquency for reimbursement "for each deputy sheriff who has attended the course." The term "course" is not defined in the regulations. However, the terms "basic training" and "continuing education" are defined in § 421.1. For clarity and consistency, the term "course" should be replaced with the defined terms "basic training" and "continuing education."

Subsection (f)

This subsection allows the Commission's executive director to notify the county and specify the reasons that an

application and request for reimbursement do not meet the requirements of the act. We have two issues.

First, the regulation does not include time periods for the executive director to make this determination and notify the county. A specific time period should be included in the final-form regulation.

Second, this subsection deletes the existing provision that provides the executive director will notify the county of the determination in writing via certified mail, return receipt requested. As a result, the proposed regulation is silent on how notification will be made. The allowable means of notification should be included in the final-form regulation.

State Board of Vehicle Manufacturers, Dealers and Salespersons

Regulation No. 16A-601

Consignment Sales

April 12, 2001

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by March 12, 2003, the regulation will be deemed withdrawn.

1. Section 19.19(a)—Vehicle auction—Clarity.

Subsection (a) states "A licensed dealer shall be permitted to engage in consignment sales without being licensed as a vehicle auction. . . ." There are two concerns. First, how does the term "vehicle auction" relate to the statutory language? The statute (63 P. S. § 818.5 (f)(3)) refers to ". . . a wholesale vehicle auction or public or retail vehicle auction . . ." The statute also defines the phrases "wholesale vehicle auction" and "public or retail vehicle auction" in 63 P. S. § 818.2. For clarity, the phrase "vehicle auction" should be defined or amended to reflect the statute.

Second, the reference to licensure is unclear. Section 19.4 (relating to fees) of the existing regulation does not include licensure as a "vehicle auction," "public or retail auction" or "wholesale vehicle auction." Does the Board have provisions for licensure as a "vehicle auction?"

2. Section 19.19(a)(1)—Consignment agreement—Reasonableness; Clarity.

This paragraph lists requirements for a written consignment agreement. The list does not include a period of consignment. If a consignment is for a specific period of time, should this also be included in the written agreement?

Additionally, we question whether one standard consignment agreement can cover multiple sales, or whether separate consignment agreements must be obtained for each vehicle that is on consignment.

3. Section 19.19(b)—Applicable Federal and State Statute—Clarity.

This subsection states "In all activities involving the consignment sale of a vehicle, the dealer shall comply with applicable Federal and State law." What are the

applicable laws? For clarity, this subsection should be deleted or replaced with a cross reference to the specific laws and regulations that apply.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-744. Filed for public inspection April 27, 2001, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation on the date indicated. To obtain the date and time of the meeting at which the Commission will consider this regulation, contact the Commission at (717) 783-5417, or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Final-Form

Reg. No. Agency/Title

Received

63-7 State Ethics Commission Procedure 04-16-01

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 01-745. Filed for public inspection April 27, 2001, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control

Mercer Mutual Insurance Company has filed an application to acquire control of Franklin Insurance Company, a Commonwealth domiciled stock casualty insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. §§ 991.1401—991.1413). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, by fax to (717) 787-8557 or by e-mail to rbrackbill@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-746. Filed for public inspection April 27, 2001, 9:00 a.m.]

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield; Filing 527-ACII-CR-10/1/2001; Access Care II Community Rated Group Rate Increase

Blue Cross of Northeastern Pennsylvania and Pennsylvania Blue Shield submitted a filing requesting the

Insurance Department's (Department) approval to increase the Access Care II Community Group rates effective October 1, 2001, renewals and new business. The average rate increase will range from 19.5% to 25%, depending on the renewal date as well as the option selected with prescription drug or without prescription drug coverage. The rate increase will produce an estimated additional income of \$6 million and will impact 7,500 contracts. Also, filing requests approval of restructuring tiered rates to match with the Pennsylvania Blue Shield Medical/Surgical product line.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Department's Harrisburg regional office.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-747. Filed for public inspection April 27, 2001, 9:00 a.m.]

Donegal Mutual Insurance Company; Private Passenger Auto Insurance Rate and Rule Revision

On April 12, 2001, the Insurance Department (Department) received from Donegal Mutual Insurance Company a filing for a proposed rate level and rule change for private passenger auto insurance.

The company requests an overall 5.5% increase amounting to \$2,379,000 annually to be effective August 1, 2001, for new business and July 1, 2001, for renewal business.

Unless formal administrative action is taken prior to June 11, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

All interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail: xlu@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commission

[Pa.B. Doc. No. 01-748. Filed for public inspection April 27, 2001, 9:00 a.m.]

Nationwide Mutual Insurance Company, et al.; Doc. No. RT01-03-033

On March 19, 2001, Nationwide Mutual Insurance Company, Nationwide Mutual Fire Insurance Company, Nationwide Property and Casualty Insurance Company, and Nationwide General Insurance Company (collectively

Petitioners or Nationwide) filed an appeal and request for hearing on the denial by the Insurance Department (Department) of the companies' proposed modified Uninsured/Underinsured Motorists Coverage Endorsements. The Petitioners also requested waiver of the time in which a hearing must be held under 40 P. S. § 477b. A presiding officer has been appointed and the parties and interested persons ordered in part as follows:

1. Proceedings for Nationwide filings are consolidated under the single docket number RT01-03-033.

2. The Petitioners' application for waiver is granted. A hearing, if necessary, will be scheduled at a future time upon the agreement of the parties or following request by the Petitioners that a hearing be scheduled.

3. A prehearing telephone conference initiated by the Administrative Hearings Office is scheduled for June 8, 2001, at 10 a.m. The telephone conference will include the parties in the Appeal of Erie Insurance Company et al., Docket Number RT00-11-024. If all parties in both actions agree that the prehearing conference will be in person rather than by telephone, counsel shall so notify the Administrative Hearings Office by June 5, 2001, and the prehearing conference will be held at 901 North Seventh Street Room 200, Harrisburg, PA 17102.

4. At the prehearing conference, the parties shall be prepared to discuss the possible consolidation of this matter with Docket Number RT00-11-024, additional prehearing procedures, the necessity and timing of an evidentiary hearing, stipulations, settlement and such other matters to aid in the orderly conduct and disposition of these proceedings. No prehearing statement is required at this time.

5. On or before May 15, 2001, the Petitioners shall file a concise statement of the appeal, setting forth in numbered paragraphs the statutory and regulatory provisions which the appellant asserts are applicable to the instant appeal and the statutory, regulatory and industry standards alleged to have been violated by disapproval of the subject policy forms.

6. The Department shall be prepared to answer the numbered allegations set forth in the Petitioners' submissions within 7 days following the prehearing conference if so directed by the presiding officer.

7. Petitions to intervene and notices of intervention shall be filed on or before May 8, 2001.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid service or other accommodations to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Secretary

[Pa.B. Doc. No. 01-749. Filed for public inspection April 27, 2001, 9:00 a.m.]

The Phoenix Insurance Company; Private Passenger Automobile Insurance Rates and Rules Filing

On April 6, 2001, the Insurance Department (Department) received from The Phoenix Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 4.6% increase amounting to \$2,103,000 annually, to be effective June 22, 2001.

Unless formal administrative action is taken prior to June 5, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

All interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail at mburkett@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-750. Filed for public inspection April 27, 2001, 9:00 a.m.]

Progressive Northern Insurance Company; Private Passenger Auto Program Rate Filing

On April 10, 2001, the Insurance Department (Department) received from Progressive Northern Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 6.6% increase for a portion of their private passenger auto program amounting to \$3,494,000 annually, to be effective August 26, 2001.

Unless formal administrative action is taken prior to June 9, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

All interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail at mburkett@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-751. Filed for public inspection April 27, 2001, 9:00 a.m.]

Review Procedure Hearing; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with the termination of the insureds' automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and

Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in the Insurance Department's regional office in Philadelphia, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Pearl and Jerome Cerdan; file no. 01-267-01020; AAA Mid-Atlantic Insurance Group; doc. no. PH01-04-005; July 12, 2001, 10 a.m.

Each party may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-752. Filed for public inspection April 27, 2001, 9:00 a.m.]

The Standard Fire Insurance Company; Private Passenger Automobile Insurance Rates and Rules Filing

On April 6, 2001, the Insurance Department (Department) received from The Standard Fire Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 1.6% increase amounting to \$787,000 annually, to be effective June 22, 2001.

Unless formal administrative action is taken prior to June 5, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

All interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail at mburkett@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-753. Filed for public inspection April 27, 2001, 9:00 a.m.]

<i>Application Cut-Off Dates</i>	<i>Board Meeting Dates</i>
May 9, 2001	July 18, 2001
September 5, 2001	November 14, 2001
January 9, 2002	March 20, 2002

Funding applications must be received by 5 p.m. on the stated cut-off dates at the PENNVEST office, 22 South Third Street, Harrisburg, PA 17101.

Persons requiring ADA accommodations at the Board Meetings should contact Elaine Keisling at (717) 783-4494 or e-mail to akeisling@state.pa.us.

PAUL K. MARCHETTI,
Executive Director

[Pa.B. Doc. No. 01-755. Filed for public inspection April 27, 2001, 9:00 a.m.]

Teachers Protective Mutual Life; Rate Filing

Teachers Protective Mutual Life is requesting approval to increase its premium an aggregate 25.2% for the Comprehensive Long Term Care Policy Forms QH-9606-LTC-APC SH-9606-LTC-APC and three associated riders. The maximum increase is 30% which will affect some policy holders with issue ages under 70, while no increase over 15% is planned for policy holders with issue ages over 80. The average premium will increase from \$1,395 to \$1,747, and will affect 3,466 Commonwealth policyholders. The requested effective date of the change is July 1, 2001.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 01-754. Filed for public inspection April 27, 2001, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

Meeting Notice

The first meeting of Fiscal Year 2001-02 of the Pennsylvania Infrastructure Investment Authority (PENNVEST) Board of Directors has been scheduled for Wednesday, July 18, 2001, at 10 a.m. at the Crowne Plaza Harrisburg, 23 South Second Street, Harrisburg, PA. The November and March meetings will be held at 10 a.m. in the Governor's Residence, 2035 North Front Street, Harrisburg, PA.

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Meeting Notice

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection have scheduled a public meeting for 2 p.m., July 18, 2001, in the Auditorium of the Rachel Carson State Office Building, 400 Market Street, Harrisburg. On November 14, 2001, a public meeting will be held at 2 p.m., in the 10th Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg. The location for the March meeting will be scheduled at a later date.

The meetings are scheduled for the purpose of advising the public regarding revisions to the previously approved projects shown on the FY 2001-2002 CWSRF and DWSRF Project Priority List and Intended Use Plan and the impact of the PENNVEST Board decisions on the funding of these projects.

Persons requiring ADA accommodations should contact Tony Maisano at (717) 787-6744 or e-mail to amaisano@state.pa.us.

PAUL K. MARCHETTI,
Executive Director,
Pennsylvania Infrastructure Investment Authority

DAVID E. HESS,
Acting Secretary,
Department of Environmental Protection,
Vice-Chairperson,

Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 01-756. Filed for public inspection April 27, 2001, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Gas Service Without Hearing

A-122250 F0013. The Peoples Natural Gas Company, d/b/a Dominion Peoples. Application of The Peoples Natural Gas, d/b/a Dominion Peoples, for approval of the transfer of property used or useful in the public service to Dominion Exploration and Production and Affiliated Company.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before May 14, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: The Peoples Natural Gas Company

Through and By Counsel: Margaret H. Peters, Esquire, McGuireWoods LLP, 625 Liberty Avenue, 23rd Floor, Pittsburgh, PA 15222-3142; and Susan G. George, Esquire, 625 Liberty Avenue, Pittsburgh, PA 15222-3197.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-757. Filed for public inspection April 27, 2001, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority application for the right to render service as a common carrier or contract carrier in this Commonwealth has been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before May 21, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for the transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Application of the following for the approval of the transfer of stock as described under the application.

A-00110575, Folder 5000. River Park Cab Co. (Suite 1905, 3600 Conshohocken Avenue, Philadelphia, PA 19131), a corporation of the Commonwealth of Pennsylvania—stock transfer—for the approval of the transfer of all of the issued and outstanding shares of stock (100 shares) from Thomasine Tynes, to Frank Consalvo (50 shares) and Genardo Consalvo (50 shares). *Attorney:* Michael S. Henry, 11 Penn Center, Suite 515, 1835 Market Street, Philadelphia, PA 19103.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-758. Filed for public inspection April 27, 2001, 9:00 a.m.]

Sewer Service Without Hearing

A-230455 F2001. Astro Village Mobile Home Park. Application of Astro Village Mobile Home Park for approval of the abandonment of its Certificate of Public Convenience concerning the provision of sewer service to the public in portions of West Chillesquaque Township, Northumberland County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before May 14, 2001, under 52 Pa. Code (relating to public utilities).

Applicant: Astro Village Mobile Home Park

Through: Thomas W. Edwards, 310 South Market Street, Mount Joy, PA 17552.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-759. Filed for public inspection April 27, 2001, 9:00 a.m.]

Telecommunications

A-310518. ALLTEL Communications Services Corporation and AT&T Wireless Services Inc. Joint petition of ALLTEL Communications Services Corporation and AT&T Wireless Services Inc. for approval of an amendment to a commercial mobile radio service interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

ALLTEL Communications Services Corporation and AT&T Wireless Services Inc., by its counsel, filed on April 12, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the ALLTEL Communications Services Corporation and AT&T Wireless Services Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-760. Filed for public inspection April 27, 2001, 9:00 a.m.]

Telecommunications

A-311088. Verizon Pennsylvania Inc. and Fuzion Wireless Communications, Inc. Joint petition of Verizon Pennsylvania Inc. and Fuzion Wireless Communications, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Fuzion Wireless Communications, Inc. filed on April 10, 2001, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Fuzion Wireless Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 01-761. Filed for public inspection April 27, 2001, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa. C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

April 19, 2001	Margaret M. Harlan (Effective Date of Disability Retirement)	1 p.m.
April 25, 2001	Francis P. Eagen III (Pension Forfeiture due to Criminal Conviction)	1 p.m.
May 2, 2001	Harrisburg Area Comm. College (Offering SERS membership to its employees)	1 p.m.
May 2, 2001	Jacqueline A. Campbell (Dec'd) (Contested Death Benefit)	2 p.m.
May 16, 2001	Mattison A. Burt (Purchasing US Naval Academy Service)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.01 (relating to applicability of general

rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code, Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOHN BROSIUS,
Secretary

[Pa.B. Doc. No. 01-762. Filed for public inspection April 27, 2001, 9:00 a.m.]

STATE POLICE

Draft Request for Proposals—Review and Comment Period

Lockheed Martin Management & Data Systems (M&DS), in its role as the systems integrator for the State Police Incident Information Management System (IIMS), will post a draft Request for Proposals (RFP) on the IIMS Program website for vendor review and comment. Vendors' comments will be considered during the preparation and release of the final RFP. The draft RFP will be available on the IIMS Program website at <http://www.pspiims.com> on or about April 20, 2001.

All procurements under the IIMS Program will be commercial contracts between system vendors and Lockheed Martin M&DS or one of their consortium subcontractors. The State Police will contract with only Lockheed Martin M&DS for the entire IIMS system. After the review and comment period, a single, final RFP will be issued via the IIMS Program website containing specifications for all IIMS components. However, vendors will only propose those systems that are applicable to each vendor. The draft RFP consists of the following Program elements which contain the applicable component system level specifications for IIMS.

- Consolidated Dispatch Element
- Mobile Office Element
- Enterprise Database Element
- Common Infrastructure Element

Interested vendors are encouraged to review the draft RFP and provided feedback and comments via the IIMS website. Specific instructions for vendors and more detailed information will be available on the IIMS website. There will be no further public notifications of procurement events associated with the IIMS Program. All further notifications will be posted to the IIMS website only.

COL. PAUL J. EVANKO,
Commissioner

[Pa.B. Doc. No. 01-763. Filed for public inspection April 27, 2001, 9:00 a.m.]

TURNPIKE COMMISSION

Change in Location of the Central Administration Building

The Turnpike Commission's Central Administration Building is returning to Eisenhower Boulevard and Rt. 283, Highspire, PA 17034 (parcel delivery address), and

will be open for business on Monday, May 7, 2001. The office location at Kost Road, Carlisle, will be closed on Thursday, May 3, 2001, and Friday, May 4th, 2001.

Mailing address will remain the same: Pennsylvania Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676. Telephone numbers, extensions and fax numbers will also remain the same.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 01-764. Filed for public inspection April 27, 2001, 9:00 a.m.]

STATE CONTRACTS INFORMATION

DEPARTMENT OF GENERAL SERVICES

Notices of invitations for bids and requests for proposals on State contracts for services and commodities for which the bid amount is reasonably expected to be over \$10,000, are published in the State Contracts Information Section of the *Pennsylvania Bulletin* prior to bid opening date. Information in this publication is intended only as notification to its subscribers of available bidding and contracting opportunities, and is furnished through the Department of General Services, Vendor Information and Support Division. No action can be taken by any subscriber or any other person, and the Commonwealth of Pennsylvania is not liable to any subscriber or any other person, for any damages or any other costs incurred in connection with the utilization of, or any other reliance upon, any information in the State Contracts Information Section of the *Pennsylvania Bulletin*. Interested persons are encouraged to call the contact telephone number listed for the particular solicitation for current, more detailed information.

EFFECTIVE JULY 1, 1985, A VENDOR'S FEDERAL IDENTIFICATION NUMBER (NUMBER ASSIGNED WHEN FILING INCOME TAX DOCUMENTS) OR SOCIAL SECURITY NUMBER IF VENDOR IS AN INDIVIDUAL, MUST BE ON ALL CONTRACTS, DOCUMENTS AND INVOICES SUBMITTED TO THE COMMONWEALTH.

Act 266 of 1982 provides for the payment of interest penalties on certain invoices of "qualified small business concerns". The penalties apply to invoices for goods or services when payments are not made by the required payment date or within a 15 day grace period thereafter.

Act 1984-196 redefined a "qualified small business concern" as any independently owned and operated, for-profit business concern employing 100 or fewer employees. See 4 Pa. Code § 2.32. The business must include the following statement on every invoice submitted to the Commonwealth: "(name of business) is a qualified small business concern as defined in 4 Pa. Code 2.32."

A business is eligible for payments when the required payment is the latest of:

The payment date specified in the contract.

30 days after the later of the receipt of a proper invoice or receipt of goods or services.

The net payment date stated on the business' invoice.

A 15-day grace period after the required payment date is provided to the Commonwealth by the Act.

For more information: contact: Small Business Resource Center


PA Department of Community and Economic Development

374 Forum Building

Harrisburg, PA 17120

800-280-3801 or (717) 783-5700

Reader's Guide



Legal Services & Consultation

① Service Code Identification Number

② Commodity/Supply or Contract Identification No.

B-54137. Consultant to provide three 2-day training sessions, covering the principles, concepts, and techniques of performance appraisal and standard setting with emphasis on performance and accountability, with a knowledge of State Government constraints.

Department: General Services

Location: Harrisburg, Pa.

Duration: 12/1/93-12/30/93

Contact: Procurement Division
787-0000

③ Contract Information

④ Department

⑤ Location

⑥ Duration

⑦

(For Commodities: Contact:)
Vendor Services Section
717-787-2199 or 717-787-4705

REQUIRED DATA DESCRIPTIONS

- ① Service Code Identification Number: There are currently 39 state service and contractual codes. See description of legend.
- ② Commodity/Supply or Contract Identification No.: When given, number should be referenced when inquiring of contract of Purchase Requisition. If more than one number is given, each number represents an additional contract.
- ③ Contract Information: Additional information for bid preparation may be obtained through the departmental contracting official.
- ④ Department: State Department or Agency initiating request for advertisement.
- ⑤ Location: Area where contract performance will be executed.
- ⑥ Duration: Time estimate for performance and/or execution of contract.
- ⑦ Contact: (For services) State Department or Agency where vendor inquiries are to be made.


(For commodities) Vendor Services Section (717) 787-2199 or (717) 787-4705

GET A STEP AHEAD IN COMPETING FOR A STATE CONTRACT!

The Treasury Department's Bureau of Contracts and Public Records can help you do business with state government agencies. Our efforts focus on guiding the business community through the maze of state government offices. The bureau is, by law, the central repository for all state contracts over \$5,000. Bureau personnel can supply descriptions of contracts, names of previous bidders, pricing breakdowns and other information to help you submit a successful bid on a contract. We will direct you to the appropriate person and agency looking for your product or service to get you "A Step Ahead." Services are free except the cost of photocopying contracts or dubbing a computer diskette with a list of current contracts on the database. A free brochure, "Frequently Asked Questions About State Contracts," explains how to take advantage of the bureau's services.

Contact: **Bureau of Contracts and Public Records**
 Pennsylvania State Treasury
 Room G13 Finance Building
 Harrisburg, PA 17120
 717-787-2990
 1-800-252-4700

BARBARA HAFER,
State Treasurer



Commodities

8505760 Precast Concrete Box Culvert

Department: Transportation
Location: Wheatland Township
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

8176060 Imagesetter with Integrated Film Processor, etc. If you have problems downloading a bid, please call our Fax Back System at (717) 705-6001.

Department: Transportation
Location: Harrisburg, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

SR3010 Furnish the following: Fabricated Structural Steel - Hot Dipped Galvanized 23,590 # 7/8" Diameter Threaded Anchor Bolts (Bent) - Hot Dipped Galvanized 64 each 7/8" Diameter ASTM A325 Bolts - Mechanically Galvanized 256 each.

Department: Transportation
Location: PennDOT Somerset Maintenance, 897 Mason Dixon Highway, SR 219, Berlin, PA 15530
Duration: Delivery NO later than August 15, 2001
Contact: Gene O'Neil, (814) 445-7905

1566200 Fume Hood, Ductless, 4', Constructed of Chemically Resistant Clear Acrylic Panels, etc. If you have problems downloading a bid, please call our Fax Back System at (717) 705-6001.

Department: State Police
Location: Various, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

8211840 Flat Bed Table Cutter/Plotter.

Department: Transportation
Location: Harrisburg, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

8160660 Epoxy Paints.

Department: Transportation
Location: Emporium, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

386102005 One (1) 28 foot pontoon boat. One (1) 60 volt electric outboard motor. One (1) 4000 pound minimum capacity trailer for pontoon boat. Bid opening: May 8, 2001.

Department: Conservation and Natural Resources
Location: Black Moshannon State Park, RR 1, Box 183, Philipsburg, PA 16866
Contact: Kurt Muston, (814) 342-5960

State Bid #222 Velocity Measurement Output.

Department: General Services
Location: Pennsylvania State University, Earth Engineering Science Building, University Park, PA 16802
Duration: Due Date: 4-30-01
Contact: Steven Blazer, (814) 865-5418

1535380 Cabins - One Room with 10' Porch, to be pre-manufactured kits for field assemblies, as manufactured by Asperline Log Homes or approved equal.

Department: Conservation and Natural Resources
Location: Penn Run & Somerset
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

1523110 Cartons: 6/10 Cartons for canned goods.

Department: Corrections
Location: Bellefonte, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

7809-91 Amf Reece autojig 84-50e.

Department: Corrections
Location: Correctional Industries, SCI Waymart, Rt. 6, Waymart, PA 18472-0256
Duration: 1 year
Contact: MaryAnn Ulrich, (717) 731-7134

6350-03 Surveillance & Security Equipment & Supplies. During each quarter of the current calendar year, new contractors may seek to be added to the list of qualified contractors for the Surveillance & Security Equipment & Supplies, 6350-03. Also existing qualified contractors may seek to become qualified for additional categories of supplies or services. In order to be considered, contractors must submit a completed bid, 6350-03 to ensure receipt by the Commonwealth on or before 1:30 p.m. on the last Commonwealth business day of each quarter (the "deadline"). A "quarter" is defined as the three consecutive calendar months ending with the last business day of the months of March, June, September, and December of a calendar year. Those bids received before the deadline will be evaluated beginning the 1st business day of the month immediately following the deadline. The evaluation cycle will take an estimated 25 Commonwealth business days (subject to workload and holidays). Bids received after the deadline (but on or before the deadline for the next quarter) will be held and evaluated after the deadline for the next quarter. There will be no exceptions. To receive copy of bid package fax request to (717) 787-0725 or call our faxback system at (717) 705-6001.

Department: General Services
Location: Harrisburg, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

6350-01 Security System Services. During each quarter of the current calendar year, new contractors may seek to be added to the list of qualified contractors for the Security System Services, 6350-01. Also existing qualified contractors may seek to become qualified for additional categories of supplies or services. In order to be considered, contractors must submit a completed bid, 6350-01 to ensure receipt by the Commonwealth on or before 1:30 p.m. on the last Commonwealth business day of each quarter (the "deadline"). A "quarter" is defined as the three consecutive calendar months ending with the last business day of the months of March, June, September, and December of a calendar year. Those bids received before the deadline will be evaluated beginning the 1st business day of the month immediately following the deadline. The evaluation cycle will take an estimated 25 Commonwealth business days (subject to workload and holidays). Bids received after the deadline (but on or before the deadline for the next quarter) will be held and evaluated after the deadline for the next quarter. There will be no exceptions. To receive copy of bid package fax request to (717) 787-0725 or call our faxback system at (717) 705-6001.

Department: General Services
Location: Harrisburg, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

5850-01 Microcomputer, LAN Hardware & Peripherals. During each quarter of the current calendar year, new contractors may seek to be added to the list of qualified contractors for the Microcomputer & Local Area Network (LAN) Hardware & Peripherals, 5850-01. Also existing qualified contractors may seek to become qualified for additional categories of supplies or services. In order to be considered, contractors must submit a completed bid, 5850-01 to ensure receipt by the Commonwealth on or before 1:30 p.m. on the last Commonwealth business day of each quarter (the "deadline"). A "quarter" is defined as the three consecutive calendar months ending with the last business day of the months of March, June, September, and December of a calendar year. Those bids received before the deadline will be evaluated beginning the 1st business day of the month immediately following the deadline. The evaluation cycle will take an estimated 25 Commonwealth business days (subject to workload and holidays). Bids received after the deadline (but on or before the deadline for the next quarter) will be held and evaluated after the deadline for the next quarter. There will be no exceptions. To receive copy of bid package fax request to (717) 787-0725 or call our faxback system at (717) 705-6001.

Department: General Services
Location: Harrisburg, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

PEI6128 Provide five lightweight standing display booths 87 3/4" H x 116" W equipped with two halogen lights, five 10" header panels, five podiums/carrying cases and fifteen 24" x 24" graphic panels. Artwork to be furnished by the Office of Attorney General via Adobe software. DELIVERY MUST BE MADE TO FIVE DIFFERENT STATEWIDE LOCATIONS WITHIN PENNSYLVANIA NO LATER THAN JUNE 22, 2001.

Department: Attorney General
Location: Statewide - Philadelphia, Harrisburg, Pittsburgh, Scranton, Erie
Duration: May 18, 2001 through June 22, 2001
Contact: Tammy M. Gutshall, (717) 787-4745

LAB 0300-24 1 each - Fume Hood Labconco Protector 72 #72802-00 & accessories.
Department: State Police
Location: Crime Laboratory, 2932 Airport Road, Bethlehem, PA 18017
Duration: June 30, 2001
Contact: Robert D. Stare, (717) 705-5921

DGS409-56 CLFD#27 C/KU Band Big Dish Satellite Systems.

Department: State System of Higher Education
Location: Lock Haven University of PA, Clearfield Campus, Route 322, Golden Rod Farms, 6264 Clearfield Woodland Highway, Clearfield, PA 16830
Duration: Bids must be received no later than 5/15/01 by 2:30 p.m. to be considered.
Contact: Becky J. Proctor, (570) 893-2010

3881190016 Forest fire suppression slip-on unit 1 ton pick up truck. Minimum tank capacity of 200 gallons and maximum of 225 gallons.

Department: Conservation and Natural Resources
Location: Bureau of Forestry, Swiftwater, PA 18370
Duration: Delivery to Monroe County destination by May 31, 2001
Contact: David Miller, (570) 895-4003

Greene-C-01 SCI Greene will be issuing a bid for various types of concrete blocks (i.e. 8" x 8" x 16" hollow concrete 4" x 8" x 16" white split solid, 6 x 8" x 16" white smooth solid sill block. Bid will also include White type's mortar bags.

Department: Corrections
Location: SCI Greene, 169 Progress Drive, Waynesburg, PA 15370
Contact: Pat Nichols, (724) 852-5533

4509-162 PFAFF hot air tape sealing machine, model 8302.

Department: Corrections
Location: Correctional Industries, SCI Huntingdon, 1100 Pike Street, Huntingdon, PA 16654
Duration: 1 year
Contact: MaryAnn Ulrich, (717) 731-7134

461014 Department of Transportation wishes to procure nineteen (19) Driver's Seats for use in Department Shadow Vehicles. Safety Driver Seats are used in crash vehicles to protect our employees. Requests for bid package must be faxed to (717) 783-8528 by Tuesday, May 8, 2001

Department: Transportation
Location: Department of Transportation, Equipment Division, 17th Street & Arsenal Blvd., Harrisburg, PA 17120
Contact: Patti Miller, Purchasing Agent, (717) 787-3959

Greene- A-372-9 SCI Greene will be issuing bids for a Rooftop Air Handling Unit. Bids specifications will be based on a Trane T-Series Climate Changer with 11" Roof Curb. Approved equal bids will be accepted.

Department: Corrections
Location: SCI Greene, 169 Progress Dr., Waynesburg, PA 15370
Duration: N/A
Contact: Pat Nichols, (724) 852-5533

maintenance 00-504 Air Conditioning Compressors - NEW ONLY NO REMANUFACTURED. Reference 06et265 320 460 volt 3 ph 60 Hz. 3 each.

Department: Public Welfare
Location: Mayview State Hospital, 1601 Mayview Road, Bridgeville, PA 15017-1599
Duration: One time purchase
Contact: F. Molisee, (412) 257-6215

1525380 High-Production Stump Cutter. If you have problems downloading a bid, please call our Fax Back System at (717) 705-6001.

Department: Conservation and Natural Resources
Location: Emporium, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199

260124 100 Each, Lexmark #1382925 printer cartridges for OPTRA S printers. 7485-1501-000

Department: Liquor Control Board
Location: 3525 North Sixth Street, Harrisburg, PA 17110-1425
Duration: One time purchase
Contact: (717) 787-1893

PAT-53-59-60-61-63 Miscellaneous motorcycles clothing etc., gloves, boots, helmets, jackets, communications equipment & rain gear.

Department: State Police
Location: Clothing Warehouse, 20th & Herr Sts., Harrisburg, PA 17103
Duration: June 30, 2001
Contact: Robert D. Stare, (717) 705-5921

State Bid #223 Pulse Modulator and Receiver.

Department: General Services
Location: Pennsylvania State University, 212 Earth Engineering Science Building, University Park, PA 16802
Duration: Due Date: 4-30-01
Contact: Steven Blazer, (814) 865-5418

hvh-013 lbla beds Therapulse beds model # 40030 with microprocessor computer control panel or approved equal. Bid opening will be approx. May 14, 2001, fax your request to the # provided.

Department: Military Affairs
Location: Hollidaysburg Veterans Home, P. O. Box 319, Hollidaysburg, PA 16648
Duration: One time procurement
Contact: Becky Clapper, fax (814) 696-5395

1559110 Plastic Bag Production System. Model Plascon Bottom Seal 1300 Bagmaking Machine to include hand trolley for transportation of raw material or equal.

Department: Corrections
Location: Cresson, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199


LBLA 1277 Dri-Dek Self draining floor system. For Bid Package fax request to (570) 372-5675.

Department: Public Welfare
Location: Selinsgrove Center, Box 500, Route 522, Selinsgrove, PA 17870
Contact: Arletta K. Ney, Purch. Agt., (570) 372-5670

5810-03 Microcomputer & Local Area Network (LAN) Software. During each quarter of the current calendar year, new contractors may seek to be added to the list of qualified contractors for the Microcomputer & Local Area Network (LAN) Software, 5810-03. Also existing qualified contractors may seek to become qualified for additional categories of supplies or services. In order to be considered, contractors must submit a completed bid, 5810-03 to ensure receipt by the Commonwealth on or before 1:30 p.m. on the last Commonwealth business day of each quarter (the "deadline"). A "quarter" is defined as the three consecutive calendar months ending with the last business day of the months of March, June, September, and December of a calendar year. Those bids received before the deadline will be evaluated beginning the 1st business day of the month immediately following the deadline. The evaluation cycle will take an estimated 25 Commonwealth business days (subject to workload and holidays). Bids received after the deadline (but on or before the deadline for the next quarter) will be held and evaluated after the deadline for the next quarter. There will be no exceptions. To receive copy of bid package fax request to (717) 787-0725 or call our faxback system at (717) 705-6001.

Department: General Services
Location: Harrisburg, PA
Duration: FY 2000-01
Contact: Vendor Services, (717) 787-2199


SERVICES



Agricultural Services

SP3510017642 Provide ground ultra low volume application of insecticide for adult mosquito suppression in Pennsylvania. There may be a total of six separate contracts awarded. For bid package, contact Sharon Peterson at (717) 787-2471 or shapeterso@state.pa.us.


Department: Environmental Protection
Location: Throughout Pennsylvania
Duration: Upon execution through December 31, 2002, with options to renew
Contact: Sharon Peterson, (717) 787-2471



Computer Related Services

RFP #2001-09 The State System of Higher Education, Office of the Chancellor, is soliciting proposals from Internet Service Providers to provide Internet access for SSHenet III (its WAN) from the State System's Network Operations Center at the Business Technology Center of West Chester University of Pennsylvania. SSHenet III interconnects 14 universities, one branch campus, the Dixon University Center and other entities associated with the State System. The Internet gateway will pass generic Internet traffic generated by any node on SSHenet III including, but not limited to, Usenet News, Internet mail, telnet, ftp, nntp, http, and https. The State System is seeking 30 Mbps as the minimum bandwidth size of this gateway. The Internet gateway should be operational no later than July 1, 2001. Interested vendors may obtain a copy of the RFP by contacting Linda Venneri at: lvenneri@sshedan.edu or go to: <http://www.sshechan.edu/Procurement/bids.htm>. Responses are due by April 26, 2001; 12:00 Noon.

Department: State System of Higher Education
Location: Harrisburg, PA
Duration: 2 Years
Contact: Linda Venneri, (717) 720-4135



Construction & Construction Maintenance

377-1 READVERTISEMENT PROJECT TITLE: Construction of a Prototypical 1,000 Cell Medium Security Correctional Facility. BRIEF DESCRIPTION: Proposals for a Controlled Insurance Program for the construction of the Forest County State Correctional Institution will be received. The facility is to be located 2 miles north of Marienville, PA bordering the Allegheny National Forest. Copies of the underwriting submission may be obtained at the office of Marsh USA, Six PPG Place, Suite 300, Pittsburgh, PA 15222. Date for Receiving RFP: Friday, May 4, 2001 at 10 a.m. Proposals will be received at the Department of General Services, Bureau of Professional Selections and Administrative Services, Room 107, Headquarters Building, 18th & Herr Streets, Harrisburg, PA 17125.

Department: General Services
Location: Jenks Township, Forest County, PA
Contact: Contract & Bidding Unit, (717) 787-6556

DGS 948-53 PHASE 1 PT O PROJECT TITLE: Plaza Improvements for The Capitol Complex. BRIEF DESCRIPTION: The work of this phase is to remove and reinstall granite pavers and steps at the North Plaza of the Finance Building, the South Plaza of the South Office Building and the Commonwealth Avenue sidewalk at Soldier's Grove. At the Finance Building, the historic light fixtures and poles plaza shall be refurbished and reinstalled and the granite art carved wall shall be cleaned. ESTIMATED RANGE: \$1,000,000.00 to \$2,000,000.00. General and Electrical Construction. PLANS DEPOSIT: \$100.00 per set payable to: H. F. LENZ. Refundable upon return of plans and specifications in reusable condition as construction documents within 15 days after the bid opening date. Bidder is responsible for the cost of delivery of the plans and specifications. Contact the office listed below to arrange for delivery of documents. A separate check must be submitted to cover the cost of delivery. Mail a separate check for \$15.00 per set or provide your express mail account number to the office listed below. Mail requests to: H. F. Lenz, 1407 Scalp Avenue, Johnstown, PA 15904, (814) 269-9300. Bid Date: WEDNESDAY, May 16, 2001 at 2 p.m. A Pre-Bid Conference has been scheduled for Thursday, April 26, 2001 at 10 a.m. in Room 512, Forum Building, Harrisburg, PA. Contact: Tim Werner, (717) 230-8367. There will be a walk through immediately following the Pre-Bid Conference. All Contractors who have secured Contract Documents are invited & urged to attend this Pre-Bid Conference. Contractor Qualification Forms are included in the specification & must be completed & submitted two (2) days after Bid. The Contractor must demonstrate the qualifications & experience of key full-time personnel of its own or subcontractors involving conservation of historic materials that will be encountered at the Bldg. The Qualifications require specialized education, training & experience in several restoration related disciplines involving supervising of conservation work & restoration & conservation trades among other skills & trades as described in the contractor qualifications summary of work.

Department: General Services
Location: Finance Bldg. & South Office Bldg., Harrisburg, Dauphin County, PA
Duration: 138 CALENDAR DAYS FROM DATE OF INITIAL JOB CONFERENCE
Contact: Contract and Bidding Unit, (717) 787-6556

D.G.S. A 588-25 PROJECT TITLE: Steam/Condensate Pipe Replacement and New Utility Chase to Chapel. BRIEF DESCRIPTION: Remove steam and condensate piping contained in an underground pipe chase along with part of the pipe chase. Perform excavation work as required to furnish and install an underground precast concrete pipe tunnel complete with manholes and backfill and restore the excavation area. Furnish and install insulated steam and condensate piping, complete with support steel and piping specialties. ESTIMATED RANGE: Under \$100,000.00. Mechanical Construction. PLANS DEPOSIT: \$25.00 per set made payable to: COMMONWEALTH OF PA. Refundable upon return of plans and specifications in reusable condition as construction documents within 15 days after the bid opening date. Bidder is responsible for the cost of delivery of the plans and specifications. Contact the office listed below to arrange for delivery of documents. Mail a separate check for \$5.00 per set or provide your express mail account number to the office listed below. Mail requests to: Department of General Services, 18th & Herr Streets, Room 107 Headquarters Building, Harrisburg, PA 17125, (717) 787-3923. Bid Date: WEDNESDAY, May 9, 2001 at 2 p.m.

Department: General Services
Location: Youth Development Center, Loysville, Perry County, PA
Duration: 90 CALENDAR DAYS FROM DATE OF INITIAL JOB CONFERENCE
Contact: Contract & Bidding Unit, (717) 787-6556

FDC-205-889.1 Renovations to the Contact Station and Visitors Center at Keystone State Park in Westmoreland County. Work includes E&S Measures; utility relocation; clearing; excavation; bituminous paving; water line; drainage items, seeding and mulching, concrete work and interior and exterior building renovations. Cost \$15.90 NOTE: Requests for Bid Documents may be made ON or AFTER May 2, 2001.

Department: Conservation and Natural Resources
Location: Derry Township
Duration: 150 Days
Contact: Construction Management Section, (717) 787-5055

D.G.S. A 506-80 PROJECT TITLE: Partial Reroofing of Building No. 34 - Laundry. BRIEF DESCRIPTION: Remove roofing and insulation and install new insulation and a single ply roofing membrane. ESTIMATED RANGE: Under \$100,000.00. General Construction. PLANS DEPOSIT: \$25.00 per set made payable to: COMMONWEALTH OF PA. Refundable upon return of plans and specifications in reusable condition as construction documents within 15 days after the bid opening date. Bidder is responsible for the cost of delivery of the plans and specifications. Contact the office listed below to arrange for delivery of documents. Mail a separate check for \$5.00 per set or provide your express mail account number to the office listed below. Mail requests to: Department of General Services, 18th & Herr Streets, Room 107 Headquarters Building, Harrisburg, PA 17125, (717) 787-3923. BID DATE: Wednesday, May 16, 2001 at 2 p.m.

Department: General Services
Location: Harrisburg State Hospital, Harrisburg, Dauphin County, PA
Duration: 120 CALENDAR DAYS FROM DATE OF INITIAL JOB CONFERENCE
Contact: Contract & Bidding Unit, (717) 787-6556

D.G.S. A 970-131 PROJECT TITLE: Roof Replacement. BRIEF DESCRIPTION: Replacement of roof on Drill Hall (high roof) with new standing seam metal roof including new gutters and downspouts. Also, replacement of office (lower) roofs and accessories. ESTIMATED RANGE: \$100,000.00 to \$500,000.00. General Construction. PLANS DEPOSIT: \$25.00 per set made payable to: COMMONWEALTH OF PA. Refundable upon return of plans and specifications in reusable condition as construction documents within 15 days after the bid opening date. The bidder is responsible for the cost of delivery of the plans and specifications. Contact the office listed below to arrange for the delivery of documents. Mail a separate check for \$5.00 per set or provide your express mail account number to the office listed below. Mail requests to: Department of General Services, 18th & Herr Streets, Room 107 Headquarters Building, Harrisburg, PA 17125, (717) 787-3923. Bid Date: WEDNESDAY, May 16, 2001 at 2 p.m.

Department: General Services
Location: Pennsylvania National Guard Armory, Williamstown, Dauphin County, PA
Duration: 120 CALENDAR DAYS FROM DATE OF INITIAL JOB CONFERENCE
Contact: Contract & Bidding Unit, (717) 787-6556

D.G.S. A 506-78DBC RFP PROJECT TITLE: Design, Construction and Testing to Provide Concealed Sprinkler Systems in Building No. 16 and Building No. 52. BRIEF DESCRIPTION: Design, construction and testing to provide concealed sprinkler systems in Building No. 16 and Building No. 52 on the grounds of Harrisburg State Hospital. ESTIMATED RANGE: \$100,000.00 to \$500,000.00. PLANS DEPOSIT: \$75.00 (Includes PA Sales Tax) per RFP. Payable to: COMMONWEALTH OF PA. This price is non-refundable. Contact the office listed below to arrange for delivery of documents. Mail requests to: Department of General Services, Room 107 Headquarters Building, 18th & Herr Streets, Harrisburg, PA 17125. (717) 787-3923. Bid Date: Tuesday, May 15, 2001 at 2 p.m.

Department: General Services
Location: Harrisburg State Hospital, Harrisburg, Dauphin County, Pennsylvania
Contact: Contract & Bidding Unit, (717) 787-6556

D.G.S. 948-66 PHASE 1 PROJECT TITLE: Renovation to the Arsenal Building. BRIEF DESCRIPTION: Renovate portions of the interior of Arsenal Building and Bunker Building. Include new HVAC, electrical, plumbing and finishes. ESTIMATED RANGE: \$2,000,000.00 TO \$5,000,000.00. General, HVAC, Plumbing and Electrical Construction. PLANS DEPOSIT: \$75.00 per set payable to: COMMONWEALTH OF PA. Refundable upon return of plans and specifications in reusable condition as construction documents within 15 days after the bid opening date. Bidder is responsible for the cost of delivery of the plans and specifications. Contact the office listed below to arrange for delivery of documents. A separate check must be submitted to cover the cost of delivery. Mail a separate check for \$5.00 per set or provide your express mail account number to the office listed below. Mail requests to: Department of General Services, Room 107 Headquarters Building, 18th & Herr Streets, Harrisburg, PA 17125. (717) 787-3923. Bid Date: WEDNESDAY, May 16, 2001 at 2 p.m. A Pre-bid Conference has been scheduled for Wednesday, May 2, 2001 at 10 a.m. in the Corporate Board Room, Public Works Complex, 18th & Herr Streets, Harrisburg, PA 17125. Contact: Ron Pontius, (717) 787-5598. All Contractors who have secured contract documents are invited and urged to attend this pre-bid conference.

Department: General Services
Location: Public Works Complex, Harrisburg, Dauphin County, PA
Duration: 240 CALENDAR DAYS FROM DATE OF INITIAL JOB CONFERENCE
Contact: Contract & Bidding Unit, (717) 787-3923

FDC-019-760 Rehabilitate Lily Pond Dam in Delaware State Forest near Milford in Pike County. Work includes E&S measures; diversion and care of water; clearing; excavation (4,900 C.Y.); fill materials (11,600 C.Y.); aggregate and bituminous surfacing; rip rap (824 C.Y.); chain link fencing; drainage items; connector style pedestrian bridge; pre-cast concrete box culverts; concrete, cast-in-place (610 C.Y.); and guide rail. Cost - \$15.90. NOTE: Requests for Bid Documents may be made ON or AFTER May 2, 2001.

Department: Conservation and Natural Resources
Location: Milford Township
Duration: 180 Days
Contact: Construction Management Section, (717) 787-5055

FDC-210-937.4 All Electrical Work associated with the new comfort station at Moraine State Park in Butler County. Work includes wiring, conduit, service, power panels, interior and exterior lighting. NOTE: Requests for Bid Documents may be made ON or AFTER April 30, 2001.

Department: Conservation and Natural Resources
Location: Franklin Township
Duration: 150 Days
Contact: Construction Management Section, (717) 787-5055

SU-2001/1.1 SU-2001/1: Kriner Hall Cooler/Freezer Replacement. Work shall be completed at Shippensburg University, Shippensburg Township, Cumberland County, PA. The project shall include the furnishing of all labor, superintendence, material, tools, equipment and performing all work necessary for demolition and removal of built-in refrigerators and freezers; furnish and install one new panelized walk-in freezer and one panelized walk-in cooler, including associated doors and patching and refinishing of existing walls and installation of one new floor sink in Kriner Hall. Prospective Bidders may obtain project plans for a non-refundable fee of \$25.00, by contacting Entech Engineering Inc., 4 S. 4th Street, P. O. Box 32, Reading, PA 19603, (610) 373-6667. Pre-Bid Meeting with Site visit immediately to follow will be held on Tuesday, May 1, 2001, at 10 a.m. in the Reed Operations Center. Bids Due: May 17, 2001 at 4 p.m., Old Main Room 300. Bids Open: May 18, 2001 at 2 p.m., Old Main Room 203A. Prevailing wages, MBE/WBE and contracts apply.

Department: State System of Higher Education
Location: Shippensburg University, Shippensburg Township, Shippensburg, Cumberland County, PA
Duration: Summer 2001
Contact: Deborah K. Martin, Contract Administrator, (717) 477-1121

D.G.S. A 514-46 PROJECT TITLE: Replace Shingled Roof on Building #50. BRIEF DESCRIPTION: Remove existing roofing shingles and install new shingles. Cut opening in roof to allow installation of a continuous ridge vent. ESTIMATED RANGE: Under \$100,000.00. General Construction. PLANS DEPOSIT: \$25.00 per set made payable to: COMMONWEALTH OF PA. Refundable upon return of plans and specifications in reusable condition as construction documents within 15 days after the bid opening date. Bidder is responsible for the cost of delivery of the documents. Mail a separate check for \$5.00 per set or provide your express mail account number to the office listed below. Mail requests to: Department of General Services, 18th & Herr Streets, Room 107 Headquarters Building, Harrisburg, PA 17125, (717) 787-3923. Bid Date: WEDNESDAY, May 9, 2001 at 11 a.m.


Department: General Services
Location: Warren State Hospital, Warren, Warren County, PA
Duration: 70 CALENDAR DAYS FROM DATE OF INITIAL JOB CONFERENCE
Contact: Contract & Bidding Unit, (717) 787-6556

FDC-210-937.3 All Mechanical Work associated with the new comfort station at Moraine State Park in Butler County. Work includes drain, waste, vent and water supply piping; plumbing fixtures, heaters, exhaust fans, water treatment and purification systems. NOTE: Requests for Bid Documents may be made ON or AFTER April 30, 2001.

Department: Conservation and Natural Resources
Location: Franklin Township
Duration: 150 Days
Contact: Construction Management Section, (717) 787-5055

FDC-210-937.1 All General Construction work associated with the new comfort station at Moraine State Park in Butler County. Work includes excavation, bituminous paving, sand mound sewage system, concrete, carpentry, roofing, windows and doors and seeding and mulching. NOTE: Requests for Bid Documents may be made ON or AFTER April 30, 2001.

Department: Conservation and Natural Resources
Location: Franklin Township
Duration: 150 Days
Contact: Construction Management Section, (717) 787-5055




Environmental Maintenance Service

SP3510017125 Conduct subsurface rotary drilling investigations throughout Pennsylvania on an as-needed basis. For bid package, contact Sharon Peterson at (717) 787-2471 or shapeterso@state.pa.us.

Department: Environmental Protection
Location: Throughout Pennsylvania
Duration: July 1, 2001 through June 30, 2002, with three renewal options.
Contact: Sharon Peterson, (717) 787-2471

0400-DR Contractor to provide on-call drilling equipment and personnel for soils and geological investigations in accordance with the Standard Specifications for Subsurface Boring, Sampling and Testing in Publication 222, March 1997 edition. The work will be performed in the six counties of District 4: Lackawanna, Luzerne, Pike, Susquehanna, Wayne and Wyoming. Bids will be opened at the District 4-0 office, O'Neill Highway, Dunmore, PA 18512.


Department: Transportation
Location: Lackawanna, Luzerne, Pike, Susquehanna, Wayne and Wyoming Counties
Duration: One year contract followed by three one-year renewals.
Contact: Gerald Pronko, (570) 963-4039



Food

DP 7800-01 The contractor agrees to supply 2% butterfat milk and skim milk in five (5) gallon containers or 1/2 pint containers and any other related dairy products to the State Correctional Institution at Waymart. Deliveries will be on Tuesdays and Fridays of each week. Quantities will be established by our Food Service Department.


Department: Corrections
Location: State Correctional Institution, Rt. 6 East, P. O. Box 256, Waymart, PA 18472
Duration: July 1, 2001 to June 30, 2002
Contact: Andrew J. Booths, PA, (570) 488-2516



Hazardous Material Services

SP 10781002 Removal and disposal of infectious waste. For detailed specifications, contact the Purchasing Office at Wernersville State Hospital, (610) 670-4129.

Department: Public Welfare
Location: Wernersville State Hospital, Route 422, Berks County, P. O. Box 300, Wernersville, PA 19565-0300
Duration: Anticipated Start Date: July 1, 2001
Contact: Nancy Deininger, Purchasing Agent, (610) 670-4129



HVAC Services

SP-134301013 Preventive maintenance service for (5) standby generators, make (Kohler & Onan) at the Hollidaysburg Veterans Home. Contractor will also provide emergency services on an as needed basis, to include service & parts. For a bid package and/or questions, please fax your request to Becky J. Clapper, Purchasing Agent III at (814) 696-5395.

Department: Military Affairs
Location: Hollidaysburg Veterans Home, Rte. 220, Meadows Intersection, P. O. Box 319, Hollidaysburg, PA 16648-0319
Duration: 01 July 2001 through 30 June 2002, with up to (4) one-year renewals.
Contact: Becky J. Clapper, (814) 696-5395

SP 111460009 Contractor to provide rental service of bulldozer "DTE CatDozer with Ripper" (or approved equal) as often as required by State Correctional Institution at Laurel Highlands to construct parking lot "C" and extend the firing range. Institution will contact vendor as service is needed. Bid on file at Institution.

Department: Corrections
Location: State Correctional Institution at Laurel Highlands, 5706 Glades Pike, P. O. Box 631, Somerset, PA 15501-0631
Duration: 07/01/01 through 06/30/02
Contact: Carole S. Kolesko, PA II, (814) 445-6501 ext: 347

04-A-01 Heating, Ventilating and Air Conditioning Services: Services to be furnished on an as-needed basis. Services to be available on a 24 hr basis. All materials furnished to be of first quality. Call or fax us at (717) 787-0688 for a bid package.

Department: Labor and Industry
Location: Department of Labor and Industry, Mercer County CareerLink, 663 East State Street, Sharon, PA 18146-2098
Duration: 10/01/2001 - 09/30/2004 (3 Yrs)
Contact: C. Thomas/B. Fenton, (717) 787-2877/787-2560

062012 The Department of Transportation (West Chester Maintenance Building, 6-2) will be accepting bids for the maintenance of heating system and air conditioning systems. Also performing emergency repairs if needed for these systems. A Bid Package may be obtained by faxing your name, address and phone number to Lillian Frank, Purchasing Agent, at (610) 436-1904. Bids are anticipated to be opened at the West Chester Maintenance Building, 6-2, 401 Montgomery Ave., West Chester, PA 19380 on May 22, 2001 at 2 p.m.

Department: Transportation
Location: West Chester Maintenance Building, 6-2 401 Montgomery Avenue, West Chester, PA 19380
Duration: Three Years with an option to renew.
Contact: Lillian Frank, Purchasing Agent, (610) 436-2091




Janitorial Services

Bid #8293 Furnish all labor, equipment and materials to perform janitorial services FIVE (5) visits per week, to include emptying waste baskets, clean lavatories, sweep floors, vacuum carpets, dust furniture, general housecleaning twice a year, etc. Detailed Work Schedule & Bid must be obtained from Facility Management Division, (717) 783-5484.

Department: State Police
Location: Montoursville Headquarters, 899 Cherry Street, Montoursville, PA 17754-0068
Duration: 8/1/01 to 6/30/04
Contact: Donna Enders, (717) 783-5484

Bid #8292 Furnish all equipment, materials and labor to perform janitorial services, including empty waste baskets, clean lavatories, sweep floors, machine buff tile floors, etc., TWO (2) visits per week. Detailed Work Schedule and Bid must be obtained from Facility Management Division, (717) 783-5484.

Department: State Police
Location: Franklin Aviation Patrol Unit, 1526 Airport Road, Franklin, PA 16323
Duration: 8/1/01 to 6/30/03
Contact: Donna Enders, (717) 783-5484




Lodging/Meeting Facilities

04-B-01 Conference: Meeting facilities for the Bureau of Workers' Compensation, to accommodate approximately 800 attendees in the Harrisburg area on November 29, 30, 2001.

Department: Labor and Industry
Location: Conference to be held in the Harrisburg, PA, Dauphin or Cumberland County area.
Duration: November 29 and 30, 2001
Contact: C Thomas/B Fenton, (717) 787-2877/787-2560

461904 Re-Bid Facility in Pennsylvania within 10 miles of Exit 5 (Allegheny Valley) OR Exit 6 Monroeville from the PA Turnpike. With "Classroom Style" Room for 125 attendees, two "Breakout" Rooms for 35 attendees each and "Hospitality Style" Room for 50 attendees, as specified. Meeting & Breakout Rooms to be equipped with required A/V Equipment, Telephones, Personal Computers, etc., as specified. Breakfast, Lunch and Breaks (a.m. & p.m.) for 125 attendees, as specified. Provide Lodging (on site), 25 Single Rooms (early arrivals) Sept 16, 2001 and 125 Single Rooms Sept. 17, 18, 19 & 20, 2001, with 1 p.m. checkout. "Free" On-site parking for all attendees. Fax request for Bid Package to Wendy Heberlig (717) 783-4438, include Proper Business Name, Mailing Address with Contact Person and Telephone Number.


Department: Transportation
Location: In Pennsylvania, within 10 mile radius of PA Turnpike, Exit 5 (Allegheny Valley) or Exit 6 (Monroeville).
Duration: Sept 16 through 21, 2001
Contact: Wendy Heberlig, (717) 787-4299



Medical Services

113-0435 Contractor to provide optometrist/optician services for residents of Southwestern Veterans Center. Contract to include routine eye examinations and a selection of optical ware.


Department: Military Affairs
Location: Southwestern Veterans Center, 7060 Highland Dr., Pittsburgh, PA 15206
Duration: July 01, 2001 to June 30, 2003
Contact: Ken Wilson, (412) 665-6727



Photography Services

PGC-2704 The Pennsylvania Game Commission is soliciting bids for photographic reproduction, including the enlargement and reduction of maps, color separations, film positive, PMT. Contract requires a 24 hour turn-around time on all work. Vendor will be responsible for pick up and delivery.

Department: Game Commission
Location: Pennsylvania Game Commission, Automotive & Procurement Division, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797
Duration: Contract will expire on June 30, 2002.
Contact: Frank A. Hoover, (717) 787-6778



Property Maintenance

CL-538 Clarion University of Pennsylvania is soliciting bids for renovations to two toilet/shower areas in the basement of Givan Hall. The project includes replacement of toilet and shower compartments, flooring, installation of new plumbing fixtures and other plumbing work. Contracts to be awarded for general construction, plumbing and removal of asbestos (tile flooring). Pre-Bid Meeting: May 7, 10 a.m. in McEntire Maintenance Building. Bids Due: 2 p.m., May 18. Bid packages available from contact person with receipt of \$20/nonrefundable check payable to the University.

Department: State System of Higher Education
Location: Clarion University, Clarion, PA
Duration: 90 days from Notice to Proceed
Contact: Judy McAninch, Contract Specialist, (814) 393-2240

SP 3821210009 Landscape around parking areas and pool at Bendigo State Park.
Department: Conservation and Natural Resources
Location: Bendigo State Park is located on Glen Hazel Road in Johnsonburg.
Duration: Work must be completed by June 30, 2001
Contact: Gair Terrette, (814) 486-5639

CL-536 Clarion University of Pennsylvania is soliciting bids for replacement of exterior lighting surrounding tennis courts on the south side of the Clarion Campus. Work will include installation of new underground conduit system and repair of supporting concrete piers. Existing light poles will remain. Pre-Bid: 10 a.m., May 8. Bids Due: 2 p.m., May 22. Bid packages available from contact person, 218 Carrier Hall, Clarion University, Clarion, PA 16214. \$20/nonrefundable deposit required by check made payable to the University.

Department: State System of Higher Education
Location: Clarion University, Clarion, PA
Duration: 60 Days from Notice to Proceed
Contact: Judy McAninch, Contract Specialist, (814) 393-2240

10972021 Provide all supervision, labor and materials to grind, seal and restore the terrazzo floors to original finish and luster. Work includes approx. 6,000 square feet of floor located at Bengs Building, Dining Room. Prior to bidding, vendor must visit Mayview State Hospital to become acquainted with all phases of the proposal and to become familiar with the services required.

Department: Public Welfare
Location: Mayview State Hospital, 1601 Mayview Road, Bridgeville, PA 15017-1599
Duration: 07-01-01—06-30-02
Contact: F. Molisee, (412) 257-6215

DES035 Provide snow and ice removal services at the Norristown Driver Exam Site, 2101 Swede Road, Norristown, PA, 19401, on an as-needed basis. Requests for bid packages can be obtained by faxing request to: Susan Sobotor, fax # (717) 783-7971 or calling (717) 783-3931.


Department: Transportation
Location: Norristown Driver Exam Site, 2101 Swede Road, Norristown, PA, 19401
Duration: 5 years
Contact: Susan Sobotor, (717) 783-3931

DES036 Provide snow and ice removal services at the Somerset Driver Exam Site, 5593 Glades Pike, Somerset, PA, 15501, on an as-needed basis. Requests for bid packages can be obtained by faxing request to: Susan Sobotor, fax # (717) 783-7971 or calling (717) 783-3931.

Department: Transportation
Location: Somerset Driver Exam Site, 5593 Glades Pike, Somerset, PA 15501
Duration: 5 years
Contact: Susan Sobotor, (717) 783-3931

DES037 Provide snow and ice removal services at the Chambersburg Driver Exam Site, 190 Mill Road, Chambersburg, PA, 17201, on an as-needed basis. Requests for bid packages can be obtained by faxing request to: Susan Sobotor, fax # (717) 783-7971 or calling (717) 783-3931.


Department: Transportation
Location: Chambersburg Driver Exam Site, 190 Mill Road, Chambersburg, PA 17201
Duration: 5 years
Contact: Susan Sobotor, (717) 783-3931



Real Estate Services

93208 LEASE SPACE TO THE COMMONWEALTH OF PA Proposals are invited to provide the Pennsylvania Board of Probation & Parole with 5,326 useable square feet of office space within the following boundaries of Philadelphia: NORTH: South Street; SOUTH: Pattison Avenue; EAST: Delaware River; WEST: Schuylkill River. A minimum of 20 parking spaces are required. The offered space must be located within 3 blocks of public transportation. For more information on SFP #93208, which is due on June 18, 2001, visit www.dgs.state.pa.us or call (717) 787-4394.

Department: Probation and Parole Board
Location: Room 505 North Office Building, Harrisburg, PA 17125
Contact: John Hocker, (717) 787-4396




Sanitation

C-01-01 The contractor shall provide services for the pick-up and removal of municipal waste (garbage) at the State Correctional Institution at Coal Township.

Department: Corrections
Location: State Correctional Institution at Coal Township, 1 Kelley Drive, Coal Township, PA 17866 (Township of the City of Shamokin)
Duration: Three years beginning approximately July 1, 2001 to June 30, 2004
Contact: Nancy A. Lasko, (570) 644-7890 x 142

699100 Pick up and disposal of trash from stockpiles in Montgomery County. Vendor will supply (1) six (6) cubic yard dumpster at six (6) different locations

Department: Transportation
Location: Swede & Johnson Hwys., Norristown, PA 19401
Duration: 10/01/01 to 9/30/02 with four (4) one (1) year renewals.
Contact: Tom Carroll, (610) 275-2368



Miscellaneous

RFP#01-7 Contractor to provide job readiness and job placement programs to selected inmates at three (3) Department of Corrections facilities.

Department: Corrections
Location: 2520 Lisburn Road, Camp Hill, PA 17011
Duration: One (1) year contract with option to extend for an additional year.
Contact: Linda Malinak, (717) 975-4931

PGC-2706 Agency requires site preparation and the erection of five (5) separate woven wire deer enclosure fences on State Game Lands No. 98 in Boggs Township, Clearfield County (located in our Northcentral Region). The successful bidder shall provide all labor, superintendence, materials, tools and equipment for the installation of the fences. An optional site inspection tour will be conducted. Complete specifications and information may be obtained through the Pennsylvania Game Commission.

Department: Game Commission
Location: Pennsylvania Game Commission, Automotive & Procurement Division, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797
Duration: Contract will commence upon award date and expire on August 31, 2001.
Contact: Diane Shultz or Linda Beaver, (717) 787-6594

08-100201 Provide on call Maintenance and Protection of Traffic (Flagging) services in PennDOT Engineering District 10-0, including Armstrong, Butler, Clarion, Indiana and Jefferson Counties. All requests for bid packages must be received via FAX AT (724) 357-2872 (Attention: Diane Spence).

Department: Transportation
Location: Armstrong, Butler, Clarion, Indiana and Jefferson Counties
Duration: One (1) Year with Two optional Two-Year Renewals
Contact: Diane Spence, (724) 357-7987

SP3510016531 Provide bulk water tank rental and delivery of bulk water for approximately ten families located in Chicora, Pennsylvania. For bid package contact Sharon Peterson at (717) 787-2471 or shapeterso@state.pa.us.

Department: Environmental Protection
Location: Chicora, PA
Duration: July 1, 2001, through June 30, 2002, with three renewal options
Contact: Sharon Peterson, (717) 787-2471

3881190013 Contractor to supply and install 8 foot wire woven fence on State Forest Lands in Blooming Grove Township, Pike County, Pennsylvania. Total approximately is 7,970 L.F.

Department: Conservation and Natural Resources
Location: DCNR - Bureau of Forestry, Pike County, PA
Duration: Completion by September 31, 2001
Contact: Tim Ladner, (570) 895-4000

3881190015 Contractor to supply and install 8 foot wire woven fence at two sites on State Forest Lands in Porter Township, Pike County, Pennsylvania. Total for both sites is approximately 8,535 L.F.

Department: Conservation and Natural Resources
Location: DCNR - Bureau of Forestry, Pike County, PA
Duration: Completion by October 30, 2001
Contact: Tim Ladner, (570) 895-4000

3881190010A This is a Re-Advertisement. Contractor to supply and install 8 foot wire woven fence on State Park Lands in Greene Township, Pike County, Pennsylvania. Total of approximately 5,422 L.F.

Department: Conservation and Natural Resources
Location: DCNR - Bureau of Forestry, Pike County, PA
Duration: Completion by December 30, 2001
Contact: Tim Ladner, (570) 895-4000

3881190008A This is a Re-Advertisement. Contractor to remove 6,650 l.f. of existing 5 & 6 wire electric deer fence. Contractor to reinstall three, 8 foot deer fences. These will be installed where the removed fences existed. Approx. 13,000 l.f. of fence to be installed in three areas. Project is located on Pennsylvania State forest Lands in Palmyra Township, Pike County, Pennsylvania.

Department: Conservation and Natural Resources
Location: DCNR - Bureau of Forestry, Pike County
Duration: Completion by August 31, 2001
Contact: Tim Ladner, (570) 895-4000

430-Design Printing of full size plans using state of the art analog and digital equipment. Reproduce Highway Letting Plans from an original plan sheet of 22" x 36" to 22" x 36". Plan sheets must be copied 5 to 25 times. A set of plans may include 300 to 2000 sheets. Originals may be mylar, vellum, CD ROM disk, or regular bond paper. Price per set of plans includes 2 fasteners on the 22" side, collating, wrapping, labeling, pick-up and delivery. Original plans may be picked up at and returned to the Commonwealth Keystone Building, 400 North Street, Harrisburg, PA. Delivery of reproduction work is to be within 48 hours after receipt. Delivery hours are between 8 a.m. and 2 p.m.

Department: Transportation
Location: Bureau of Design, 400 North St., 7th Floor Harrisburg, PA 17120
Duration: This will be a one-year contract with one-year renewal options for a total of four such renewals.
Contact: Nancy Baker, (717) 787-3311

PGC-2705 Agency requires the removal of existing trees, roots and rocks and winnowing cleared trees, along with the preparation of the cleared area. The cleared area (and an access strip to the cleared area) must be disced, limed, fertilized and planted with a prescribed seed mixture. The successful bidder shall provide all labor, materials, equipment, tools, insurance and any and all items necessary for completion of the project. An optional site inspection tour will be conducted. Project must be completed by September 1, 2001.

Department: Game Commission
Location: Pennsylvania Game Commission, Division of Automotive & Procurement, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797
Duration: Contract will commence upon award date and expire on September 1, 2001.
Contact: Diane E. Shultz or Linda Beaver, (717) 787-6594

SP 260126 Furnish all labor, equipment and supplies to clean the inside and outside of approximately three hundred ninety-eight (398) windows on a quarterly basis at the Northwest Office Building, Capital and Boas Streets, Harrisburg, PA 17124-0001 in accordance with the Invitation for Bid.

Department: Liquor Control Board
Location: Northwest Office Building, Harrisburg, PA 17124
Duration: Upon notification to proceed through June 30, 2004.
Contact: Robert L. Isenberg, (717) 787-9855

SP1111000133 Translation of written documents from English to Spanish. Approximately 400 pages of material will require translation each year.

Department: Corrections
Location: PA Department of Corrections, 2520 Lisburn Road, Camp Hill, PA 17011
Duration: 3 years
Contact: Beth Procopio, (717) 975-4960

[Pa.B. Doc. No. 01-765. Filed for public inspection April 27, 2001, 9:00 a.m.]

DESCRIPTION OF LEGEND

- | | |
|--|---|
| <p>1 Advertising, Public Relations, Promotional Materials</p> <p>2 Agricultural Services, Livestock, Equipment, Supplies & Repairs: Farming Equipment Rental & Repair, Crop Harvesting & Dusting, Animal Feed, etc.</p> <p>3 Auctioneer Services</p> <p>4 Audio/Video, Telecommunications Services, Equipment Rental & Repair</p> <p>5 Barber/Cosmetology Services & Equipment</p> <p>6 Cartography Services</p> <p>7 Child Care</p> <p>8 Computer Related Services & Equipment Repair: Equipment Rental/Lease, Programming, Data Entry, Payroll Services, Consulting</p> <p>9 Construction & Construction Maintenance: Buildings, Highways, Roads, Asphalt Paving, Bridges, Culverts, Welding, Resurfacing, etc.</p> <p>10 Court Reporting & Stenography Services</p> <p>11 Demolition—Structural Only</p> <p>12 Drafting & Design Services</p> <p>13 Elevator Maintenance</p> <p>14 Engineering Services & Consultation: Geologic, Civil, Mechanical, Electrical, Solar & Surveying</p> <p>15 Environmental Maintenance Services: Well Drilling, Mine Reclamation, Core & Exploratory Drilling, Stream Rehabilitation Projects and Installation Services</p> <p>16 Extermination Services</p> <p>17 Financial & Insurance Consulting & Services</p> <p>18 Firefighting Services</p> <p>19 Food</p> <p>20 Fuel Related Services, Equipment & Maintenance to Include Weighing Station Equipment, Underground & Above Storage Tanks</p> <p>21 Hazardous Material Services: Abatement, Disposal, Removal, Transportation & Consultation</p> | <p>22 Heating, Ventilation, Air Conditioning, Electrical, Plumbing, Refrigeration Services, Equipment Rental & Repair</p> <p>23 Janitorial Services & Supply Rental: Interior</p> <p>24 Laboratory Services, Maintenance & Consulting</p> <p>25 Laundry/Dry Cleaning & Linen/Uniform Rental</p> <p>26 Legal Services & Consultation</p> <p>27 Lodging/Meeting Facilities</p> <p>28 Mailing Services</p> <p>29 Medical Services, Equipment Rental and Repairs & Consultation</p> <p>30 Moving Services</p> <p>31 Personnel, Temporary</p> <p>32 Photography Services (includes aerial)</p> <p>33 Property Maintenance & Renovation—Interior & Exterior: Painting, Restoration, Carpentry Services, Snow Removal, General Landscaping (Mowing, Tree Pruning & Planting, etc.)</p> <p>34 Railroad/Airline Related Services, Equipment & Repair</p> <p>35 Real Estate Services—Appraisals & Rentals</p> <p>36 Sanitation—Non-Hazardous Removal, Disposal & Transportation (Includes Chemical Toilets)</p> <p>37 Security Services & Equipment—Armed Guards, Investigative Services & Security Systems</p> <p>38 Vehicle, Heavy Equipment & Powered Machinery Services, Maintenance, Rental, Repair & Renovation (Includes ADA Improvements)</p> <p>39 Miscellaneous: This category is intended for listing all bids, announcements not applicable to the above categories</p> |
|--|---|

GARY E. CROWELL,
Secretary

Contract Awards

The following awards have been made by the Department of General Services, Bureau of Purchases:

Requisition or Contract No.	PR Award Date or Contract Effective Date	To	In the Amount Of
1307210-01	04/16/01	WMK/dba Mobility Works	65,224.00
1338110-01	04/16/01	Tom Craig Co.	13,938.00
1368110-01	04/16/01	Geneco Services	45,000.00
1378200-01	04/16/01	Harvey's Supply	31,458.54
1383110-01	04/16/01	J. Cyran Construction	22,700.00
1406180-01	04/16/01	Mail-Well Envelope	34,200.00
1415110-01	04/16/01	Meadville Plate Glass Co.	25,500.00
8252510-01	04/16/01	Lancaster Automobile Spring Co./ dba Lancaster Truck Bodies	15,984.00

GARY E. CROWELL,
Secretary

[Pa.B. Doc. No. 01-766. Filed for public inspection April 27, 2001, 9:00 a.m.]

