



Volume 45 (2015)

Pennsylvania Bulletin
Repository

7-4-2015

July 4, 2015 (Pages 3541-3698)

Pennsylvania Legislative Reference Bureau

Follow this and additional works at: https://digitalcommons.law.villanova.edu/pabulletin_2015

Recommended Citation

Pennsylvania Legislative Reference Bureau, "July 4, 2015 (Pages 3541-3698)" (2015). *Volume 45 (2015)*. 27.

https://digitalcommons.law.villanova.edu/pabulletin_2015/27

This July is brought to you for free and open access by the Pennsylvania Bulletin Repository at Villanova University Charles Widger School of Law Digital Repository. It has been accepted for inclusion in Volume 45 (2015) by an authorized administrator of Villanova University Charles Widger School of Law Digital Repository.

PENNSYLVANIA BULLETIN

Volume 45

Number 27

Saturday, July 4, 2015 • Harrisburg, PA


Pages 3541—3698

See Part II page 3651
for the SUBJECT INDEX for
January—June 2015

Part I

Agencies in this issue

The Courts
Capitol Preservation Committee
Department of Banking and Securities
Department of Community and Economic
Development
Department of Education
Department of Environmental Protection
Department of General Services
Department of Health
Department of Human Services
Executive Board
Independent Regulatory Review Commission
Insurance Department
Pennsylvania Public Utility Commission
Susquehanna River Basin Commission
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 488, July 2015

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 4 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$82.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2015 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT
 Notice of suspension 3548

LOCAL COURT RULES
Schuylkill County
 Criminal rule of procedure 530 designation, duties
 and powers of county bail agency; AD 64-15 3548

EXECUTIVE AND INDEPENDENT AGENCIES

CAPITOL PRESERVATION COMMITTEE
Notices
 Request for proposals (2 documents) 3551

DEPARTMENT OF BANKING AND SECURITIES
Notices
 Actions on applications 3551

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT
Notices
 Notice of a substantial amendment for the 2014
 Action Plan changes to the HOME Program
 method of distribution 3552

DEPARTMENT OF EDUCATION
Notices
 Availability of the 21st Century Community Learning
 Centers 2015-2018 request for applications
 and 21st Century Community Learning Centers
 Cohort 8 Grant paper application and instruc-
 tions 3552

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Notices
 Applications, actions and special notices 3556
 Climate Change Advisory Committee special meet-
 ing 3601
 Mining and Reclamation Advisory Board meeting
 location 3601
 Pipeline Infrastructure Task Force meeting 3601

DEPARTMENT OF GENERAL SERVICES
Notices
 Real estate for sale (2 documents) 3602

DEPARTMENT OF HEALTH
Notices
 Application of Penn Highlands Elk for exception 3602
 Application of Wayne Memorial Hospital for excep-
 tion 3602
 Approved prearrest and evidential breath testing
 devices 3602
 Health Policy Board meeting cancellation 3610
 Human Immunodeficiency Virus (HIV) Community
 Prevention Planning Committee public meet-
 ings 3610
 Laboratories approved to determine analyses of
 blood or serum, or both, for controlled substances
 under The Clinical Laboratory Act, the Vehicle
 Code, the Fish and Boat Code and the Game and
 Wildlife Code 3610

Laboratories approved to determine blood alcohol
 content under The Clinical Laboratory Act, the
 Vehicle Code, the Fish and Boat Code and the
 Game and Wildlife Code 3612

Laboratories approved to determine controlled sub-
 stance content of urine under The Clinical Labo-
 ratory Act, the Vehicle Code, the Fish and Boat
 Code and the Game and Wildlife Code 3620

Laboratories approved to perform blood lead and/or
 erythrocyte protoporphyrin determinations under
 The Clinical Laboratory Act 3633

Long-term care nursing facilities; request for excep-
 tion 3637

Minimum levels of controlled substances or their
 metabolites in blood to establish presence of con-
 trolled substance 3638

Renal Disease Advisory Committee meeting 3639

Traumatic Brain Injury Advisory Board meeting 3639

DEPARTMENT OF HUMAN SERVICES
Notices
 Additional class of disproportionate share hospital
 payments 3640

EXECUTIVE BOARD
Statements of Policy
 Reorganization of the Governor’s Office of the
 Budget 3549

INDEPENDENT REGULATORY REVIEW COMMISSION
Notices
 Action taken by the Commission 3640

INSURANCE DEPARTMENT
Notices
 RiverSource Life Insurance Company (AERS-
 129957578); rate increase filing for several LTC
 forms 3641
 RiverSource Life Insurance Company (AERS-
 129957668); rate increase filing for several LTC
 forms 3641
 RiverSource Life Insurance Company (AERS-
 129957728); rate increase filing for several LTC
 forms 3641

PENNSYLVANIA PUBLIC UTILITY COMMISSION
Notices
 2016 Total Resource Cost (TRC) test; doc. No.
 M-2015-2468992 3642
 Act 129 Energy Efficiency and Conservation Pro-
 gram phase III; doc. No. M-2014-2424864 3642
 Service of notice of motor carrier applications 3642
 Telecommunications 3643
 Transfer of assets 3643

SUSQUEHANNA RIVER BASIN COMMISSION
Notices
 Actions taken at June meeting 3643
 Projects approved for consumptive uses of water 3645

Available Online at <http://www.pabulletin.com>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania Bulletin* before it can take effect. If the agency

wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred. The *Pennsylvania Bulletin* is available at www.pabulletin.com.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised. A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where “no fiscal impact” is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2015.

4 Pa. Code (Administration)

Adopted Rules

1	653, 766, 1062
6	542, 543, 768, 1064
7	655, 656
7a	656, 1937, 2455

Statements of Policy

9	561, 1115, 1267, 2719, 3220, 3549
---	-----------------------------------

7 Pa. Code (Agriculture)

Adopted Rules

128	308
137b	3311

10 Pa. Code (Banking and Securities)

Adopted Rules

57	408
----	-----

25 Pa. Code (Environmental Protection)

Adopted Rules

93	2829
806	16

Proposed Rules

215	1367
901	2611

40 Pa. Code (Liquor)

Adopted Rules

3	2594
---	------

Proposed Rules

5	1850
7	2479, 2614
13	2478

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

1	2466
43b	3360

Proposed Rules

5	2887
11	2878
37	2368
43b	2704, 2874

52 Pa. Code (Public Utilities)

Adopted Rules

3	2468
5	2468
23	2468
31	2468
32	2468

Proposed Rules

53	1264
54	1258
62	2705
1017	2876

55 Pa. Code (Public Welfare)

Statements of Policy

181	1633
-----	------

58 Pa. Code (Recreation)

Adopted Rules

63	1616
65	1256
97	1616
103	1616
131	560
133	1363
135	2596
139	2596, 2603
141	2604, 2605, 2606, 2607
143	1365
147	1363, 1366, 2606, 2607, 2608, 3362
421a	2829
423a	2829
425a	2829
427a	2829
429a	2829
431a	2829
433a	2829
435a	2829
437a	2829
440a	2829
441a	2829
461a	2829
465a	2358, 2829
609a	2829
623a	2829
633a	2829
643a	2829
645a	2829

Proposed Rules

61	1619
63	1619
65	1257, 1619
79	1619
135	1374
139	1375, 1381
141	1369, 1371, 1372, 1630
147	1371, 1372, 1631
659a	1383

61 Pa. Code (Revenue)

Adopted Rules

899	2359
-----	------

Proposed Rules

701	2362
702	2362
703	2362

67 Pa. Code (Transportation)

Proposed Rules

71	2716
83	2255, 3218

101 Pa. Code (General Assembly)

Statements of Policy

31	2051
303	2051

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules
 6 1838
 19 2040
 40 2589

204 Pa. Code (Judicial System General Provisions)

Adopted Rules
 81 279, 953, 2825
 82 2825
 83 279, 953
 85 2457
 87 544
 89 544
 91 544
 93 544, 2457
 95 544
 303 3457

Proposed Rules

213 661
 303 1751

207 Pa. Code (Judicial Conduct)

Adopted Rules
 33 8, 1841
 51 860, 1838

210 Pa. Code (Appellate Procedure)

Adopted Rules
 11 288
 19 1943
 21 290

Proposed Rules

1 1605
 21 1605

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 291, 1490
 1910 1354, 1842, 2352
 1915 1354
 1920 1354, 2457
 1930 1354
 3000 2825

Proposed Rules

200 1843
 400 1249
 1000 1249
 1900 1250
 1915 1606
 1950 1607
 Part II 1070

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules
 4 2040
 10 2040

Proposed Rules

1 2140
 4 1846
 7 675

237 Pa. Code (Juvenile Rules)

Adopted Rules
 1 953

Proposed Rules

4 1491

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules
 800 1492

Proposed Rules

200 954, 1251
 300 1356, 1358
 400 954, 1252
 500 954, 1111, 1356
 800 954
 1000 954, 1111, 1358

249 Pa. Code (Philadelphia Rules)

Unclassified 291, 306, 2461, 2826, 3201

252 Pa. Code (Allegheny County Rules)

Unclassified 2464

255 Pa. Code (Local Court Rules)

Unclassified 8, 10, 11, 407, 555, 676, 677, 678, 771, 772, 773, 860, 861, 862, 964, 1113, 1114, 1254, 1360, 1496, 1847, 1848, 1943, 1947, 1950, 2047, 2239, 2240, 2241, 2356, 2357, 2464, 2465, 2589, 2592, 2703, 2826, 2827, 3201, 3215, 3308, 3548

THE COURTS

Title 255—LOCAL COURT RULES

SCHUYLKILL COUNTY

Criminal Rule of Procedure 530 Designation, Duties and Powers of County Bail Agency; AD 64-15

Order of Court

And Now, this 22nd day of June, 2015 at 3:30 p.m., Schuylkill County Criminal Rule of Procedure, Rule 530, Designation, Duties and Powers of County Bail Agency is adopted for use in the Court of Common Pleas of Schuylkill County, Pennsylvania, Twenty-First Judicial District, Commonwealth of Pennsylvania, effective thirty days after publication in the *Pennsylvania Bulletin*.

The Clerk of Courts of Schuylkill County is Ordered and Directed to do the following:

- 1) File seven (7) certified copies of this Order and Rules with the Administrative Office of the Pennsylvania Courts.
- 2) Forward two (2) certified copies of this Order and Rule and a CD-ROM containing the text of the local rules to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.
- 3) Forward one (1) certified copy of this Order and Rules with the Pennsylvania Criminal Procedural Rules Committee.
- 4) Forward one (1) copy to the Schuylkill County Law Library for publication in the *Schuylkill Legal Record*.
- 5) Copies shall be kept continuously available for public inspection in the Office of the Schuylkill County Clerk of Courts and the Schuylkill County Law Library.

It is further *Ordered* that said rule as it existed prior to the amendment is hereby repealed and annulled on the effective date of said rule as amended, but no right acquired thereunder shall be disturbed.

By the Court

WILLIAM E. BALDWIN,
President Judge

Rule 530. Designation, Duties and Powers of County Bail Agency.

- (a) The Schuylkill County Bail Release Program, which shall be administered by the Schuylkill County Adult Probation Department, is hereby designated as the county bail agency pursuant to Pa.R.Crim.P. 530.
- (b) The county bail agency shall have all the duties and powers specified in Pa.R.Crim.P. 530, which shall include, but not be limited to:

- (1) the authority to make recommendations to the bail authorities concerning the conditions of release on bail;
- (2) the authority to supervise defendants released on bail pursuant to conditions approved by the bail authorities;

(3) the power to subject defendants released on bail under its supervision to reasonable rules and regulations to implement the bail agency's functions; and

(4) upon issuance of a bail piece, to apprehend and detain a defendant for the purpose of bringing the defendant before the bail authority pursuant to Pa.R.Crim.P. 536(B).

(i) A defendant taken into custody pursuant to a bail piece issued by a judge of the Court shall be processed in accordance with the procedure set forth in Pa.R.Crim.P. 150.

(c) The county bail agency shall, in all cases, be qualified and empowered to act as the supervisory agency over all defendants committed to supervised bail if so designated by the Court or other bail authority; but the county bail agency shall incur no financial liability by acting as the supervisory agency.

(d) Designation by the bail authority of the county bail agency as the supervisory agency in a bail case shall subject the defendant to the supervisory rules and regulations of the county bail agency.

(e) The county bail agency is hereby authorized to charge the defendant such fees for the performance of its supervisory duties as may be authorized from time to time by administrative order of the Court. The fees so charged to the defendant shall be payable to the County of Schuylkill.

(f) Nothing in this rule shall prohibit the posting of any other type of bail permitted by Pa.R.Crim.P. 527 or 528 by a private or licensed surety.

(g) Any designation of the Schuylkill County Bail Release Program as the supervisory agency shall be listed on the bail bond as a condition of bond pursuant to Pa.R.Crim.P. 526.

[Pa.B. Doc. No. 15-1226. Filed for public inspection July 2, 2015, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Suspension

Notice is hereby given that by Order of the Supreme Court of Pennsylvania dated June 18, 2015, Peter C. Ibe (# 83769) whose registered address is 100 Burke Terrace, Suite 2, Atlanta, GA, is Suspended on Consent from the Bar of this Commonwealth for a period of two and one-half years. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

ELAINE M. BIXLER,
Secretary
*The Disciplinary Board of the
Supreme Court of Pennsylvania*

[Pa.B. Doc. No. 15-1227. Filed for public inspection July 2, 2015, 9:00 a.m.]

STATEMENTS OF POLICY

Title 4—ADMINISTRATION

PART II. EXECUTIVE BOARD

[4 PA. CODE CH. 9]

Reorganization of the Governor's Office of the Budget

The Executive Board approved a reorganization of the Governor's Office of the Budget effective June 19, 2015.


The organization chart at 45 Pa.B. 3550 (July 4, 2015) is published at the request of the Joint Committee on Documents under 1 Pa. Code § 3.1(a)(9) (relating to contents of *Code*).

(Editor's Note: The Joint Committee on Documents has found organization charts to be general and permanent in nature. This document meets the criteria of 45 Pa.C.S. § 702(7) (relating to contents of *Pennsylvania Code*) as a document general and permanent in nature which shall be codified in the *Pennsylvania Code*.)

[Pa.B. Doc. No. 15-1228. Filed for public inspection July 2, 2015, 9:00 a.m.]

GOVERNOR'S OFFICE OF THE BUDGET

OR-15-010
June 19, 2015



NOTICES

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

Request for Proposals

CPC 14.148: Restoration of the Law Library Wood-work. General repair restoration and refinishing of all wood paneling areas including window reveal, pilaster and columns; selective removal and reinstallation of marble base; removal of existing surface electrical raceway/conduit and accessories, and the installation of new concealed conduit for electrical devices; construction and installation of new custom information/reference desk; general cleaning of project area surfaces; and protection of adjacent finished architectural elements. All work to be completed by qualified conservators and artisans.

A \$100 dollar deposit is required for issuance of project documents. The issue date of the request for proposal will be on July 22, 2015. A mandatory preproposal conference and walk through will be held on July 29, 2015, at 1:30 p.m. in Room 630, Main Capitol Building, Harrisburg, PA. The proposal receipt date is August 26, 2015, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 15-1229. Filed for public inspection July 2, 2015, 9:00 a.m.]

CPC 15.151: Conservation Maintenance of the Barnard Statuary and Mexican War Monument. Yearly cyclical preservation maintenance of the Barnard Statuary and Mexican War Monument. Conservation and maintenance includes repair of micro-cracks, mortar joints, cementitious composite patch material, sealant joint, and fabrication and installation of elective replacement Dutchman for the Barnard Statuary. The project includes preventative cleaning, rinsing and application of an anti-microbial treatment for the Barnard Statuary and Mexican War Monument. The work also includes detailed review, condition assessment and reporting of conditions in electronic and hard copy formats.

A \$100 dollar deposit is required for issuance of project documents. The issue date of the request for proposal will be on July 22, 2015. A mandatory preproposal conference and walk through will be held on July 29, 2015, at 10 a.m. in Room 630, Main Capitol Building, Harrisburg, PA. The proposal receipt date is August 26, 2015, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 15-1230. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 23, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-17-2015	Meridian Bank Malvern Chester County	100 East State Street Media Delaware County	Approved
6-17-2015	Mid Penn Bank Millersburg Dauphin County	5288 Simpson Ferry Road Mechanicsburg Cumberland County	Approved

CREDIT UNIONS
Branch Applications
De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-20-2015	Boeing Helicopters Credit Union Ridley Park Delaware County	1810 Wilmington Pike Glen Mills Delaware County	Opened

Community Charter Conversions

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
6-18-2015	Boeing Helicopters Credit Union Ridley Park Delaware County	Effective

Amendment to Article 8 of the credit union's Articles of Incorporation provides the following field of membership: "The field of membership of said credit union shall be persons who live, work, worship, or attend school and businesses or other legal entities located within the county of Delaware in Pennsylvania, employees of the Credit Union and members of the immediate family or household of any of the foregoing; and organizations of such persons."

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 15-1231. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Notice of a Substantial Amendment for the 2014 Action Plan Changes to the HOME Program Method of Distribution

Notice is hereby given for a public comment period to review the proposed substantial amendment to the Commonwealth's Action Plan for Fiscal Year 2014 HOME Investment Partnership Program (HOME). The public comment period is from July 4, 2015, through August 3, 2015.

Annually the Department of Community and Economic Development (Department) prepares the Action Plan which outlines the method of distribution for Federal funding received by the Department. This Federal funding includes the HOME program. An Action Plan for these funds was finalized and submitted to the United States Department of Housing and Urban Development (HUD) on July 7, 2014, and an amendment was submitted to HUD on July 1, 2015. The Department is proposing changes to the method of distribution for the HOME, which according to the Pennsylvania Citizen Participation Plan for the Consolidated Plan, constitute a significant change in the distribution of funds under the program and thus necessitate a substantial amendment to the original action plan.

The substantial amendment to the Action Plan and supporting documentation is available for a 30-day public comment period and can be viewed on the Department's web site at <http://www.newpa.com/>. The text is available to sight and hearing-impaired persons using technological assisted devices by means of the Department's previously listed web site. A translation into Spanish will also be available on the Department's web site for citizen com-

ment. The final version of the substantial amendment will be submitted to HUD no later than August 6, 2015.

Persons who would like to provide written comment on the draft substantial amendment to the 2014 Action Plan may send those comments electronically to RA-DCEDcdbg&homequestions@pa.gov or mail to the attention of Megan L. Snyder, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Harrisburg, PA 17120. Comments must be received before 4 p.m. on August 3, 2015.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 15-1232. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Availability of the 21st Century Community Learning Centers 2015-2018 Request for Applications and 21st Century Community Learning Centers Cohort 8 Grant Paper Application and Instructions

The Department of Education (Department) announces the availability of the 21st Century Community Learning Centers (21st CCLC) 2015-2018 Request for Applications (RFA) and the 21st CCLC Cohort 8 Grant Paper Application and Instructions for 2015-2018. The Cohort 8 application for the 21st CCLC grant will be created, submitted, collected and competed by means of a paper application process.

The purpose of the program is to establish or expand community learning centers that provide students who attend high-poverty and low-performing schools with academic enrichment opportunities by expanding learning

opportunities during nonschool hours along with activities designed to complement the students' regular academic program. Community learning centers must also offer families of these students literacy and related educational development. Centers, which can be located in elementary or secondary schools or other similarly accessible facilities, provide a range of high-quality services to support student learning and development, including tutoring and mentoring, homework help, academic enrichment (such as hands-on science or technology programs) and community service opportunities, as well as music, arts, sports and cultural activities. At the same time, centers help working parents by providing a safe environment for students during nonschool hours or periods when school is not in session.

Application Process

The 21st CCLC Grant RFA and Guidance for Fiscal Years (FY) 2015-2018, the 21st CCLC Cohort 8 Grant Paper Application and Instructions for 2015-2018 and all attachments for new grants will be available online beginning July 1, 2015, on the Department's 21st CCLC web site at www.education.pa.gov (Keywords: 21st CCLC).

Applicants are required to complete each section of the 21st CCLC paper application explained in the 21st CCLC Cohort 8 Grant Paper Application and Instructions for 2015-2018 document and submit the completed application to Maribel Martinez at the Department's Division of Student Services at the address listed as follows by 12 p.m. on Wednesday, August 5, 2015. All sections must be completed to submit the application. No sections of the paper application are optional. Faxed and e-mailed copies will not be accepted. Originals, paper copies and attachments received after the deadline will not be reviewed. Failure to submit the required copies of the signatory documents by the deadline will result in the disqualification of the grant application and denial to proceed to the peer review.

Prior to Grant Award

All potential applicants must complete the following steps:

1. Notify the Department by means of e-mail of the applicant's intent to submit an application. Include the legal name of entity and either the AUN (school districts/charter schools/intermediate units) or EIN (all other organizations) and vendor number for the lead organization. Specify in the letter of intent to apply the target population to be served including grade levels, proposed site locations, district and school names, community based organization partners, and the like. E-mail the letter of intent to sdannunzio@pa.gov by 4 p.m. on Monday, July 13, 2015. Note this is due prior to the paper application submission deadline. No extensions will be granted.

2. If the agency is not a school district, charter school or intermediate unit, the agency will need to register for a vendor number. Nonprocurement entities can apply for a brand new vendor number at www.vendorregistration.state.pa.us. Applicants must have a vendor number to do business with the Commonwealth and so that the applicants can be paid by the Commonwealth if their application is selected for funding. Once applicants have a vendor number, applicants will provide the vendor number on the Title Page form and grant agreement document.

3. Consult with eligible nonpublic entities located within the attendance area of local education agencies (LEA) regarding participation in the proposed 21st CCLC

program. Complete the Certification of Nonpublic Involvement Form located in Appendix A of the 21st CCLC Grant RFA and Guidance for FY 2015-2018. (Charter school applicants need not complete.)

4. Register for and attend one preproposal workshop. One preproposal workshop will be simultaneously broadcast from Harrisburg Pennsylvania Training and Technical Assistance Network (PaTTAN) on Monday, July 13, 2015, to the King of Prussia and Pittsburgh PaTTAN locations.

Submission

Paper applications with attachments for 21st CCLC funding must be submitted by mail or hand delivered to the Department. Applications submitted by e-mail, facsimile or any method other than the approved mailed paper submission will not be accepted. Applications submitted by means of overnight mail must be received at the Department's Division of Student Services no later than 12 p.m. on Wednesday, August 5, 2015. Print a paper copy of the completed paper application with all attachments for the applicant's own records.

Forward original signature documents signed in blue ink to the Department no later than 12 p.m. on Wednesday, August 5, 2015, to the attention of Maribel Martinez, Fiscal Technician, Department of Education, Division of Student Services, 333 Market Street, 5th Floor, Harrisburg, PA 17126-0333.

Note: Failure to submit the required copies of the signatory documents by the deadline will result in the disqualification of the grant application and denial to proceed to the peer review. A list of required signature documents is provided in the Cohort 8 Grant Application and Instructions.

Eligible entities may apply for funding on behalf of one or more public schools within the applicant district through a single paper application process. Each district is limited to one application per district.

Pregrant Workshops/Webinar

To assist eligible applicant entities in completing the paper application, the Department will host a 1-day 21st CCLC pregrant workshop at the three regional PaTTAN offices located in Harrisburg, King of Prussia and Pittsburgh on Monday, July 13, 2015, from 10 a.m. to 1 p.m. The presentation in Harrisburg will be live and streamed to the other two PaTTAN locations.

Participation in a pregrant workshop is required for all eligible community-based organizations, school districts or charter schools, intermediate units, faith-based organizations and Nationally affiliated service organizations planning to submit an application for the 21st CCLC competitive funds for 2015-2018. To register, e-mail Jeanette Medina at jemedina@pa.gov. No phone calls. Include the location where the applicant will attend, the applicant's name, e-mail address, telephone number and the name of the organization that is planning to apply. Be aware that an access code will be required for entry at the Pittsburgh PaTTAN location.

Funding Availability

The Department will have approximately \$18 million available for Cohort 8 grants. Applicants may select to provide out-of-school time programming (that is, before school, afterschool, holidays, weekends and summer school services) focused on improving prekindergarten through grade 12 performance measures of school attendance, classroom performance or reduced disciplinary

referrals, or both, and meeting State and local academic achievement standards in reading, math and science. In keeping with the 21st CCLC nonregulatory guidance that larger, more comprehensive grants are more likely to have a measurable impact on student achievement, applicants proposing services for traditional afterschool programming during the regular after school hours, weekends, evenings and summer may request funds ranging from a minimum of \$50,000 to a maximum of up to \$400,000. Programs that propose to provide both school year and summer programming are more powerful for results and data; therefore, no funds will be available for applicants who do not propose a minimum of 6 weeks of summer programming. There will be no summer-only applicants in this grant round.

Communities or organizations may apply together to share resources, so long as statutory requirements are met. The Department can determine what constitutes an eligible consortium as long as the Commonwealth's determination is consistent with program requirements. Only one contract will be issued for each application selected for funding, even for joint proposals. In the case of a joint application, the identified entity will have fiscal and contractual responsibility. Only those community-based organizations and Nationally affiliated service organizations who will be partnering with Commonwealth schools are eligible to apply. The services to be provided must target the neediest of this Commonwealth's students and their families.

Per section F-12 of United States Department of Education 21st CCLC Non-Regulatory Guidance, communities that presently have a 21st CCLC Grant from the Department are eligible to receive additional funds under the Department administered program. The United States Department of Education Non-Regulatory Guidance document can be accessed at <http://www2.ed.gov/programs/21stcclc/guidance2003.pdf>. However, local applicants should be aware that new funds must be used in a manner consistent with all the requirements of the statute and must be used only to supplement, not supplant, any Federal, State or local dollars available to support activities allowable under the 21st CCLC program.

Federal Funding Priorities

The Department will give competitive priority to applications that both propose to serve students who attend schools identified for improvement (under section 1116 of Title I) and that are submitted jointly between at least one LEA receiving funds under Title I, Part A and at least one public or private community organization.

In determining whether an application has been "submitted jointly," the Department will look for evidence of:

- a. Collaboration in the planning and design of the program.
- b. Substantial roles for each partner in the delivery of services and management and oversight of the program.
- c. Shared grant resources to carry out roles.
- d. One partner serving as the fiscal agent.
- e. Integration with the regular school day program.

Only one contract will be issued for each application selected for funding, even for joint proposals. Communities or organizations may apply together to share resources, so long as statutory requirements are met. The Department has determined that for the purpose of the 21st CCLC grant, the following constitute an eligible

consortium: two or more individual companies; community-based organizations; service-related organizations; or educational entities that partner together to benefit the students at the educational site locations targeted for program implementation for the purpose of the grant and who actively contribute to and collaborate on the 21st CCLC-funded project. Only one partner will be named as the grantee if selected for funding and will have the fiduciary and fiscal responsibilities for the grant. Consequently, every joint application must identify only one organization to be designated as the grantee and the fiscal agent on behalf of all members of the consortium. That entity will have fiscal and contractual responsibility for carrying out the proposed grant program. The Department encourages joint collaborators to identify a grantee that has expertise in managing the fiscal and contractual obligations required by 21st CCLC. Organizations do not have to demonstrate prior experience in providing afterschool programs to be eligible to apply for a grant, but must describe the likelihood of successful implementation and the capability to provide activities and services outlined in the proposal. Members seeking payment for services will be considered providers rather than partners.

Letters of endorsement are not by themselves sufficient evidence that organizations or school districts have substantially been involved in the design of a program. Letters of support of applications received will not be reviewed as part of the peer review process. Refrain from submitting letters of support.

As mandated by Federal law (Pub.L. No. 107-110, § 4204(i)), highest funding priority will be given to applications that meet both of the following conditions:

1. The applicant proposes to serve students who attend school districts that have been identified for improvement by the Department.
2. The application has been submitted jointly by at least one LEA receiving funds under Title I, Part A, and at least one public or private community organization.

To be viewed as a joint application, there must be evidence that: (1) the LEA and at least one other organization collaborated in the planning and design of the program; (2) each have substantial roles to play in the delivery of services; (3) both share grant resources to carry out those roles; and (4) both have significant ongoing involvement in the management and oversight of the program.

The Commonwealth's Funding Priority

Up to 65 additional priority points could be assigned to applications demonstrating prior program experience and that propose highest quality programming for the priority area targeted. Following are the additional priority areas:

1. Preference for funding will be given to qualified applicants proposing to provide afterschool services to students attending schools designated as "priority" or "focus" schools with school performance profile scores in the lowest 5% to 10% of Title I schools and will receive the highest funding priority consideration for 21st CCLC funds. All applicants must meet this Commonwealth priority to receive highest funding priority consideration. The 2014-2015 Priority and Focus schools can be found at www.education.pa.us (The Department will award points for this application required priority.)

2. Preference for funding will be given to qualified applicants with demonstrated previous experience and success in providing services to elementary, middle and

high school students in grades 2—12 and who propose offering Science, Technology, Engineering and Mathematics (STEM) and the addition of Arts education to STEM services (STEAM) exclusively to students from eligible elementary, middle schools and high schools in grades 2—12. Programs that integrate the proposed afterschool programming with existing research-based programs and that demonstrate effective utilization of STEM and have previous experience and success in providing STEM or STEAM, and in raising the awareness and understanding of students about STEM/STEAM activities by infusing STEM/STEAM into expanded learning opportunities, after school and summer programming and that meet the previous criteria, could be eligible for up to ten extra priority points based upon the quality of their proposal.

3. Preference for funding will be given to qualified applicants offering credit recovery to high school students. An applicant may propose to use 21st CCLC program funds for a before-school or after-school program or activity for which participants may receive credit toward high school graduation requirements if: (1) a program or activity is an expansion of the options for receiving high school credit in a particular area that would not have been provided without the 21st CCLC program; and (2) the program or activity does not replace or reduce the courses and programs normally provided by a local school district or private school (that is, there is no reduction in the course offerings or costs in that particular academic area). Note that a drop in program is unallowable, credit recovery students must attend the program for all portions of the program, and credit recovery must include a blended approach of face-to-face instructor led components and online programming. The online component cannot be 100% of the teaching methodology. Applicants could be eligible for up to ten extra priority points based upon the quality of their proposal.

Note: It is important to note that it is the responsibility of the entity to award the credit. There must be a letter of agreement between the LEA and the grantee clarifying the responsibility of recording the credits.

4. Preference for funding will be given to qualified applicants offering career and college readiness opportunities for high school students in grades 10—12 and who document evidence of expanding career connections for students while promoting career-technical and college routes. Career and college readiness programming must offer the following: alignment with realistic college attendance aspirations; academic planning for college and career readiness; academic enrichment opportunities to improve grades, and college or technical school eligibility; offer assistance in paper and online applications; helping students to prepare for careers, technical school or college; provide structured homework help, college counseling services, and afterschool and summer learning programs; and provide engaging learning opportunities for youth by connecting learning to careers, college and other future plans. An applicant may propose to use 21st CCLC program funds for a before or afterschool program or activity that provides participants with early and ongoing exposure to career and college readiness opportunities for high school students. Applicants could be eligible for up to ten extra priority points based upon the quality of their proposal.

5. Preference for funding will be given to qualified applicants proposing services to K—12 students located in counties, communities and schools identified by the Department as those that have not previously housed 21st CCLC programs or received funding as an applicant or

part of a consortium. Preference for funding will be given to qualified applications from communities across this Commonwealth that have not previously received 21st CCLC funding. To qualify for this priority no member of the consortium group or any single applicant agency, district or community-based agency will have received a 21st CCLC grant under any name since 2008. Applicants could be eligible for up to 20 extra priority points based upon the quality of their proposal.

6. High risk grantees may have up to 40 points deducted from their application rubric subtotal score based upon prior grant history, failure to comply with the general or specific terms and conditions of the grant, and failure to meet the expected performance goals as described in their prior applications.

Period of Availability

The grant period will range from October 1, 2015, to September 30, 2018.

Eligible Applicants

Federal law mandates, per section 4203(a)(3), that any public or private organization may apply for 21st CCLC funding if it proposes to serve:

1. Students who primarily attend either:
 - a. Schools eligible for schoolwide programs under (Title I) section 1114.
 - b. Schools that serve a high percentage of students (at least 40%) from low-income families.
2. The families of those students described previously.

Preference for funding will be given to qualified applicants designated as “priority” or “focus” schools with school performance profile scores in the lowest 5% to 10% of Title I schools will receive the highest funding priority consideration for 21st CCLC funds. All applicants must meet this Commonwealth priority to receive highest funding priority consideration.

Additional Commonwealth funding priorities can be found in the 21st CCLC Grant RFA and Guidance for FY 2015-2018.

Application Information

Detailed information outlining grant terms and conditions, program eligibility, pertinent regulations including expenditure guidelines, evaluation and program accountability requirements and additional resources are contained in the complete 21st CCLC Grant RFA and Guidance for FY 2015-2018 and in the 21st CCLC Cohort 8 Grant Paper Application. Instructions for 2015-2018 can be accessed by:

- Visiting the Department’s web site at www.education.pa.gov.
- E-mail additional questions to RA-21stCCLC@pa.gov.

Due Process for Unsuccessful Applicants

Under 34 CFR 76.401(c)(1) (relating to disapproval of an application—opportunity for a hearing), the Department must provide an opportunity for a hearing if the applicant alleges that the “[d] is approval of or failure to approve the application or project” violates a Federal statute or regulation.

- Upon written request, applicants not selected for funding may submit a request on agency letterhead to the Department within 4 weeks of award notification requesting information on the ranking and scoring of their

application to sdannunzio@pa.gov. Include the name of the applicant agency in the request.

- Applicants have 30 days from the time they are informed of their right to a hearing to request a hearing.
- The Department will conduct that hearing within 30 days of the request for a hearing.
- The Department will issue a final written ruling within 10 days from the date of the hearing, including findings and reasons for the final ruling.
- If the Department does not rescind its ruling the applicant may apply to the Secretary of the United States Department of Education within 20 days of the applicant receiving a written notification of the results of the hearing.

- The Department will make available records pertaining to the review or appeal process, including the records of other applicants.

For additional program information contact Department of Education, Susan D'Annunzio, 21st CCLC Program Supervisor, 333 Market Street, 5th Floor, Harrisburg, PA 17126-0333, (717) 346-3186, fax (717) 783-4392, sdannunzio@pa.gov.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 15-1233. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be

published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0061000 (Sewage)	Four Seasons Village RR Box 3350 LR 57044 & T-470 Union Dale, PA 18470	Susquehanna County Herrick Township	East Branch Tunkhannock Creek (4-F)	Y
PA0021555 (Sewage)	Weatherly Borough WWTP Seventh Street Weatherly, PA 18255-1437	Carbon County Weatherly Borough	Black Creek (2-B)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0039748— SEW	US Army Corps of Engineers— 7 Points Rec Area— Lake Raystown 6145 Seven Points Road Hesston, PA 16647-9227	Huntingdon County/ Penn Township	Raystown Branch Juniata River/11-D	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0028100 (Sewage)	Turbotville Borough Wastewater Treatment Plant 2 Adam Street Turbotville, PA 17772-9069	Northumberland County Turbotville Borough	Unnamed Tributary to Warrior Run (10-D)	N

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0032760 (Sewage)	PA DOT Rest Area 17 Interstate 79 Northbound Hadley, PA 16130	Mercer County Deer Creek Township	Unnamed Tributary to Sandy Creek (16-G)	Y
PA0239607 (Sewage)	Rocky River Development Riverview Drive Parker, PA 16049	Clarion County Perry Township	Unnamed Tributary to the Allegheny River (17-C)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0026964, Sewage, SIC Code 4952, **Lower Perkiomen Valley Regional Sewer Authority**, 101 Station Avenue, P. O. Box 297, Oaks, PA 19456. Facility Name: Oaks WWTP. This existing facility is located in Upper Providence Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage through Outfall 001 to Schuylkill River. Site stormwater is discharged through Outfall 002 to Schuylkill River and Outfall 003 to Perkiomen Creek.

The receiving stream(s), Schuylkill River and Perkiomen Creek, are located in State Water Plan watersheds 3-D and 3-E and are classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 14.25 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	Report	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	2,135	3,202	XXX	18	27	36
Nov 1 - Apr 30	2,668	4,002	XXX	22.5	Wkly Avg 33.7	45
BOD ₅					Wkly Avg	
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	3,565	5,348	XXX	30	45	60
					Wkly Avg	
Total Suspended Solids						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	2,500
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	854	XXX	XXX	7.2	XXX	14.4
Nov 1 - Apr 30	960	XXX	XXX	8.1	XXX	16.2
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Arsenic	XXX	XXX	XXX	Report	XXX	XXX
Total Copper	XXX	XXX	XXX	Report	XXX	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	XXX	XXX
Sulfate	XXX	XXX	XXX	Report	XXX	XXX
Total Zinc	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Total Phenolics	XXX	XXX	XXX	Report	XXX	XXX
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Chronic Toxicity—						
Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of an average storm event.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>			<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of an average storm event.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>			<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- No stormwater to sanitary sewer
- Necessary property rights
- Proper sludge disposal
- Chlorine minimization
- Notification of responsible operator
- Operation and Maintenance Plan
- Fecal Coliform Reporting
- e-DMR Use Requirement
- Pretreatment Program Implementation
- Whole Effluent Toxicity Requirements
- Stormwater Requirements
- PCB Pollutant Minimization Plan and Reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0042269, Sewage, SIC Code 4952, **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603-4007. Facility Name: Susquehanna Water Pollution Control Facility. This existing facility is located in Manor Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Dry Run, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 15.0 MGDs.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	3,128	5,004	XXX	25	40	50
BOD ₅		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	3,753	5,630	XXX	30	45	60
Fecal Coliform (CFU/100 ml)		Wkly Avg				
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	876	XXX	XXX	7.0	XXX	14
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	Report
Total Phosphorus	250	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	273,969	XXX	XXX	XXX
Net Total Phosphorus	Report	36,529	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- To implement requirements applicable to stormwater outfalls.
- 7,025 lbs/yr of Total Nitrogen offsets was approved to be used for compliance with TN Cap Load.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0043257, Sewage, SIC Code 4952, **New Freedom Borough Authority**, 49 East High Street, New Freedom, PA 17349. Facility Name: New Freedom Borough WWTP. This existing facility is located in New Freedom Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, South Branch Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.20	XXX	0.66
CBOD ₅	469	751	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids		844				
	563	Wkly Avg	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	19	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	56	XXX	XXX	3.0	XXX	6.0
Total Phosphorus	18.8	XXX	XXX	1.0	XXX	2.0
Total Copper	XXX	XXX	XXX	0.012	0.024	0.030

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	41,095	XXX	XXX	XXX
Net Total Phosphorus	Report	5,479	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- To implement requirements applicable to stormwater outfalls.
- 1,700 lbs/yr of Total Nitrogen offsets was approved to be used for compliance with TN Cap Load.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0080918, Sewage, SIC Code 4952, **Rick Long**, 101 Speedwell Forge Road, Lititz, PA 17543-9541. Facility Name: Long Res. This existing facility is located in Elizabeth Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Hammer Creek, is located in State Water Plan watershed 7-J and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	Report
CBOD ₅	XXX	XXX	XXX	10	20
Total Suspended Solids	XXX	XXX	XXX	10	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX
				Geo Mean	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083933, Sewage, SIC Code 4952, **Georgetown Area Sewer Authority Lancaster County**, 46 Quarry Road, Quarryville, PA 17566-9454. Facility Name: Georgetown Area Sewer Authority WWTP. This existing facility is located in Bart Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Nickel Mines Run, is located in State Water Plan watershed 7-K and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
CBOD ₅						
May 1 - Oct 31	3.3	5.0	XXX	10	15	20
Nov 1 - Apr 30	6.7	Wkly Avg 10	XXX	20	30	40
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	10	15	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	1.0	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	3.0	XXX	XXX	9.0	XXX	18
Total Phosphorus	0.67	Report	XXX	2.0	XXX	4.0
		Total Mo				
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
		Total Mo				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0265993, Sewage, SIC Code 4952, **Hamm Equities LLC**, 2520 Renaissance Boulevard, King Of Prussia, PA 19406. Facility Name: Buffalo Crossing Development STP. This proposed facility is located in Howe Township, **Perry County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Juniata River, is located in State Water Plan watershed 12-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
UV Intensity (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	1.8	XXX	3.6
Nov 1 - Apr 30	XXX	XXX	XXX	5.4	XXX	10.8

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	0	XXX	XXX	XXX
Net Total Phosphorus	Report	0	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0044598, Sewage, SIC Code 4581, **Susquehanna Area Region Airport Authority**, One Terminal Drive Suite 300, Middletown, PA 17057-5048. Facility Name: Harrisburg International Airport. This existing facility is located in Lower Swatara Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River, is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.35 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	7,306	XXX	XXX	XXX
Net Total Phosphorus	Report	974	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrients Requirements
- Requirement to use EDMR
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0246433, Sewage, SIC Code 4952, **Broad Top Township Bedford County**, PO Box 57, Defiance, PA 16633-0057. Facility Name: Broad Top Township Hess MHP. This existing facility is located in Broad Top Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Sherman Valley Run, is located in State Water Plan watershed 11-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0012 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	0.25	0.4	25	40	XXX	50
Total Suspended Solids	0.3	0.45	Avg Mo 30	Wkly Avg 45	XXX	60
Fecal Coliform (CFU/100 ml)			Avg Mo	Wkly Avg		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	15	XXX	Report
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PA0232564, SIC Code 4952, **William & Connie Knauer**, 20 Keefer Mill Lane, Danville, PA 17821. Facility Name: Knauer SFTF. This proposed facility will be located in Liberty Township, **Montour County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Chillisquaque Creek, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0027171, Sewage, SIC Code 4952, **Municipal Authority of the Town of Bloomsburg**, 301 E 2nd Street, Bloomsburg, PA 17815-1963. Facility Name: Bloomsburg Municipal Authority Wastewater Treatment Plant. This existing facility is located in the Town of Bloomsburg, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 5-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.29 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.78	XXX	4.0
(Final)	XXX	XXX	XXX	0.24	XXX	0.78
CBOD ₅	890	1,430	XXX	25	40	50
		Wkly Avg			Wkly Avg	
BOD ₅ Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,070	1,610	XXX	30	45	60
		Wkly Avg			Wkly Avg	
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Antimony (µg/L)	Report	Report	XXX	Report	Report	XXX
Total Cobalt	5.36	10.73	XXX	0.15	0.30	0.37
Total Copper (µg/L)	0.97	1.94	XXX	27.24	54.48	68.1
Acrolein (µg/L)	Report	Report	XXX	Report	Report	XXX
Acrylonitrile (µg/L)	Report	Report	XXX	Report	Report	XXX
3,4-Benzofluoranthene (µg/L)	Report	Report	XXX	Report	Report	XXX
Vinyl Chloride (µg/L)	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	78,355			
Net Total Phosphorus	Report	10,447			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Requirements for Total Residual Chlorine (TRC)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0272884, Industrial Waste, SIC Code 1311, **Vavco, LLC**, 101 Mahood Road, Suite 1, Butler, PA 16001-0795. Facility Name: Gilliland Lyons Plant. This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated brine fluid from crude oil production (stripper wells). The permit is being redrafted to add a compliance schedule for total cadmium and add a Toxic Reduction Evaluation condition in Part C of the permit.

The receiving stream(s), Little Connoquenessing Creek, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0009 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	10,000	XXX	Report	Report	XXX
Total Dissolved Solids	5,000	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Acidity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	XXX	XXX
Alkalinity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	XXX	XXX
Alkalinity, Total (as CaCO ₃)						
Effluent Net	XXX	XXX	0	XXX	XXX	XXX
Total Aluminum	Report	XXX	XXX	Report	XXX	XXX
Total Cadmium						
(Interim)	Report	XXX	XXX	Report	XXX	XXX
(Final)	0.00082	0.0012	XXX	0.11	0.16	0.27
Total Iron	XXX	XXX	XXX	3.5	XXX	7
Total Manganese	Report	XXX	XXX	Report	XXX	XXX
Sulfate	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Radium 226/228,						
Total (pCi/L)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Other Requirements
- Requirement to Use eDMR System
- Total Dissolved Solids Reporting
- Definitions
- Toxic Reduction Evaluation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. WQG01061501, Sewerage, **Jenny D. Clark**, 476 Madison Street, Boyertown, PA 19512.

This proposed facility is located in Washington Township, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for construction/operation for a small flow treatment facility to serve their single residence on County Line Road.

WQM Permit No. 6715407, Sewerage, **Fairview Township**, 599 Lewisberry Road, New Cumberland, PA 17070.

This proposed facility is located in Fairview Township, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of the Phase 2 Northern sewer extension and pump stations.

WQM Permit No. 3696408, Amendment #5, Sewerage, **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603.

This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for disinfection improvements.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024507017R	Sawmill Highlands, LLC P. O. Box K Stroudsburg, PA 18360	Monroe	Hamilton Township	Appenzell Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue Greystone Building, Nazareth, PA 18064-9211

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024813017(1)	Sullivan's March Enterprises, LLC 2015 Sullivan Trail Easton, PA 18040	Northampton	Forks Township	Bushkill Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030115002	Knouse Foods Cooperative, Inc. 800 Peach Glen—Idaville Road Peach Glen, PA 17306-1199	Adams	Tyrone and Huntingdon Townships	UNT's Bermudian Creek (WWF, MF) EV Wetlands
PAI035015001	Legendary Land Acquisitions, LLC 43 Ramsey Hollow Road Beech Creek, PA 16822	Perry	New Bloomfield Township	UNT Little Juniata Creek (CWF) UNT Trout Run (CWF) EV Wetlands
PAI032215001	Pennsylvania Department of Transportation Engineering District 8-0 2140 Herr Street Harrisburg, PA 17103	Dauphin	Lower Paxton Township	Asylum Run (WWF, MF) Spring Creeki (CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044114006(1)	Hoon Won Compass Natural Gas 1865 Center St Camp Hill, PA 17011	Lycoming	Fairfield Township Upper Fairfield Township	Loyalsock Creek EV, MF Mill Creek TSF, MF

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**APPLICATIONS
NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
McClay's Farm 7597 McClay's Mill Road Newburg, PA 17240	Franklin	7.5	639.29	Swine	NA	Renewal
Joel Hurst 1030 Girl Scout Road Stevens, PA 17578	Lancaster	40.2	644.63	Swine	NA	Renewal

**HAZARDOUS WASTE TREATMENT, STORAGE AND
DISPOSAL FACILITIES**

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

PAR000544486. Elcon Recycling Service, LLC, Keystone Industrial Port Complex, 100 Dean Sievers Place, Morrisville, PA 19067. A Phase I siting application has been submitted by Elcon Recycling Service, LLC for a proposed commercial hazardous waste treatment facility to be located at 100 Dean Sievers Place, Morrisville, PA 19067, within the Keystone Industrial Port Complex, formerly US Steel Site, in Falls Township, **Bucks County**. The Phase I siting application includes the Part A application and the exclusionary siting criteria materials for the proposed facility. The Phase I siting application was determined to be administratively complete on June 19, 2015. A public meeting on the Phase I application has been scheduled for August 12, 2015, at 7:00 p.m. at the Sheraton Bucks County Hotel located at 400 Oxford Valley Road in Langhorne, PA. A separate public hearing will be scheduled at a later date.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application for Determination of Applicability Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

General Permit Application No. WMGR017SE002. Weaver, Kendal C, Tri-County Spreading, 5144 Snyderstown Road, Pazinos, PA 17860. This application for determination of applicability (DOA) under General Permit No. (WMGR017SE002) is for the beneficial use of treatment drinking water plant sludge as a soil additive on agricultural lands at Nolt's Steer Farm, located on Swinehart Road, Coatesville, PA 19320, in West Brandywine Township, **Chester County**. The application for determination of applicability was accepted as administratively complete by the Southeast Regional Office on June 10, 2015.

AIR QUALITY

**PLAN APPROVAL AND OPERATING PERMIT
APPLICATIONS**

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid

otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

66-00001E: Procter and Gamble Paper Products Co. (P. O. Box 32, State Route 87 South, Mehoopany, PA 18629) for the replacement of (2) two diaper lines with new state-of-the-art lines, which will operate at higher production speed than the existing lines at their facility in Washington Township, **Wyoming County**.

66-00001F: Procter & Gamble Paper Products Co. (PO Box 32, Mehoopany, PA 18629-0032) for the modification of their existing hazardous air pollutant (HAP) emissions limitation to less than 10 tons per year of a single HAP and less than 25 tons per year of combined HAPs from the their facility located in Washington Twp., **Wyoming County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

15-0037F: Oberthur Technologies (523 James Hance Court, Exton, PA 19341; Attn: Mr. Chris Simone), for the installation of one new lithographic press, designated as Litho Press #8 (Source ID 114), at their facility located in West Whiteland Township, **Chester County**. This facility is a Title V facility. The new lithographic press will have a potential-to-emit of 3.35 tons of VOC per year and less than 0.01 ton of HAP per year. All emissions will be fugitive. The permittee is subject to a Plantwide Applicability Limit (PAL) of 47.895 tons per year for VOC. The facility will continue to comply with the PAL. The Plan Approval will contain monitoring and recordkeeping re-

quirements designed to keep the lithographic press operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-03172A: Panebaker Funeral Home, Inc. (43 Amy Way, Hanover, PA 17331) for construction of a human crematory controlled by an afterburner at the funeral home in Heidelberg Township, **York County**. The facility has the following potential air emissions: 3.3 tons per year of CO, 1.0 ton per year of NO_x, 2.3 tons per year of PM, 0.8 ton per year of SO_x, and 1.0 ton per year of VOC. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. The plan approval and subsequent State-Only operating permit will include emission restrictions, work practice standards, and testing, monitoring, record keeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

24-016I: Keystone Powdered Metal (251 State Street, Saint Marys, PA 15857) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b) that the Department of Environmental Protection (DEP) intends to issue a plan for an increase in VOC emissions from greater utilization of an existing immersion cold cleaning degreaser machine used to deposit dry lubricant on parts at their Facility located in the City of Saint Marys, **Elk County**. This plan approval will also set emission restrictions allowing the permittee to pursue a state only operating permit in place of their current Title V operating permit in the future. The restrictions include a facility wide VOC emission rate limit of 45 tpy, a facility wide total HAP emission limit of 24.9 tpy, and a facility wide single hap emission limit of 9.9 tpy.

This facility currently has a Title V operating permit, number TV-24-00016. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the operating permit through an administrative amendment at a later date if the applicant does not apply for a non-Title V operating permit before the plan approval expiration.

VOC emissions from the Dry Lube Operation (Source 1005) will increase to annual emissions no greater 6.0 tons. The proposed VOC emission increase of 3.0 tpy would prevent the increase in Source 1005's utilization

from creating a violation with the facility's current operating permit or plan approval 24-016H.

The source currently has record keeping, reporting, and work practice requirements which will remain sufficient after the issuance of this plan approval. The frequency of VOC emission reporting for source 1005 will increase to once monthly.

In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [24-016I] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

If a plan approval has not undergone the above public notice process the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in 25 Pa. Code §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

Additional information can be obtained by contacting David G. Balog, P.E. of the PA DEP at (814) 332-6121.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-05033: Gichner Systems Group, Inc., Dallastown Plant (490 E. Locust Street, PO Box 481, Dallastown, PA 17313) to issue a Title V Operating

Permit for a shelter coating operation located in York Township, **York County**. The primary emissions from the facility are VOCs; the actual emissions from the facility in 2014 were 26.1 tons. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for the painting subject to 40 CFR 63, National Emission Standards for Hazardous Air Pollutants: Subpart MMMM for Surface Coating of Miscellaneous Metal Parts and Products, and Subpart ZZZZ for the engines.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00081: Johnson Matthey, Inc. (1401 King Road, West Chester, PA 19380) for the operation of their facility located in West Whiteland Township, **Chester County**. The permit is for a non-Title V (State Only) facility. The existing permit was issued on 9-15-2010 and will expire on 9-30-2015. Johnson Matthey, Inc. manufactures a wide range of platinum metal products, such as gauze for the production of nitric acid for fertilizers, thermocouples for measuring temperature, components for fiberglass manufacturers and the laboratory and medical parts for implants such as heart pacemakers, as well as developing proprietary technology for coating platinum metals on a wide range of substrates, such as ceramics and iridium and iridium alloys. Air pollutant emission sources at the facility are controlled by two (2) Vertical Packed Tower Scrubbers and two (2) Vertical Wet Scrubbers. Based on the potential emissions of VOC and NO_x, without controls or limitations, which are less than major source threshold, the facility is a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

09-00175: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) for renewal of a State-Only Operating Permit for a nonmetallic mineral processing plant in Wrightstown Township, **Bucks County**. This Operating Permit contains all applicable state and federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

09-00050: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) for renewal of a State-Only Operating Permit for a hot mix asphalt plant in Wrightstown Township, **Bucks County**. This Operating Permit contains all applicable state and federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

23-00051: Riddle Memorial Hospital (1068 W Baltimore Pike, Media, PA 19063) for continued operation of a hospital in Middletown Township, **Delaware County**. This initial permit is for a non-Title V (State only) facility. The major source of air emissions are: three (3) gas-fired

boilers and six (6) diesel-fired emergency generators. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

23-00098: SAP America Inc., (3999 W Chester Pike, Newtown Square, PA 19073) for the renewal of a Synthetic Minor Operating Permit in Newtown Township, **Delaware County**. The initial operating permit was issued on August 01, 2005. SAP America Inc. operates a computer software development and support facility in Newtown Square. Sources of emissions from this facility are 8 boilers and 6 emergency generators. The potential emissions from this facility are: NO_x—24.9 TPY, VOCs—1.1 TPY, PM/PM₁₀/PM_{2.5-2.7} TPY, SO_x—50.8 TPY, and CO—20.7 TPY. The boilers are subject to 40 CFR Subpart JJJJJ. Emergency generators are subject to 40 CFR Subpart IIII. The facility is subject to site level NO_x emissions limit of 24.9 TPY. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

39-00075: Stonemoor PA Subsidiary, LLC (1035 Virginia Drive, Suite 300, Fort Washington, PA 19034) The Department intends to issue a renewal operating permit for a crematory located in Whitehall Township, **Lehigh County**. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are also included.

40-00108: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17104-1645) for the operation of a stone quarry operation in Jenkins Township, **Luzerne County**. The sources consist of three crushers and associated screens and conveyors. The sources are controlled by a water spray system. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

01-05025: Valley Quarries, Inc. (PO Box 2009, Chambersburg, PA 17201) to issue a State Only Operating Permit for limestone crushing and asphalt production at the facility in Cumberland Township, **Adams County**. Actual emissions from the site for 2014 include around 2 tons of particulate matter (PM), 5 tons of sulfur dioxides (SO_x) and 7 tons of nitrogen oxides (NO_x). The Operating Permit includes emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. The limestone crushing plant includes equipment subject to 40 CFR Part 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The hot mix asphalt plant is subject to 40 CFR Part 60 Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

03-00182: Peoples Natural Gas Company, LLC (1201 Pitt Street, Pittsburgh, PA 15221) to issue a State Only Synthetic Minor Operating Permit renewal for the Fisher Compressor Station in Redbank Township, **Armstrong County**. Equipment at this facility includes one 600 bhp natural gas-fired compressor engine, one 66 bhp natural gas-fired emergency generator engine, and fugitive VOC emissions. Potential emissions from the emission sources at this facility are based on synthetic minor limits imposed in the permit for the compressor engine and 500 hours of operation per year for the emergency generator and are estimated to be 40.0 tons NO_x, 9.7 tons VOCs, and 16.5 tons CO. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

63-00105: AT Industries, LLC (731 E Main Street, Monongahela, PA) for the operation of a packaging facility located in Monongahela City, **Washington County**. AT Industries operates a bag filling station consisting of a blender, packer and 4 silos. Emissions are controlled through the use a baghouse. The potential emissions are estimated at: 10.7 tpy PM. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. Proposed SOOP includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting and work practice standards requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-00265: National Underground Storage (1137 Branchton Road, Boyers, PA 16020) intends to issue a Natural Minor Operating Permit for the data storage facility in Cherry Township, **Butler County**. The facility's primary emission sources are 17 emergency fired diesel engines ranging from 324 hps to 3,353 hps. The permit contains the requirements of plan approval 10-265A, GP9 10-265A, GP9 10-265B, GP-10-265C, the requirements of 40 CFR 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and the requirements of 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The NO_x, VOC, PM₁₀, PM_{2.5}, CO, and SO_x potential emissions are less than 30.88 TPY, 2.13 TPY, 0.71 TPY, 0.69 TPY, 12.80 TPY, and 0.2 TPY, respectively. The facility is an area source of Hazardous Air Pollutants (HAPs). Total HAPs are less than 0.02 TPY. The permit contains emission restrictions, testing requirements, monitoring requirements, recordkeeping requirements, reporting requirements, work practice requirements, and additional requirements.

61-00208: Specialty Fabrications & Powder Coating, LLC (455 Allegheny Blvd., Franklin, PA 16323-0790) for a Natural Minor Permit to operate a sheet metal fabrication facility. The facility is located at Sugarcreek Borough, **Venango County**. The updated emitting Sources are: 1) Miscellaneous Natural Gas Usage, 2)

Paint Line, 3) Drying/Curing Powder Coat, 4) Burn Off—Oven and, 5) Laser Cutter (1). The Potential emissions provided in the permit renewal application are: PM: 6.82 Tons per year (PM₁₀) NO_x: 4.34 TPY, SO_x: 0.03 TPY, VOC: 7.90 TPY, CO: 3.65, HAPs: 0.37 TPY.

10-00360: Thompson Miller Funeral Home, Inc. (124 East North Street, Butler, PA 16001-4931). The Department intends to issue a Natural Minor Operating Permit for the crematory operations at this facility.

This permit issuance incorporates Plan Approval Number 10-0360A which authorized the operation of a human remains crematory and an animal remains crematory. All applicable requirements from that plan approval have been incorporated into this proposed operating permit.

Potential emissions from this facility are as follows: Particulate Matter = 0.98 TPY (tons per year), CO = 1.40 TPY, NO_x = 0.42 TPY, VOC = 0.42 TPY, and SO₂ = 0.35 TPY. This facility is located in City of Butler, **Butler County**.

25-01039: Glunt Funeral Home and Crematory, Inc., (210 Erie Street, Edinboro, PA 16412). The Department intends to issue a Natural Minor Operating Permit for the crematory operations at this facility.

This permit issuance incorporates Plan Approval Number 25-1039A which authorized the installation of a human remains crematory. All applicable requirements from that plan approval have been incorporated into this proposed operating permit.

Potential emissions from this facility are as follows: Particulate Matter = 0.98 TPY (tons per year), CO = 1.40 TPY, NO_x = 0.42 TPY, VOC = 0.42 TPY, and SO₂ = 0.35 TPY. This facility is located in the City of Edinboro, **Erie County**.

61-00219: GOC Property Holdings, LLC (175 Main Street, Oil City, PA 16301) intends to issue a Natural Minor Operating Permit for the metal heat treating facility located in Rouseville Borough, **Venango County**. The facility's primary emission sources are two heat treating furnaces, a quench tank, a cooling tower and a 1.76 mmbtu/hr natural gas fired boiler. The permit contains emission restrictions, testing requirements, monitoring requirements, recordkeeping requirements, reporting requirements, work practice requirements, and additional requirements from plan approval 61-219A. The potential emissions from the facility are: 11.74 TPY NO_x; 3.25 TPY CO; 1.04 TPY PM₁₀; 0.09 TPY SO_x; 0.75 TPY VOC; and, 16,398 TPY CO₂.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-0291: Precision Polymer Products, Inc. (815 South St., Pottstown, PA 19464) to allow the use of isopropyl alcohol (IPA) at their facility in Pottstown Township, **Montgomery County**. As a result of potential emissions of VOC, the facility is a State Only facility,

with restrictions. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

66-00013A: UGI Energy Services, Inc., (1 Meridian Boulevard, Wyomissing, PA 19610) for their facility located Washington Township, **Wyoming County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to UGI Energy Services, Inc., (1 Meridian Boulevard, Wyomissing, PA 19610) for a Liquefied Natural Gas (LNG) Processing, Storage, and Distribution Facility at their facility located Washington Township, Wyoming County. This Plan Approval No. 66-00013A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 66-00013A is for the installation and operation of the following equipment:

- Solar Taurus 60-7800S Turbine W/SoLoNO_x Dry Low NO_x and Lean Preemix
- LNG Pressurized storage Tanks
- Natural Gas Fired Regeneration Heater
- Diesel-fired emergency generator
- LNG tank truck loading operations

The source main emissions for the new sources are NO_x, CO, and VOC. The new sources will meet all applicable requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 66-00013A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56140101 and NPDES No. PA0269441, Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, commencement, operation and restoration of a bituminous surface and auger mine in Shade Township, **Somerset County** affecting 110.3 acres. Receiving streams: unnamed tributaries "A," "B," "C," "D," "E," "F" and "G" to Miller Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 4, 2015.

The application includes a stream encroachment which consists of mining through previously mine impacted portions of unnamed tributary "A," "B," "C," "D," "E," "F" and "G" and the reconstruction of portions of the streams after mining.

The application also includes a request for a Chapter 105 encroachment permit and a Section 401 Water Quality Certification to conduct activities described in these conditions.

Permit No. 32940109 and NPDES No. PA0212954. KMP Associates, Inc., 3756 Route 981, Saltsburg, PA 15681, permit renewal for the continued operation and restoration of a bituminous surface mine site's operation and maintenance of the permanent treatment systems in Young Township, **Indiana County**, affecting 133.1 acres. Receiving streams: unnamed tributary to/and Whisky Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 8, 2015.

Permit No. 56010104 and NPDES No. PA0262706, PBS Coals, Inc., 1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface & auger mine to change the land use from Woodland to Wildlife Habitat in Somerset Township, **Somerset County**, affecting 320.7 acres. Receiving streams: unnamed tributaries to Wells Creek to Stonycreek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 16, 2015.

Permit No. 56010104 and NPDES No. PA0249041. Wilson Creek Energy, LLC, 1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface & auger mine to change the land use from Woodland to Pastureland in Jenner & Lincoln Townships, **Somerset County**, affecting 135.8 acres. Receiving streams: unnamed tributaries to/and Quemahoning Creek classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Cambria-Somerset Authority Quemahoning SWI. Application received: June 16, 2015.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17080111 and NPDES PA0256901. Waroquier Coal Company (P. O. Box 128, Clearfield, PA 16830). Permit renewal for continued operation and restoration of a bituminous surface and auger mine located in Lawrence Township, **Clearfield County** affecting 176.0 acres. Receiving stream(s): Unnamed Tributaries to West Branch Susquehanna River and West Branch Susquehanna River classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: June 8, 2015.

17130106 and NPDES PA0269620. Horton Coal Company, LLC (446 WM Cemetery Road, Curwensville, PA 16833). Permit revision to an existing bituminous surface mine to increase acreage by 3.2 acres for additional mining located in Bloom Township, **Clearfield County** affecting 19.2 acres. Receiving stream(s): Unnamed Tributary to Anderson Creek and Unnamed Tributary to Bilgers Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: June 5, 2015.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

63050101 and NPDES Permit No. PA0250694. S & K Energy, Inc. (5945 Pudding Stone Lane, Bethel Park, PA 15102). Renewal application for reclamation only to an existing bituminous surface mine, located in Smith Township, **Washington County**, affecting 55.9 acres. Receiving streams: unnamed tributaries to Raccoon Creek and Little Raccoon Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 15, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54890105R5 and NPDES Permit No. PA0595314. Porter Associates, Inc. (PO Box 478, Wilkes-Barre, PA 18703-0478), renewal for reclamation activities only of an existing anthracite surface mine operation and NPDES Permit for discharge of treated

mine drainage in Porter Township, **Schuylkill County** affecting 120.00 acres, receiving stream: East Branch Rausch Creek to Pine Creek to Mahantongo Creek, classified for the following use: cold water fishes. Application received: June 17, 2015.

Noncoal Applications Withdrawn

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 13990301C and NPDES Permit No. PA0224014. Lehigh Asphalt Paving & Construction Company, (PO Box 549, Tamaqua, PA 18252), correction to an existing quarry to update the NPDES Permit for discharge of treated mine drainage in East Penn Township, **Carbon County**, affecting 104.4 acres, receiving stream: unnamed tributary to Lizard Creek. Application received: April 26, 2006. Application Withdrawn: January 22, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0242268 (Permit No. 24020104). RES Coal, LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920) Revised NPDES permit for a bituminous surface mine in Fox Township, **Elk County**, affecting 260.0 acres. Receiving streams: Unnamed tributary to Little Toby Creek and Little Toby Creek, classified for the following uses: CWF. TMDL: Little Toby Creek. Application received: May 18, 2015.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge Little Toby Creek and unnamed tributary No. 2 to Little Toby Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
F	N
G	N
I	N
J	N
L	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		2	4	5
Aluminum (mg/l)		0.75	1.5	1.9
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributary No. 2 to Little Toby Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	N
B	N
C	N
D	N
K	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

NPDES No. PA0219801 (mining permit No. 17940107), River Hill Coal Company, Inc., P. O. Box 141, Kylertown, PA 16847. Revised/renewal of an NPDES permit for surface coal mining in Karthaus Township, **Clearfield County** affecting 440.0 acres. Receiving stream(s): Saltlick Run and Upper Three Runs classified for the following use(s): HQ and Unnamed Tributaries to West Branch Susquehanna River classified for the following use(s): WWF. Application received: October 17, 2014. This permit has been revised to eliminate all treatment facilities for this site. The operator will construct and operate a non-discharge alternative treatment facility on the contiguous River Hill Coal Company, Inc., Hemlock operation, permit No.17840123, NPDES No. PA0609382. NPDES No. PA0609382 is currently being modified to permit non-discharge alternatives.

NPDES No. PA0257010 (mining permit No. 17080117), Frantz Brothers Resources, LLC, 24 Wilgus Road, P. O. Box 145, Hillsdale, PA 15746. Renewal of an NPDES permit for coal surface mining in Burnside Township, **Clearfield County** affecting 113.1 acres. Receiving stream(s): Unnamed Tributaries to West Branch Susquehanna and Unnamed Tributaries to Rock Run, classified for the following use(s): CWF. West Branch Susquehanna River TMDL. Application received: October 28, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to UNT to West Branch Susquehanna River:

<i>Outfall No.</i>	<i>New Outfall(Y/N)</i>
TF-1	N
TF-3	N
TF-4	N
SP-1	N
SP-3	N
SP-4	N
SP-5	N
SP-6	N

The outfall(s) listed below discharge to UNT to Rock Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-2	N
SP-2	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				

¹ The parameter is applicable at all times.

NPDES No. PA0238074 (mining permit No. 17980115), Junior Coal Contracting, Inc. Renewal of an NPDES permit for coal surface mining in Decatur and Woodward Townships, **Clearfield County** affecting 48.2 acres. Receiving stream(s): Beaver Run and Unnamed Tributaries to Beaver Run classified for the following use(s): CWF. Moshannon Creek TMDL. Application received: September 30, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Beaver Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-2	N

The outfall(s) listed below discharge to UNT to Beaver Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-1	N
SP-A	N
SP-B	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E48-431. Pennsylvania Department of Transportation Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101, in City of Easton, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To rehabilitate and maintain a three span stone masonry arch by installing galvanized steel liners and a concrete knee walls below stream bed for scour protection over the Bushkill Creek (HQ-CWF, MF). The existing structure has a normal clear span of 29.7 feet, 29.5 feet and 19.9 feet for spans 1, 2, and 3 respectively and an underclearance of 19.7 feet, 19.5 feet and 13.7 feet respectively. The proposed work will result in a normal clear span of 26.8 feet for span 1 and 2 and 18.9 feet for span 3 and an underclearance of 19.3 feet, 19.1 feet and 12.9 feet respectively. The project is located along S.R. 2023, Section 01B, Segment 0010, Offset 1407 (Easton, PA Quadrangle, Latitude: 40°41'42"; Longitude: -75°12'34").

E64-302. Shingle Hollow Group, LLC, 4 Leonard Way, Deposit, NY 19754, in Buckingham Township, **Wayne County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove a portion of Beaver Dam Pond (DEP Dam #D64-072) and to construct and maintain a 16-ft wide road crossing of Stockport Creek (HQ-CWF, MF) consisting of a 73-ft long, 11.8-ft span, 7.6-ft high corrugated metal arch culvert, riprap aprons, and rock deflectors. The project is located along the north side of Stockport Road, approximately 0.9 mile west of the intersection of S.R. 191 and T-605 (Stockport Road) (Hancock, NY Quadrangle, Latitude: 41°53'49.8"; Longitude: -75°17'44.2").

E35-459. Moosic Borough, 715 Main Street, Moosic, PA 18507, in Moosic Borough, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain an outfall in Springbrook (HQ-CWF, MF) consisting of a 24-inch diameter HDPE pipe and endwall. The project is located at Salina Street (Avoca, PA Quadrangle, Latitude: 40°32'29.0"; Longitude: -75°38'03.5").

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E60-219. Old Sawmill Campground, 1499 Seven Kitchens Road, Winfield, PA 17889-9147. Old Sawmill Campground Bank Stabilization in Union Township, **Union County**, ACOE Baltimore District (Northumberland, PA Quadrangle N: 40°53'42"; W: -76°49'48").

To construct and maintain: 1) R-6 to R-2 riprap protection along the right riverbank for a total length of 1,214 feet and projecting no more than 10 feet channelward of the Ordinary High Water Mark, 2) 13 log vane deflectors that will be anchored into the bank of the riprap areas and that will not project more than 20 feet channelward of the Ordinary High Water Mark to reduce/eliminate the accelerated erosion that is occurring along the river bank and to protect the mature trees on the riverbank located at the river's edge of the Old Sawmill Campground along

the right bank of the West Branch of the Susquehanna River. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5729-084: Chief Oil and Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, Forksville Borough, **Sullivan County**, USACE Baltimore District.

To construct, operate, and maintain:

1. An intake structure impacting 40 linear feet of the Loyalsock Creek (EV) (Eagles Mere Quadrangle 41°29'36"N, 76°36'27"W);

2. A 12 inch diameter waterline and a ford crossing impacting 40 linear feet of the Loyalsock Creek (EV) (Eagles Mere Quadrangle 41°29'32"N, 76°36'25"W).

The project will result in approximately 40 linear feet of temporary stream impacts and approximately 40 linear feet of permanent stream impacts for the purpose of installing an access road, waterline, and intake structure for Marcellus Shale gas development in Forksville Borough, Sullivan County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802

EA67-027: Pennsylvania Department of Conservation and Natural Resources, Bureau of State Parks, Gifford Pinchot State Park, 2200 Rosstown Road, Lewisberry, PA in Warrington Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

To restore five isolated vernal pools which fail to hold water by excavation and compaction of subsoils, temporarily impacting a total of 0.3 acre of wetland, all in the watershed of Beaver Creek (WWF-MF) at Gifford Pinchot State Park property (Wellsville, PA Quadrangle; 40° 5' 18.4", -76° 52' 51.5"; 40° 4' 54.0", -76° 53' 15.3"; 40° 3' 42.5", -76° 53' 31.0"; 40° 3' 40.4", -76° 53' 29.6"; and 40° 4' 23.7", -76° 52' 53.8") in Warrington Township, York County.

EA67-026: River Logic Solutions, LLC, 1650 Old Mountain Road, Wellsville, PA 17365 in Newberry and East Manchester Townships, **York County**, U.S. Army Corps of Engineers Baltimore District.

To remove two abandoned piers which are the remnants of an old railroad bridge crossing, where one pier is located on the bank of and in the floodway of the Conewago Creek (WWF, MF) and the other pier is located in Conewago Creek (WWF, MF) and install a temporary access road to facilitate pier removal in Conewago Creek (WWF, MF) all located between Conewago Avenue and Conewago Creek Road (York Haven, PA Quadrangle; Latitude: 40° 4' 58.2"N; Longitude: 76° 43' 27.5"W) in Newberry and East Manchester Townships, York County.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460

D62-032EA. Kathryn Albaugh, Secretary, Mead Township, 119 Mead Boulevard, Clarendon, PA 16313. Mead Township, **Warren County**, USACOE Pittsburgh District.

Project proposes to remove the Fire Pond Dam for the purpose of eliminating a threat to public safety and restoring approximately 190 feet of stream channel to a free-flowing condition. The proposed restoration project includes reconfiguring the stream channel to alleviate flooding along State Route 6 and constructing a rock vane upstream from the dam to reduce stream flow velocities. The project is located across a tributary to Dutchman Run Creek (CWF) (Clarendon, PA Quadrangle, Latitude: 41.7982; Longitude: -79.1014).

D66-012EA. Mr. Stephen Jennings, Deer Park Holdings, Ltd., 200 Leeder Hill Drive, #2312, Hamden, CT 06517. Windham Township, **Wyoming County**, USACOE Baltimore District.

Project proposes to remove the Jennings Pond Dam for the purpose of eliminating a threat to public safety and restoring approximately 2,000 feet of stream channel to a free-flowing condition. The project is located across Little Mehoopany Creek (CWF, MF) (Jenningsville, PA Quadrangle, Latitude: 41.5790; Longitude: -76.1324).

D66-062EA. Mr. Frank Crane, 1090 Glemboski Road, Springville, PA 18844. Nicholson Township, **Wyoming County**, USACOE Baltimore District.

Project proposes to remove the McNamara Dam for the purpose of eliminating a threat to public safety and restoring approximately 900 feet of stream channel to a free-flowing condition. The project is located across a tributary to Field Brook (CWF, MF) (Hop Bottom, PA Quadrangle, Latitude: 41.6299; Longitude: -75.8044).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063061 (Industrial Waste)	Ashland Water Treatment Plant Malones Road Ashland, PA 17921	Schuylkill County Butler Township	Little Mahanoy Creek (6-B)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0080527 SEW	Olivers Upper Lawn Mobile Home Community 23 Mockingbird Lane Palmyra, PA 17078-9159	Lebanon County South Londonderry Township	UNT to Conewago Creek/7-G	Y
PA0081329 SEW	South Londonderry Township Municipal Authority PO Box 3 Campbelltown, PA 17010	Lebanon County South Londonderry Township	Conewago Creek/7-G	Y
PA0085863 IW	SC Holdings Inc. 100 Brandywine Blvd, Suite 300 Newtown, PA 18940-4000	York County Dover Township	UNT of Davidsburg Run/7-F	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0263648 (sewage)	Don Thompson SFTF 1895 Weiler Road Warren, PA 16365	Warren County Conewago Township	Unnamed tributary of Morse Run (16-B)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Actions

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES Permit No. PA0002976, SIC Code 3469, **Zippo Manufacturing Co.**, 33 Barbour Street, Bradford, PA 16701-1973.

This existing facility is located in Bradford Township, **McKean County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated industrial waste.

NPDES Permit No. PA0273058, SIC Code 8800, **George F. Reeher**, 4370 US Highway 322, Jamestown, PA 16134-4608.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. QM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

QM Permit No. WQG02401401 SIC Code 4952, **Wyoming Borough Luzerne County**, PO Box 33a, Wilkes-Barre, PA 18703-1333.

This proposed facility is located in Wyoming Borough, **Luzerne County**.

Description of Proposed Action/Activity: Installation of gravity sewers, manholes, laterals, and pumping station at Shulde Lane.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

QM Permit No. 4301202, Industrial Waste, Amendment No. 3, **John Koller & Son, Inc.**, 1734 Perry Highway, Fredonia, PA 16124.

This existing facility is located in Fairview Township, **Mercer County**.

Description of Proposed Action/Activity: Modification of existing waste treatment facilities.

QM Permit No. 2071401, Sewage, Amendment No. 2, **Titusville Estates LLC**, 701 East Spring Street, Titusville, PA 16354.

This existing facility is located in Oil Creek Township, **Venango County**.

Description of Proposed Action/Activity: Amendment to add two aerated tanks to facilitate sludge-wasting and to change the disinfection method from liquid to tablet chlorination.

QM Permit No. WQG01431501, Sewage, **Diane & Michael Hornyak**, 2650 Teaberry Lane, Hermitage, PA 16148.

This proposed facility is located in Hermitage City, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

QM Permit No. 4315403, Sewage, SIC Code 8800, **George F. Reeher**, 4370 US Highway 322, Jamestown, PA 16134-4608.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011514041	Bo Erixson 110 North Phoenixville Pike Malvern, PA 19355	Chester	East Whiteland Township	Valley Creek EV
PAI012315001	PECO Energy Company 2301 Market Street, S7-2 Philadelphia, PA 19103	Delaware	Marcus Hook Borough	Delaware River WWF-MF
PAI015106002-R1	City of Philadelphia Division of Aviation Philadelphia International Airport Terminal D-E Philadelphia, PA 19153	City of Philadelphia	Philadelphia County	Eagle Creek to Mingo Creek WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024815004	Freshpet c/o Mr. Michael Hieger 176 North Commerce Way Bethlehem, PA 18017	Northampton	Hanover Township	Monocacy Creek (HQ-CWF, MF)
PAI023914031	Mr. Ryan Smith 5130 Hamilton Boulevard Allentown, PA 18106	Lehigh	Upper Macungie Township	Schaeffer Run (HQ-CWF, MF)
PAI024814016	Pennsylvania American Water Co. c/o Mr. David R. Kaufman 800 West Hershey Park Drive Hershey, PA 17033	Northampton	Plainfield Township	Bushkill Creek (HQ-CWF, MF)
PAI024514014	Nish Nick, Inc. 30 Jade Lane Phillipsburg, NJ 08865	Monroe	Tobyhanna	Goose Run (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032814004 Issued	Chambersburg Investors, LLC 600 Old Country Road, Suite 435 Garden City, NY 11530	Franklin	Guilford Township	Falling Spring Branch (HQ-CWF)
PAI036707002R Issued	James Quesenberry, Jr. 6544 Anderson Road Stewartstown, PA 17363	York	Hopewell Township	UNT Leibs Creek (HQ-CWF)
PAI032114008 Issued	Keystone Arms Associates, LLC 120 North Pointe Boulevard, Suite 300 Lancaster, PA 17601	Cumberland	North Middleton and Middlesex Townships	LeTort Spring Run (Designated Use CWF; Existing Use HQ-CWF)
PAI030611019(1) Issued	East Penn Manufacturing Company, Inc. PO Box 147 Deka Road Lyon Station, PA 19536	Berks	Topton Borough and Longswamp Township	Toad Creek (HQ-CWF, MF)
PAI030514004 Issued	Lawrence Burkholder 760 Muley Lane New Enterprise, PA 16664	Bedford	South Woodbury Township	Beaver Creek (HQ-CWF, MF) UNT Three Springs Run (HQ-CWF, MF) EV Wetlands
PAI033815001	South Londonderry Township 20 West Market Street PO Box 3 Campbelltown, PA 17010	Lebanon	South Londonderry Township	Conewago Creek (TSF, MF) EV Wetlands

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Potter County Conservation District: 107 Market Street, Coudersport, PA 16915 (814) 274-8411, X 4

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045315001	PA 3 Sector 2 Ltd Partnership d/b/a Verizon Wireless 175 Calkins Rd Rochester, NY 14623-4207	Potter	Sweden Township	Mill Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Richland Township Bucks County	PAG02000915006	QPMG Associates, L.P. 120 East Lancaster Avenue Ardmore, PA 19003	Unnamed Tributary Beaver Run Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatboro Borough Montgomery County	PAG02004615023	Hatboro Borough 414 South York Road Hatboro, PA 19040	Tributary to Pennypack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Gwynedd Township Montgomery County	PAG02004615011	Wissahickon School District 601 Knight Road Ambler, PA 19002	Unnamed Tributary to Wissahickon Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Pittston Township, Avoca Borough, Dupont Borough Luzerne County	PAG02004015002	The Quail Hill Company Bob Rothstein 4A Valley Lane Mountain Top, PA 18707	Mill Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Butler Township Luzerne County	PAG02004015020	Lamont Development Company, Inc. Kevin Lamont 79 Council Crest Lane Hazleton, PA 18202	Little Nescopeck Creek (CWF, MF)	Luzerne Conservation District 570-674-7991

NOTICES

3583

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Freedom Township Adams County	PAG02000115018 Issued	John W. Purdy 17108 South 178th Avenue Goodyear, AZ 85338-7729	UNT to Plum Run/ CWF, MF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Tilden Township Berks County	PAG02000615030 Issued	UGI Utilities 2121 City Line Road Bethlehem, PA 18017	Mill Creek/TSF, MF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Greenwich Township Berks County	PAG02000615031 Issued	Trumbull Corporation PO Box 6774 Pittsburgh, PA 15212	UNT to Maiden and Sacony Creeks/ TSF, MF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Denver Borough Lancaster County	PAG02003614058(1) Issued	Cocalico School District 800 South 4th Street, PO Box 800 Denver, PA 17517	Cocalico Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Rapho Township Lancaster County	PAG02003615038 Issued	GD Investments LLC PO Box 277 Landisville, PA 17538	Little Chickies Creek UNT/TSF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Rapho Township Lancaster County	PAG02003615047 Issued	Kerek Musser 2604 Hossler Road Manheim, PA 17545	Little Chiques Creek and UNT Back Run/TSF, MF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Earl Township Lancaster County	PAG02003615056 Issued	Mark Leid 678 South Custer Avenue New Holland, PA 17557	UNT to Mill Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Penn Township Lancaster County	PAG02003615063 Issued	Ditz Drive Properties 127 Doe Run Road Manheim, PA 17545	Chiques Creek/WWF; MF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Rapho Township Lancaster County	PAG02003615067 Issued	Rapho Township 971 North Colebrook Road Manheim, PA 17545	UNT Rife Run; Chiques Creek/WWF; MF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Spring Township Perry County	PAG02035015002 Issued	Lamar Horst 605 Falling Spring Road Landisburg, PA 17040	UNT to Shermans Creek/WWF	Perry County Conservation District 31 West Main Street PO Box 36 New Bloomfield, PA 17068 717-582-5119
Dillsburg Borough York County	PAG02006711055-1 Issued	Borough of Dillsburg 1515 Baltimore Street Dillsburg, PA 17019	Fisher Run/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Spring Garden Township York County	PAG02006714057 Issued	Pennsylvania State University 113 Office of Physical Plant University Park, PA 16802	UNT to Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Peach Bottom Township York County	PAG02006715029 Issued	Peach Bottom Township 6880 Delta Road Delta, PA 17314	Muddy Creek/TSF and Scott Creek/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
West Manchester Township York County	PAG02006715023 Issued	4595 West Market Street, LLC 1390 Eden Road York, PA 17402	West Branch Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Red Lion Borough York County	PAG02006714065 Issued	Village Realty 410 Orchard Court Red Lion, PA 17356	UNT to Barshinger Creek/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

NOTICES

3585

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Prospect Borough and Lower Windsor Township York County	PAG02006715049 Issued	The Neighborhood at Winters Ridge 1743 Hempstead Road Lancaster, PA 17601	UNT to Canadochly Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Conewago Township York County	PAG02006710081R-1 Issued	Aaron Enterprises Inc. 300 Cloverleaf Road York, PA 17406	Conewago Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Manchester Township York County	PAG02006715008 Issued	Leg Up Farmer's Market LLC 4880 North Sherman Street Mount Wolf, PA 17347	UNT to Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Centre County Patton Twp	PAG02001415009	WIN Development LLC 2165 Louisa Dr Belleair Beach, FL 33786	Big Hollow Run CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Benner Twp	PAG02001415010	Penn State University 139J Physical Plant Bldg University Park, PA 16802	Spring Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Columbia County Town of Bloomsburg	PAG02001914005(1)	United Water PA Inc John D Hollenbach 4211 E Park Crl Harrisburg, PA 17111	Fishing Creek WWF, MF	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Lycoming County Muncy Creek Twp	PAG02004115003	Dieter Reichmann 700 High St Williamsport, PA 17701	Muncy Creek TSF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
Lycoming County City of Williamsport	PAG02004115005	Brian Funk 2605 Reach Rd Williamsport, PA 17701	UNT WB Susquehanna River WWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lycoming County Muncy Twp	PAG02004115010	Aubrey Alexander 10 Alexander Dr Muncy, PA 17756	Turkey Run WWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
<i>General Permit Type—PAG-03</i>				
<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Philadelphia City Philadelphia County	PAR140021	Bemis Healthcare Pkg Philadelphia 9800 Bustelton Avenue Philadelphia, PA 19115	Unnamed Tributary to Pennypack Creek—3-J	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Plymouth Township Montgomery County	PAR200003 A-1	Chemalloy Co., LLC P O Box 350 Bryn Mawr, PA 19010-0350	Schuylkill River—3-F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
West Pottsgrove Township Montgomery County	PAG030030	Continental Concrete Products Inc. 1 South Grosstown Road Pottstown, PA 19464	Unnamed Tributary to Schuylkill River—3-D	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Falls Township Bucks County	PAG030027	Covanta Metals Marketing, LLC 445 South Street Morristown, NJ 07960	Delaware River—2-E	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Chester Township Delaware County	PAR230006	3m Company 50 Milton Drive Aston, PA 19014	Baldwin Run—3-G	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Jessup Borough Lackawanna County	PAR802259	McLane PA 43 Valley View Business Park Jessup, PA 18434	Grassy Island Creek (CWF); Sterry Creek (CWF)—5-A	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Muncy Creek Township Lycoming County	PAG034822	Palcon LLC PO Box 235 Muncy, PA 17756-0235	UNT to Muncy Creek, CWF-MF	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Saegertown Borough Crawford County	PAR208375	Fisher & Ludlow Inc. 750 Appleby Lane Burlington, ON L7L 2-Y7	French Creek—16-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942

General Permit Type—PAG-4

<i>Facility Location & Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lower Moreland Township Montgomery County	PAG040201	Temple Andrea 2494 Washington Lane Huntington Valley, PA 19006	Terwood Run—3-J	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970
Hermitage City Mercer County	PAG041187	Diane & Michael Hornyak 2650 Teaberry Lane Hermitage, PA 16148	Hogback Run—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942

General Permit Type—PAG-8

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Adams County/ Conewago Township	PAG083596	Borough of Hanover 44 Frederick St. Hanover, PA 17331	Hanover Area Regional WWTP	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
Juniata County/ Port Royal Borough	PAG083594	Port Royal Municipal Authority 804 8th Street PO Box 236 Port Royal, PA 17082	Port Royal Municipal Authority WWTP First Street Extended Port Royal, PA 17082	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
Canton Borough, Bradford County	PAG084822	Canton Borough Authority PO Box 237, Canton, PA 17724	Canton Borough Authority WWTP Canton Borough, Bradford County	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530

General Permit Type—PAG-9

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Lebanon County/ East Hanover Township	PAG093507	Bauman's Septic Service 39 Homestead Road Grantville, PA 17028	Bauman's Septic Service 39 Homestead Road Grantville, PA 17028	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG133635	East Petersburg Borough 6040 Main Street East Petersburg, PA 17520	Lancaster County	East Petersburg Borough	Little Conestoga Creek UNT to Little Conestoga Creek/TSF and MF	Y

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483.

TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 6415502, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Park Drive Hershey, PA 17033
[Borough or Township]	Salem Township
County	Wayne
Type of Facility	PWS
Consulting Engineer	Peter J. Keenan, P.E. American Water Service Company, Inc. 1025 Laurel Oak Road Voorhees, NJ 08043
Permit to Construct Issued	June 17, 2015

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summa-

ries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Hamlin Work Center, 37 Uban Road, Lake Ariel, PA 18436, Sterling Township, **Wayne County**. Leidos, Inc., 180 Gordon Drive, Suite 19, Exton, PA 19341, on behalf of Verizon PA Inc., 966 South Matlack Street, West Chester, PA 19382, submitted a Final Report concerning remediation of site soils contaminated with Pentachlorophenol. The report is intended to document remediation of the site to meet the Statewide Health Standard.

US Cold Storage, 15 Emery Street, Bethlehem City, **Northampton County**. HDR Engineering, Inc., 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015, on behalf of LVIP, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, submitted a Final Report concerning remediation of site soils contaminated with Cadmium, Chromium, Lead, Manganese, Arsenic, Iron, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Dibenzo(a,h)anthracene, Indeno(1,2,3-cd)pyrene, Naphthalene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Cobrin Residence, 111 Natoma Lane, Palmyra Township, **Pike County**. Quad 3 Group, Inc., 72 Glenmaura National Blvd., Moosic, PA 18507, on behalf of Cobrin Residence, 111 Natoma Lane, Palmyra Township, **Pike County**. Quad 3 Group, Inc., 72 Glenmaura National Blvd., Moosic, PA 18507, submitted a Final Report concerning remediation of site soils contaminated with Naphthalene, 1,2,4 Trimethylbenzene, and 1,3,5 Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Wyeth-Marietta/GlaxoSmithKline—Main Parcel Area, 206 North Biddle Street, Marietta, PA 17547, East Donegal Township, **Lancaster County**. ARCADIS US, Inc., 824 Market Street, Suite 820, Wilmington, DE 19801, on behalf of GlaxoSmithKline, One Franklin Plaza, 200 North 16th Street, Philadelphia, PA 19101 and

Pfizer, Inc., 235 East 42nd Street, New York, NY 10017 submitted a Final Report concerning remediation of site groundwater contaminated with mercury. The report is intended to document remediation of the site to meet the Non-Residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Asenjo Property, 3018 North 3rd Street, Whitehall Township, **Lehigh County**. Environmental Maintenance Co. Inc., 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Saul Asenjo, 3018 North 3rd Street, Whitehall, PA 18052, submitted a Final Report concerning the remediation of site soils contaminated with heating oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on June 18, 2015.

W. Dyson Well Pad 1, 139 Stark Road, Springville Township, **Susquehanna County**. Resource Environmental Management Inc., 36 Taylor Lane, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corp., 5 Penn Center West, Suite 401, Pittsburgh, PA 15276, submitted a Final Report concerning the remediation of site soils contaminated with flowback fluid (brine, freshwater and friction reducer gel). The Final Report demonstrated attainment of the Background Standard and Statewide Health Standard, and was approved by the Department on June 18, 2015.

Krepelka Residence, 2440 West Fairview Street, City of Allentown, **Lehigh County**. JMT Environmental 3353-C Gun Club Road, Nazareth, PA 18064, on behalf of Ernest Krepelka, 2440 West Fairview Street, Allentown, PA 18014, submitted a Final Report concerning the remediation of site soil contaminated with #2 Fuel Oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on June 19, 2015.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Property at 4532 East Prospect Road, York, PA 17402, Lower Windsor Township, **York County**. Geo-Technology Associates, Inc., 3445-A Box Hill Corporate Center Drive, Abingdon, MD 21009, on behalf of Estate of Horace Heindel, c/o Donald Heindel, 685 Stonewood Road, York, PA 17402, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with gasoline and kerosene from unregulated underground storage tanks. The combined Report did not demonstrate attainment of the Site Specific Standard, and was disapproved by the Department on June 16, 2015.

West Lampeter Township Maintenance Building, 912 Village Road, Lampeter, PA 17537, West Lampeter Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of West Lampeter Township, 852 Village Road, Lancaster, PA 17537, submitted a Final Report concerning remediation of site soils contaminated with leaded gasoline. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on June 16, 2015.

Danielle Hairston-Green Residence, 608 Muench Street, Harrisburg, PA 17102, City of Harrisburg, **Dauphin County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance PA Fire Claims, PO Box 106110, Atlanta, GA 30348-6110, and Danielle Hairston-Green, 12034 Kleinmeadow Drive, Houston, TX 77066-4723, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard, and was disapproved by the Department on June 16, 2015.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Multimodal Transportation Facility at Three Crossings, Intersection of 26th Street and Smallman Street, Strip District, City of Pittsburgh, **Allegheny County**. Langan Engineering and Environmental Services, Inc., 601 Tech Drive, Suite 200, Canonsburg, PA 15136 on behalf of Three Crossings, L.P., One Oxford Center, Suite 4500, Pittsburgh, PA 15219 has submitted a Baseline Environmental Report concerning the remediation of site soils and groundwater contaminated with volatile and semi-volatile organic compounds (VOCs & SVOCs) and metals. The Baseline Environmental Report was approved by the Department on June 18, 2015. In order to obtain cleanup liability protection, the person undertaking the reuse of a Special Industrial Area shall enter into an agreement with the Department, based on the approved Baseline Environmental Report which outlines cleanup liability of the property.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone, 412-442-4000.

General Permit Application No. WMGR144SW001. Aliquippa Metal Recovery, LLC, 100 Bet-Tech Drive Aliquippa, PA 15001. The GP allows for the beneficial use of blast furnace slag and steel slag, generated by steel-making operations or from historic slag placement areas, of use as construction material sub-base, hot or warm mix pavement aggregate, ready mix concrete ingredient, and for use in Marcellus shale pad construction and well annular material. The permit was issued by Southwest Regional Office on June 17, 2015.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

General Permit Application No. WMGRO98SC002. Willow Creek Stoneworks and Supply, LLC, dba Willow Creek Environmental Services, 74 Willow Creek Road, Reading, PA 19605.

The Southcentral Regional Office, Waste Management Program issued a determination of applicability (DOA) under Residual Waste General Permit No. WMGR098 for Willow Creek Stoneworks and Supply LLC, dba Willow Creek Environmental Services, 74 Willow Creek Road, Reading, PA 19605. This general permit is for the beneficial use of waste foundry system sand and sand system dusts generated by ferrous metal foundries and steel foundries for use as a construction material, or as a soil amendment or soil additive. The DOA was issued on June 18, 2015.

Persons interested in obtaining more information about this determination of applicability may contact John Oren, P.E., Permitting Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP3-09-0133: KPK Development Co: (1082 Temperance Lane, Richboro, PA 18954) On June 15, 2015 for one (1) portable nonmetallic mineral processing plant in Falls Township, **Bucks County**.

GP3-09-0134: Premium Excavating LLC: (P. O. Box 190, Morrisville, PA 19067) On June 15, 2015 for a portable nonmetallic mineral processing plant (1), 300 tons/hr) in Sellersville Borough, **Bucks County**.

GP9-09-0065: Premium Excavating, LLC (P. O. Box 190, Morrisville, PA 19067) On June 15, 2015 for a diesel-fired engine one unit, 225 BHPs in Sellersville Borough, **Bucks County**.

GP2-23-0230: Sunoco LLC: (100 Green St, Marcus Hook, PA 19061) On June 16, 2015 for conversion of (1) existing fixed-roof tank into an internal floating roof tank in Marcus Hook Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531

GP5-58-032: Susquehanna Gathering Company 1, LLC (1429 Oliver Road, New Milford, PA 18837) on June 16, 2015 the general operating permit GP5 issued for the operation of natural gas compressor station at the facility located in Oakland Township, **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648

GP5-08-393B: HEP Pennsylvania Gathering, LLC (17806 1H-10W, Suite 210, San Antonio, TX 78257) on June 10, 2015, authorize the change of ownership and the continued operation of three (3) Caterpillar model G3516BLE lean-burn natural gas-fired compressor engines each rated at 1,380 brake horsepower to be equipped with Powertherm Company, Inc. model 201 VO-3-200-7114 oxidation catalyst, two (2) 2,100-gallon storage tanks and one (1) 190 brake horsepower, Kohler model 125REZGC, natural gas-fired emergency generator pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP5) at the Moyer Compressor Station located in Herrick Township, **Bradford County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-05083D: Calpine Mid-Merit, LLC (500 Delaware Avenue, Suite 600, Wilmington, DE, 19801-7406) on June 15, 2015, for the construction of the Block 2 Electricity Generation Project at the existing electrical generation facility located in Peach Bottom Township, **York County**. The Block 2 Electricity Generation Project will involve the construction of two combined cycle natural gas/ultra-low sulfur diesel fuel oil-fired combustion turbines, having a nominal 760 MWs capacity, as well as one NG-fired auxiliary boiler, one cooling tower, NG piping components, circuit breaker upgrades, five (5) NG condensate storage tanks, and additional ULSD fuel oil storage in the existing tank.

67-05137A: Menasha Packaging, LLC (30 Grumbacher Road, York, PA 17406-8420) on June 10, 2015, for retrospective approval of a 9-unit flexographic printing press operation at their facility in Manchester Township, **York County**, and for the installation of a new, tenth press.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

19-00002A: Foam Fabricators, Inc. (7050 Columbia Boulevard, Bloomsburg, PA 17815) on June 17, 2015 for the modification of an expandable polystyrene foam operation at their facility located in South Centre, **Columbia County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

04-00740A: Shell Chemical Appalachia LLC (910 Louisiana Street, OSP 14080C, Houston, TX 77002) on June 18, 2015, to construct and temporarily operate a petrochemicals complex to be located on the site formerly occupied by Horsehead Corporation's Monaca Zinc Smelter plant in Potter and Center Townships, **Beaver County**. Polyethylene pellets will be the final manufactured product of this facility.

32-00200A: PA State System of Higher Education/IUP (525 Pratt Drive, Indiana, PA 15705) on June 19, 2015, to install oxidation catalysts, as required by 40 CFR Part 63 Subpart ZZZZ, on four existing reciprocating internal combustion engines as the S.W. Jack Cogeneration Plant located in Indiana Borough, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-368D: MarkWest Liberty Bluestone LLC—Bluestone Gas Processing Plant (440 Hartmann Road, Evans City, PA 16033) on June 18, 2015, has issued a plan approval for the construction of two (2) 200 MMCFs/day capacity cryogenic natural gas processing plants, a deethanizer, fractionator, associated process heaters and storage tanks, and three (3) additional emergency generators along with removing one existing process heater, modify an additional existing process heater, replace the existing flare, remove ten (10) existing natural gas-fired compressor engines, and replace them with electrically

driven compression at their facility in Jackson Township, **Butler County**. This is a State Only Facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

15-0147: Crazy Aron Enterprises, Inc. (201 Sabine Avenue, Ste 100, Narberth, PA 19072-1600) On June 17, 2015, to manufacturing syntetic rubber in East Pikeland Township, **Chester County**.

46-0284: John Middleton Company/Limerick Facility (P. O. Box 85108, Richmond, VA, 23285) On June 17, 2015, to manufacturing cigars in Limerick Township, **Montgomery County**.

15-0060G: SouthEastern Chester County Refuse Authority (SECCRA) (P. O. Box 21, Kennett Square, PA 19348) On June 17, 2015 for trans. & utilities refuse systems in London Grove Township, **Chester County**.

46-0124A: Montgomery Chemicals, LLC (901 Conshohocken Road, Conshohocken, PA 19428) On June 17, 2015, to manufacturing industrial inorganic chemicals, Nec in Plymouth Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

36-05161A: CounterTek, Inc. (1215 Ridge Avenue, Ephrata, PA 17522-9782) on June 12, 2015, for authorization to operate a cultured marble, laminate and solid surface countertop manufacturing operation which includes a gel coat spray booth, resin pouring area, laminate shop operation and 0.14 MMBtu wood boiler. The facility is located in East Cocalico Township, **Lancaster County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

18-00009F: Clinton County Solid Waste Authority (P. O. Box 209, McElhattan, PA 17748) on May 29, 2015, for the construction and operation of the Northside municipal solid waste landfill expansion located in Wayne Township, **Clinton County**. The plan approval has been extended until November 27, 2015.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

30-00195: Equitrans, LP (625 Liberty Avenue, Suite 1700 EQT Plaza, Pittsburgh, PA 15222) Plan Approval Extension effective June 28, 2015, with expiration date of December 28, 2015, for continued temporary operation of air contamination sources and controls at the Jefferson Compressor Station located in Jefferson Township, **Greene County**.

30-00194: EQM Gathering Opco, LLC (625 Liberty Avenue, Suite 1700 EQT Plaza, Pittsburgh, PA 15222)

plan approval extension effective on July 14, 2015, with expiration date of January 14, 2016, for continued temporary operation of sources and controls at the Callisto Compressor Station located in Morris Township, **Greene County**.

30-00194: EQM Gathering Opco, LLC (625 Liberty Avenue, Suite 1700 EQT Plaza, Pittsburgh, PA 15222) on June 17, 2015, for change of ownership of the Callisto Compressor Station located in Morris Township, **Greene County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00024: Waste Management of Pennsylvania, Inc. (1000 New Ford Mill Rd., Morrisville, PA 19067) On June 11, 2015 for renewal of the Title V Operating Permit for its Tullytown Resource Recovery Facility, a landfill located in Tullytown Borough, **Bucks County**. The renewal includes minor changes in standard conditions in accordance with current Department of Environmental Protection (DEP) guidelines. The listing of insignificant sources at the facility is updated. Concomitant to the renewal, a minor modification to remove a testing condition for NO_x emissions from a flare (Source ID C0₂) at elevated temperature is processed. DEP found no significant change in NO_x emissions at elevated temperature vs standard operating temperatures with review of testing for the flares at the facility since 1998. With the renewal, the applicable requirements of 40 CFR Part 63 Subpart ZZZZ, as amended January 30, 2013, for an emergency generator (Source ID 115) are incorporated. The renewal does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

39-00009: PPL Martins Creek, Allentown CTS (2 N. Ninth Street (GENPL6), Allentown, PA 18101-1139) on June 17, 2015 for transmission and electric utilities services in Allentown City, **Lehigh County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility are four (4) Combustion Turbines using No. 2 fuel oil. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

40-00017: PPL Martins Creek, Jenkins CTS (2 N. Ninth Street (GENPL6), Allentown, PA 18101-1139) on June 17, 2015 for transmission and electric utilities services in Laflin Borough, **Luzerne County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting

requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility are two (2) Combustion Turbines using No. 2 fuel oil. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

40-00022: PPL Martins Creek, Harwood CTS (2 N. Ninth Street (GENPL6), Allentown, PA 18101-1139) on June 17, 2015 for transmission and electric utilities services in Laflin Borough, **Luzerne County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility are two (2) Combustion Turbines using No. 2 fuel oil. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

54-00011: PPL Martins Creek, Fishbach CTS (2 N. Ninth Street (GENPL6), Allentown, PA 18101-1139) on June 15, 2015 for transmission and electric utilities services in Norwegian Township, **Schuylkill County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility are two (2) Combustion Turbines using No. 2 fuel oil. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

14-00005: Pennsylvania Department of Corrections (P. O. Box 598, Camp Hill, PA 17001-0598) on June 18, 2015, issued a renewal of the Title V operating permit for their Rockview State Correctional Institution located in Benner Township, **Centre County**. All of the applicable federal and state regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in TVOP 14-00005.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

Carriage PA Holdings, Inc. dba Green Earth Cre-mations (736 East Lancaster Ave., Downingtown, PA 19335) On June 18, 2015 for the operation of a human crematory in Downingtown Borough, **Chester County**. The permit is for a non-Title V, Natural Minor facility. The permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

09-00032: Eureka Stone Quarry, Inc. (PO Box 249, Chalfont, PA 18914) On June 18, 2015 for renewal of the State Only Operating Permit for a facility comprising a stone crushing operation and two asphalt plants located in Warrington Township, **Bucks County**. The renewal includes minor changes in standard conditions in accordance with Department of Environmental Protection (DEP) guidelines. Minor corrections in source representations and conditions are made. No. 2 fuel oil is removed as an approved fuel, since the facility only uses natural gas as fuel for the asphalt plants. Ranges for allowable pressure drops for four baghouses controlling particulate matter emissions are set. A limit of 30% reconstituted asphalt pavement (RAP) by weight of total asphalt produced is set for Asphalt Plant #2. The permit will require stack testing for nitrogen oxides (NO_x), carbon monoxide (CO), sulfur dioxide (SO₂), volatile organic compounds (VOC) and particulate matter (PM) when the RAP content exceeds 20%. RAP use is not allowed in Asphalt Plant #1. The facility is limited to emissions of 24.9 tons/year NO_x and VOC on a 12-month rolling basis. The renewed Operating Permit does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

23-0220: Eddystone Rail Co. (5 Industrial Highway, Eddystone, PA 19022-1585) On June 18, 2015 for installation of a crude oil unloading facility at their current site of the Exelon Generation Co, Eddystone Generating Station, in Eddystone Borough, **Delaware County**. The installation of a marine vessel loading operation with the VOC and HAP emissions routed through a vapor recovery to a non-assisted ground flare for the control of HAP and VOC emissions is subject to the NESHAP requirements of 40 CFR 63, Subpart Y. The facility has taken a throughput limitation to emit less than the major source thresholds, with the projected actual emissions expected to be no more than 24.0 tons of NO_x, 23.61 tons of VOCs, and 1.17 ton of total HAPs per year. This project does not trigger applicability toward PADEP's NSR regulations or the federal PSD regulations. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

07-03008: Nason Medical Center, LLC (105 Nason Drive, Roaring Spring, PA 16673-1202) on June 10, 2015, for the boilers, ethylene oxide sterilizer, and generators at the hospital facility located in Roaring Spring Borough, **Blair County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

53-00009: Morgan Advanced Materials & Technol-ogy (1118 East Second St., Coudersport, PA 16915) on June 16, 2015, for operation of their Coudersport Plant located in Eulalia Township, **Potter County**. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

03-00133: Penn Mag, Inc. (719 Tarrtown Road, Adrian, PA 16210) on June 17, 2015 a State Only Operating Permit (SOOP) was issued to Penn Mag to authorize the continued operation of their magnetite ore and powder production facility located in East Franklin Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

37-00271: Allegheny Mineral Corporation Princ-eton Plant. (PO Box 1022, One Glade Park East, Kittanning, PA 16201), on June 16, 2015 issued a renewal of the State Only Operating Permit for the facility located in Slippery Rock Township, **Lawrence County**. The facility is a Natural Minor. The facility processes limestone. The primary sources at the facility include a dry crushing and screening process and a wet crushing and screening process. The facility is subject to 40 CFR 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants and the applicable requirements have been included in the renewal permit. Potential particulate emissions from the facility are estimated at approximately 52.2 TPY based on 1,000,000 tons of production. The potential PM₁₀ emissions are approximately 26.2 TPY. The potential PM_{2.5} emissions are 1.1 TPY. The renewal permit also contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Ad-ministrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-0108D: Barry Callebaut USA, LLC (903 Industrial Highway, Eddystone, PA 19022; Attn: Mr. Robert Gist) On June 11, 2015 for the minor modification of the Pre-Roasting Process (Source ID102) at their cocoa processing facility located in Eddystone Borough, **Delaware County**. This facility is a non-Title V facility. Barry Callebaut currently controls emissions from the Pre-Roasting Process by means of a Pre-Roaster Cyclone (Source ID C01). Barry Callebaut proposed to further reduce emissions from the Pre-Roasting Process by sending the emissions from the Pre-Roaster Cyclone to an existing Anguil Regenerative Thermal Oxidizer (Source ID C06). Per this application, Barry Callebaut does not intend to make any changes to the current process

operations, only to the controls for the Pre-Roasting Process (Source ID 102). The Pre-Roasting Process has no hourly restrictions on operation. However, the Pre-Roasting Process is restricted to a 12-month total throughput of 64,152 metric tonnes. VOC emissions from the facility will be reduced by approximately 15 tons per year. NO_x emissions will have an insignificant increase (<1 ton per year) due to the nitrogen content of PM being sent to the Anguil Regenerative Thermal Oxidizer. The Plan Approval will contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

TV-04-00471: Marathon Petroleum Company LP (P. O. Box 308, Route 68, Midland, PA 15059). Per 25 Pa. Code § 127.449(i), this Notice is for the following de minimis emission increase at Marathon Petroleum Company LP's Midland Terminal located in Industry Borough, **Beaver County**.

One new 1,200 gallons lubricity additive storage tank is included as this project's de minimis emission increase. Total emissions from this project will not exceed 0.0006 ton of VOC per year.

The list of de minimis increases for this facility includes only this project.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Cancelled

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32010102, TLH Coal Co., 4401 Pollock Road, Marion Center, PA 15959, renewal for reclamation only of a bituminous surface mine in East Mahoning Township, **Indiana County**, affecting 86.2 acres. Receiving stream: unnamed tributaries to Pickering Run classified for the following use: high quality cold water fishery. There are no potable water supply intakes within 10

miles downstream. Application received: September 23, 2014. Permit Cancelled: April 2, 2015.

Permit No. 11052801. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, transfer of an existing bituminous surface mine from AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, located in Portage Township, **Cambria County** affecting 2.0 acres. Receiving stream: unnamed tributary to Spring Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 31, 2014. Permit cancelled: June 19, 2015.

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30020701 and NPDES No. PA0235482. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, P. O. Box J, Claysville, PA 15323). To renew the permit for the Bailey Central Mine Complex CRDA No. 3 and No. 4 in Richhill and Gray Townships, **Greene County**. No additional discharges. The application was considered administratively complete on July 9, 2013. Application received May 21, 2013. Permit issued June 9, 2015.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

16140107 and NPDES Permit No. PA0259578. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Commencement, operation and restoration of a bituminous surface mine and associated NPDES permit in Clarion Township, **Clarion County**, affecting 99.9 acres. Receiving streams: Unnamed tributaries to Brush Run. This application also includes a post-mining land use change from forestland to unmanaged natural habitat on the property of James A. Mays, Jr. Application received: February 6, 2015. Permit Issued: June 18, 2015.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 11052801. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, transfer of an existing bituminous surface mine from AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, located in Portage Township, **Cambria County** affecting 2.0 acres. Receiving stream: unnamed tributary to Spring Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 31, 2014. Permit returned: June 19, 2015.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

59050301 and NPDES PA0256170. Glenn O. Hawbaker, Inc. (1952 Waddle Road, Suite 203, State College, PA 16803). NPDES renewal for continue operation and reclamation of a large noncoal surface mining site located in Lawrence Township, **Tioga County** affecting 44.49 acres. Receiving stream(s): Mutton Creek. Application received: April 10, 2015. Permit issued: June 15, 2015.

Noncoal Permits Withdrawn

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58140804 and NPDES Permit No. PA0225461. Baker's Quarry, (18712 Dimock to Nichol-

son Road, Nicholson, PA 18446), commencement, operation and restoration of a quarry operation and NPDES Permit for discharge of treated mine drainage in Franklin Township, **Susquehanna County** affecting 5.0 acres, receiving stream: Beaver Creek. Application received: April 8, 2014. Application withdrawn: February 23, 2015.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

10154002. KESCO, Incorporated. (215 South Main Street, Zelienople, PA 16063) Blasting activity permit for building site development in Harmony Borough & Jackson Township, **Butler County**. This blasting activity permit expires December 31, 2015. Permit Issued: June 18, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 67154108. Maine Drilling & Blasting, Inc., (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Endurance Warehouse Expansion in West Manchester Township, **York County** with an expiration date of June 10, 2016. Permit issued: June 15, 2015.

Permit No. 38154113. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Scenic Ridge Development in West Cornwall Township, **Lebanon County** with an expiration date of May 30, 2016. Permit issued: June 16, 2015.

Permit No. 67154109. Pact Construction, Inc., (PO Box 74, Ringoes, NJ 08551), construction blasting for Cranberry Lane & Dietz Road Sanitary Sewer in Windsor Township, **York County** with an expiration date of December 30, 2015. Permit issued: June 16, 2015.

Permit No. 64154103. Hayduk Enterprise, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Bob Schweinsburg Waterline in South Canaan Township, **Wayne County** with an expiration date of September 30, 2015. Permit issued: June 19, 2015.

Permit No. 67154110. M&J Explosives, LLC., (PO Box 1248, Carlisle, PA 17013), construction blasting for PA Amer Water Fairview Township in Fairview Township, **York County** with an expiration date of June 16, 2016. Permit issued: June 19, 2015.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A.

§§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E38-192: Cornwall Borough, 36 Burd Coleman Road, Cornwall, PA 17016 in Cornwall Borough, **Lebanon County**, U.S. Army Corps of Engineers Baltimore District.

To relocate and maintain approximately 200 linear feet of Snitz Creek (TSF) to accommodate flows through the exiting bridge. The project is located southeast of the intersection of Burd Coleman Road and Alden Street approximately 1,000 feet southwest of its intersection of Freeman Road (SR 419) (Lebanon, PA Quadrangle; Latitude: 40°16'26.4", Longitude: -76°24'54.1") in Cornwall Township, Lebanon County. No wetlands will be impacted by this project. The permit was issued on June 5, 2015.

E67-917: PA DCNR Bureau of State Parks, 400 Rachel Carson State Office Building, Harrisburg, PA 17105-8451 in Warrington Township, **York County**, U.S. Army Corps of Engineers, Baltimore District.

To install and maintain a 470.0 foot wetland crossing and its associated drainage piping for the purpose of improving public safety. The project is located on the Lakeside Trail along the southwest side of Pinchot Lake (Wellsville, PA Quadrangle, Latitude: 40°03'42.4"N, Lon-

gitude: 76°54'24.0"W) in Warrington Township, York County. The permit was issued on June 1, 2015.

E22-612: Steelton Borough Authority, 123 North Front Street, Steelton, PA 17113 in Steelton Borough, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To install and maintain an Electrical Generator with pad within the floodplain of the Susquehanna River (WWF, MF). The permit was issued on May 18, 2015.

E22-610: Susquehanna Township, 1900 Linglestown Road, Harrisburg, PA 17110 in Susquehanna Township, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To remove an existing structure and to 1.) install and maintain a 12.6-foot long, 12.0-inch diameter corrugated plastic pipe with R-3 rip rap scour protection in an unnamed tributary to Asylum Run (WWF, MF); and 2.) place and maintain 60 cubic yards of fill in the floodway of Asylum Run (WWF, MF), for the purpose of making the existing trail consistent with ADA requirements. The project is located along Andrea Drive approximately 150 feet west of its intersection with Lawrence Drive (Latitude: 40° 17' 30.7"N, Longitude: 76° 51' 15.8"W) in Susquehanna Township, Dauphin County. No wetlands will be impacted by this project. The permit was issued on May 18, 2015.

E36-938: High Properties, 1853 William Penn Highway, Lancaster, PA 17605 in East Lampeter Township, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District.

To remove three (3) existing agricultural crossings; and to install and maintain: 1) a 90.0-foot long, 52.75-foot wide, two (2) span concrete arch bridge having an under clearance of 10 feet above the stream bed, wing walls, and rock riprap scour protection; 2) a 130.0-foot long, 10.0-inch diameter concrete encased steel casing for a gas pipe (General Permit 5); 3) a 130.0-foot long, 10.0-inch diameter concrete encased steel casing for electric lines (General Permit 5); 4) a 130.0-foot long, 10.0-inch diameter concrete encased steel casing for communication lines (General Permit 5); and 5) a 130.0-foot long, 24.0-inch diameter concrete encased steel casing, encapsulating a 12.0-inch diameter, ductile iron water line (General Permit 5); and to relocate fill in the floodway, permanently impacting 56,013 square feet of floodway. All the activities are located in or over an unnamed tributary to Stauffer Run (WWF, MF) (Latitude: 40° 03' 30.79"; Longitude: -76° 14' 43.18") in East Lampeter Township, Lancaster County. Approximately 0.010 acre of wetlands will be permanently impacted by this project. Wetland impacts are de-minimus and replacement is not required. This permit was issued on May 20, 2015.

E07-454: Altoona Blair County Development Corporation, Devorris Center, 3900 Industrial Park Drive, Altoona, PA 16602 in Greenfield Township, **Blair County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain 1) a road crossing utilizing a 36-inch diameter culvert with rip rap in and across a Palustrine Emergent (PEM) wetland permanently impacting 0.02 acre (Latitude: 40° 16' 14.3"N, Longitude: 78° 28' 28.3"W), 2) a road crossing utilizing a 30-inch diameter culvert with rip rap and a 8-inch PVC sanitary sewer line crossing all in and across a PEM wetland permanently impacting 0.02 acre (Latitude: 40° 16' 22.3"N, Longitude: 78° 28' 20.0"W), 3) a road crossing utilizing three 15-inch diameter culverts with riprap, a 8-inch PVC sanitary

sewer crossing, a 12-inch water line crossing, and a 4-inch gas line crossing all in and across an Exceptional Value (EV) PEM wetland permanently impacting 0.16 acre (Latitude: 40° 16' 26.4"N, Longitude: 78° 28' 16.7"W), 4) a road crossing utilizing six 15-inch diameter culverts with riprap, a 8-inch PVC sanitary sewer crossing, a 12-inch water line crossing, and a 4-inch gas line crossing all in a PEM wetland impacting 0.18 acre (Latitude: 40° 16' 27.7"N, Longitude: 78° 28' 16.0"W), 5) a sidewalk crossing utilizing a 36-inch diameter culvert with a R-5 rip rap apron in and across an EV PEM wetland permanently impacting 0.04 acre (Latitude: 40° 16' 25.3"N, Longitude: 78° 28' 12.7"W), 6) a 15-inch diameter storm water pipe crossing below grade in and across a PEM wetland permanently impacting 0.01 acre (Latitude: 40° 16' 27"N, Longitude: 78° 28' 12.7"W), 7) a 15-inch diameter storm water pipe crossing below grade in and across a PEM wetland permanently impacting 0.01 acre (Latitude: 40° 16' 26.7"N, Longitude: 78° 28' 9.1"W), 8) a road and pedestrian walkway crossing utilizing a 36-inch diameter culvert with a R-5 rip rap apron and water line and gas line crossings in and across an EV PEM wetland permanently impacting 0.05 acre (Latitude: 40° 16' 26.4"N, Longitude: 78° 28' 8.1"W), 9) a 15-inch diameter storm water pipe crossing below grade in and across an EV PEM wetland permanently impacting 0.01 acre (Latitude: 40° 16' 27.3"N, Longitude: 78° 28' 5.5"W), and 10) the abandonment of a sewer line, a water line, and a gas line all located in a PEM and EV PEM wetlands (Latitude: 40° 16' 27.8"N, Longitude: 78° 28' 11.8"W) all for the purpose of continued business park development located between Sheetz Way and Cottonwood Road (Roaring Spring, PA Quadrangle, Latitude: 40° 16' 26"N, Longitude: -78° 28' 31"W) in Greenfield Township, Blair County. Wetland replacement in the amount of 0.57 acre is required on-site. The permit was issued on June 5, 2015.

E06-698: City of Reading, 815 Washington Street, Reading, PA 19601 in the City of Reading, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain three activated sludge tanks, two anaerobic digestion tanks, a new sludge dewatering building, reactors, retrofits to existing treatment facilities, asphalt paved roadways, and associated stormwater management facilities with the following impacts:

1. Construct and maintain a 18-inch diameter stormwater outfall with a riprap channel permanently impacting 16 linear feet and temporarily impacting 14 linear feet in and along the Schuylkill River (WWF, MF) (Latitude: 40° 18' 22"N; Longitude: 75° 55' 23"W).

2. Construct and maintain a cascading effluent outfall structure permanently impacting 80 linear feet and 0.06 acre and temporarily impacting 109 linear feet and 0.07 acre in and along the Schuylkill River (WWF, MF) (Latitude: 40° 18' 11"N; Longitude: 75° 55' 08"W).

3. Construct and maintain a 18-inch diameter stormwater outfall with a riprap channel permanently impacting 16 linear feet and 0.01 acre and temporarily impacting 14 linear feet and 0.01 acre and along a body of water commonly called the Mifflin Arm (WWF, MF) (Latitude: 40° 18' 14"N; Longitude: 75° 55' 30"W).

4. Construct and maintain a 18-inch diameter stormwater outfall with a turf reinforced matting channel permanently impacting 16 linear feet and 0.01 acre and temporarily impacting 14 linear feet and 0.01 acre and

along a body of water commonly called the Mifflin Arm (WWF, MF) (Latitude: 40° 18' 04"N; Longitude: 75° 55' 23"W).

5. Construct and maintain a 18-inch diameter stormwater outfall with a riprap channel permanently impacting 16 linear feet and 0.01 acre and temporarily impacting 29 linear feet and 0.03 acre and along a body of water commonly called the Mifflin Arm (WWF, MF) (Latitude: 40° 18' 11"N; Longitude: 75° 55' 30"W).

6. Abandon treatment tanks and install and maintain a bioretention basin in the floodway and floodplain of the Schuylkill River (WWF, MF) with 20 cubic yards of cut and 19,790 cubic yards of fill (Latitude: 40° 18' 14"N; Longitude: 75° 55' 16"W).

7. Construct and maintain a bioretention basin and site grading in the floodway and floodplain of the Schuylkill River (WWF, MF) with 190 cubic yards of cut and 6,120 cubic yards of fill (Latitude: 40° 18' 29"N; Longitude: 75° 55' 23"W).

8. Construct and maintain a bioretention basin and site grading in the floodway and floodplain of the Schuylkill River (WWF, MF) with 2,920 cubic yards of cut and 16,050 cubic yards of fill (Latitude: 40° 18' 07"N; Longitude: 75° 55' 23"W).

9. Construct and maintain a bioretention basin and site grading in the floodway and floodplain of the Schuylkill River (WWF, MF) with 55 cubic yards of cut and 70 cubic yards of fill (Latitude: 40° 18' 22"N; Longitude: 75° 55' 23"W).

10. Construct and maintain a bioretention basin and site grading in the floodway and floodplain of the Schuylkill River (WWF, MF) with 350 cubic yards of cut and 0 cubic yards of fill (Latitude: 40° 18' 11"N; Longitude: 75° 55' 08"W).

11. Temporarily impact and obstruct the floodway and floodplain of the Schuylkill River (WWF, MF) for construction access with 0 cubic yards of cut and 0 cubic yards of fill (Latitude: 40° 18' 22"N; Longitude: 75° 55' 19"W).

12. Temporarily impact and obstruct the floodway and floodplain of the Schuylkill River (WWF, MF) for construction access with 0 cubic yards of cut and 0 cubic yards of fill (Latitude: 40° 18' 22"N; Longitude: 75° 55' 26"W).

13. Temporarily impact and obstruct the floodway and floodplain of the Schuylkill River (WWF, MF) for construction access with 0 cubic yards of cut and 0 cubic yards of fill (Latitude: 40° 18' 22"N; Longitude: 75° 55' 26"W).

14. Temporarily impact and obstruct the floodway and floodplain of the Schuylkill River (WWF, MF) for construction access with 0 cubic yards of cut and 293 cubic yards of temporary fill (Latitude: 40° 18' 11"N; Longitude: 75° 55' 08"W).

The project is located at 899 Morgantown Road approximately 0.9 mile north of the intersection with Route 724 (Reading, PA Quadrangle; Latitude: 40°18'15", Longitude: -75°55'20") in the City of Reading, Berks County. The purpose of the project is to upgrade the existing wastewater treatment plant. The permit was issued on June 5, 2015.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E59-527. Elkland Borough Authority, 105 Parkhurst Street, Elkland, PA 16920-1140. Ellison Road Sanitary Sewer Relocation in Elkland Borough, **Tioga County**, ACOE Baltimore District (Elkland, PA Quadrangle Lat: 41° 59' 32.6"; Long: -77° 18' 10.4").

Elkland Borough Authority has applied for a Joint Permit Application to construct, operate and maintain a new permanent sewer line crossing along Ellison Road in Elkland Borough, Tioga County.

The project is for the removal and relocation of an existing sewer line. The work involves the relocation of approximately 420 feet of new 10-inch PVC sanitary sewer. Approximately 35 feet of the new sewer will be encased in concrete and will be protected by gabion mattresses. The relocation will be approximately 25 feet west of its present location to avoid conflicts with the proposed replacement of an existing bridge. The new sewer line will cross under the stream and installed by open cut. It will be located approximately 6 inches below streambed.

The total estimated stream impacts for the project are approximately 672 ft² of permanent impacts and 3,200 ft² of temporary impacts. The proposed project will not permanently impact wetlands, cultural or archaeological resources, national/state/local parks, forests recreational areas, landmarks wildlife refuge or historical sites. Camp Brook Creek is classified with a designated use of Warm Water Fishery (WWF).

ENVIRONMENTAL ASSESSMENT

Northcentral Region: Program Manager, Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701

EA59-019. Tioga County Concerned Citizen Committee, PO Box 124, Blossburg PA, 16912-0124. Acid Mine Drainage Treatment Project in Ward Township, **Tioga County**, ACOE Baltimore District.

To construct and maintain two passive acid mine drainage treatment systems intercepting polluted discharges to Fall Brook, a Cold Water Fishes and Migratory Fishes stream as designated in Chapter 93 of the Department's Water Quality Standards. Construction activities associated with source collection and treatment will permanently impact 1,958 linear feet of stream and 3,659 square feet of wetland. Temporary impacts will consist of 30 linear feet of stream and 200 square feet of wetland. Mitigation for environmental impacts is to be achieved through water quality improvements to the Fall Brook watershed. This approval under Chapter 105, Section 105.12(a)(16) also includes 401 Water Quality Certification. (Gleason, PA Quadrangle Latitude: 41° 40' 44.2"; Longitude: -76° 59' 10.5").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the

appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESX11-131-0004(02)
 Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Rd
 City, State, Zip Drifting, PA 16834
 County Wyoming
 Township(s) Washington Twp
 Receiving Stream(s) and Classification(s) UNT to Taques Creek (CWF)
 Secondary—Taques Creek

ESCGP-2 # ESG29-023-14-0001(01)
 Applicant Name Seneca Resources Corporation
 Contact Person Doug Kepler
 Address 5800 Corporate Drive, Suite 300
 City, State, Zip Pittsburgh, PA 15237
 County Cameron
 Township(s) Shippen Twp
 Receiving Stream(s) and Classification(s) Right Branch Cooks Run/Sinnemahoning Creek (WT)
 Secondary—Driftwood Branch Sinnemahoning Creek

ESCGP-2 # ESX10-115-0081(01)
 Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Rd
 City, State, Zip Drifting, PA 16834
 County Susquehanna
 Township(s) Forest Lake Township
 Receiving Stream(s) and Classification(s) UNT to Middle Branch Wyalusing Creek (CWF)

ESCGP-2 # ESX11-131-0005(01)
 Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Rd
 City, State, Zip Drifting, PA 16834
 County Wyoming
 Township(s) Washington Township
 Receiving Stream(s) and Classification(s) Taques Creek (CWF)
 Secondary—Susquehanna River

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
15-46-009	Euclid Oil Company P. O. Box 128 Fort Washington, PA 19034 Attn: Joseph Pluck	Montgomery	Hatfield Township	7 ASTs storing petroleum products	52,000 gallons total

SPECIAL NOTICES

Intent to Issue a Minor State Only Operating Permit

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration at (215) 685-9426.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

N14-019: SugarHouse HSP Gaming, LP (1001 Delaware Avenue, Philadelphia, PA 19125), for the operation of a casino in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) 0.5 MMBTU/hr natural gas water heaters and one (1) 2,500 kW diesel emergency generator.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3, and Air Management regulation XIII. Permit copies and other supporting information

are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty (30) days before the hearing.

Draft Hazardous Permit; Notice of Intent to Issue a Hazardous Waste Permit

The Department intends to issue to Bethlehem Apparatus Company, Inc. a renewal of their Solid Waste Management Act Permit. This draft permit is to operate a Hazardous Waste facility located in Hellertown. The

Hellertown facility of Bethlehem Apparatus manufactures and refurbishes mercury-containing apparatus and also refines by distillation liquid elemental mercury for sale to commercial and industrial users. The treatment process for mercury bearing waste results in degeneration of residual and/or hazardous waste, which no longer contains mercury as well as recovering mercury contained within the waste materials into the elemental form.

The public will be given 45 days to comment on the draft permit prepared under the Solid Waste Management Act. The comment period will begin on July 6, 2015, and will end on August 20, 2015. Any person interested in commenting on the application or draft permit must do so within this comment period. A public hearing may be scheduled if one is requested. Copies of the application, draft permit and fact sheet for the Hazardous Waste Facility may be reviewed at the Department's Bethlehem District Office at 4530 Bath Pike (Route 512), Bethlehem, PA 18017. Contact Jeffrey Spaide at 570-826-2511 for further information.

All persons wishing to comment on any of the permit conditions or permit application should submit the comments in writing to the Department of Environmental Protection, Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915; Attention Roger Bellas, Regional Solid Waste Manager. Comments should include all reasonably available references, factual grounds and supporting materials.

When making a determination regarding the issuance of a hazardous waste permit to Bethlehem Apparatus Company, Inc. The Department will consider all comments received during the comment period, and the requirements of the hazardous waste regulations of 25 Pa. Code Chapters 260—270 and the Department's permitting policies.

**Phase I Hazardous Waste Facility Siting
Application; Notice of Public Information
Meeting and Hearing**

**Elcon Recycling Services, LLC; Falls Township
Bucks County**

The Department has determined the Phase I Commercial Hazardous Waste Storage and Treatment Facility Siting Application submitted by Elcon Recycling Services, LLC (ELCON), for their proposed facility to be located at 100 Dean Sievers Place, Morrisville, PA 19067, to be administratively complete. The purpose of a Phase I application is solely to determine whether the proposed site complies with Pennsylvania's exclusionary siting criteria for hazardous waste treatment facilities. The Department is now conducting a technical review of the application to determine whether the proposed site complies with the exclusionary siting criteria at 25 Pa. Code §§ 269a.21—269a.29. If the site does not meet the applicable criteria, a hazardous waste treatment facility may not be permitted there. If the site does meet the applicable siting criteria, the applicant must submit a detailed permit application, before a permit could be issued for construction and operation.

As a part of the Phase I siting application review process, the Department has scheduled a public information meeting for Wednesday, August 12, 2015. The meeting will be held from 7 p.m. to 9 p.m. at the Sheraton Bucks County Hotel located at 400 Oxford Valley Road in Langhorne, PA. During the meeting, the Department will describe the application review process, siting criteria, and the opportunities for public participation in the process. ELCON will be asked to make their own presen-

tation regarding their proposed application. The meeting will include time for public questions on the permitting process and the Phase I application.

A separate public hearing will be held at a later date and has not yet been scheduled. Notice of the time and location of the public hearing will be provided at least 30 days in advance of the hearing date.

Copies of the Phase I application will be available for review or copying at the following Department locations between the hours of 8 a.m. and 4 p.m.: DEP Southeast Regional Office, 2 E. Main St., Norristown, PA 19401, 484-250-5910; or DEP Bureau of Waste Management, Division of Hazardous Waste Management, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17105, 717-787-6239.

It is advisable to call ahead for an appointment for review and copying to assure proper assistance. The Department may charge a fee for copying.

**Water Quality Certification under Section 401 of
the Federal Clean Water Act for the Use of Land
Licensed to Exelon Generation Company, LLC for
the Wildcat Point Generating Facility proposed by
Old Dominion Electric Cooperative;
DEP File No. EA36-038**

On June 30, 2014, Exelon Generation Company, LLC, licensee for the Conowingo Hydroelectric Project ("Conowingo Project"), Federal Energy Regulatory Commission ("FERC") Project No. 405, filed an application requesting FERC authorization to allow Old Dominion Electric Cooperative ("ODEC"), permittee, the use of Conowingo Project lands and waters for the withdrawal and discharge of water for ODEC's Wildcat Point Generation Facility ("Wildcat Point Project") in Cecil County, Maryland. ODEC is proposing to construct, operate, and maintain a water pump station and intake for cooling and process water and a wastewater discharge outfall on Conowingo Project lands in Fulton Township, Lancaster County, Pennsylvania and is proposing to discharge wastewater effluent consisting primarily of non-contact cooling water from the Wildcat Point Project's cooling tower. ODEC is also proposing to construct, operate, and maintain intake and outfall pipelines that extend from within the Conowingo Project lands through Lancaster County, Pennsylvania to the Wildcat Point Project in Maryland.

On April 28, 2015, the Commonwealth of Pennsylvania ("Commonwealth") Department of Environmental Protection ("PADEP") received a request for Water Quality ("WQ") Certification under Section 401 of the Federal Clean Water Act from Exelon for the FERC approval of project lands for non-project purposes by ODEC for the Wildcat Point Project in Fulton Township, Lancaster County, Pennsylvania. The DEP File No. for this WQ Certification request is EA36-038. Pennsylvania WQ Certification is required for the FERC approval of this project under the Federal Power Act for the portions of the Wildcat Point Project that occur within the FERC regulated Conowingo Project lands and waters in Pennsylvania. The FERC Docket No. for the project is P-405-111.

PADEP published notice of the proposed Water Quality Certification for the Wildcat Point Project in Volume 45, Number 19 of the *Pennsylvania Bulletin* on May 9, 2015 and the comment period has since closed. No public comments were received.

The ODEC Wildcat Point Generation Facility is proposed to be a nominally rated 1,000 megawatts combined cycle, natural gas fueled generation facility in Cecil

County, Maryland. The proposed Wildcat Point Facility is to be supplied with natural gas by the proposed Transcontinental Pipe Line Company—Rock Springs Expansion project natural gas transmission pipeline in Lancaster County, Pennsylvania and Cecil County, Maryland that is subject to a separate FERC Docket and DEP Water Quality Certification Request.

Pursuant to Section 401 of the Clean Water Act (33 U.S.C. § 1341), the PADEP, by this notice, certifies that the construction, operation and maintenance of the Wildcat Point Project complies with the applicable provisions of the Clean Water Act, through compliance with the following State water quality permitting programs, criteria and conditions established pursuant to Pennsylvania's Clean Stream Law (35 P. S. §§ 691.1—691.1001), and the Pennsylvania Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.28), which ensure the Project does not violate applicable water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Discharge Permit*—ODEC shall comply with the PADEP National Pollutant Discharge Elimination System (NPDES) permit No. PA0265951, including any future amendments, modifications, or revisions thereto, for the discharge of Industrial Wastewater (IW) from the operation of the Wildcat Point Project pursuant to Pennsylvania's Clean Streams Law (35 P. S. §§ 691.1—691.1001) and all applicable implementing regulations (25 Pa. Code Chapters 92a, 93 and 96).

2. *Erosion and Sediment Control Permit*—ODEC shall obtain and comply with a PADEP NPDES Permit for Stormwater Discharges Associated with Construction Activity pursuant to Pennsylvania's Clean Streams Law (35 P. S. §§ 691.1—691.1001) and Storm Water Management Act (32 P. S. §§ 680.1—680.17) and all applicable implementing regulations (25 Pa. Code Chapter 102) for any earth disturbance activities that require said permit. ODEC submitted Individual NPDES Permit applications for PADEP review. The Individual NPDES permit numbers for the applications that are pending at PADEP for this project are PAI033614009 and PAI033614009(1).

3. *Water Obstruction and Encroachment Permits*—ODEC shall comply with all PADEP Chapter 105 Water Obstruction and Encroachment Permits obtained for the construction, operation and maintenance of all water obstructions and encroachments associated with the Wildcat Point Project pursuant to Pennsylvania's Clean Streams Law (35 P. S. §§ 691.1—691.1001), Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.28), and Flood Plain Management Act (32 P. S. §§ 679.101—679.601) and all applicable implementing regulations (25 Pa. Code Chapter 105). The PADEP Water Obstruction and Encroachment General Permits (GP) acknowledged for the Wildcat Point Project are numbered GP-11-36-14-135; GP-07-36-14-202; GP-05-36-14-203; and GP-04-36-14-202.

4. *Submerged Lands License Agreement*—ODEC shall obtain and comply with a Pennsylvania Submerged Lands License Agreement, pursuant to the Pennsylvania Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.28) and all applicable implementing regulations (25 Pa. Code Chapter 105).

5. *Susquehanna River Basin Commission*—ODEC shall implement and comply with the Consumptive Water Use Plan and Surface Water Withdrawal as approved and conditioned by the Susquehanna River Basin Commission on March 6, 2014, Docket No. 20140308, including any future amendments, modifications, or revisions to that approval.

6. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by ODEC.

7. *Operation*—For the Wildcat Point Project under this certification, ODEC shall at all times properly operate and maintain all Wildcat Point Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this Certification and all required permits. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by ODEC.

8. *Inspection*—The Wildcat Point Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP to determine compliance with this Certification, including all required permits required, and Pennsylvania's Water Quality Standards. A copy of this Certification shall be available for inspection by the PADEP during such inspections of the Wildcat Point Project.

9. *Transfer of Projects*—If Exelon intends to transfer any legal or equitable interest in the Conowingo Project lands which is affected by this Certification, Exelon shall serve a copy of this Certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the applicable PADEP Regional Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of Certification responsibility, coverage, and liability between them.

If ODEC intends to transfer any legal or equitable interest in the Wildcat Point Project which is affected by this Certification, ODEC shall serve a copy of this Certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the applicable PADEP Regional Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of Certification responsibility, coverage, and liability between them.

10. *Correspondence*—All correspondence with and submittals to PADEP concerning this Certification shall be addressed to the Department of Environmental Protection, South-central Regional Office, Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

11. *Reservation of Rights*—PADEP may suspend or revoke this Certification if it determines that Exelon and ODEC have not complied with the terms and conditions of this Certification. PADEP may require additional measures to achieve compliance with applicable law, subject to Exelon and ODEC's applicable procedural and substantive rights.

12. *Other Laws*—Nothing in this Certification shall be construed to preclude the institution of any legal action or relieve Exelon and ODEC from any responsibilities, liabilities, or penalties established pursuant to any applicable federal or state law or regulation.

13. *Severability*—The provisions of this Certification are severable and should any provision of this Certifica-

tion be declared invalid or unenforceable, the remainder of the Certification shall not be affected thereby.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, 717.787.3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, 800.654.5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717.787.3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

[Pa.B. Doc. No. 15-1234. Filed for public inspection July 2, 2015, 9:00 a.m.]

Climate Change Advisory Committee Special Meeting

The Climate Change Advisory Committee has scheduled a special meeting by means of WebEx on Tuesday, July 7, 2015, from 11 a.m. to 12 p.m. The WebEx registration information, the agenda and meeting materials are available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (Select "Public Participation Center," then "Advisory Committees," then "Climate Change Advisory Committee"). The purpose of the meeting is to discuss and endorse the Manufacturing Energy Technical Assistance work plan that will be included in the Climate Change Action Plan.

Questions concerning this meeting should be directed to Mark Brojakowski, Bureau of Air Quality, Climate Change Section, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 772-3429, mbrojakows@pa.gov.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Alex Haas at (717) 787-9495, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1235. Filed for public inspection July 2, 2015, 9:00 a.m.]

Mining and Reclamation Advisory Board Meeting Location

The Mining and Reclamation Advisory Board will meet on July 9, 2015, from 9 a.m. to 11:30 a.m. at the Pottsville District Mining Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2522.

Questions concerning the meeting can be directed to Daniel E. Snowden, (717) 783-8846, dsnowden@pa.gov. The agenda and meeting materials for the meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us> (Select "Public Participation Center," then "Advisory Committees," then "Mining and Reclamation Advisory Board").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8846, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1236. Filed for public inspection July 2, 2015, 9:00 a.m.]

Pipeline Infrastructure Task Force Meeting

The first meeting of the Pipeline Infrastructure Task Force (Task Force) will be held on Wednesday, July 22, 2015, from 1 p.m. to 4 p.m. in Susquehanna Conference Rooms A and B of the Department of Environmental Protection's (Department) Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. The Task Force will develop policies, guidelines and tools to assist in pipeline development (including planning, permitting and construction) as well as long-term operation and maintenance.

The purpose and goals of the Task Force are to define a series of best practices to:

- Plan, site and route pipelines in ways that avoid or reduce environmental and community impacts of pipeline development.
- Amplify and engage in meaningful public participation regarding pipeline development.
- Maximize opportunities for predictable and efficient permitting.
- Employ construction methods that reduce environmental and community impacts.
- Ensure pipeline safety and integrity during operation of the pipeline.

The Task Force will provide a final report to the Governor detailing the findings of the Task Force in February 2016.

Questions concerning the meeting can be directed to the Task Force at RA-EPPITF@pa.gov. The agenda for the meeting will be available through the Department's web site at www.dep.state.pa.us (DEP Keyword: Pipeline Infrastructure Task Force).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Task Force at (717) 772-1856, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1237. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Montour County

The Department of General Services (Department) will accept bids for the purchase of 1.389 acres ± of land and four-unit townhomes formerly used as physician housing for the Danville State Hospital located at 1126-1132 East Market Street, Borough of Danville, Montour County. Bids are due Wednesday, August 26, 2015. Interested parties wishing to receive a copy of Solicitation No. 94736 should view the Department's web site at www.dgs.pa.gov or call Lisa Kettering, (717) 787-1321.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1238. Filed for public inspection July 2, 2015, 9:00 a.m.]

Real Estate for Sale Montour County

The Department of General Services (Department) will accept bids for the purchase of 2.46 acres ± of land and single family dwelling formerly used as physician housing for the Danville State Hospital located at 1120 East Market Street, Borough of Danville, Montour County. Bids are due Wednesday, August 26, 2015. Interested parties wishing to receive a copy of Solicitation No. 94735 should view the Department's web site at www.dgs.pa.gov or call Lisa Kettering, (717) 787-1321.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1239. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Penn Highlands Elk for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Penn Highlands Elk has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: Table 2.1-4 Station Outlets for Oxygen, Vacuum, and Medical Air Systems in Hospitals (relating to intermediate care).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1240. Filed for public inspection July 2, 2015, 9:00 a.m.]

Application of Wayne Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Wayne Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1241. Filed for public inspection July 2, 2015, 9:00 a.m.]

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined ap-

proved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other perfor-

mance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984). Those instruments are identified in this notice with an asterisk.

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993. Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993).

On September 25, 2014, the NHTSA indicated that it has approved the ALERT J4X, Alcohol Countermeasure Systems Corp. as a breath alcohol screening device. The Department received confirmation of this addition on October 15, 2014.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile

and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code when blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Dr. James

R. Lute at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> • AlcoScan AL-2500. • SafeMate.² • SafeDrive. • AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). • AlcoMate Accu Cell AL-9000. • AlcoMate Pro.³ • AlcoMate Core.⁴ • AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} • AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} • AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02 ^{TM9} .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> • Alco Tector Mark X. • Mark X Alcohol Checker. • Alcotector WAT89EC-1. • Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).

Distributors/Manufacturers	Devices
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> • BACTRACK Select S50.¹⁰ • BACTRACK Select S80.¹⁰ • BACTRACK Element. • BACTRACK S 75 Pro.
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> • PAS Vr. • Alcovisor MARS.
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
Repcos Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF ^{IR} Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	—
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger Safety, Inc. (aka: National Draeger) Irving, Texas:		
Alcotest Model:		
6510	X	X
6810	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Photo Electric Intoximeter*	—	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Auto Intoximeter*	X	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)		X
Portable Intox EC/IR	X	X
RBT-AZ	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0	X	X
EV 30	X	X
FC 10	X	X
FC 20	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	—
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
EBA*	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc., Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
PAS International, Fredericksburg, Virginia:		
Mark V Alcovisor	X	X
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemans-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II *	X	X

Instruments marked with an asterisk () meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1242. Filed for public inspection July 2, 2015, 9:00 a.m.]

Health Policy Board Meeting Cancellation

The Health Policy Board meeting scheduled for Wednesday, July 15, 2015, in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120 has been cancelled. The next scheduled meeting will be held on Wednesday, October 14, 2015, from 10 a.m. to 12 p.m. in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Katrina Kyle, Bureau of Health Planning at (717) 772-5298, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1243. Filed for public inspection July 2, 2015, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, July 15, 2015, from 1 p.m. to 4 p.m. and Thursday, July 16, 2015, from 9 a.m. to 4 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

Jurisdictional HIV prevention planning is a required activity of the Department's Federal Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. In addition, Part B of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38) requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information, or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Kenneth McGarvey, Director, Department of Health, Division of HIV/AIDS, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to cancel this meeting without prior notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1244. Filed for public inspection July 2, 2015, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood or Serum, or Both, for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the

identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses
 SSe = approved for serum screening analyses
 CB = approved for blood confirmatory analyses
 CSe = approved for serum confirmatory analyses

33664
 AEGIS SCIENCES CORPORATION—SB, SSe, CB, CSe
 365 GREAT CIRCLE ROAD
 NASHVILLE, TN 37228
 (615) 255-2400

30483
 AIT LABORATORIES—SB, SSe, CB, CSe
 2265 EXECUTIVE DRIVE
 INDIANAPOLIS, IN 46241
 (317) 243-3894

00671
 ALLEGHENY COUNTY MED EX DIV OF LAB—SB,
 SSe, CB, CSe
 1520 PENN AVENUE, 2ND FLOOR
 PITTSBURGH, PA 15222
 (412) 350-4425

31871
 AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,
 SSe, CB, CSe
 789 PARK AVENUE
 HUNTINGTON, NY 11743
 (631) 923-0166

21613
 ARUP LABORATORIES INC—SSe, CSe
 500 CHIPETA WAY
 SALT LAKE CITY, UT 84108
 (800) 242-2787

24997
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,
 SSe, CB, CSe
 3520 PROGRESS DRIVE UNIT C
 BENSALAM, PA 19020
 (267) 525-2470

31684
 BUCKS COUNTY CRIME LABORATORY—SB, SSe, CB,
 CSe
 850 EAGLE BOULEVARD
 WARMINSTER, PA 18974
 (609) 802-7399

00266
 DEPT OF PATHOLOGY & LAB MED-HUP—SSe
 3400 SPRUCE STREET
 PHILADELPHIA, PA 19104
 (215) 662-3423

00977
 DRUGSCAN INC—SB, SSe, CB, CSe
 200 PRECISION ROAD, SUITE 200
 HORSHAM, PA 19044
 (267) 960-3407

31400
 FRANCES WARDE MEDICAL LABORATORY—SSe, CSe
 300 WEST TEXTILE ROAD
 ANN ARBOR, MI 48108
 (734) 214-0301

24655
 HEALTH NETWORK LABORATORIES—SB, SSe, CB,
 CSe
 794 ROBLE ROAD
 ALLENTOWN, PA 18109-9110
 (610) 402-8150

09003
 MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—
 SSe, CSe
 200 FIRST STREET SW HILTON 530
 ROCHESTER, MN 55905
 (507) 538-6449

05574
 MEDTOX LABORATORIES INC—SB, SSe, CB, CSe
 402 COUNTY ROAD D WEST
 ST PAUL, MN 55112
 (651) 286-6217

32803
 MOLECULAR DX, LLC—SB
 620 7TH STREET SUITE C
 WINDBER, PA 15963
 (814) 361-6993

00504
 NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,
 CB, CSe
 3701 WELSH ROAD
 WILLOW GROVE, PA 19090
 (215) 366-1222

29741
 NORTHERN TIER RESEARCH—SB, SSe, CB, CSe
 1302 MADISON AVE
 DUNMORE, PA 18509
 (570) 209-7913

30984
 OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB
 37 E HIGH STREET, FORENSIC LAB
 CARLISLE, PA 17013
 (717) 240-6526

00250
 PARKWAY CLINICAL LABORATORIES—SSe
 3494 PROGRESS DRIVE, SUITE D
 BENSALAM, PA 19020
 (215) 245-5112

31399
 QUEST DIAGNOSTICS—SB, CB
 1777 MONTREAL CIRCLE ES/F1 2
 TUCKER, GA 30084
 (770) 936-5007

01136
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,
 SSe, CB, CSe
 14225 NEWBROOK DRIVE PO BOX 10841
 CHANTILLY, VA 20151-0841
 (703) 802-7188

00482
 QUEST DIAGNOSTICS OF PA INC—SB, SSe, CB, CSe
 875 GREENTREE ROAD 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 (412) 920-7600

25461
 QUEST DIAGNOSTICS VENTURE LLC—SB, SSe, CB,
 CSe
 875 GREENTREE ROAD 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 (412) 920-7631

00151
 ST JOSEPH QUALITY MEDICAL LAB—SB, SSe, CB,
 CSe
 2500 BERNVILLE ROAD
 READING, PA 19605-9453
 (610) 378-2200

00018
 WBGH COMMONWEALTH HEALTH LAB SVS—SSe
 575 NORTH RIVER STREET
 WILKES-BARRE, PA 18764
 (570) 829-8111

00141
 YORK HOSPITAL—SSe
 1001 SOUTH GEORGE STREET
 YORK, PA 17405
 (717) 851-2345

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1245. Filed for public inspection July 2, 2015, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses
 B = approved for blood analyses
 SB = approved for serum, plasma and blood analyses

00212

ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 481-2324

33583

ADVANCED MEDICAL LABORATORIES INC—S
 1690 US HWY 1 SOUTH, SUITE D
 ST AUGUSTINE, FL 32084
 (305) 790-9798

33664

AEGIS SCIENCES CORPORATION—S
 365 GREAT CIRCLE ROAD
 NASHVILLE, TN 37228
 (615) 255-2400

00233

ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL
 PHILADELPHIA, PA 19141-3001
 (215) 456-6129

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB
 1520 PENN AVENUE, 2ND FLOOR
 PITTSBURGH, PA 15222
 (412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 (412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S
 1307 FEDERAL STREET
 PITTSBURGH, PA 15212
 (412) 359-8615

00100

ALLEGHENY VALLEY HOSPITAL LAB—S
 1301 CARLISLE STREET
 NATRONA HEIGHTS, PA 15065
 (724) 224-5100

00192

ARIA HEALTH—S
 380 NORTH OXFORD VALLEY ROAD
 LANGHORNE, PA 19047-8304
 (215) 934-5227

00236

ARIA HEALTH—S
 FRANKFORD AVE & WAKELING STREET
 PHILADELPHIA, PA 19124
 (215) 831-2068

00341

ARIA HEALTH—S
 10800 KNIGHTS ROAD
 PHILADELPHIA, PA 19114
 (215) 612-4000

00041

ARMSTRONG COUNTY MEMORIAL HOSP—S
 1 NOLTE DRIVE
 KITTANNING, PA 16201
 (724) 543-8500

21861

ARGNOT-OGDEN MEMORIAL HOSPITAL—S
 600 ROE AVENUE
 ELMIRA, NY 14905
 (607) 737-4478

00047

ASSOCIATED CLINICAL LABORATORIES—SB
 PATHOLOGY ASSOCIATES OF ERIE, INC
 1526 PEACH STREET
 ERIE, PA 16501
 (814) 461-2400

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
 3520 PROGRESS DRIVE UNIT C
 BENSLEM, PA 19020
 (267) 525-2470

00320

BARNES KASSON HOSPITAL LAB—S
 400 TURNPIKE STREET
 SUSQUEHANNA, PA 18847
 (570) 853-5059

00001

BERWICK HOSPITAL LABORATORY—S
 701 EAST 16TH STREET
 BERWICK, PA 18603
 (570) 759-5110

00301

BHS LABORATORY—S
 ONE HOSPITAL WAY (911 E BRADY STREET)
 BUTLER, PA 16001
 (724) 284-4513

00033

BRADFORD REGIONAL MEDICAL CENTER—S
 116-156 INTERSTATE PKWY
 BRADFORD, PA 16701-0218
 (814) 362-8247

00296

BRANDYWINE HOSPITAL—S
 201 REECEVILLE ROAD
 COATESVILLE, PA 19320
 (610) 383-8000

00053

BROOKVILLE HOSPITAL LAB—S
 100 HOSPITAL ROAD
 BROOKVILLE, PA 15825
 (814) 849-2312

31684

BUCKS COUNTY CRIME LABORATORY—SB
 850 EAGLE BOULEVARD
 WARMINSTER, PA 18974
 (609) 802-7399

00107

CANONSBURG HOSPITAL—S
 100 MEDICAL BOULEVARD
 CANONSBURG, PA 15317
 (724) 745-3916

00131

CARLISLE REGIONAL MEDICAL CENTER—S
 361 ALEXANDER SPRING ROAD
 CARLISLE, PA 17015-9129
 (717) 249-1212

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD.
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 221-8969

00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

33142
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00125
CONEMAUGH MEM MED CTR-MAIN LAB—SB
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-3221

00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 634-5911

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000

00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(267) 960-3407

00027
DUBOIS REG MED CTR-WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200

00175
EASTON HOSPITAL LABORATORY—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
25 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510
- 00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1558
- 00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2566
- 31400
FRANCES WARDE MEDICAL LABORATORY—SB
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0301
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169
- 00002
GEISINGER BLOOMSBURG HOSPITAL
LABORATORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098
- 00005
GEISINGER CMC LABORATORY—S
1800 MULBERRY STREET
ATTN 68-44
SCRANTON, PA 18510
(570) 969-7140
- 00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7474
- 00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845
- 00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120
- 00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083
- 00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7986
- 00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4528
- 00061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125
- 00024
GUTHRIE CLINIC LAB AT TROY COMM—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289
- 00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-5797
- 00023
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191
- 00239
HAHNEMANN UNIVERSITY HOSPITAL—S
DREXEL UNIV COLLEGE OF MED DEPT OF
PATHOLOGY, MAIL STOP 435
245 N 15TH STREET
PHILADELPHIA, PA 19102
(215) 416-9500
- 00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 633-2150
- 00155
HARRISBURG HOSPITAL LABORATORY—SB
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 231-6323
- 00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150
- 24655
HEALTH NETWORK LABORATORIES—SB
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 00166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605
- 00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000
- 00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 741-6600
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080
- 00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347
- 00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080
- 00034
KANE COMMUNITY HOSPITAL—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570
- 01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770
- 00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331
- 00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE, PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 481-4933
- 00010
LEHIGH VALLEY HOSPITAL—HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152
- 00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000
- 00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300
- 00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554
- 00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521
- 00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

- 00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339
- 09003
MAYO CLINIC LABS-ROCHESTER MAIN
CAMPUS—SB
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 538-6449
- 00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000
- 05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217
- 00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403
(717) 843-8623
- 00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4486
- 00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 237-4486
- 00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 292-6501
- 28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 955-3941
- 00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2100
- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6150
- 00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282
- 00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 209-7913
- 30984
OFFICE OF THE DISTRICT ATTORNEY—B
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526
- 00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 00334
PALMERTON HOSPITAL—S
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100
- 31516
PAML LLC—SB
110 W CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8975
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353
- 22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

00157
PINNACLE HEALTH AT COMMUNITY GENERAL
HOSPITAL—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

33480
PINNACLE HEALTH WEST SHORE HOSPITAL
LABORATORY—S
HARRISBURG HOSPITAL LABORATORY
100 SOUTH SECOND STREET
HARRISBURG, PA 17101
(717) 782-3582

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

31399
QUEST DIAGNOSTICS—SB
1777 MONTREAL CIRCLE ES/F1 2
TUCKER, GA 30084
(770) 936-5007

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20151
(703) 802-7188

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150
READING HOSPITAL LABORATORY—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(484) 628-8615

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5386

00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00183
SCHUYLKILL MC S JACKSON ST—SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

00064
SHARON PA HOSPITAL COMPANY LLC—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

00039
SOLDIERS & SAILORS MEM HOSP—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000

- 00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134
(215) 427-5475
- 00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8724
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681
- 32021
ST. LUKES HOSPITAL-ANDERSON LAB—S
1872 ST LUKE'S BLVD
EASTON, PA 18045
(484) 503-1075
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4353
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD ST
DEPT OF PATH & LAB MED-RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET 204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-3941
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705
- 00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384
- 00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340
- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3555
- 32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD.
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682
- 00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-2463
- 00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831
- 00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3136

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3741

25064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1246. Filed for public inspection July 2, 2015, 9:00 a.m.]

Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(i) that permits test results on blood or urine

for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, C, SC indicate the following:

S = approved for screening analyses
 C = approved for confirmatory analyses
 SC = approved for screening and confirmatory analyses

00212
 ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 481-2324

32917
 ACCURATE DIAGNOSTIC LABS, INC—S
 3000 HADLEY ROAD
 SOUTH PLAINFIELD, NJ 07080
 (609) 947-2050

27908
 ACM MEDICAL LABORATORY—SC
 160 ELMGROVE PARK
 ROCHESTER, NY 14624
 (716) 429-2264

33614
 ADVANCED CLINICAL LABORATORY SOLUTIONS,
 INC—SC
 2277-83 CONEY ISLAND AVENUE, SUITE 3B
 BROOKLYN, NY 11223
 (718) 998-9899

31193
 ADVANCED LABORATORY SERVICES, INC—SC
 501 ELMWOOD AVENUE
 SHARON HILL, PA 19079
 (484) 494-6125

33583
 ADVANCED MEDICAL LABORATORIES INC—SC
 1690 US HWY 1 SOUTH, SUITE D
 ST AUGUSTINE, FL 32084
 (305) 790-9798

34301
 AEGIS ANALYTICAL LABORATORIES, INC—SC
 345 HILL AVENUE
 NASHVILLE, TN 37210
 (615) 425-4620

31695
 AEGIS SCIENCES CORPORATION—SC
 515 GREAT CIRCLE ROAD
 NASHVILLE, TN 37228
 (615) 255-2400

33664
 AEGIS SCIENCES CORPORATION—SC
 365 GREAT CIRCLE ROAD
 NASHVILLE, TN 37228
 (615) 255-2400

33996
 AIM LABORATORIES LLC—SC
 9326 OLIVE BLVD
 ST LOUIS, MO 63132
 (314) 743-3749

30483
 AIT LABORATORIES—SC
 2265 EXECUTIVE DRIVE
 INDIANAPOLIS, IN 46241
 (317) 243-3894

34209
 AKRIVIS LABORATORIES LLC—SC
 1402 S MAGNOLIA ST SUITE H
 HAMMOND, LA 70403
 (985) 323-3606

00233
 ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL
 PHILADELPHIA, PA 19141-3001
 (215) 456-6129

24496
 ALERE TOXICOLOGY SERVICES—SC
 450 SOUTHLAKE BOULEVARD
 RICHMOND, VA 23236
 (804) 378-9130

26008
 ALERE TOXICOLOGY SERVICES INC—SC
 1111 NEWTON STREET
 GRETNA, LA 70053
 (504) 361-8989

31752
 ALERE TOXICOLOGY SERVICES, INC—SC
 9417 BRODIE LANE
 AUSTIN, TX 78748
 (512) 963-8959

00116
 ALLE KISKI MED CNTR NEW KENSINGTON—S
 651 FOURTH AVENUE
 NEW KENSINGTON, PA 15068
 (724) 226-7089

- 00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425
- 28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886
- 00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-8615
- 00100
ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100
- 34263
ALLY CLINICAL DIAGNOSTICS, INC—SC
2099 VALLEY VIEW DRIVE #180
FARMERS BRANCH, TX 75234
(214) 789-7399
- 33871
AMERICAN CLINICAL SOLUTIONS, LLC—C
721 CORTARO DR
SUN CITY CENTER, FL 33573
(561) 367-7997
- 31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 923-0166
- 31814
AMERITOX, LTD—SC
486 GALLIMORE DAIRY ROAD
GREENSBORO, NC 27409
(336) 387-7600
- 26620
AMMON ANALYTICAL LABORATORY—S
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
(908) 862-4404
- 00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227
- 00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068
- 00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-4000
- 21861
ARNOT-OGDEN MEMORIAL HOSPITAL—S
600 ROE AVENUE
ELMIRA, NY 14905
(607) 737-4478
- 21613
ARUP LABORATORIES INC—SC
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787
- 00047
ASSOCIATED CLINICAL LABORATORIES—S
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400
- 33789
ASSURANCE TOXICOLOGY SERVICES INC—C
933 E NAKOMA DRIVE
SAN ANTONIO, TX 78216
(210) 267-5565
- 33964
ASSURED TOXICOLOGY—SC
4201 VINELAND ROAD SUITE 1-12
ORLANDO, FL 32811
(855) 341-4080
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 33692
AUSPICIOUS LABORATORY INC—SC
7400 HARWIN DR SUITE #258
HOUSTON, TX 77036
(713) 266-0808
- 31171
AVEE LABORATORIES INC—SC
14440 MYERLAKE CIRCLE
CLEARWATER, FL 33760
(727) 424-4151
- 33067
AVERTEST—S
4709 LAGUARDIA DRIVE
BERKELEY, MO 63134
(804) 955-5246
- 00320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059
- 00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110
- 33959
BEST CARE LABORATORY LLC—S
397 HALEDON AVE
HALEDON, NJ 07508
(973) 949-3963
- 00301
BHS LABORATORY—S
ONE HOSPITAL WAY (911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513
- 34189
BIODIAGNOSTIC LABS—S
2380 E 22 STREET
BROOKLYN, NY 11229
(718) 646-6000

- 27615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771
- 27616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 VETERANS HIGHWAY #851
BRISTOL, PA 19007
(215) 826-9282
- 27617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862
- 22757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000
- 00472
BROOKSIDE CLINICAL LAB INC—S
2901 W DUTTONS MILLS ROAD, SUITE 100
ASTON, PA 19014
(610) 872-6466
- 31684
BUCKS COUNTY CRIME LABORATORY—SC
850 EAGLE BOULEVARD
WARMINSTER, PA 18974
(609) 802-7399
- 32486
BURLINGTON LABORATORIES, INC—SC
199 MAIN STREET
COURTHOUSE PLAZA
BURLINGTON, VT 05401
(802) 863-4105
- 29116
CALLOWAY LABORATORIES, INC—SC
12 GILL STREET, SUITE 4000
WOBURN, MA 01801
(781) 224-9899
- 00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212
- 00751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
(610) 435-3111
- 34075
CENTRAL TOX LLC—SC
525 ROUND ROCK WEST DRIVE STE B200
ROUND ROCK, TX 78681
(512) 838-3828
- 00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153
- 00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510
- 33704
CHEMATOX LABORATORY, INC—SC
5401 WESTERN AVENUE
BOULDER, CO 80301
(303) 440-4500
- 00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113
- 00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD.
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 221-8969
- 34259
CLEAN SLATE CENTERS—SC
82 MAIN STREET
WEST SPRINGFIELD, MA 01082
(413) 584-2173
- 00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280
- 27845
CLINICAL REFERENCE LABORATORY—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652
- 33139
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

33142
CLINICAL REFERENCE LABORATORY, INC—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

33386
COLORADO UNIVERSITY TOXICOLOGY—C
1999 N FITZSIMONS PARKWAY, SUITE 100
AURORA, CO 80045
(303) 724-7346

31556
COMPREHENSIVE PAIN CENTER ALLENTOWN—S
4825 TILGHMAN STREET
ALLENTOWN, PA 18104
(606) 487-0523

32741
COMPREHENSIVE PAIN MANGEMENT AND
SPECIALISTS, LLC—S
414 R DRINKER STREET
DUNMORE, PA 18512
(570) 270-5700

00125
CONEMAUGH MEM MED CTR-MAIN LAB—S
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-3221

00128
CONEMAUGH MINDERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

33431
CONFIRMATRIX LABORATORY, INC—C
1770 CEDARS ROAD, SUITE 200
LAWRENCEVILLE, GA 30045
(678) 407-9818

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000

34165
D2 HEALTH MANAGEMENT LLC—S
2005 PAN AM CIRCLE SUITE 100
TAMPA, FL 33607
(727) 776-8867

00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(401) 667-0891

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SC
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(267) 960-3407

00175
EASTON HOSPITAL LABORATORY—S
250 SOUTH 21ST ST
EASTON, PA 18042
(610) 250-4819

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

34056
ELITE DIAGNOSTICS, LLC—SC
10995 FOUR SEASONS PLACE, 100A
CROWN POINT, IN 46307
(219) 213-2845

33703
ELITE LABS, LLC—S
2769 E ATLANTIC BLVD
POMPAÑO BEACH, FL 33062
(434) 251-4566

34186
ELITE LABS, LLC—C
555 HERITAGE DR
JUPITER, FL 33458
(315) 263-2404

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

31625
EMPIRE CITY LABORATORIES—S
4306 3RD AVENUE, 2ND FLOOR
BROOKLYN, NY 11232
(516) 941-7244

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
25 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

33989
 EPIC REFERENCE LABS—SC
 7960 CENTRAL INDUSTRIAL DRIVE-SUITE 120
 RIVIERA BEACH, FL 33404
 (561) 666-9817

00032
 ERHC ST MARYS LABORATORY—S
 763 JOHNSONBURG RD
 SAINT MARYS, PA 15857
 (814) 788-8525

33899
 ESSENTIAL TESTING LLC—SC
 1616 EASTPORT PLAZA DRIVE
 COLLINSVILLE, IL 62234
 (618) 623-0623

00181
 EVANGELICAL COMMUNITY HOSPITAL—S
 1 HOSPITAL DRIVE
 LEWISBURG, PA 17837
 (570) 522-2510

32030
 EXCEL MEDICAL LAB INC—S
 DBA EVEREST MEDICAL LABORATORY
 99-107 GLENDALE AVE
 EDISON, NJ 08817
 (732) 777-9222

00114
 EXCELA HEALTH LATROBE HOSPITAL—S
 ONE MELLON WAY
 LATROBE, PA 15650
 (724) 537-1558

33432
 EXCELTOX LABORATORIES, LLC—SC
 9805 RESEARCH DRIVE
 IRVINE, CA 92618
 (877) 202-7019

33902
 FIRST CHOICE LABORATORY, LLC—SC
 6061 NE 14TH AVE
 FORT LAUDERDALE, FL 33334
 (828) 446-2850

00085
 FORBES HOSPITAL—S
 2570 HAYMAKER ROAD
 MONROEVILLE, PA 15146
 (412) 858-2566

32166
 FORENSIC FLUIDS LABORATORIES, INC—SC
 225 PARSONS STREET
 KALAMAZOO, MI 49007
 (269) 492-7700

32455
 FORENSIC LABORATORIES—S
 ROCKY MOUNTAIN TOX, LLC
 4895 JOLIET STREET, 7-G
 DENVER, CO 80239
 (303) 469-8042

31400
 FRANCES WARDE MEDICAL LABORATORY—SC
 300 WEST TEXTILE ROAD
 ANN ARBOR, MI 48108
 (734) 214-0301

00115
 FRICK HOSPITAL—S
 508 SOUTH CHURCH STREET
 MOUNT PLEASANT, PA 15666
 (724) 547-1500

20644
 FRIENDS HOSPITAL—S
 4641 ROOSEVELT BOULEVARD
 LABORATORY
 PHILADELPHIA, PA 19124
 (215) 831-6934

09163
 FRIENDS MEDICAL LAB INC—SC
 5820 SOUTHWESTERN BLVD
 BALTIMORE, MD 21227
 (412) 247-4417

33790
 FRONTIER TOXICOLOGY—C
 1047 E NAKOMA DRIVE
 SAN ANTONIO, TX 78216
 (210) 494-6300

00330
 FULTON COUNTY MEDICAL CENTER—S
 214 PEACH ORCHARD ROAD
 MCCONNELLSBURG, PA 17233
 (717) 485-6169

30188
 GARCIA CLINICAL LABORATORY INC—S
 2195 SPRING ARBOR ROAD
 JACKSON, MI 49201
 (517) 787-9200

00002
 GEISINGER BLOOMSBURG HOSPITAL
 LABORATORY—S
 549 E FAIR STREET
 BLOOMSBURG, PA 17815
 (570) 387-2098

00005
 GEISINGER CMC LABORATORY—S
 1800 MULBERRY STREET
 ATTN 68-44
 SCRANTON, PA 18510
 (570) 969-7140

00138
 GEISINGER LEWISTOWN HOSPITAL—S
 400 HIGHLAND AVENUE
 LEWISTOWN, PA 17044
 (717) 242-7474

00173
 GEISINGER MEDICAL CENTER—SC
 100 N ACADEMY AVENUE
 DANVILLE, PA 17822-0131
 (570) 271-6338

00019
 GEISINGER WYOMING VALLEY MED CTR—S
 1000 E MOUNTAIN DRIVE
 WILKES-BARRE, PA 18711
 (570) 808-7845

00185
 GEISINGER-SHAMOKIN AREA COMMUNITY
 HOSPITAL—S
 4200 HOSPITAL ROAD
 COAL RUN, PA 17866-9697
 (570) 644-4200

34333
GENOTOX LABS—SC
4544 S LAMAR BLVD SUITE 710
AUSTIN, TX 78745
(512) 838-3828

00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7986

32790
GREATER PHILADELPHIA SPINE AND PAIN, PC—S
700 E TOWNSHIP LINE ROAD, 1ST FLOOR
HAVERTOWN, PA 19083
(610) 689-9120

00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-5797

00023
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00239
HAHNEMANN UNIVERSITY HOSPITAL—S
DREXEL UNIV COLLEGE OF MED DEPT OF
PATHOLOGY, MAIL STOP 435
245 N 15TH STREET
PHILADELPHIA, PA 19102
(215) 416-9500

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 633-2150

00155
HARRISBURG HOSPITAL LABORATORY—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 231-6323

26799
HEALTH AND WELLNESS CENTER-HAZLETON—S
50 MOISEY DRIVE SUITE 208
HAZLETON, PA 18202
(570) 501-6805

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150

24655
HEALTH NETWORK LABORATORIES—SC
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

00166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000

00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 741-6600

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

33788
HILL COUNTRY TOXICOLOGY—SC
7909 FREDERICKSBURG RD #150
SAN ANTONIO, TX 78229
(210) 614-1117

00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 938-3703

00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

34296
INDUSTRY LAB DIAGNOSTICS PARTNERS—C
8122 SAWYER BROWN ROAD SUITE 210
NASHVILLE, TN 37205
(615) 630-7799

34295
INFINITI LABS INC—SC
6015 BENJAMIN ROAD SUITE 315
TAMPA, FL 33634
(813) 886-2616

- 33708
INFINITY DIAGNOSTIC LABORATORIES—S
370 NORTH STREET
TETERBORO, NJ 07608
(201) 843-7750
- 33607
INSIGHT DIAGNOSTICS, LLC—SC
357 RIVERSIDE DR SUITE 1004
FRANKLIN, TN 37064
(615) 465-6529
- 33604
INTEGRALABS, INC—SC
7020 KIT CREEK ROAD SUITE 240
RESEARCH TRIANGLE PARK, NC 27709
(423) 328-0527
- 33792
INTERNATIONAL TECHNOLOGIES, LLC-DBA NJ REF
LABS—S
71 FRANKLIN TURNPIKE, SUITE 1-3
WALDWICK, NJ 07463
(201) 857-3914
- 31316
INTERVENTIONAL PAIN INSTITUTE—S
378 WEST CHESTNUT ST SUITE 105
WASHINGTON, PA 15301
(724) 222-5471
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080
- 00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347
- 00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080
- 00312
JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-0100
- 34192
KEYSTONE LABORATORIES, INC—SC
3 MCDOWELL STREET
ASHEVILLE, NC 28803
(828) 771-3109
- 21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042
- 34228
LAB SOLUTIONS—SC
1451 NORTHSIDE DRIVE NW
ATLANTA, GA 30318
(404) 242-9093
- 20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900
- 01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770
- 33869
LABORATORY SERVICES, LLC—SC
108 NW 4TH STREET
BOCA RATON, FL 33432
(561) 367-3625
- 33995
LABSOURCE, LLC—SC
25 AIRPARK COURT
GREENVILLE, SC 29607
(864) 312-6930
- 34302
LAB USA INC—S
108R MERRIMACK STREET
HAVERHILL, MA 01830
(978) 556-0533
- 00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331
- 00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE, PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 481-4933
- 32311
LEBANON PAIN RELIEF—S
918 RUSSELL DRIVE
LEBANON, PA 17042
(386) 290-4441
- 00010
LEHIGH VALLEY HOSPITAL-HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152
- 33702
LEHIGH VALLEY TOXICOLOGY, LLC—SC
3864 COURTNEY STREET, SUITE 150
BETHLEHEM, PA 18017
(610) 637-4293

34254
LIFEBRITE LABORATORIES, LLC—SC
9 CORPORATE BLVD NE SUITE 150
ATLANTA, GA 30329
(919) 890-3085

32630
LIGHTHOUSE MEDICAL, LLC—S
507 TIRE HILL RD
JOHNSTOWN, PA 15905
(814) 943-1272

00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

33889
LOGAN LABORATORIES, LLC—SC
5050 W LEMON STREET
TAMPA, FL 33609
(813) 569-6500

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

09003
MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—
SC
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 538-6449

33620
MCKEESPORT DRUG SCREENING LAB—S
339 FIFTH AVENUE, WANDER BLDG
MCKEESPORT, PA 15132
(412) 578-8070

33842
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC
10715 DOUBLE R BLVD, SUITE 102
RENO, NV 89521
(775) 391-5221

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403
(717) 843-8623

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4486

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 237-4486

00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 292-6501

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 955-3941

31050
MILLENIUM HEALTH, LLC—SC
16981 VIA TAZON, BUILDING 1
SAN DIEGO, CA 92127
(858) 451-3535

28907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(484) 227-1426

34106
MONMOUTH BEHAVIORAL DIAGNOSTICS LLC—S
3 CORBETT WAY
EATONTOWN, NJ 07724
(888) 687-6977

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2100

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6150

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141

34274
NASPAC1, LLC—SC
404 CREEK CROSSING BLVD
HAINSPORT, NJ 08036
(609) 845-3988

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

27246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011

29741
NORTHERN TIER RESEARCH—SC
1302 MADISON AVE
DUNMORE, PA 18509
(570) 209-7913

34064
NORTHWEST PHYSICIANS LABORATORIES—SC
2840 NORTHUP WAY, STE 100
BELLEVUE, WA 98004
(424) 774-1538

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

33980
ORBIT LABORATORY, LLC—S
5407 N HAVERHILL ROAD #335
WEST PALM BEACH, FL 33407
(561) 367-3625

23801
PACIFIC TOXICOLOGY LABORATORIES—SC
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

31798
PAIN CONTROL CENTER OF PITTSBURGH—S
3627 BROADHEAD ROAD
MONACA, PA 15061
(724) 728-7880

34007
PAIN SPECIALISTS OF GREATER LEHIGH VALLEY,
PC—S
1259 SOUTH CEDAR CREST BOULEVARD, SUITE 317
ALLENTOWN, PA 18103
(855) 425-9428

00334
PALMERTON HOSPITAL—S
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100

31516
PAML LLC—SC
110 W. CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8975

00250
PARKWAY CLINICAL LABORATORIES—SC
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112

33054
PATHOLOGY LABORATORIES, INC—S
1946 NORTH 13TH STREET
TOLEDO, OH 43604
(419) 255-4600

33194
PEACHSTATE HEALTH MANAGEMENT—C
2225 CENTENNIAL DRIVE
GAINESVILLE, GA 30504
(678) 276-8412

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541

31082
PHAMATECH INC—SC
10151 BARNES CANYON ROAD
SAN DIEGO, CA 92121
(858) 643-5555

32887
PHOENIX TOXICOLOGY & LAB SERVICES—C
2320 W PEORIA AVE SUITE D-132
PHOENIX, AZ 85029
(602) 374-4097

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

31965
PHYSICIANS CHOICE LABORATORY SERVICES,
LLC—SC
854 PARAGON WAY
ROCK HILL, SC 29730
(336) 407-1499

00157
PINNACLE HEALTH AT COMMUNITY GENERAL
HOSPITAL—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

33480
PINNACLE HEALTH WEST SHORE HOSPITAL
LABORATORY—S
HARRISBURG HOSPITAL LABORATORY
100 SOUTH SECOND STREET
HARRISBURG, PA 17101
(717) 782-3582

33621
PITTSBURGH DRUG SCREENING LAB—S
440 ROSS STREET, SUITE 1003
PITTSBURGH, PA 15219
(412) 578-8070

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

33950
POSITIVE RECOVERY SOLUTIONS, LLC—S
730 BROOKLINE BLVD
PITTSBURGH, PA 15226
(412) 535-1885

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

33487
PRECISION TOXICOLOGY, LLC—SC
3030 BUNKER HILL SUITE 201
SAN DIEGO, CA 92109
(800) 635-6901

34191
PREMIER BIOTECH LABS, LLC—SC
7516 80TH ST SOUTH SUITE 201
COTTAGE GROVE, MN 55016
(763) 607-8690

31800
PREMIER PAIN, SPINE AND SPORTS MEDICINE
PC—S
391 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 872-9800

34030
PRINCIPLE LABS, LLC—SC
2550 BRODHEAD ROAD, SUITE 105
BETHLEHEM, PA 18020-8922
(516) 810-1124

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

32205
QDX PATHALLIANCE, PC—S
70 JACKSON DRIVE UNIT H3
CRANFORD, NJ 07016
(866) 909-7284

31399
QUEST DIAGNOSTICS—SC
1777 MONTREAL CIRCLE ES/F1 2
TUCKER, GA 30084
(770) 936-5007

00315
QUEST DIAGNOSTICS CLINICAL LABS INC—SC
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

27461
QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20151
(703) 802-7188

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

24249
QUINTILES LABORATORIES LTD—S
1600 TERRELL MILL ROAD SUITE 100
MARIETTA, GA 30067
(770) 373-3500

34188
RADEAS LLC—SC
11635 NORTH PARK DR SUITE 340
WAKE FOREST, NC 27587
(919) 435-6669

00150
READING HOSPITAL LABORATORY—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(484) 628-8615

34074
REALTOX LABS LLC—SC
200 BUSINESS CENTER DRIVE
REISTERTOWN, MD 21136
(410) 868-3845

25348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

33170
RIVER CROSSING LABS—SC
4115 W SPRUCE STREET
TAMPA, FL 33607
(813) 884-8200

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

30821
RXTOX INC—SC
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

33834
SAMARITAN LABS, LLC, DBA ASPERIO
LABORATORIES—SC
4715 TRADER'S WAY, SUITE 201
THOMPSON'S STATION, TN 37179
(615) 465-6529

29838
SAN DIEGO REFERENCE LABORATORY—SC
6565 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995

00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00183
SCHUYLKILL MC S JACKSON ST—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

28471
SECON OF LOUISIANA—S
825 KALISTE SALOOM RD, BRANDYWINE 1,
SUITE 100
LAFAYETTE, LA 70508
(337) 235-3712

29038
SECON OF NEW ENGLAND—SC
415 MAIN STREET 4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703

34294
SERAPH LABORATORY LLC—C
555 HERITAGE DR SUITE 135
JUPITER, FL 33458
(561) 508-3101

00064
SHARON PA HOSPITAL COMPANY LLC—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914

00421
SKIPPACK MEDICAL LABORATORY—S
3887 SKIPPACK PIKE
SKIPPACK, PA 19474
(610) 584-1669

33682
SKY TOXICOLOGY—SC
1051 E NAKOMA DR
SAN ANTONIO, TX 78216
(210) 265-3200

27649
SMA MEDICAL LABORATORIES—SC
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

00039
SOLDIERS & SAILORS MEM HOSP—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000

00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134-1095
(215) 427-5475

00151
ST JOSEPH QUALITY MEDICAL LAB—SC
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000

00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8724

00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271

29015
STERLING HEALTHCARE HOLDINGS, LLC—SC
2617 EAST L STREET #A
TACOMA, WA 98421-2205
(253) 552-1551

00187
SUNBURY COMMUNITY HOSPITAL—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3492

34011
SURETOX LABORATORY—SC
278 BROADWAY UNIT 2B
ELMWOOD PARK, NJ 07407
(201) 290-3232

31474
TASC INC—SC
2234 N 7TH STREET
PHOENIX, AZ 85006
(602) 257-7588

00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450

00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4353

00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD STREET
DEPT OF PATH & LAB MED-RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560

33771
THE ELITE LAB GROUP PA, LLC—S
1400 VETERANS HIGHWAY SUITE 108
LEVITTOWN, PA 19056
(267) 294-4111

00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET 204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-3941

34314
THYROID SPECIALTY LABORATORY, INC—C
8037 LITZINGER ROAD
SAINT LOUIS, MO 63144
(314) 200-3040

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

33367
TRACHTMAN LABORATORIES—C
8419 SHARON MERCER ROAD
MERCER, PA 16137
(724) 877-9025

34190
TRUETOX LABORATORIES, LLC—SC
50 ROSE PLACE
GARDEN CITY PARK, NY 11040
(516) 734-0415

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3555

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-2463

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831

00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

33106
US ACCUSCREEN, LLC—SC
3365 CYPRESS MILL ROAD #9
BRUNSWICK, GA 31520
(912) 265-9277

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

33844
USA MEDICAL TOXICOLOGY—SC
7707 FANNIN ST STE 290
HOUSTON, TX 77054
(512) 838-3828

33357
UTC LABORATORIES, LLC—SC
1441 CANAL STREET, SUITE 401
NEW ORLEANS, LA 70112
(504) 609-3462

00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

33590
WAYNE MEMORIAL HAMLIN LABORATORY—S
543 EASTON TURNPIKE SUITE 105
LAKE ARIAL, PA 18436
(570) 253-8193

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

33969
WESTMORELAND PAIN MANAGEMENT CENTER—S
4893 ROUTE 30 EAST, SUITE 8
GREENSBURG, PA 15601
(724) 323-7308

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1247. Filed for public inspection July 2, 2015, 9:00 a.m.]

**Laboratories Approved to Perform Blood Lead
and/or Erythrocyte Protoporphyrin Determina-
tions under The Clinical Laboratory Act**

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte

protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols L and P indicate the following:

L = approved for blood lead analyses
 P = approved for erythrocyte protoporphyrin analyses
 LP = approved for blood lead and erythrocyte protoporphyrin analyses

31609
 ACCU REFERENCE MEDICAL LABATORY—L
 1901 EAST LINDEN AVENUE
 SUITE 4
 LINDEN, NJ 07036
 (908) 474-1004

22912
 ACL LABORATORIES—LP
 8901 WEST LINCOLN AVE
 WEST ALLIS, WI 53227
 (414) 328-7945

- 00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278
- 21613
ARUP LABORATORIES INC—LP
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 33959
BEST CARE LABORATORY, LLC—L
397 HALEDON AVE
HALEDON, NJ 07508
(973) 949-3963
- 22757
BIOREFERENCE LABORATORIES INC—L
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 30249
CARING HANDS PEDIATRICS—L
105 BRAUNLICH DRIVE, SUITE 450
PITTSBURGH, PA 15237
(412) 369-7720
- 20506
CENTRAL PA ALLIANCE LABORATORY—L
1803 MT ROSE AVENUE SUITE C3-C4
YORK, PA 17403
(717) 851-1426
- 00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD.
MAIN BLDG.—5TH FLOOR—ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 33652
COMMUNITY HEALTH AND DENTAL CARE—L
700 HERITAGE DRIVE
POTTSTOWN, PA 19464
(610) 326-9460
- 31847
DOCTOR'S DATA, INC—L
3755 ILLINOIS AVENUE
ST. CHARLES, IL 60174-2420
(630) 377-8139
- 00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361
- 10266
EDEN PARK PEDIATRIC ASSOCIATES—L
1725 OREGON PIKE
LANCASTER, PA 17601
(717) 569-8518
- 29462
EDEN PARK PEDIATRIC ASSOCIATES—L
4221 OREGON PIKE
EPHRATA, PA 17522
(717) 569-8518
- 32339
EDEN PARK PEDIATRIC ASSOCIATES—L
779 E MAIN STREET
MOUNT JOY, PA 17552
(717) 569-8518
- 31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500
- 31400
FRANCES WARDE MEDICAL LABORATORY—LP
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0301
- 00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338
- 25914
GENOVA DIAGNOSTICS—L
63 ZILICOA STREET
ASHEVILLE, NC 28801
(828) 253-0621
- 32839
GENOVA DIAGNOSTICS—L
3425 CORPORATE WAY
DULUTH, GA 30096
(678) 638-2918
- 00654
GUTHRIE MEDICAL GROUP LABORATORIES—L
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-5797
- 01711
HANOVER PEDIATRICS—L
217 BROADWAY
HANOVER, PA 17331
(717) 632-3911
- 24655
HEALTH NETWORK LABORATORIES—L
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150
- 26490
HOPE PEDIATRICS—L
3512 STATE ROUTE 257 SUITE 106
SENECA, PA 16346
(814) 677-2347
- 33708
INFINITY DIAGNOSTIC LABORATORIES—L
370 NORTH STREET
TETERBORO, NJ 07608
(201) 843-7750
- 29136
KIDS PLUS PEDIATRICS—L
108 HORNER LANE
LATROBE, PA 15650
(724) 537-2131
- 05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161

01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

22715
LABONE LLC DBA QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

34187
LENCO DIAGNOSTIC LABORATORIES INC—L
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515

00242
MAIN LINE HOSPITALS LAB—LANKENAU—L
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—L
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-6449

29251
MAYO MEDICAL LABORATORIES NEW
ENGLAND—LP
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600

24668
MCMURRAY PEDIATRIC & ADOLESCENT
MEDICINE—L
6000 WATERDAM PLAZA DRIVE #280
MCMURRAY, PA 15317
(724) 941-8199

28806
MEDIA PEDIATRICS—L
401 MOORE ROAD
WALLINGFORD, PA 19086
(610) 565-3336

05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

20802
MERITUS MEDICAL LABORATORY, LLC—L
11110 MEDICAL CAMPUS RD STE 230
HAGERSTOWN, MD 21742
(301) 790-8670

00504
NATIONAL MED SVCS INC/DBA NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222

30553
NATIONWIDE CHILDRENS HOSPITAL—LP
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5376

23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

31516
PAML LLC—L
110 W. CLIFF AVENUE
SPOKANE, WA 99203
(509) 755-8975

02125
PEDIATRIC ALLIANCE ST CLAIR PED DIV—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121

28416
PEDIATRIC ALLIANCE PC, ARCADIA DIVISION—L
9000 PERRY HIGHWAY, SUITE 120
PITTSBURGH, PA 15237
(412) 358-9548

25436
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L
27 VISTA DRIVE
UNIT 3
WAYNESBORO, PA 17268
(717) 765-6621

33953
PEDIATRIC URGENT CARE OF FRANKLIN
COUNTY—L
5 ROADSIDE AVE
WAYNESBORO, PA 17268
(717) 765-6621

22533
PENNSYLVANIA DEPT OF HEALTH—LP
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00022
POCONO MEDICAL CENTER LAB—L
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00324
PRIMARY HEALTH CARE SERVICES INC—L
7227 HAMILTON AVE
PITTSBURGH, PA 15208
(412) 244-4728

00255
PUBLIC HEALTH LAB CITY OF PHILA—L
500 SOUTH BROAD STREET ROOM 359
PHILADELPHIA, PA 19146
(215) 685-6501

22715
QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

00669
QUEST DIAGNOSTICS INCORPORATED—LP
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895

21422
QUEST DIAGNOSTICS INCORPORATED—P
1901 SULPHUR SPRING ROAD
BALTIMORE, MD 21227
(410) 536-1501

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-7188

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—LP
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150
READING HOSPITAL LABORATORY—L
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(484) 628-8615

22899
RED ROSE PEDIATRIC ASSOCIATES—L
233 COLLEGE AVENUE
SUITE 200
LANCASTER, PA 17603
(717) 291-7221

22196
SHARON MEDICAL GROUP—L
197 E SILVER STREET
SHARON, PA 16146
(724) 944-6849

31527
SHIEL MEDICAL LABORATORY—L
63 FLUSHING AVENUE
BROOKLYN NAVY YARD UNIT 336
BROOKLYN, NY 11205
(718) 552-1000

27649
SMA MEDICAL LABORATORIES—L
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

34171
SONIC REFERENCE LABORATORY, INC—L
9200 WALL STREET, SUITE 200
AUSTIN, TX 78754
(512) 531-2085

00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

22718
SUNRISE MEDICAL LABORATORIES INC—L
250 MILLER PLACE
HICKSVILLE, NY 11801
(516) 435-1515

23999
SUSQUEHANNA COMMUNITY HEALTH AND DENTAL
CENTER—L
471 HEPBURN STREET
WILLIAMSPORT, PA 17701
(570) 567-5412

32074
UNITED MEDICAL LABORATORY INC.—L
495 N 13TH STREET
NEWARK, NJ 07107

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00018
WBGH COMMONWEALTH HEALTH LAB SVS—L
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

26198
WRIHT CENTER MEDICAL GROUP, PC—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 383-9934

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1248. Filed for public inspection July 2, 2015, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking exceptions to 28 Pa. Code § 201.22(h) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Meadows Nursing and Rehabilitation Center
4 East Center Hill Road
Dallas, PA 18612
FAC ID # 137302

The following long-term care nursing facility is seeking exceptions to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Millcreek Manor
5515 Peach Street
Erie, PA 16509-2603
FAC ID # 131102

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.67(j) and (k) (relating to electric requirements for existing and new construction):

Foulkeways at Gwynedd
1120 Meetinghouse Road
Gwynedd, PA 19436
FAC ID # 060902

Millcreek Manor
5515 Peach Street
Erie, PA 16509-2603
FAC ID # 131102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1249. Filed for public inspection July 2, 2015, 9:00 a.m.]

Minimum Levels of Controlled Substances or Their Metabolites in Blood to Establish Presence of Controlled Substance

Under 75 Pa.C.S. § 1547(c)(4) (relating to chemical testing to determine amount of alcohol or controlled substance), as amended by the act of September 30, 2003 (P. L. 120, No. 24), the Department of Health (Department) is publishing a notice of the minimum levels of Schedule I, nonprescribed Schedule II and nonprescribed Schedule III controlled substances or their metabolites that must be present in a person's blood for the test results to be admissible in a prosecution for a violation of 75 Pa.C.S. § 1543(b)(1.1), § 3802(d)(1), (2) or (3) or § 3808(a)(2) (relating to driving while operating privilege

is suspended or revoked; driving under influence of alcohol or controlled substance; and illegally operating a motor vehicle not equipped with ignition interlock).

Testing for controlled substances in blood is normally a two-step process. The first step involves screening of the blood using a relatively rapid and inexpensive procedure to presumptively determine whether a specimen contains a controlled substance or a metabolite of a controlled substance. The second step utilizes an alternate procedure to confirm the presence of the controlled substance or metabolite that was presumptively detected by the screening procedure. Confirmatory analyses employed to substantiate the presence of a controlled substance or metabolite are also used to determine the concentration of the controlled substance or metabolite. A limit of quantitation (LOQ) for a controlled substance or metabolite is the lowest concentration that a laboratory can reliably determine. A laboratory's LOQ for each controlled substance or metabolite will depend upon the equipment and procedures the laboratory employs for confirmatory testing.

Laboratories that operate in this Commonwealth and perform analyses of blood to determine controlled substance content must be approved by the Department in accordance with 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) and be listed in notices published in the *Pennsylvania Bulletin*. The minimum levels listed in this notice were developed by reviewing the LOQs reported by the laboratories approved by the Department to analyze blood for controlled substances or their metabolites. Laboratories are not required to have LOQs for controlled substances or their metabolites that are equal to or below minimum levels listed. The levels listed are intended to establish the lowest reportable results admissible in a prosecution.

The Department recognizes that testing may be conducted for controlled substances and metabolites not listed in this notice. When testing is necessary, interested parties should contact the laboratory performing the test to inquire as to that laboratory's specific method of testing, the equipment used and any policies or procedures employed by that laboratory to ensure that the test results are valid. In subsequent notices, the Department will revise, as needed, the minimum levels of controlled substances or metabolites already included in this notice and add new controlled substances or metabolites when warranted.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons with a disability who require an alternative format of this notice (for example, large print, audiotape or Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

<i>Class</i>	<i>Substance</i>	<i>Schedule</i>	<i>Minimum Quantitation Limits (nanograms/milliliter)</i>
Amphetamines			
	Amphetamine	II	5
	Methamphetamine	II	5
	Methylenedioxyamphetamine (MDA)	I	5
	Methylenedioxymethamphetamine (MDMA, Ecstasy)	I	5
Analgesics			
	Methadone	II	20
Cannabinoids			
	Delta-9-THC (THC)*	I	1
	11-Hydroxy-Delta-9-THC (THC-OH)	I	1
	11-Nor-9-Carboxy-Delta-9-THC (THC-COOH)	I	1
Cocaine			
	Cocaine	II	5
	Benzoylecgonine	II	5
Hallucinogens			
	Phencyclidine	II	1
Opiates			
	Codeine	II	5
	Hydrocodone	II	5
	Hydromorphone	II	1
	6-Monoacetylmorphine	II	1
	Morphine	II	5
	Oxycodone	II	5
Sedatives/Hypnotics			
	Amobarbital	II	200
	Pentobarbital	II	200
	Secobarbital	II	200

*THC = tetrahydrocannabinol

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1250. Filed for public inspection July 2, 2015, 9:00 a.m.]

Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P. L. 419, No. 140) (35 P. S. § 6204), will hold its quarterly public meeting on Friday, July 10, 2015, from 10 a.m. to 1 p.m. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and treatment. The meeting will be held in Conference Room 129, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Carolyn S. Cass, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for a speech and/or hearing impaired persons call V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1251. Filed for public inspection July 2, 2015, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Friday, August 7, 2015, from 10 a.m. to 3 p.m. The meeting will be held in the large conference room of the Community Center, 2nd Floor, Giant Food Store, 2300 Linglestown Road, Harrisburg, PA 17110.

Currently in this Commonwealth, nearly 250,000 individuals are living with brain injury. On an annual basis, an additional 8,600 residents in this Commonwealth sustain long-term disabilities from brain injury. The

Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with traumatic brain injury and their families. This quarterly meeting will provide updates on a variety of topics including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic brain injury and available advocacy opportunities.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Julie Hohny, Division of Child and Adult Health Services, (717) 772-2762, or for speech and/or hearing impaired persons contact V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1252. Filed for public inspection July 2, 2015, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Hospital Payments

The Department of Human Services (Department) is providing final notice of a funding increase to its disproportionate share hospital (DSH) payments for acute care general hospitals that serve the indigent population of cities in this Commonwealth with a per capita income significantly below the Statewide average. These payments are intended to provide additional financial support to hospitals that serve a substantial amount of low-income individuals and Medical Assistance (MA) beneficiaries in impoverished areas of this Commonwealth. The Department is increasing funding from Fiscal Year (FY) 2013-2014 and is making no other changes to the current qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to increase funding for these DSH payments at 44 Pa.B. 8062 (December 27, 2014). The Department received no public comments during the 30-day comment period and is implementing the changes as described in its notice of intent.

Fiscal Impact

The FY 2014-2015 impact is \$10.355 million (\$4.989 million in State general funds).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-959. (1) General Fund; (2) Implementing Year 2014-15 is \$4,989,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are

\$0; (4) 2013-14 Program—\$163,862,000; 2012-13 Program—\$268,112,000; 2011-12 Program—\$325,685,000 (7) MA—Inpatient; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 15-1253. Filed for public inspection July 2, 2015, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, June 18, 2015, and announced the following:

Action Taken—Regulations Approved:

Department of Health #10-193: Schedules of Controlled Substances (amends 28 Pa. Code. § 25.72)

Pennsylvania Liquor Control Board #54-74: Conversion of Suspension to Fine (amends 40 Pa. Code § 7.10)

Approval Order

Public Meeting Held
June 18, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Department of Health—
Schedules of Controlled Substances;
Regulation No. 10-193 (#3099)*

On May 7, 2015, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Health (Department). This rulemaking amends 28 Pa. Code § 25.72. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation redesignates the drug Clobazam from Schedule I to Schedule IV of controlled substances.

We have determined this regulation is consistent with the statutory authority of the Department (35 P.S. § 780-103(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 18, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Pennsylvania Liquor Control Board—
Conversion of Suspension to Fine;
Regulation No. 54-74 (#3026)*

On September 24, 2013, the Independent Regulatory Review Commission (Commission) received this proposed

regulation from the Pennsylvania Liquor Control Board (Board). This rulemaking amends 40 Pa. Code § 7.10. The proposed regulation was published in the October 5, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 15, 2015.

This regulation increases the minimum amount of fines that may be imposed when the Board is asked to convert an unserved suspension into a fine in connection with a license transfer application.

We have determined this regulation is consistent with the statutory authority of the Board (47 P. S. §§ 2-207(i), 4-468(a)(4)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 15-1254. Filed for public inspection July 2, 2015, 9:00 a.m.]

INSURANCE DEPARTMENT

RiverSource Life Insurance Company (AERS-129957578); Rate Increase Filing for Several LTC Forms

RiverSource Life Insurance Company is requesting approval to increase the premium 20% on 895 policyholders with the following individual LTC policy form number: 30240-PA.

Unless formal administrative action is taken prior to September 17, 2015, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1255. Filed for public inspection July 2, 2015, 9:00 a.m.]

RiverSource Life Insurance Company (AERS-129957668); Rate Increase Filing for Several LTC Forms

RiverSource Life Insurance Company is requesting approval to increase the premium 27.5% on 3,113 policyholders with the following individual LTC policy form numbers: 30225-PA, 30225-PA1 and 30225A-PA1.

Unless formal administrative action is taken prior to September 17, 2015, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1256. Filed for public inspection July 2, 2015, 9:00 a.m.]

RiverSource Life Insurance Company (AERS-129957728); Rate Increase Filing for Several LTC Forms

RiverSource Life Insurance Company is requesting approval to increase the premium 15% on 1,499 policyholders with the following individual LTC policy form numbers: 30160A-PA and 32100-PA.

Unless formal administrative action is taken prior to September 17, 2015, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1257. Filed for public inspection July 2, 2015, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

2016 Total Resource Cost (TRC) Test; Doc. No. M-2015-2468992

At its June 11, 2015, public meeting, the Pennsylvania Public Utility Commission (Commission) adopted the 2016 Total Resource Cost (TRC) Test Order. The 2016 TRC Test is to be used in Phase III of the Act 129 Energy Efficiency and Conservation Program, under the Commission's Phase III Implementation Order.¹ The TRC Test Order is on the Commission's web site at <http://www.puc.pa.gov/pcdocs/1367195.docx>.

Any questions regarding technical issues related to the 2016 TRC Test Order are to be directed to Scott Gebhardt, Bureau of Technical Utility Services, (717) 425-2860, sgebhardt@pa.gov. Any questions regarding legal and process issues related to the 2016 TRC Test Order are to be directed to Louise Fink Smith, Law Bureau, (717) 787-8866, finksmith@pa.gov.

ROSEMARY CHIAVETTA,
Secretary

¹ The Implementation Order is on the Commission web site at <http://www.puc.pa.gov/pcdocs/1367313.doc>. Statements by Commissioners Witmer and Powelson are at <http://www.puc.pa.gov/pcdocs/1365503.pdf> and <http://www.puc.pa.gov/pcdocs/1365534.pdf>

[Pa.B. Doc. No. 15-1258. Filed for public inspection July 2, 2015, 9:00 a.m.]

Act 129 Energy Efficiency and Conservation Program Phase III; Doc. No. M-2014-2424864

At its June 11, 2015, public meeting, the Pennsylvania Public Utility Commission (Commission) adopted the Act 129 Energy Efficiency and Conservation Program Phase III Implementation Order establishing a Phase III for the Act 129 Energy Efficiency and Conservation (EE&C) Program. This Implementation Order tentatively adopts required consumption and peak demand reductions for each electric distribution company subject to Act 129, as well as guidelines for implementing Phase III of the EE&C Program. The Implementation Order is on the Commission's web site at <http://www.puc.pa.gov/pcdocs/1367313.doc>.¹

Any questions regarding technical issues related to the Implementation Order are to be directed to Megan Good, Bureau of Technical Utility Services, (717) 425-7583, megagood@pa.gov. Any questions regarding legal and process issues related to the Implementation Order are to be directed to Kriss Brown, Law Bureau, (717) 787-4518, kribrown@pa.gov.

ROSEMARY CHIAVETTA,
Secretary

¹ The Statements by Commissioners Witmer and Powelson can be found at <http://www.puc.pa.gov/pcdocs/1365503.pdf> and <http://www.puc.pa.gov/pcdocs/1365534.pdf>.

[Pa.B. Doc. No. 15-1259. Filed for public inspection July 2, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility

Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by July 20, 2015. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2015-2472506. Andrews Transportation, LLC (151 East Main Street, Lansdale, Montgomery County, PA 19446) for the right to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Bucks, Delaware and Montgomery to the Philadelphia International Airport, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2015-2479072. Darwin L. Dehoff (320 Pine Street, Glen Rock, PA 17327-8929) for the right to begin to transport, persons, by motor vehicle, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Lancaster and York, to points in Pennsylvania, and return.

A-2015-2482021. Gilson Transportation, LLC (381 Walker Township Park Lane, Mifflintown, PA 17059) for the right to begin to transport, persons, by motor vehicle, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Huntingdon, Juniata and Mifflin, to points in Pennsylvania, and return.

A-2015-2487923. K & S Transit, LLC (5506 Florence Avenue, Philadelphia, Philadelphia County, PA 19143) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Philadelphia County, to points in Pennsylvania, and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2015-2488419. Intelligent Movers, LLC (1210 Fitzgerald Street, Philadelphia, Philadelphia County, PA 19148) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania. *Attorney:* Justin Serianni, Esquire, 232 South 4th Street, Suite 3R, Philadelphia, PA 19106.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-2014-2458611. Graebel/Eastern Acquisition Movers, LLC (923 North Lenola Road, Moorestown, NJ

08057) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania, which is to be a transfer of all rights authorized under the certificate issued at A-00099425 to Graebel/Eastern Movers, Inc. *Attorney:* Gregory A. Ostendorf, Esquire, 10 West Market Street, Suite 1500, Indianapolis, IN 46204.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1260. Filed for public inspection July 2, 2015, 9:00 a.m.]

Telecommunications

A-2015-2488055. Commonwealth Telephone Company, LLC and CenturyLink Communications, LLC. Joint petition of Commonwealth Telephone Company, LLC and CenturyLink Communications, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, LLC and CenturyLink Communications, LLC, by their counsel, filed on June 17, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Commonwealth Telephone Company, LLC and CenturyLink Communications, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1261. Filed for public inspection July 2, 2015, 9:00 a.m.]

Transfer of Assets

A-2015-2488903, A-2015-2488904, A-2015-2488905, G-2015-2488906 and G-2015-2488907. Mid-Atlantic Interstate Transmission, LLC (MAIT), Metropolitan Edison Company (MET-ED) and Pennsylvania Electric Company (PENELEC). Joint application of Mid-Atlantic Interstate Transmission, LLC (MAIT), Metropolitan Edison Company (MET-ED) and Pennsylvania Electric Company (PENELEC) for: (1) a certificate of public convenience under 66 Pa.C.S. § 1102(A)(3) (relating to enumeration of acts requiring certificate) authorizing the transfer of certain transmission assets from MET-ED and PENELEC to MAIT; (2) a certificate of public convenience conferring upon MAIT the Status of a Pennsylvania Public Utility under 66 Pa.C.S. § 102 (relating to definitions); and (3) approval of certain affiliated interest agreements under 66 Pa.C.S. § 2102 (relating to approval of contracts with affiliated interests).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 3, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Metropolitan Edison Company; Pennsylvania Electric Company; Mid-Atlantic Interstate Transmission, LLC

Through and By Counsel: Thomas P. Gadsden, Esquire, Kenneth M. Kulak, Esquire, Anthony C. DeCusatis, Esquire, Catherine Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921 and Lauren M. Lepkoski, FirstEnergy Service Company, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19612-6001

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1262. Filed for public inspection July 2, 2015, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Actions Taken at June Meeting

As part of its regular business meeting held on June 4, 2015, in Baltimore, MD, the Susquehanna River Basin Commission (Commission) took the following actions: 1) approved or tabled the applications of certain water resources projects; 2) accepted a settlement instead of penalty from Wyoming Valley Country Club; and 3) took additional actions, as set forth in the following Supplementary Information.

For further information, contact Jason E. Oyler, Regulatory Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. See also the Commission web site at www.srbc.net.

Supplementary Information

In addition to the actions taken on projects identified in the previous summary and the listings as follows, the following items were also presented or acted upon at the business meeting: 1) election of the member from the Commonwealth as Chair of the Commission and the member from the State of Maryland as the Vice Chair of the Commission for the period of July 1, 2015, to June 30, 2016; 2) adoption of the Fiscal Year (FY) 2016-2017 Water Resources Program; 3) adoption of the FY 2016 Regulatory Program Fee Schedule, effective July 1, 2015; 4) adoption of a FY 2017 budget for the period July 1, 2016, to June 30, 2017; 5) conditional transfer of Doc. No. 20021014 to Augusta Water, Inc.; 6) denial of Shrewsbury Borough Council's request to waive the requirements of 18 CFR 806.4(a)(2)(ii) (relating to projects requiring review and approval) pertaining to the two Shrewsbury Borough wells that predate the Commission's regulations, accompanied by direction to Commission staff to consult

with the Shrewsbury Borough regarding possible alternatives; 7) a report on delegated settlements with the following project sponsors, under the Commission Resolution 2014-15: Black Bear Waters LLC, in the amount of \$5,600; Pennsylvania General Energy Co., LLC, in the amount of \$2,400; Muncy Borough Municipal Authority, in the amount of \$5,000; Marshland Links, LLC/The Links at Hiawatha Landing, in the amount of \$4,800; and Inflection Energy (PA), LLC, in the amount of \$1,000; and 8) tabling of the Show Cause proceeding with Four Seasons Golf Course.

Compliance Matter

The Commission approved a settlement instead of civil penalty for the following project:

1. Wyoming Valley Country Club, Hanover Township, Luzerne County, PA—\$15,000.

Project Applications Approved

The Commission approved the following project applications:

1. Project Sponsor and Facility: Anadarko E&P On-shore LLC (Pine Creek), McHenry Township, Lycoming County, PA. Renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20110601).

2. Project Sponsor and Facility: Carrizo (Marcellus), LLC (Meshoppen Creek), Washington Township, Wyoming County, PA. Renewal of surface water withdrawal of up to 2.160 mgd (peak day) (Docket No. 20110603).

3. Project Sponsor and Facility: Carrizo (Marcellus), LLC (Unnamed Tributary to Middle Branch Wyalusing Creek), Forest Lake Township, Susquehanna County, PA. Renewal of surface water withdrawal of up to 0.648 mgd (peak day) (Docket No. 20110605).

4. Project Sponsor and Facility: Constitution Pipeline Company, LLC (Charlotte Creek), Town of Davenport, Delaware County, NY. Surface water withdrawal of up to 1.000 mgd (peak day).

5. Project Sponsor and Facility: Constitution Pipeline Company, LLC (Ouleout Creek), Town of Sidney, Delaware County, NY. Surface water withdrawal of up to 1.750 mgd (peak day).

6. Project Sponsor and Facility: Constitution Pipeline Company, LLC (Starrucca Creek), Harmony Township, Susquehanna County, PA. Surface water withdrawal of up to 2.052 mgd (peak day).

7. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Modification to add a source to the consumptive water use approval (no increase requested in current consumptive water use quantity) (Docket No. 20130608).

8. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Groundwater withdrawal of up to 0.504 mgd (30-day average) from Well 10.

9. Project Sponsor and Facility: Hydro Recovery, LP, Blossburg Borough, Tioga County, PA. Renewal of groundwater withdrawal of up to 0.216 mgd (30-day average) from Well HR-1 (Docket No. 20110612).

10. Project Sponsor and Facility: Hydro Recovery, LP, Blossburg Borough, Tioga County, PA. Renewal of consumptive water use of up to 0.316 mgd (peak day) (Docket No. 20110612).

11. Project Sponsor and Facility: Keystone Clearwater Solutions, LLC (Driftwood Branch Sinnemahoning Creek), Emporium Borough, Cameron County, PA. Renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20110614).

12. Project Sponsor and Facility: Keystone Clearwater Solutions, LLC (Lycoming Creek), Lewis Township, Lycoming County, PA. Renewal of surface water withdrawal of up to 1.250 mgd (peak day) (Docket No. 20110616).

13. Project Sponsor and Facility: Millersville University of Pennsylvania, Millersville Borough, Lancaster County, PA. Consumptive water use of up to 0.080 mgd (peak day).

14. Project Sponsor and Facility: Millersville University of Pennsylvania, Millersville Borough, Lancaster County, PA. Groundwater withdrawal of up to 0.175 mgd (30-day average) from Well 1.

15. Project Sponsor and Facility: Nature's Way Purewater Systems, Inc., Dupont Borough, Luzerne County, PA. Modification to increase consumptive water use by an additional 0.092 mgd (peak day), for a total of up to 0.349 mgd (peak day) (Docket No. 20110618).

16. Project Sponsor: Pennsylvania Department of Environmental Protection—South-central Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Groundwater withdrawal of up to 0.324 mgd (30-day average) from Stoltzfus Well.

17. Project Sponsor: Pennsylvania Department of Environmental Protection—South-central Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Groundwater withdrawal of up to 0.324 mgd (30-day average) from Township Well.

Project Applications Tabled

The Commission tabled action on the following project applications:

1. Project Sponsor and Facility: Chetremon Golf Course, LLC, Burnside Township, Clearfield County, PA. Application for consumptive water use of up to 0.200 mgd (peak day).

2. Project Sponsor and Facility: Chetremon Golf Course, LLC (Irrigation Storage Pond), Burnside Township, Clearfield County, PA. Application for surface water withdrawal of up to 0.200 mgd (peak day).

3. Project Sponsor and Facility: Chief Oil & Gas LLC (Loyalsock Creek), Forksville Borough, Sullivan County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

4. Project Sponsor and Facility: Keister Miller Investments, LLC (West Branch Susquehanna River), Mahaffey Borough, Clearfield County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

5. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal and modification to increase groundwater withdrawal by an additional 0.024 mgd (30-day average), for a total of up to 0.089 mgd (30-day average) from the Blouse Well (Docket No. 19820103).

6. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal of groundwater withdrawal of up to 0.099 mgd (30-day average) from the Smith Well (Docket No. 19811203).

7. Project Sponsor and Facility: Talisman Energy USA Inc. (Wappasening Creek), Windham Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 1.000 mgd (peak day) (Docket No. 20110621).

8. Project Sponsor: UGI Development Company. Project Facility: Hunlock Creek Energy Center, Hunlock Township, Luzerne County, PA. Modification to increase consumptive water use by an additional 1.526 mgd (peak day), for a total of up to 2.396 mgd (peak day) (Docket No. 20090916).

Authority: Pub. L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: June 23, 2015.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 15-1263. Filed for public inspection July 2, 2015, 9:00 a.m.]

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following list of projects from May 1, 2015, through May 31, 2015.

For further information contact Jason E. Oyler, Regulatory Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period specified previously:

Approvals By Rule Issued Under 18 CFR 806.22(f):

1. Inflection Energy LLC, Pad ID: Strouse Well Pad, ABR-201505001, Hepburn Township, Lycoming County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 1, 2015.

2. Chesapeake Appalachia, LLC, Pad ID: Bennett NMPY-38, ABR-201009069.R1, Tuscarora Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 4, 2015.

3. Chesapeake Appalachia, LLC, Pad ID: Governale, ABR-201009082.R1, Wysox Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 4, 2015.

4. EXCO Resources (PA), LLC, Pad ID: Sterling Run Club #4, ABR-20090427.R1, Burnside Township, Centre County, PA; Consumptive Use of Up to 1.000 mgd; Approval Date: May 4, 2015.

5. EXCO Resources (PA), LLC, Pad ID: Sterling Run Club #5, ABR-20090428.R1, Burnside Township, Centre County, PA; Consumptive Use of Up to 1.000 mgd; Approval Date: May 4, 2015.

6. SWEPI, LP, Pad ID: Halteman 611, ABR-20100406.R1, Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 4, 2015.

7. SWEPI, LP, Pad ID: Wood 512, ABR-20100415.R1, Rutland Township, Tioga County, PA; Consumptive Use of Up to 1.000 mgd; Approval Date: May 4, 2015.

8. SWEPI, LP, Pad ID: Lange 447, ABR-20100428.R1, Delmar Township, Tioga County, PA; Consumptive Use of Up to 1.000 mgd; Approval Date: May 4, 2015.

9. SWEPI, LP, Pad ID: Clark 486, ABR-20100429.R1, Sullivan Township, Tioga County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 4, 2015.

10. Chesapeake Appalachia, LLC, Pad ID: Alberta, ABR-201009007.R1, Albany Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

11. Chesapeake Appalachia, LLC, Pad ID: Simpson, ABR-201007030.R1, West Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

12. Chesapeake Appalachia, LLC, Pad ID: Keeler Hollow, ABR-201009041.R1, Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

13. Chesapeake Appalachia, LLC, Pad ID: Driscoll, ABR-201009061.R1, Overton Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

14. Chesapeake Appalachia, LLC, Pad ID: Delhagen, ABR-201009066.R1, Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

15. Chesapeake Appalachia, LLC, Pad ID: Rain, ABR-201009077.R1, Elkland Township, Sullivan County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

16. Chesapeake Appalachia, LLC, Pad ID: Connell, ABR-201009084.R1, Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

17. Chesapeake Appalachia, LLC, Pad ID: Hope, ABR-201009102.R1, Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 5, 2015.

18. SWEPI, LP, Pad ID: Davis 841, ABR-201505002, Chatham Township, Tioga County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 8, 2015.

19. Anadarko E&P Onshore LLC, Pad ID: Larry's Creek F&G Pad D, ABR-20100684.R1, Cummings Township, Lycoming County, PA; Consumptive Use of Up to 3.000 mgd; Approval Date: May 8, 2015.

20. Chesapeake Appalachia, LLC, Pad ID: Stoudt, ABR-201009011.R1, Overton Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 8, 2015.

21. Chesapeake Appalachia, LLC, Pad ID: Matt, ABR-201009073.R1, Elkland Township, Sullivan County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 8, 2015.

22. EOG Resources, Inc., Pad ID: HOPPAUGH 2H, ABR-20091120.R1, Springfield Township, Bradford County, PA; Consumptive Use of Up to 1.999 mgd; Approval Date: May 8, 2015.

23. Chesapeake Appalachia, LLC, Pad ID: Vera, ABR-201009001.R1, Fox Township, Sullivan County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 11, 2015.

24. Chesapeake Appalachia, LLC, Pad ID: Boyanowski, ABR-201009076.R1, Meshoppen and Braintrim Townships, Wyoming County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 11, 2015.

25. Chesapeake Appalachia, LLC, Pad ID: Hopson, ABR-201010004.R1, Asylum Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 13, 2015.

26. EQT Production Company, Pad ID: Hurd, ABR-20090802.R1, Ferguson Township, Clearfield County, PA; Consumptive Use of Up to 3.000 mgd; Approval Date: May 13, 2015.

27. EQT Production Company, Pad ID: Whippoorwill, ABR-201102024.R1, Shippen Township, Cameron County, PA; Consumptive Use of Up to 3.000 mgd; Approval Date: May 13, 2015.

28. XTO Energy Incorporated, Pad ID: Tome 8522H, ABR-20100556.R1, Moreland Township, Lycoming County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 13, 2015.

29. XTO Energy Incorporated, Pad ID: Brown 8519H, ABR-20100604.R1, Moreland Township, Lycoming County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 13, 2015.

30. Cabot Oil & Gas Corporation, Pad ID: WarrinerS P1, ABR-201505003, Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 4.250 mgd; Approval Date: May 15, 2015.

31. Cabot Oil & Gas Corporation, Pad ID: HousenickJ P1, ABR-201505004, Rush Township, Susquehanna County, PA; Consumptive Use of Up to 4.250 mgd; Approval Date: May 15, 2015.

32. Chesapeake Appalachia, LLC, Pad ID: SGL 289B, ABR-201009009.R1, West Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 15, 2015.

33. Chesapeake Appalachia, LLC, Pad ID: Lemoreview Farms, ABR-201010003.R1, Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 15, 2015.

34. Chesapeake Appalachia, LLC, Pad ID: Craige, ABR-201010009.R1, Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 15, 2015.

35. Chesapeake Appalachia, LLC, Pad ID: Drake, ABR-201010066.R1, Litchfield Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 15, 2015.

36. Chesapeake Appalachia, LLC, Pad ID: Mobear, ABR-201012006.R1, Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 15, 2015.

37. EQT Production Company, Pad ID: Doe, ABR-201102023.R1, Shippen Township, Cameron County, PA; Consumptive Use of Up to 3.000 mgd; Approval Date: May 15, 2015.

38. Anadarko E&P Onshore LLC, Pad ID: COP Tr 344 Pad A, ABR-20100694.R1, Noyes Township, Clinton County, PA; Consumptive Use of Up to 3.000 mgd; Approval Date: May 22, 2015.

39. Chesapeake Appalachia, LLC, Pad ID: Williams, ABR-201009031.R1, Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

40. Chesapeake Appalachia, LLC, Pad ID: Landmesser, ABR-201010019.R1, Towanda Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

41. Chesapeake Appalachia, LLC, Pad ID: Gemm, ABR-201010049.R1, Litchfield Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

42. SWEPI, LP, Pad ID: Topf 416, ABR-20100443.R1, Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.000 mgd; Approval Date: May 22, 2015.

43. Talisman Energy USA, Inc., Pad ID: Frost 2, ABR-201505005, Orange Town, Schuyler County, NY; Consumptive Use of Up to 0.080 mgd; Approval Date: May 22, 2015.

44. Talisman Energy USA, Inc., Pad ID: Calabro T1, ABR-201505006, Orange Town, Schuyler County, NY; Consumptive Use of Up to 0.080 mgd; Approval Date: May 22, 2015.

45. Talisman Energy USA, Inc., Pad ID: Calabro T2, ABR-201505007, Orange Town, Schuyler County, NY; Consumptive Use of Up to 0.080 mgd; Approval Date: May 22, 2015.

46. Talisman Energy USA, Inc., Pad ID: Webster T1, ABR-201505008, Orange Town, Schuyler County, NY; Consumptive Use of Up to 0.080 mgd; Approval Date: May 22, 2015.

47. Talisman Energy USA, Inc., Pad ID: Drumm G2, ABR-201505009, Bradford Town, Steuben County, NY; Consumptive Use of Up to 0.080 mgd; Approval Date: May 22, 2015.

48. Chesapeake Appalachia, LLC, Pad ID: Sidonio, ABR-201010025.R1, Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

49. Chesapeake Appalachia, LLC, Pad ID: Folta, ABR-201010044.R1, Tuscarora Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

50. Chesapeake Appalachia, LLC, Pad ID: Phillips, ABR-201010050.R1, Elkland Township, Sullivan County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

51. Chesapeake Appalachia, LLC, Pad ID: Shores, ABR-201010064.R1, Sheshequin Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

52. Chesapeake Appalachia, LLC, Pad ID: Juser, ABR-201010065.R1, Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 22, 2015.

53. Chesapeake Appalachia, LLC, Pad ID: Scrivener, ABR-201010005.R1, Rome Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 26, 2015.

54. Chesapeake Appalachia, LLC, Pad ID: Goll, ABR-201010016.R1, Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 26, 2015.

55. Chesapeake Appalachia, LLC, Pad ID: Grant, ABR-201010051.R1, Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.500 mgd; Approval Date: May 26, 2015.

56. Cabot Oil & Gas Corporation, Pad ID: FraserE P1, ABR-201009052.R1, Forest Lake Township, Susquehanna County, PA; Consumptive Use of Up to 3.575 mgd; Approval Date: May 29, 2015.

Authority: Pub. L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: June 19, 2015.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 15-1264. Filed for public inspection July 2, 2015, 9:00 a.m.]

