



Volume 47 (2017)

Pennsylvania Bulletin
Repository

10-14-2017

October 14, 2017 (Pages 6353-6456)

Pennsylvania Legislative Reference Bureau

Follow this and additional works at: https://digitalcommons.law.villanova.edu/pabulletin_2017

Recommended Citation

Pennsylvania Legislative Reference Bureau, "October 14, 2017 (Pages 6353-6456)" (2017). *Volume 47 (2017)*. 41.

https://digitalcommons.law.villanova.edu/pabulletin_2017/41

This October is brought to you for free and open access by the Pennsylvania Bulletin Repository at Villanova University Charles Widger School of Law Digital Repository. It has been accepted for inclusion in Volume 47 (2017) by an authorized administrator of Villanova University Charles Widger School of Law Digital Repository.

PENNSYLVANIA BULLETIN

Volume 47
Saturday, October 14, 2017 • Harrisburg, PA
Number 41
Pages 6353—6456

Agencies in this issue

The General Assembly

The Courts

Department of Banking and Securities

Department of Community and Economic
Development

Department of Education

Department of Environmental Protection

Department of Health

Department of Human Services

Department of Transportation

Environmental Hearing Board

Fish and Boat Commission

Insurance Department

Pennsylvania Public Utility Commission


Philadelphia Parking Authority

Public School Employees' Retirement Board

State Horse Racing Commission

Susquehanna River Basin Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 515, October 2017

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 4 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$82.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2017 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GENERAL ASSEMBLY

Commission on Sentencing	
Meetings scheduled	6361

THE COURTS

APPELLATE PROCEDURE

Amendments to the Superior Court operating procedures	6362
---	------

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of disbarment	6379
----------------------------	------

PHILADELPHIA RULES

AGB order No. 01 of 2017: First Judicial District of Pennsylvania court-appointed counsel, investigative and expert witness fee schedule	6364
--	------

SUPREME COURT

Duty assignment schedule for emergency petitions in the year 2017; No. 476 judicial administration doc.	6379
--	------

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications	6380
Maximum lawful rate of interest for residential mortgages for the month of November 2017	6381

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Notices

2018 Annual Action Plan public hearing	6381
Pennsylvania Housing Advisory Committee meeting ..	6382

DEPARTMENT OF EDUCATION

Notices

Cyber charter school application; public hearing	6382
---	------

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices	6383
Availability of technical guidance	6443

DEPARTMENT OF HEALTH

Notices

Hospitals; requests for exceptions	6444
Long-term care nursing facilities; requests for exception	6445

DEPARTMENT OF HUMAN SERVICES

Notices

Medical Assistance fee schedule revisions in the independence waiver	6445
--	------

DEPARTMENT OF TRANSPORTATION

Notices

Bureau of Maintenance and Operations; access route approval	6448
---	------

ENVIRONMENTAL HEARING BOARD

Notices

Shaner Hotel Holdings Limited Partnership v. Centre County Conservation District, Department of Environmental Protection and Landmark Properties, Inc., permittee; EHB doc. No. 2017-093-M ...	6448
--	------

FISH AND BOAT COMMISSION

Notices

Additions to list of Class A wild trout waters	6448
Classification of wild trout streams; additions, revisions and removal	6448
Special regulation designations and redesignations ..	6449

INSURANCE DEPARTMENT

Notices

Appeal of Avalon Insurance Company; Pennsylvania Life and Health Insurance Guaranty Association; doc. No. FC17-09-25	6449
Appeal of Capital Advantage Insurance Company; Pennsylvania Life and Health Insurance Guaranty Association; doc. No. FC17-09-24	6449
Review procedure hearings; cancellation or refusal of insurance	6450
Transamerica Premier Life Insurance Company (SERFF # AEGB-131200207); rate increase filing for several individual LTC forms	6450
Transamerica Premier Life Insurance Company (SERFF # AEGB-131201234); rate increase filing for individual LTC forms MLC 1-P LTC 6 (PA) 402 and ML 1-P LTC 6 (PA-FR) 402	6450

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Inquiry into the use of Social Security Numbers by energy utilities and contractors in conjunction with universal service programs; doc. No. M-2017-2595036	6450
Pro forma intra-corporate transaction	6451
Service of notice of motor carrier applications	6451
Transmission line; prehearing conference	6451
Water service (3 documents)	6452

PHILADELPHIA PARKING AUTHORITY

Notices

Petition for changes to taxicab tariff; doc. No. 17-005, as amended	6453
---	------

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Notices

Hearings scheduled	6454
--------------------------	------

STATE HORSE RACING COMMISSION

Notices

Equine veterinary practices	6454
Horse positives—judges/stewards' list; ineligibility to race	6454
Prohibited practices	6455
Selection or drawing of horses; re-draw provision ...	6455

SUSQUEHANNA RIVER BASIN COMMISSION

Notices

Public hearing	6455
----------------------	------

Available Online at <http://www.pabulletin.com>

READER'S GUIDE TO THE *PENNSYLVANIA BULLETIN* AND THE *PENNSYLVANIA CODE*

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania Bulletin* before it can take effect. If the agency

wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred. The *Pennsylvania Bulletin* is available at www.pabulletin.com.

SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised. A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where “no fiscal impact” is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2017.

4 Pa. Code (Administration)

Proposed Rules

91	2332
95	2332
97	2332
98	2332
99	2332
103	2332
105	2332
110	2332

Statements of Policy

9	832, 1163, 1515, 1855, 2105, 3220, 3372, 3975, 5228, 6212
---	---

7 Pa. Code (Agriculture)

Proposed Rules

28a	5951
-----	------

Statements of Policy

28b	5230
-----	------

19 Pa. Code (Corporations and Business Associations)

Statements of Policy

71	1165
----	------

22 Pa. Code (Education)

Adopted Rules

11	3091
741	3093

25 Pa. Code (Environmental Protection)

Adopted Rules

252	4085
806	4107
901	313
1021	6205

Proposed Rules

109	4986
121	1157, 3356
126	1157
129	3356
208	1636
215	2722
216	2722
217	2722
218	2722
219	2722
220	2722
221	2722
223	2722
225	2722
227	2722
228	2722
230	2722
240	2722
806	4140

28 Pa. Code (Health and Safety)

Adopted Rules

23	1300
1141	199
1151	199
1161	217
1181	3096

34 Pa. Code (Labor and Industry)

Statements of Policy

123	440
-----	-----

40 Pa. Code (Liquor)

Adopted Rules

7	5600
---	------

Proposed Rules

9	2977
11	2977

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

5	3494
11	5940
37	6048
43b	3814, 5948, 6051
45	3814

Proposed Rules

27	1509
----	------

52 Pa. Code (Public Utilities)

Adopted Rules

1	3099
3	3099
23	3099
29	429, 3099
57	4118
1001	2558
1002	2558
1003	2558
1005	2558
1011	2558
1013	2558
1017	2558
1019	2558
1021	2558
1027	2558
1029	2558
1030	2558
1051	2558
1053	2558
1055	2558
1057	2558
1059	2558
1063	2558

Proposed Rules

56	965, 4135
59	19

55 Pa. Code (Human Services)

Proposed Rules

1153	4689
5200	4689

58 Pa. Code (Recreation)

Adopted Rules

65	1465, 1466
131	1467, 2710
133	1467
135	2599, 2600, 2715, 4982
137	2601

139 2603, 2609, 2717
 141 2610, 2710, 2718, 4983
 143 4982
 147 2611, 2612, 2720, 4983, 4984

Proposed Rules

65 1469, 5786
 105 3974
 131 1769
 135 1475, 1477, 1479, 2774
 137 1493
 139 1480, 1486
 141 1472, 1473, 1769, 2774, 4710, 4711
 143 2774
 147 1490, 1492, 2776, 2777
 423a 3827
 429a 3827
 437a 3827
 439a 3827
 440a 3827
 461a 3827
 465a 3827
 601a 3827
 609a 3827
 617a 3182
 621a 3827
 625a 3182
 635a 3827
 637a 3182
 639a 3182
 641a 3182
 643a 3182
 647a 3182
 649a 3827
 653a 3182
 655a 3182
 657a 3182
 659a 3827
 669a 3827
 670a 3827
 674a 3827
 675a 3827
 677a 3182
 678a 3827
 679a 3182
 680a 3827
 682a 1495
 683a 1495
 684a 3182

67 Pa. Code (Transportation)

Proposed Rules
 175 1748

Statements of Policy

173a 3116

70 Pa. Code (Weights, Measures and Standards)

Proposed Rules
 9 5952
 110 2974

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules
 1 937

204 Pa. Code (Judicial System General Provisions)

Adopted Rules
 29 4830
 81 4802
 83 1276, 2539

87 3075, 4519
 89 3075
 93 2539, 3075
 213 291
 215 6036
 303 5141

Proposed Rules

71 2423
 81 1122, 2181, 5926, 5927
 82 3487
 83 3488, 3490
 303 1999
 305 1999

207 Pa. Code (Judicial Conduct)

Adopted Rules
 33 2181

210 Pa. Code (Appellate Procedure)

Adopted Rules
 25 1277
 65 6362
 69 2101

Proposed Rules

1 7, 4622
 5 4622, 4810
 7 4622, 4633
 9 4622, 4633, 4811
 11 4622
 13 4622
 15 4622, 4633
 17 4622, 4633
 19 4622, 4633
 21 4622, 4633
 25 4622, 4633
 27 4622
 33 4633

225 Pa. Code (Rules of Evidence)

Adopted Rules
 Article VI 1623
 Article VIII 1623
 Article IX 3491

Proposed Rules

Article IX 4658

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 178
 400 178
 1000 178, 937, 3805
 1650 3805
 1910 1123, 3744, 4813

Proposed Rules

200 4662
 1000 3076
 1900 4664
 1910 2540, 4664, 5928
 1915 2181, 3333, 4664
 1920 2540, 4664
 1930 4664
 1950 4664
 2000 3076
 Part II 4671, 4815, 5930

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules

2 4680
 5 2871, 6173

Proposed Rules

1 179, 1731, 4520, 4674, 4633
 2 182, 3958, 4674
 4 1850, 3959
 5 182, 185, 306, 1731, 4674
 6 4520
 8 4633
 9 4633
 10 186

237 Pa. Code (Juvenile Rules)

Adopted Rules

1 941, 2313
 2 941, 2313, 3078
 4 820
 5 2313, 2969
 6 2969
 8 2313
 11 2313
 12 2313, 3078
 13 2313, 3079
 15 2313
 16 2313
 18 2313

Proposed Rules

1 938, 3336, 3342
 4 942

5 942, 3336
 6 942
 11 3336, 3342, 3962
 12 3962
 13 3962
 14 3342, 3962
 15 3342, 3962
 16 947, 3342, 3962, 3970

246 Pa. Code (Minor Court Civil Rules)

Proposed Rules

200 4682
 300 4082
 500 2324
 1000 2324

249 Pa. Code (Philadelphia Rules)

Unclassified 420, 1628, 1732, 2330, 3492, 3806, 6036, 6364

252 Pa. Code (Allegheny Rules)

Unclassified 3809, 4685

255 Pa. Code (Local Court Rules)

Unclassified .. 8, 9, 12, 14, 15, 17, 18, 188, 190, 191, 192, 193, 194, 195, 308, 309, 310, 311, 420, 422, 423, 426, 428, 666, 667, 669, 825, 828, 829, 830, 949, 950, 951, 952, 958, 959, 963, 1278, 1279, 1628, 1630, 1736, 1738, 1741, 1742, 1852, 2101, 2102, 2103, 2187, 2188, 2330, 2424, 2431, 2544, 2874, 2880, 2973, 3081, 3086, 3087, 3088, 3180, 3181, 3348, 3349, 3350, 3352, 3354, 3810, 3972, 4083, 4522, 4523, 4524, 4830, 5227, 5778, 5779, 5780, 5781, 6038, 6043, 6044, 6046, 6175, 6184, 6186, 6187, 6192, 6203

THE GENERAL ASSEMBLY

COMMISSION ON SENTENCING

Meetings Scheduled

The Commission on Sentencing (Commission) announces the following meetings to be held at the Pennsylvania Judicial Center, 601 Commonwealth Avenue, Harrisburg, PA:

Wednesday, December 6, 2017	2 p.m.	Public Hearing
Thursday, December 7, 2017	9 a.m.	Policy Committee Meeting
	11 a.m.	Quarterly Commission Meeting

MARK H. BERGSTROM,
Executive Director

[Pa.B. Doc. No. 17-1685. Filed for public inspection October 13, 2017, 9:00 a.m.]

THE COURTS

Title 210—APPELLATE PROCEDURE

PART II. INTERNAL OPERATING PROCEDURES

[210 PA. CODE CH. 65]

Amendments to the Superior Court Operating Procedures

The Superior Court of Pennsylvania has adopted amendments to its published Operating Procedures. These amendments are reflected in the Superior Court Operating Procedures with amendments to Pa. Code § 65.0 *et seq.*

These changes were approved on June 14, 2017 and September 12, 2017, effective on those dates.

(Editor's Note: Sections 65.5, 65.22, 65.34, 65.35 and 65.41 were amended on June 14, 2017, effective immediately. Section 65.26 was adopted and §§ 65.38 and 65.39 were amended on September 12, 2017, effective immediately.)

Annex A

TITLE 210. APPELLATE PROCEDURE

PART II. INTERNAL OPERATING PROCEDURES CHAPTER 65. OPERATING PROCEDURES OF THE SUPERIOR COURT

ADMINISTRATIVE OFFICES AND STAFF

§ 65.5. Panels.

* * * * *

C. 1. After the Prothonotary has listed the cases for an argument panel, but before the actual argument of the cases: (a) if a member of a panel becomes unable to participate in the disposition of a particular case, the presiding judge of that panel shall notify the President Judge or his/her designee, and the President Judge or his/her designee shall secure another judge to sit on that case; (b) if a member of a panel becomes unable to participate in a particular panel, the President Judge or his/her designee shall designate and assign another judge to sit on the panel.

2. After the Prothonotary has listed the cases for a submitted panel: (a) if a member of a panel becomes unable to participate in the disposition of a particular case, the case may be decided by the two remaining judges if they agree on the entire disposition of the case; if the two remaining judges are unable to agree on the entire disposition of the case, the panel shall proceed in accordance with § 65.5F.; (b) if a member becomes unable to participate in a particular panel, the President Judge or his/her designee shall designate and assign another judge to the panel.

3. If, after oral argument on a case, a judge becomes unable to participate in the disposition of a particular case, the case may be decided by the two remaining judges if they agree on the entire disposition of the case. If the two remaining judges are unable to agree on the entire disposition of the case, the panel shall proceed in accordance with § 65.5F.

4. If a judge on a motions panel is unable to participate in the review of a particular motion, the

motion may be decided by the two remaining judges. In the event that the two remaining judges are unable to agree on a disposition, they shall request the President Judge or his/her designee to assign another judge to sit in review of the motion.

D. The presiding judge of each panel shall be the commissioned judge highest in seniority, except where the panel includes the President Judge who shall then be the presiding judge. The presiding judge shall preside at all panel sessions, assign the cases, and record the assignment of cases. The presiding judge shall transmit to the members of the panel and the Reporter a record of all assignments and/or other actions taken by the panel.

* * * * *

MOTIONS PRACTICE

§ 65.22. Motions Review Subject to Motions Panel Disposition.

* * * * *

C. If, in reviewing motions to be referred to a motions panel, Central Legal Staff determines that the motion is patently defective or the appeal is clearly defective or can be disposed of based upon established case law, the motion may be presented to the assigned motions judge.

D. Where a motions panel denied a motion to quash or dismiss, it shall be denied without prejudice to the moving party's right to again raise the issue(s) presented by the motion before the merits panel by refiled the original motion in writing or preserving the issue in the written brief.

(Editor's Note: The following section is new and printed in regular type to enhance readability.)

§ 65.26. Notices of Bankruptcy.

A party that has initiated bankruptcy proceedings and has obtained an automatic stay pursuant to the United States Bankruptcy Code shall file a Notice of Bankruptcy with the Prothonotary of this Court. The Notice must include: (1) the federal court that entered the stay, including the court's district, if applicable; (2) the federal court case number; (3) the date of entry of the automatic stay; and (4) the Superior Court docket number. The party shall also include federal filings relevant to the stay including, but not limited to, the Notice of Bankruptcy Case Filing issued by the federal court.

DECISIONAL PROCEDURES

§ 65.34. Oral Argument.

* * * * *

D. Pro se arguments, except from parties then incarcerated, shall be heard in the same manner and on the same basis as arguments of counsel.

E. The use of laptops, tablets, and phones by attendees at argument sessions, in a non-disruptive manner, is permitted in the courtroom, except that they are disallowed for oral communication, photography, or audio- or video-recording purposes.

1. The Court does not provide Internet connectivity.

2. All electronic devices must be on a silent or vibrate mode.

3. Parties presenting oral argument may, without seeking permission of the panel, utilize laptops, tablets, or phones for data, reading, and reference purposes only, so long as usage of the device will not be disruptive to the oral argument.

§ 65.35. Oral Motions.

When oral motions are considered by the Court at oral argument, or when the Court issues an order sua sponte at oral argument, the presiding judge shall complete the form for the issuance of an appropriate order, which forms shall be available in all Superior Court courtrooms. The Court Crier shall transmit the completed form to the Prothonotary for preparation and docketing of a written order. Oral motions raising again an issue previously denied without prejudice must first be re-raised, in writing by refiling the original motion or preserving the issue in the written brief, before the scheduled argument date.

§ 65.38. [Petition for Reargument] Reconsideration, Reargument, and En Banc Review.

[A. A petition for reargument before a court en banc shall be referred to Central Legal Staff for review and the preparation of a memorandum for circulation to the full court. Central Legal Staff shall thereafter record the votes of the commissioned judges and shall prepare and file an order disposing of the petition within the sixty (60) days allowed therefor by Pa.R.A.P. 1113(a).

B. Reargument is not a matter of right, but of sound judicial discretion. A petition for reargument will be denied unless there are compelling reasons therefor. Such reasons include, but are not necessarily limited to, the following:

1. Where it appears that a decision of a panel of the court may be inconsistent with a decision of a different panel of the court;

2. Where it appears that a panel may have overlooked relevant precedent, statute, or rule of court;

3. Where it appears that a panel may have overlooked or misapprehended one or more material facts of record;

4. Where a panel relied upon relevant legal authority which has been reversed, modified, overruled, discredited or materially altered during the pendency of the appeal sub judice; and

5. Where the issues have potential for a significant impact upon developing law or public policy.

C. The court will not entertain a petition for reargument of an appeal which has been decided by a court en banc.

D. Following a decision by the merits panel, motions or petitions dealing with clarification, costs or sanctions, requests for publication pursuant to § 65.37, and petitions for extension of time to file an application for reargument will be referred to the merits panel for review and disposition. Untimely reargument applications shall be referred immediately by Central Legal Staff to the President Judge for entry of an order dismissing the application.]

A. All applications, motions, or petitions requesting reconsideration of the final decision of a merits panel, shall be recognized as Applications for Reargument pursuant to Pa.R.A.P. 2541 *et seq.*, and

shall be subject to all the rules and limitations otherwise applicable to Applications for Reargument.

B. All such applications described in subsection A shall first be submitted to the merits panel that issued the decision in question, *i.e.*, the original merits panel, for consideration by that panel.

C. The members of the merits panel may vote to grant panel reconsideration, grant en banc reargument, or deny any such application.

1. If the merits panel recommends en banc reargument, Central Legal Staff shall circulate the application, motion, or petition, along with any relevant filings, original decision(s), and/or summaries, to the commissioned judges for votes.

2. If a majority of the merits panel does not vote to grant reconsideration, Central Legal Staff shall forward all relevant reconsideration submissions to the commissioned judges as an Application for Reargument before a court en banc.

3. A party's request that the case be reargued before a court en banc shall not foreclose a merits panel's ability to reconsider the decision that prompted the underlying application.

D. Reargument before a court en banc is not a matter of right, but of sound judicial discretion. An Application for Reargument will be denied unless there are compelling reasons therefor. Such reasons include, but are not limited to, the following:

1. It appears that a decision of a merits panel may be inconsistent with a decision of a different panel of the court;

2. It appears that a merits panel may have overlooked relevant precedent, statute, or rule of court;

3. It appears that a merits panel may have overlooked or misapprehended one or more material facts of record;

4. It appears a merits panel relied upon legal authority relevant to the decision that has been reversed, modified, overruled, discredited, or materially altered during the pendency of the appeal; and

5. It appears the issues have potential for a significant impact upon developing law or public policy.

E. Reargument before a court en banc will be granted only if a majority of the commissioned judges of the court vote to grant reargument.

F. The court will not entertain an application, motion, or petition for reconsideration of a decision rendered by a court en banc.

§ 65.39. [Reconsideration] Ancillary Orders Following Merits Panel Decisions.

[A. Petitions requesting panel reconsideration shall be submitted to the members of the panel who rendered the decision.

B. Panel reconsideration, if granted, will be without reargument.

C. A petition requesting reargument before a Court en banc shall not deprive a panel of the right to withdraw and reconsider the decision which prompted the motion for reargument.]

A. If a timely Application for Reargument is filed, the merits panel shall retain jurisdiction over the appeal until such time as the application is decided.

B. Following a decision by the merits panel, applications, motions, or petitions requesting clarification, award of costs or sanctions, publication pursuant to § 65.37, or extension of time to file an application for reargument, will be referred to the merits panel for review and disposition.

§ 65.41. Argument Before a Court En Banc.

* * * * *

C. Before or after argument before the Court en banc, the Court may vote that en banc consideration was improvidently granted. In such event, the previous panel decision in the matter shall be reinstated or, if there is no previous panel decision in the matter, the case shall be listed before the next available panel of this Court.

D. In the event that a party seeks to remove en banc status and reinstate a panel's decision, such request must be made by motion and is subject to full court review.

[Pa.B. Doc. No. 17-1686. Filed for public inspection October 13, 2017, 9:00 a.m.]

Title 249—PHILADELPHIA RULES

PHILADELPHIA COUNTY

AGB Order No. 01 of 2017: First Judicial District of Pennsylvania Court-Appointed Counsel, Investi- gative and Expert Witness Fee Schedule

Order

And Now, this 18th day of September, 2017, it is hereby *Ordered* and *Decreed* that this Court's Order of June 26, 2017 is amended as follows:

1) Section 2(e) and (f) of the Order are amended to read as follows in order to fully reflect the fees payable to court-appointed counsel appointed on and after July 1, 2017:

(e) *Municipal Court Matters*:

(i) Municipal Court Trial—Felony: \$450.00

(ii) Felony Remand-Trial: \$450.00

(iii) Municipal Court Trial—Misdemeanor: \$450.00

(iv) Felony Preliminary Hearing Disposition: \$200.00

(v) Non-Traffic Summary Offenses: \$150.00

(vi) Fifth Amendment Witness: \$150.00

(f) *Status Hearings (Municipal Court and Trial Division, as applicable)*:

(i) Mental Health Court: \$100.00

(ii) Early Bail Review Hearings: \$100.00

(iii) Treatment Court Hearing—Status Hearing: \$100.00

(iv) Bench Warrant Hearing: \$100.00

(v) Diversion Program Status Hearing: \$100.00

(vi) Problem Solving Courts Status Hearing: \$100.00

(vii) Violation of Probation/Parole (VOP) Hearings: \$150.00

(viii) Municipal Court Completed Diversion Felony-Treatment Court Cases: \$450.00

(ix) Trial Division Completed Diversion Felony-Treatment Court Cases: \$750.00

2) Section (4)(d) is rescinded.

3) All other provisions of the June 26, 2017 Order shall remain in full force and effect.

It is further *Ordered* and *Decreed* that effective immediately, the following Payment Order/Voucher forms shall be used by court-appointed counsel, investigators and expert witnesses appointed on and after July 1, 2017. The Payment Orders/Vouchers may be revised from time to time and the current versions shall be available on the Court's website at <https://www.courts.phila.gov/forms>.

By the Court

HONORABLE SHEILA WOODS-SKIPPER,
*Chair, Administrative Governing Board of
the First Judicial District of Pennsylvania
President Judge, Court of Common Pleas of
Philadelphia County*



First Judicial District of Pennsylvania
 Court-Appointed Counsel Payment Order/Voucher
Fees and Procedures Are Applicable Only to Court Appointments Made On and After July 1, 2017
Trial Division – Criminal

1. A. APPOINTMENT LETTER INVOICE NO.
B. DATE OF APPOINTMENT

2. ATTORNEY'S LAST NAME	ATTORNEY'S MIDDLE NAME	ATTORNEY'S FIRST NAME	3. PA ATTORNEY I.D. NO.
4. ATTORNEY ADDRESS (Counsel must maintain their principal office in Philadelphia)		EMAIL ADDRESS	
Philadelphia, PA		TELEPHONE NUMBER	
5. DEFENDANT'S LAST NAME	MIDDLE INITIAL	DEFENDANT'S FIRST NAME	6. CPCMS NUMBER CP-51-CR- _____ - _____
			7. POLICE PHOTO NO.

Payment Voucher must be submitted for processing and approval within 90 days: of verdict in homicide cases, or disposition or sentencing in others.

Preparation Fees <input type="checkbox"/> Capital Homicide - Lead Counsel: \$10,000.00 <input type="checkbox"/> Capital Homicide – Penalty Phase Counsel: \$7,500.00 <input type="checkbox"/> Non-Capital Homicide Trial: \$3,500.00 <input type="checkbox"/> Non-Capital Homicide – Second Chair: \$600.00 <input type="checkbox"/> Felony Trial First Degree: \$1,200.00 <input type="checkbox"/> Felony Trial – Other: \$750.00 <input type="checkbox"/> Completed Diversion Felony-Treatment Court Cases: \$750.00 <input type="checkbox"/> Successful Decertification Motion: \$1,200.00 <input type="checkbox"/> Retrial Preparation Fee: \$ _____ <input type="checkbox"/> Mistrial Preparation Fee: \$ _____ <input type="checkbox"/> Violation of Probation/Parole (VOP): \$150.00 <input type="checkbox"/> 5 th Amendment Witness: \$150.00 <input type="checkbox"/> Status Listing/Hearing: \$100.00 - Date: _____		Per Diem Rate <input type="checkbox"/> Homicide: \$200 (3 hours or less); \$400 (More than 3 hours) + Mitigation <input type="checkbox"/> Felony Non-Homicide: \$175 (3 hours or less); \$350 (More than 3 hours)-after 1/01/06 <input type="checkbox"/> Felony Non Homicide: \$150 (3 Hours or Less); \$300 (More than 3 Hours)-before 1/01/16 <input type="checkbox"/> Mitigation Trial: \$75 (3 Hours or Less); \$150 (More than 3 Hours) – before 1/01/06 <input type="checkbox"/> Mitigation Trial: \$100.00 (3 Hours or Less); \$200.00 (More than 3 Hours) – after 1/01/06 <input type="checkbox"/> Misdemeanor Appeal (Per Diem) \$150 (3 Hours or Less); \$300 (More than 3 Hours) NOTE: CONTINUANCES ARE NOT COMPENSABLE
		Maximum Fee Case Types – Must Attach Chronological List of Services Rendered. <input type="checkbox"/> Felony: Appellate/PCRA: Maximum Fee: \$2,400 *Billable at \$65@hour (in-court and out-of-court) <input type="checkbox"/> Homicide: Appellate/PCRA: Maximum Fee: \$6,000 *Billable at \$85@hour (in-court and out-of-court) Rate: \$ _____ # of Hours: _____ = TOTAL: \$ _____

A. APPLICABLE PREPARATION FEE: \$ _____	B. APPLICABLE PER DIEM RATE: \$ _____	C. MAXIMUM FEE/ HOURLY TOTAL: \$ _____
---	---------------------------------------	--

D. PER DIEM CHARGES (LIST THE DATE AND THE APPLICABLE RATE FOR EACH DAY OR TRIAL/HEARING). NOTE: CONTINUANCES ARE NOT COMPENSABLE (Add Additional Pages As Necessary)					
	1/2 Day	Full Day		1/2 Day	Full Day
1) Day 1 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>	6) Day 6 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>
2) Day 2 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>	7) Day 7 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>
3) Day 3 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>	8) Day 8 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>
4) Day 4 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>	9) Day 9 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>
5) Day 5 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>	10) Day10 _____ / _____ / _____	<input type="checkbox"/>	<input type="checkbox"/>
No. of Full Days: _____		Multiplied by Per Diem Rate: \$ _____		= SUB-TOTAL: \$ _____	
No. of Half Days: _____		Multiplied by Per Diem Rate: \$ _____		= SUB-TOTAL: \$ _____	

E. TOTAL AMOUNT REQUESTED: \$ _____	9. DATE REPRESENTATION ENDED: _____
-------------------------------------	-------------------------------------

10. ATTORNEY SIGNATURE _____ DATE _____

I certify that: I maintain my principal office in Philadelphia County, I maintain professional liability insurance, I have been certified by the Philadelphia Bar Association Screening Committee, I have undergone Court-Appointed Counsel Fee system training, and I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.

FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL

ORDER

The City of Philadelphia is ordered to pay the Court-appointed attorney listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel and as approved by the Court.

11. NAME OF TRIAL JUDGE	TRIAL JUDGE'S SIGNATURE	DATE
SUPERVISING JUDGE OR ADMINISTRATIVE JUDGE'S SIGNATURE (When necessary)	DATE	PRESIDENT JUDGE'S SIGNATURE (When necessary)
		DATE

**Instructions for the Completion of Attorney Payment Order/Voucher
Trial Division - Criminal**

- Line 1: A. Enter the Appointment Letter invoice number & B. the Date of Appointment as they appear on the appointment letter.
- Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
- Line 3: Enter the attorney's PA Attorney ID number.
- Line 4: Enter the attorney's full Philadelphia address as it appears on the appointment letter. AGB Order 02 of 1997 requires the court-appointed attorney maintain a principal office in Philadelphia County in order to qualify to receive court-appointments.
- Line 5: Enter defendant's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
- Line 6: Enter the CPCMS Docket Number in the following sequence:
Common Pleas Trial Division cases CP-51-CR-(XXXXXXXX) -Year (XXXX)
- Line 7: Enter the defendant's six-digit police photo number.
- Line 8: Check as appropriate: Preparation Fee, Status Hearing/Listing Fee, *Per Diem* Fee, and Maximum Fee.
- A. Enter the applicable Preparation Fee or Treatment Court Status Listing Fee for the instant case.
- B. Enter the applicable *Per Diem* Rate for the instant case.
- C. For **Maximum Fee Case Types**: Enter the Requested Amount. The court-appointed attorney **must** attach a Chronological List of Services Rendered to this Voucher. A Fee Petition and Order are no longer necessary.
- D. Insert the specific date for each court appearance and check whether you spent a full day or a half-day in court. AGB Order 01 of 2017 defines a full day as more than 3 hours and a half-day as 3 hours or less. Add the number of Full Days and Half Days spent in court, multiply by the applicable *per diem* rate stated in Section 8.B. and Sub-Total the *per diem* charges for Full and Half Days. **Time spent in court asking for a continuance is not compensable.**
- E. Enter the total amount requested. For Maximum Fee cases, see subsection C., above.
- Line 9: Enter the date Representation ended.
- Line 10: Sign the Payment Voucher. Failure to sign the Voucher will delay processing of payment.
- The Sections which follow are for Court Use only, except that you should type in the name of the Trial Judge in Line 11.

Please Note

- 1) AGB Order No. 01 of 2017 requires that all Fee Petitions and Payment Vouchers must be filed within the following periods:
 - a) For yearly payments, no later than ninety (90) days after the calendar year at issue.
 - b) After verdict, plea, or mistrial, no later than ninety (90) days after the disposition.
 - c) After sentencing, no later than ninety (90) days after sentencing, regardless of whether the case is appealed.
 - d) For Appeals and PCRA's, no later than ninety (90) days after resolution of the appeal by the court with which the appeal or PCRA was filed.
- 2) The Payment Vouchers must be completed by the court-appointed attorney and submitted, together with a copy of the Appointment Letter, directly to the appropriate judge for review and approval without first being filed with the Office of Judicial Records or other applicable filing office or officer.
- 3) Upon approval by the appropriate judge, the original Payment Voucher shall be promptly filed of record by the attorney with Criminal Listings, 2nd Floor, Justice Stout Center, or with any other filing office or officer as the Court may direct from time to time. The attorney should keep a copy of the signed Payment Order/Voucher.
- 4) Upon receipt, the applicable filing officer shall time-stamp, docket and scan the Payment Order/Voucher. As provided in Philadelphia Civil Rule 576 (g), the Payment Order/Voucher shall be served on all parties, including the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov). All original hard-copy Fee Petitions and Payment Vouchers will be promptly provided to the City of Philadelphia, Counsel Fee Unit, for processing and retention consistent with Philadelphia Criminal Rule 576 (d).
- 5) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA. 19102
 215-686-5639

Payment Order/Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.



First Judicial District of Pennsylvania
 Court-Appointed Counsel Payment Order/Voucher
*Fees and Procedures Are Applicable Only to Court Appointments
 Made On and After July 1, 2017*
 Municipal Court – Criminal Division

1. A. APPOINTMENT LETTER INVOICE NO.			
B. DATE OF APPOINTMENT			
2. ATTORNEY'S LAST NAME	MIDDLE	ATTORNEY'S FIRST NAME	3. PA ATTORNEY I.D. NO.
4. ATTORNEY ADDRESS <i>(Counsel must maintain their principal office in Philadelphia)</i> Philadelphia, PA _____		EMAIL ADDRESS	
		TELEPHONE NUMBER	
5. DEFENDANT'S LAST NAME	MIDDLE	FIRST NAME	6. CPCMS NUMBER MC-51-CR- _____ - _____
7. POLICE PHOTO NO.			
Payment Voucher must be submitted for processing and approval within 90 days of disposition or sentencing.			
8. APPLICABLE FEES			
A. FIXED FEE CASES <input type="checkbox"/> Municipal Court Trial - Felony: \$450.00 <input type="checkbox"/> Felony Remand-Trial: \$450.00 <input type="checkbox"/> Municipal Court Trial - Misdemeanor: \$450.00 <input type="checkbox"/> Completed Diversion Felony-Treatment Court Cases: \$450.00 <input type="checkbox"/> Felony Preliminary Hearing Disposition: \$200.00 <input type="checkbox"/> Non-Traffic Summary Offenses: \$150.00 <input type="checkbox"/> Fifth Amendment Witness: \$150.00 <input type="checkbox"/> Violation of Probation/Parole (VOP): \$150.00		B. STATUS HEARING FEES: <input type="checkbox"/> Mental Health Court: \$100.00 <input type="checkbox"/> Early Bail Review Hearings: \$100.00 <input type="checkbox"/> Treatment Court Hearing - Status Hearing: \$100.00 <input type="checkbox"/> Bench Warrant Hearing: \$100.00 <input type="checkbox"/> Diversion Program Status Hearing: \$100.00 <input type="checkbox"/> Problem Solving Courts Status Hearing: \$100.00	
C. TOTAL AMOUNT REQUESTED (AS APPLICABLE) \$		9. DATE REPRESENTATION ENDED	
10. ATTORNEY SIGNATURE			DATE
I certify that: I maintain my principal office in Philadelphia County, I maintain professional liability insurance, I have been certified by the Philadelphia Bar Association Screening Committee, I have undergone Court-Appointed Counsel Fee system training, and I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.			
FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL			
ORDER			
The City of Philadelphia is ordered to pay the Court-appointed attorney listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel and as approved by the Court.			
11. NAME OF TRIAL JUDGE		TRIAL JUDGE'S SIGNATURE	
		DATE	
SUPERVISING JUDGE'S SIGNATURE <i>(When necessary)</i>		DATE	PRESIDENT JUDGE'S SIGNATURE <i>(When necessary)</i>
			DATE

Instructions for the Completion of Attorney Payment Order/Voucher
Municipal Court Criminal Division

- Line 1: A. Enter the Appointment Letter invoice number & B. the Date of Appointment as they appear on the appointment letter.
- Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
- Line 3: Enter the attorney's PA Attorney ID number.
- Line 4: Enter the attorney's full Philadelphia address as it appears on the appointment letter. AGB Order 02 of 1997 requires the court-appointed attorney maintain a principal office in Philadelphia County in order to qualify to receive court-appointments.
- Line 5: Enter defendant's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
- Line 6: Enter the CPCMS Docket Number in the following sequence:
Municipal Court cases MC-51-CR-(XXXXXXXX) -Year (XXXX)
- Line 7: Enter the defendant's six-digit police photo number.
- Line 8: The applicable Municipal Court Fees are listed. Check as appropriate.
 - A) Insert the applicable Fixed Fee amount for the instant case.
 - B) Insert the applicable Status Hearing Fee amount for the instant case.
 - C) Enter the total amount requested.
- Line 9: Enter the date the representation was concluded.
- Line 10: Sign the Payment Voucher. Failure to sign the Voucher will delay processing of payment.

The Sections which follow are for Court Use only, except that you should type in the name of the Trial Judge in Line 11.

Please Note

- 1) AGB Order No. 01 of 2017 requires that all Fee Petitions and Payment Vouchers must be filed within the following periods:
 - a) For yearly payments, no later than ninety (90) days after the calendar year at issue.
 - b) After verdict, plea, or mistrial, no later than ninety (90) days after the disposition.
 - c) After sentencing, no later than ninety (90) days after sentencing, regardless of whether the case is appealed.
 - d) For Appeals and PCRA's, no later than ninety (90) days after resolution of the appeal by the court with which the appeal or PCRA was filed.
- 2) The Payment Orders/Vouchers must be completed by the court-appointed attorney and submitted, together with a copy of the Appointment Letter, directly to the appropriate judge for review and approval without first being filed with the Office of Judicial Records or other applicable filing office or officer.
- 3) Upon approval by the appropriate judge, the original Payment Order/Voucher shall be promptly filed of record by the attorney with Criminal Listings, 2nd Floor, Justice Stout Center, or with any other filing office or officer as the Court may direct from time to time. The attorney should keep a copy of the signed Payment Order/Voucher.
- 4) Upon receipt, the applicable filing officer shall time-stamp, docket and scan the Payment Order/Voucher. As provided in Philadelphia Civil Rule 576 (g), the Payment Order/Voucher shall be served on all parties, including the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov). All original hard-copy Fee Petitions and Payment Vouchers will be promptly provided to the City of Philadelphia, Counsel Fee Unit, for processing and retention consistent with Philadelphia Criminal Rule 576 (d).
- 5) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA.19102
 215 686-5639

Payment Order/Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.

30-1084D (Reverse) (9-18-17)



First Judicial District of Pennsylvania
Court-Appointed Counsel Payment Order/Voucher

*Fees and Procedures Are Applicable Only to Court Appointments
Made On and After July 1, 2017*

1. A. APPOINTMENT LETTER INVOICE NO.
B. DATE OF APPOINTMENT

Municipal Court Traffic Division

2. ATTORNEY'S LAST NAME		MIDDLE	ATTORNEY'S FIRST NAME		3. PA ATTORNEY I.D. NO.
4. ATTORNEY ADDRESS (Counsel must maintain their principal office in Philadelphia)				EMAIL ADDRESS	
Philadelphia, PA _____				TELEPHONE NUMBER	
Payment Voucher must be submitted for processing and approval within 90 days of trial.					
5. APPLICABLE FEES					
A. TRAFFIC DIVISION ON-CALL COUNSEL			A1. NUMBER OF CASES APPOINTED FOR THE COURT SESSION		
<input type="checkbox"/> On-Call Counsel – per daily list (\$350.00)					
B. APPEAL FROM TRAFFIC DIVISION CASE					
<input type="checkbox"/> Traffic Division Appeal for Trial <i>De Novo</i> in the Court of Common Pleas (\$450.00)					
B1. DEFENDANT'S LAST NAME	MIDDLE	DEFENDANT'S FIRST NAME	B2. CITATION NUMBER	B3. CPCMS NUMBER	
				CP-51-SA - _____ - _____	
<i>Please see Instructions on Reverse side concerning documents to attach to this Payment Order/Voucher which must be filed with the Municipal Court Traffic Division after the Summary Appeal has been disposed.</i>					
C. AMOUNT REQUESTED			DATE REPRESENTATION ENDED		
\$ _____					
6. ATTORNEY SIGNATURE					DATE
I certify that: I maintain my principal office in Philadelphia County, I maintain professional liability insurance, I have been certified by the Philadelphia Bar Association Screening Committee, I have undergone Court-Appointed Counsel Fee system training, and I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.					
FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL					
ORDER					
The City of Philadelphia is ordered to pay the Court-appointed attorney listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel and as approved by the Court.					
TRAFFIC DIVISION ADMINISTRATIVE JUDGE			TRAFFIC DIVISION ADMINISTRATIVE JUDGE'S SIGNATURE		DATE

(Est. 9-18-17)

**Instructions for the Completion of Attorney Payment Order/Voucher
Municipal Court Traffic Division**

- Line 1: If applicable, A. Enter the Appointment Letter invoice number & B. the Date of Appointment as they appear on the appointment letter
- Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
- Line 3: Enter the attorney's PA Attorney ID number.
- Line 4: Enter the attorney's full Philadelphia address as it appears on the appointment letter. AGB Order 02 of 1997 requires the court-appointed attorney maintain a principal office in Philadelphia County in order to qualify to receive court-appointments.
- Line 5: The Fee for On-Call Counsel and for Appeal for a *Trial De Novo* are listed. Check option A or option B.
- A) If you are requesting compensation as On-Call Counsel:
1. Enter the number of cases appointed for the Court session. This information is needed for internal tracking.
- B) If you are requesting compensation for filing an Appeal for a *Trial De Novo*:
1. Enter defendant's name as it appears on the appointment letter.
 2. Enter the Traffic Division Citation Number.
 3. Enter the CPCMS Docket Number, when appointed in connection with an appeal for a trial de novo before the Court of Common Pleas, in the following sequence:
Traffic Division Appeal CP-51-SA-(XXXXXXXX) -Year (XXXX)
- Note: You must submit the following documents with this Payment Voucher: (1) Appointment letter for date of On-Call Representation; and (2) Entry of Appearance in connection with the Appeal.**
- C) Enter the total amount requested.
- Line 6: Enter the date the representation rendered pursuant to 5.A. or 5.B. concluded.
- Line 7: Sign the Payment Order/Voucher. Failure to sign the Voucher will delay processing of payment.

The Sections which follow are for Court Use only.

Please Note

- 1) AGB Order No. 01 of 2017 requires that all Fee Petitions and Payment Orders/Vouchers must be filed within the following periods:
 - a) After verdict, plea, or mistrial, no later than ninety (90) days after the disposition.
 - b) After sentencing, no later than ninety (90) days after sentencing, regardless of whether the case is appealed.
 - c) For Appeals and PCRA's, no later than ninety (90) days after resolution of the appeal by the court with which the appeal or PCRA was filed.
- 2) The Payment Order/Voucher must be completed by the court-appointed attorney and submitted, together with a copy of the Appointment Letter, directly to the Administrative Judge of the Traffic Division for review and approval.
- 3) Upon approval, the Administrative Judge of the Traffic Division shall forward the original Payment Order/Voucher to the Municipal Court Traffic Division, Attorney Filing Unit, 800 Spring Garden Street, Philadelphia, PA.
- 4) The Attorney Filing Unit shall time-stamp, docket and scan the Payment Order/Voucher, and shall promptly serve all parties, including the court-appointed attorney and the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov). All original hard-copy Fee Petitions and Payment Orders/Vouchers will be promptly provided to the City of Philadelphia Counsel Fee Unit for processing and retention.
- 5) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA. 19102
 215 686-5639

Payment Order/Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.



First Judicial District of Pennsylvania
 Court-Appointed Counsel Payment Order/Voucher
*Fees and Procedures Are Applicable Only to Court Appointments
 Made On and After July 1, 2017*
 Family Court – Dependency

1. A. APPOINTMENT LETTER INVOICE NO.
B. DATE OF APPOINTMENT
C. HAS THERE BEEN PRIOR CONFLICT COUNSEL <input type="checkbox"/> Yes <input type="checkbox"/> No

2. ATTORNEY'S LAST NAME	MIDDLE	ATTORNEY'S FIRST NAME	3. PA ATTORNEY I.D. NO.
4. ATTORNEY ADDRESS (Counsel must maintain their principal office in Philadelphia) Philadelphia, PA _____		EMAIL ADDRESS	TELEPHONE NUMBER
5. CLIENT'S LAST NAME	MIDDLE	CLIENT'S FIRST NAME	CHECK CLIENT CATEGORY <input type="checkbox"/> Child <input type="checkbox"/> Parent/Guardian

6. CPCMS NUMBER(S)
 CP-51-DP- _____ CP-51-DP- _____

Payment Voucher must be submitted for processing and approval within 90 days of disposition or, for yearly payments, after the calendar year at issue.

7. A. FEES FOR DEPENDENCY APPOINTMENT REPRESENTATION

<input type="checkbox"/> FIRST YEAR <input type="checkbox"/> Dismissal: \$750.00 <input type="checkbox"/> First Hearing: \$200.00 <input type="checkbox"/> Second Hearing: \$200.00 <input type="checkbox"/> Third Hearing: \$175.00 <input type="checkbox"/> Fourth Hearing: \$175.00 <input type="checkbox"/> Remainder: \$ _____ The total Annual Fee shall not exceed \$750.00. If dismissed during the First Year, court-appointed counsel shall be paid the outstanding balance of \$750.00.	<input type="checkbox"/> SECOND YEAR <input type="checkbox"/> Dismissal: \$450.00 <input type="checkbox"/> First Hearing: \$125.00 <input type="checkbox"/> Second Hearing: \$125.00 <input type="checkbox"/> Third Hearing: \$100.00 <input type="checkbox"/> Fourth Hearing: \$100.00 <input type="checkbox"/> Remainder: \$ _____ The total Annual Fee shall not exceed \$450.00. If dismissed during the Second Year, court-appointed counsel shall be paid the outstanding balance of \$450.00.	<input type="checkbox"/> THIRD & SUBSEQUENT YEARS <input type="checkbox"/> First Hearing: \$75.00 <input type="checkbox"/> Second Hearing: \$75.00 <input type="checkbox"/> Third Hearing: \$75.00 <input type="checkbox"/> Fourth Hearing: \$75.00 <input type="checkbox"/> APPEAL Maximum: \$2,400.00 Out of Court: \$65@hour In-Court: \$75@hour MUST ATTACH CHRONOLOGICAL LIST OF SERVICES RENDERED
--	--	--

B. DATE OF SERVICE	B. DATE OF SERVICE	B. DATE OF SERVICE
--------------------	--------------------	--------------------

8. A. FEES FOR ON-CALL COUNSEL
 On-Call Counsel – 1501 Arch Street - No Appointment: \$350.00 per Daily List.

B. DATE OF SERVICE

9. A. FEES FOR ADOPTION-AP MATTER ONLY
 Fee Requested: \$ _____
 Maximum Fee: \$ 2,400.00. Out-of-Court: \$65@hour. In-Court: \$75@hour
A detailed attachment must be included setting forth the services rendered and the time expended.

B. DATE REPRESENTATION ENDED

10. ATTORNEY SIGNATURE _____ DATE _____

I certify that: I maintain my principal office in Philadelphia County, I maintain professional liability insurance, I have been certified by the Philadelphia Bar Association Screening Committee, I have undergone Court-Appointed Counsel Fee system training, and I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.

FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL

ORDER

The City of Philadelphia is ordered to pay the Court-appointed attorney listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel subject to correction by the Legal Liaison Payment Unit, as noted below:
 Fee adjusted to \$ _____ due to the following ministerial error by counsel:

NAME:	DATE:
11. NAME OF PRESIDING JUDGE/JCHO	PRESIDING JUDGE/JCHO'S SIGNATURE
	DATE
SUPERVISING JUDGE OR ADMINISTRATIVE JUDGE'S SIGNATURE (When necessary)	DATE

**Instructions for the Completion Attorney Payment Order/Voucher
Family Court - Dependency**

- Line 1: Enter: A. the Appointment Letter invoice number; B. the Date of Appointment as they appear on the appointment letter; and C. indicate whether prior counsel had been appointed. Attorneys receiving appointments where the prior attorney has withdrawn his appearance or has been removed as counsel by the Court must use the appointment date of the original attorney handling the case to determine the appropriate fee due at subsequent hearings.
- Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE, and FIRST Name as it appears on the appointment letter.
- Line 3: Enter the attorney's PA Attorney ID number.
- Line 4: Enter the attorney's full Philadelphia address as it appears on the appointment letter. AGB Order 02 of 1997 requires the court-appointed attorney maintain a principal office in Philadelphia County in order to qualify to receive court-appointments.
- Line 5: Enter the Client's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter, and check, as applicable, Client Category: Child, or Parent/Guardian.
- Line 6: Enter the CPCMS Docket Number(s) in the following sequence:
Family Court – Dependency cases CP-51-DP-(XXXXXXXX) -Year (XXXX)
- Line 7: A. The Fees payable for Dependency Appointment are listed. Please note that the Fees vary by Year of Appointment. Check, as appropriate, First Year, Second Year, and Third & Subsequent Year. If a matter is dismissed before the fourth hearing in FIRST and SECOND YEAR cases, counsel must Check the DISMISSAL option. Also check the REMAINDER box and then enter the applicable Remainder amount.
In *Appeal* representation cases, court-appointed counsel must attach a Chronological List of Services Rendered to this Voucher. A Fee Petition and Order are no longer necessary.
B. Enter the Date of Service.
- Line 8: A. Check this Option if you were appointed as On-Call Counsel.
B. Enter the Date of Service.
- Line 9: A. Check this Option if you were appointed for an Adoption – AP- Matter Only Counsel.
B. Enter the Date Representation Ended.
- Line 10: Sign and date the Payment Voucher. Failure to sign and date the Voucher will delay processing of payment.
- The Sections which follow are for Court Use only, except that you should type in the name of the Trial Judge in Line 111.

Please Note

- 1) AGB Order No. 01 of 2017 requires that all Fee Petitions and Payment Vouchers must be filed within the following periods:
 - a) For yearly payments, no later than ninety (90) days after the calendar year at issue.
 - b) After verdict, plea, or mistrial, no later than ninety (90) days after the disposition.
 - c) After sentencing, no later than ninety (90) days after sentencing, regardless of whether the case is appealed.
 - d) For Appeals and PCRA's, no later than ninety (90) days after resolution of the appeal by the court with which the appeal or PCRA was filed.
- 2) The Payment Orders/Vouchers must be completed by the court-appointed attorney and submitted, together with a copy of the Appointment Letter, directly to the appropriate judge or Juvenile Hearing Officer for review and approval.
- 3) Upon approval by the appropriate judge or Juvenile Hearing Officer, the original Payment Order/Voucher shall be promptly filed of record at the Legal Liaison Payment Unit, 11th Floor, 1501 Arch Street, Philadelphia, PA. The attorney should keep a copy of the signed Payment Order/Voucher.
- 4) The Legal Liaison Payment Unit shall time-stamp, docket and scan the Payment Order/Voucher and, as authorized, may correct ministerial errors made by the attorney in completing the Payment Order/Voucher. Any correction will be identified and the name of the employee will be entered. Any questions regarding any corrections can be directed to the Legal Liaison Payment Unit.
- 5) The Legal Liaison Payment Unit shall serve the Payment Order/Voucher on all parties, including the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov), as required. All original hard-copy Fee Petitions and Payment Orders/Vouchers will be promptly provided to the City of Philadelphia Counsel Fee Unit for processing and retention.
- 6) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA. 19102
 215-686-5639

Payment Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.



First Judicial District of Pennsylvania
 Court-Appointed Counsel Payment Order/Voucher
*Fees and Procedures Are Applicable Only to Court Appointments
 Made On and After July 1, 2017*
 Family Court
 Delinquent, Abuse & Domestic Relations

1. A. APPOINTMENT LETTER INVOICE NO.			
B. DATE OF APPOINTMENT			
C. HAS THERE BEEN PRIOR CONFLICT COUNSEL <input type="checkbox"/> Yes <input type="checkbox"/> No			
2. ATTORNEY'S LAST NAME)	MIDDLE	ATTORNEY'S FIRST	3. PA ATTORNEY I.D. NO.
4. ATTORNEY ADDRESS <i>(Counsel must maintain their principal office in Philadelphia)</i>		EMAIL ADDRESS	
Philadelphia, PA _____		TELEPHONE NUMBER	
5. DEFENDANT'S LAST NAME	MIDDLE	DEFENDANT'S FIRST NAME	6. A. CASE NUMBER
6. B. CPCMS NUMBER(S) CP-51-JV- _____ - _____		CP-51-JV- _____ - _____	
Payment Voucher must be submitted for processing and approval within 90 days of disposition or, for yearly payments, after the calendar year at issue.			
7. A. FEES FOR DELINQUENT/ABUSE COURT-APPOINTED REPRESENTATION			
<input type="checkbox"/> Delinquency Felony: \$550.00 <input type="checkbox"/> Delinquency Misdemeanor: \$450.00 <input type="checkbox"/> Rape, IDSI, Juvenile Felony Sex Case*: \$750.00 <i>*Requires 3 CLE @ year and Certification by Family Court</i> <input type="checkbox"/> Consent Decree – at JJSC: \$225.00 <input type="checkbox"/> Delinquent Review – per hearing: \$75.00 <input type="checkbox"/> On-Call Counsel-No Appointment: \$350.00 <input type="checkbox"/> Protection from Abuse – D.R.: \$350.00		<input type="checkbox"/> Appointment with Prior Counsel: <input type="checkbox"/> Prior to Adjudication <input type="checkbox"/> Felony: \$550.00 <input type="checkbox"/> Misdemeanor: \$450.00 <input type="checkbox"/> Post Adjudication – per review hearing: \$75.00 <input type="checkbox"/> Private Counsel Retained: \$225.00 <input type="checkbox"/> Fifth Amendment Witness: \$225.00 <input type="checkbox"/> Bench Warrant: \$225.00	
B. DATE OF SERVICE		B. DATE OF SERVICE	
8. A. FEES FOR ON-CALL COUNSEL – DOMESTIC RELATIONS <input type="checkbox"/> On-Call Counsel – 1501 Arch Street – No Appointment: \$350.00 per Daily List			B. DATE OF SERVICE
9. ATTORNEY SIGNATURE			DATE
I certify that: I maintain my principal office in Philadelphia County, I maintain professional liability insurance, I have been certified by the Philadelphia Bar Association Screening Committee, I have undergone Court-Appointed Counsel Fee system training, and I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.			
FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL			
ORDER			
The City of Philadelphia is ordered to pay the Court-appointed attorney listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel subject to correction by the Legal Liaison Payment Unit, as noted below: <input type="checkbox"/> Fee adjusted to \$ _____ due to the following ministerial error by counsel:			
LEGAL LIAISON UNIT- NAME:			DATE:
10. NAME OF PRESIDING JUDGE/JCHO		PRESIDING JUDGE/JCHO'S SIGNATURE	DATE
SUPERVISING JUDGE OR ADMINISTRATIVE JUDGE'S SIGNATURE <i>(When necessary)</i>			DATE

**Instructions for the Completion of Attorney Payment Order/Voucher
Family Court – Delinquent, Abuse & Domestic Relations**

- Line 1: Enter: A. the Appointment Letter invoice number; B. the Date of Appointment as they appear on the appointment letter; and C. indicate whether prior counsel had been appointed. Attorneys receiving appointments where the prior attorney has withdrawn his appearance or has been removed as counsel by the Court must use the appointment date of the original attorney handling the case to determine the appropriate fee due at subsequent hearings.
- Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE, and FIRST Name as it appears on the appointment letter.
- Line 3: Enter the attorney's PA Attorney ID number.
- Line 4: Enter the attorney's full Philadelphia address as it appears on the appointment letter. AGB Order 02 of 1997 requires the court-appointed attorney maintain a principal office in Philadelphia County in order to qualify to receive court-appointments.
- Line 5: Enter defendant's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
- Line 6: A.: Enter the Domestic Relations, or Abuse Case Docket Number.
B.: Enter the CPCMS Docket Number(s) in the following sequence:
Family Court – Delinquent cases CP-51-JV-(XXXXXXXX) -Year (XXXX)
- Line 7: A. The Fees for Delinquent and Abuse representation are listed. Check applicable fee. Note: new counsel appointed for trial after a Consent Decree is revoked for non-compliance shall be paid, as applicable, the Delinquency Misdemeanor or Felony fee after adjudication.
B. Enter the Date of Service.
- Line 8: A. Check this Option if you were appointed as On-Call Counsel in Domestic Relations.
B. Enter the Date of Service as On-Call Counsel.
- Line 9: Sign and date the Payment Order/Voucher. Failure to sign and date the Voucher will delay processing of payment.

The Sections which follow are for Court Use only, except that you should type in the name of the Trial Judge in Line 10.

Please Note

- 1) AGB Order No. 01 of 2017 requires that all Fee Petitions and Payment Vouchers must be filed within the following periods:
 - a) For yearly payments, no later than ninety (90) days after the calendar year at issue.
 - b) After verdict, plea, or mistrial, no later than ninety (90) days after the disposition.
 - c) After sentencing, no later than ninety (90) days after sentencing, regardless of whether the case is appealed.
 - d) For Appeals and PCRA's, no later than ninety (90) days after resolution of the appeal by the court with which the appeal or PCRA was filed.
- 2) The Payment Orders/Vouchers must be completed by the court-appointed attorney and submitted, together with a copy of the Appointment Letter, directly to the appropriate judge or Juvenile Hearing Officer for review and approval.
- 3) Upon approval by the appropriate judge or Juvenile Hearing Officer, the original Payment Order/Voucher shall be promptly filed of record at the Legal Liaison Payment Unit, 11th Floor, 1501 Arch Street, Philadelphia, PA. The attorney should keep a copy of the signed Payment Order/Voucher.
- 4) The Legal Liaison Payment Unit shall time-stamp, docket and scan the Payment Order/Voucher and, as authorized, may correct ministerial errors made by the attorney in completing the Payment Order/Voucher. Any correction will be identified and the name of the employee will be entered. Any questions regarding any corrections can be directed to the Legal Liaison Payment Unit.
- 5) The Legal Liaison Payment Unit shall serve the Payment Order/Voucher on all parties, including the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov), as required. All original hard-copy Fee Petitions and Payment Orders/Vouchers will be promptly provided to the City of Philadelphia Counsel Fee Unit for processing and retention.
- 6) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA. 19102
 215-686-5639

Payment Order/Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.



First Judicial District of Pennsylvania
AGB Order 01 of 2017

Fees and Procedures Are Applicable Only to Court Appointments Made On and After July 1, 2017

Investigator Payment Order/Voucher

1. A. APPOINTMENT LETTER INVOICE NO.
B. DATE OF APPOINTMENT

SECTION 1 – ATTORNEY & DEFENDANT INFORMATION			
2. ATTORNEY'S LAST NAME	MIDDLE	ATTORNEY'S FIRST NAME	3. ATTORNEY STATE I.D. NO.
4. ATTORNEY ADDRESS (<i>Counsel must maintain their principal office in Philadelphia</i>)		EMAIL ADDRESS	
Philadelphia, PA _____		TELEPHONE NUMBER	
5. DEFENDANT'S/PARTY'S LAST NAME	MIDDLE	DEFENDANT'S/PARTY'S FIRST NAME	6. CPCMS NUMBER OR OTHER DOCKET NUMBER
			-51- _____

SECTION 2 – INVESTIGATOR INFORMATION			
7. INVESTIGATOR'S LAST NAME	MIDDLE	INVESTIGATOR'S FIRST NAME	8. LICENSE NUMBER
INVESTIGATOR ADDRESS		EMAIL ADDRESS	
		TELEPHONE NUMBER	

SECTION 3 - COURT-DIVISION-CASE TYPE		
9. CRIMINAL-COURT OF COMMON PLEAS & MUNICIPAL COURT <input type="checkbox"/> Guaranteed Initial Fee <input type="checkbox"/> Homicide: \$300.00 <input type="checkbox"/> Felony: \$100.00 <input type="checkbox"/> Per Hour: \$40.00 Must Attach Chronological List of Services Rendered. Maximum Billable Amount Without Court Order: \$500 <i>Amounts in Excess of \$500 require approval of Trial Judge and Supervising or Administrative or President Judge as appropriate</i>	10. FAMILY COURT-DELINQUENT <input type="checkbox"/> Trial Preparation <input type="checkbox"/> Initial Fee: \$100 <input type="checkbox"/> Per Hour: \$40 Number of Hours: _____ Must Attach Chronological List of Services Rendered. See No. 12 below.	11. FAMILY COURT-DEPENDENT <input type="checkbox"/> Per Hour: \$40 Number of Hours: _____ Must Attach Chronological List of Services Rendered. See No. 12 below.

SECTION 4 – SERVICES PROVIDED OR TO BE PROVIDED BY INVESTIGATOR-PAYMENTS TO INVESTIGATOR
12. PROVIDE A SUMMARY OF INVESTIGATIVE SERVICES RENDERED. MUST ATTACH CHRONOLOGICAL LIST OF SERVICES RENDERED AND TIME EXPENDED.

13. A. FEE REQUESTED: \$	B. AMOUNT PAID TO DATE: \$	C. OTHER FEE PETITIONS PENDING: <input type="checkbox"/> Yes <input type="checkbox"/> No
--------------------------	----------------------------	--

14. ATTORNEY SIGNATURE	DATE
I certify that I have retained the above named investigator, that the investigatory services requested are necessary to provide appropriate representation to the above Defendant, and I will ensure that the investigator performs his/her duties satisfactorily as requested. I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.	

15. INVESTIGATOR SIGNATURE	DATE
I certify that I have been retained by the above named attorney to perform investigatory services in connection with this case. I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.	

FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL			
ORDER			
The City of Philadelphia is ordered to pay to the Investigator listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel and by the Investigator, and as approved by the Court.			
16. NAME OF TRIAL JUDGE	TRIAL JUDGE'S SIGNATURE	DATE	
SUPERVISING JUDGE OR ADMINISTRATIVE JUDGE'S SIGNATURE (<i>When necessary</i>)	DATE	PRESIDENT JUDGE'S SIGNATURE (<i>When necessary</i>)	DATE

Instructions for the Completion of Investigator Payment Order/Voucher

SECTION 1- ATTORNEY & DEFENDANT INFORMATION

- Line 1: A. Enter the Appointment Letter invoice number & B. the Date of Appointment as they appear on the appointment letter.
 Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
 Line 3: Enter the attorney's PA Attorney ID number.
 Line 4: Enter the attorney's full Philadelphia business address, email address and telephone number.
 Line 5: Enter the Defendant's or party's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
 Line 6: Enter the CPCMS Docket Number or other appropriate Docket Number

SECTION 2 - INVESTIGATOR INFORMATION

- Lines 7 - 8: Enter the full name, business address, email address, telephone number, and License number of the Investigator.

SECTION 3 - COURT-DIVISION-CASE TYPE

- Lines 9 - 11: Select the applicable Court/Division and case type. Select the Fee that is being requested. If payment on an hourly basis is being requested, the Investigator shall attach a detailed Chronological List of Services Rendered to this Voucher. A Fee Petition and Order are no longer necessary.

SECTION 4 – SERVICES PROVIDED OR TO BE PROVIDED BY INVESTIGATOR

- Line 12: Provide a general summary of investigative services rendered. If payment on an hourly basis is being requested, the Investigator shall attach a detailed Chronological List of Services Rendered to this Voucher.
 Line 13: A. Enter the Amount Requested.
 B. The Investigator must enter the Amount Paid to the Investigator to date, not including current Request.
 C. The Investigator must check whether other Investigator Fee requests are pending for the instant case.
 Line 14: The Court-Appointed attorney must sign the Payment Voucher, verifying necessity of investigatory services. Failure to sign and date will delay payment.
 Line 15: The Investigator must sign the Payment Voucher, verifying performance of investigatory services. Failure to sign and date will delay payment.

The Sections which follow are for Court Use only, except that the name of the Trial Judge should be entered in Line 16.

Please Note

- 1) The Payment Order/Voucher must be completed by both the court-appointed attorney and the Investigator before the Court-Appointed Attorney submits it directly to the appropriate judge for review and approval.
- 2) Upon approval by the appropriate judge, the attorney should keep a copy of the signed Payment Order/Voucher, and shall promptly file the original as follows:
Criminal Cases: Justice Stout Center, Criminal Listings, 2nd Floor, 1301 Filbert Street, Philadelphia, PA.
Family Division Cases: at the Legal Liaison Payment Unit, 11th Floor, 1501 Arch Street, Philadelphia, PA.
- 3) Upon receipt, the applicable filing officer shall time-stamp, docket and scan the Payment Voucher/Voucher. Service of the Order or Payment Voucher shall be accomplished on all parties as well as on the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov), as required. All original hard-copy Fee Petitions and Payment Vouchers will be provided promptly to the City of Philadelphia, Counsel Fee Unit, for processing and retention.
- 4) Payment will be made directly to the Investigator.
- 5) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA. 19102
 215-686-5639

Payment Order/Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.



First Judicial District of Pennsylvania
 AGB Order 01 of 2017
*Fees and Procedures Are Applicable Only to Court Appointments
 Made On and After July 1, 2017*

Expert Witness Payment Order/Voucher

1. A. APPOINTMENT LETTER INVOICE NO.			
B. DATE OF APPOINTMENT			
SECTION 1 – ATTORNEY & DEFENDANT INFORMATION			
2. ATTORNEY'S LAST NAME	MIDDLE	ATTORNEY'S FIRST NAME	3. ATTORNEY STATE I.D. NO.
4. ATTORNEY ADDRESS <i>(Counsel must maintain their principal office in Philadelphia)</i>		EMAIL ADDRESS	
Philadelphia, PA _____		TELEPHONE NUMBER	
5. DEFENDANT LAST NAME	MIDDLE	DEFENDANT'S FIRST NAME	6. CPCMS NUMBER OR OTHER DOCKET NUMBER ____-51-____-____-____
SECTION 2 – EXPERT WITNESS INFORMATION			
7. EXPERT WITNESS' LAST NAME	MIDDLE	EXPERT WITNESS' FIRST NAME	8. PHILA. BUSINESS LICENSE NUMBER
EXPERT WITNESS ADDRESS		EMAIL ADDRESS	
		TELEPHONE NUMBER	
SECTION 3 – CASE TYPE			
<input type="checkbox"/> Homicide <input type="checkbox"/> Adult- Non-Homicide <input type="checkbox"/> Juvenile			
SECTION 4 – EXPERT WITNESS FEES			
9. FEE TYPES			
<input type="checkbox"/> Decertification - Mental Health Evaluation: \$750.00 <input type="checkbox"/> Fixed Amount Allowed by the Court: \$ _____. Attached is a copy of the Court Order. <input type="checkbox"/> Compensation on an hourly basis was approved by the Court. Attached is a copy of the Court Order. Number of Hours: _____, Hourly Rate: \$ _____, Total Amount Requested: \$ _____. Must Attach Chronological List of Services Rendered to this Voucher.			
Amounts in Excess of \$7,500.00 must be approved by the Supervising, Administrative, or President Judge – as applicable.			
A. AMOUNT PAID TO EXPERT WITNESS TO DATE: \$		B. OTHER FEE PETITIONS PENDING: <input type="checkbox"/> Yes <input type="checkbox"/> No	
10. ATTORNEY SIGNATURE _____ DATE _____			
I certify that I have retained the above named Expert Witness, that the Expert Witness is necessary to provide appropriate representation to the above Defendant, and I will ensure that the Expert Witness performs his/her duties satisfactorily as requested. I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.			
11. EXPERT WITNESS SIGNATURE _____ DATE _____			
I certify that I have been retained by the above named attorney as an Expert Witness services in connection with this case. I understand that false statements and/or representations made herein are subject to the penalties of 18 Pa. C.S. Section 4904, relating to unsworn falsification to authorities.			
FOR COURT USE ONLY- JUDICIAL REVIEW AND APPROVAL			
ORDER			
The City of Philadelphia is ordered to pay to the Expert Witness listed above, consistent with the terms of AGB Order No. 01 of 2017 and AGB Order No. 02 of 2012, the total sum of \$ _____ in connection with the above-referenced case for the services rendered as certified by counsel and by the Expert Witness, and as approved by the Court.			
16. NAME OF TRIAL JUDGE		TRIAL JUDGE'S SIGNATURE _____ DATE _____	
SUPERVISING JUDGE OR ADMINISTRATIVE JUDGE'S SIGNATURE <i>(When necessary)</i>		PRESIDENT JUDGE'S SIGNATURE <i>(When necessary)</i>	
DATE _____		DATE _____	

Instructions for the Completion of Expert Witness Payment Order/Voucher

SECTION 1- ATTORNEY & DEFENDANT INFORMATION

- Line 1: A. Enter the Appointment Letter invoice number & B. the Date of Appointment as they appear on the appointment letter.
 Line 2: Enter the court-appointed attorney's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
 Line 3: Enter the attorney's PA Attorney ID number.
 Line 4: Enter the attorney's full Philadelphia business address, email address and telephone number.
 Line 5: Enter the Defendant's LAST Name, MIDDLE Name, and FIRST Name as it appears on the appointment letter.
 Line 6: Enter the CPCMS Docket Number or other appropriate Docket Number

SECTION 2 – EXPERT WITNESS INFORMATION

- Lines 7 - 8: Enter the full name, business address, email address, telephone number, and Business License number of the Expert Witness.

SECTION 3 - CASE TYPE

Select Homicide, Adult Non-Homicide, or Juvenile option depending on the Case type

SECTION 4 – EXPERT WITNESS FEES

- Line 9: Select the applicable Fee Type requested. Attach required documentation to Payment Voucher. If compensation on an hourly basis is requested, the Expert **must** attach a Chronological List of Services rendered to this Voucher. A Fee Petition and Order are no longer required.
 A. Enter the Amount previously paid to the Expert Witness, if any
 B. The Expert Witness must check whether other Expert Witness Fee requests are pending for the instant case.
 Line 10: The Court-Appointed attorney must sign and date the Payment Voucher. Failure to sign and date will delay payment.
 Line 11: The Expert Witness must sign and date the Payment Voucher. Failure to sign and date will delay payment.

The Sections which follow are for Court Use only, except that the name of the Trial Judge should be entered in Line 16.

Please Note

- 1) The Payment Order/Voucher must be completed by both the court-appointed attorney and the Expert Witness before the Court-Appointed Attorney submits it directly to the appropriate judge for review and approval.
- 2) Upon approval by the appropriate judge, the attorney should keep a copy of the signed Payment Order/Voucher, and shall promptly file the original as follows:
Criminal Cases: Justice Stout Center, Criminal Listings, 2nd Floor, 1301 Filbert Street, Philadelphia, PA.
Family Division Cases: at the Legal Liaison Payment Unit, 11th Floor, 1501 Arch Street, Philadelphia, PA.
- 3) Upon receipt, the applicable filing officer shall time-stamp, docket and scan the Payment Voucher/Voucher. Service of the Order or Payment Voucher shall be accomplished on all parties as well as on the City of Philadelphia Counsel Fee Unit (CounselFeeUnit@courts.phila.gov), as required. All original hard-copy Fee Petitions and Payment Vouchers will be provided promptly to the City of Philadelphia, Counsel Fee Unit, for processing and retention.
- 4) Payment will be made directly to the Expert Witness.
- 5) Payment status should only be requested from the City of Philadelphia sixty (60) days or more after the Payment Order/Voucher has been received by the City of Philadelphia Counsel Fee Unit. Any payment questions may be directed to:

Kelly Press, Counsel Fee Unit Supervisor
Kelly.press@phila.gov
CounselFeeUnit@courts.phila.gov
 City of Philadelphia Managing Director's Office
 1401 JFK Blvd. Suite 1340
 Philadelphia, PA.19102
 215-686-5639

Payment Order/Voucher forms are available on the Court's website at: <http://www.courts.phila.gov/forms>.

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Disbarment

Notice is hereby given that Kathleen Y. Rinks (# 53380), having been disbarred in the State of Oregon, the Supreme Court of Pennsylvania issued an Order on September 29, 2017, disbaring Kathleen Y. Rinks from the Bar of this Commonwealth, effective October 29,

2017. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside of the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

JULIA M. FRANKSTON-MORRIS, Esq.,
Secretary

*The Disciplinary Board of the
Supreme Court of Pennsylvania*

[Pa.B. Doc. No. 17-1688. Filed for public inspection October 13, 2017, 9:00 a.m.]

SUPREME COURT

Duty Assignment Schedule for Emergency Petitions in the Year 2017; No. 476 Judicial Administration Doc.

Amended Order

Per Curiam:

And Now, this 28th day of September, 2017, it is hereby ordered that the order at No. 476 Judicial Administration Docket, dated December 21, 2016, listing emergency duty assignments is hereby amended as follows:

October	Justice David Wecht	(Eastern District)
	Justice Max Baer	(Western District)
November	Justice Kevin Dougherty	(Eastern District)
	Justice Christine Donohue	(Western District)
December	Justice Debra Todd	(Eastern District)
	Justice Kevin Dougherty	(Western District)

[Pa.B. Doc. No. 17-1689. Filed for public inspection October 13, 2017, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 3, 2017.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
9-29-2017	Bryn Mawr Bank Corporation Bryn Mawr Montgomery County Application for approval to acquire more than 10% of the preferred stock of United Bancshares, Inc., Philadelphia.	Approved

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-1-2017	Riverview Financial Corporation Harrisburg Dauphin County Application for approval to acquire 100% of CBT Financial Corp, Clearfield, and thereby indirectly acquire 100% of CBT Bank, Clearfield.	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-1-2017	Riverview Bank Marysville Perry County Merger of CBT Bank, Clearfield, with and into Riverview Bank, Marysville. All branch offices of CBT Bank will become branch offices of Riverview Bank including the former main office of CBT Bank located at: <div style="text-align: right; margin-top: 10px;"> 11 North Second Street Clearfield Clearfield County </div>	Effective
10-1-2017	Penn Community Bank Doylestown Bucks County Merger of Cheltenham Hills Savings Bank, Abington, with and into Penn Community Bank, Doylestown. All branch offices of Cheltenham Hills Savings Bank will become branch offices of Penn Community Bank including the former main office of Cheltenham Hills Savings Bank located at: <div style="text-align: right; margin-top: 10px;"> 2 Hidden Lane Abington Montgomery County </div>	Effective

Branch Applications**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
9-27-2017	Republic First Bank Philadelphia Philadelphia County	1544 Route 38 Lumberton Burlington County, NJ	Approved

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
9-29-2017	Utilities Employees Credit Union Wyomissing Berks County	Approved

Application for approval to merge ClearChoice Federal Credit Union, Wyomissing, with and into Utilities Employees Credit Union, Wyomissing.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1690. Filed for public inspection October 13, 2017, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of November 2017

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of November, 2017, is 5%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further preemption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 2.50 to which was added 2.50 percentage points for a total of 5.00 that by law is rounded off to the nearest quarter at 5%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1691. Filed for public inspection October 13, 2017, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

2018 Annual Action Plan Public Hearing

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2018 Annual Action Plan of the Consolidated Plan for 2014—2018 (Plan). The Plan is a document submitted to the United States Department of Housing and Urban Development (HUD) every 5 years analyzing the needs of the nonentitlement areas of this Commonwealth in the areas of housing including special needs, community development, homelessness prevention and economic development. From this analysis a unified strategy for housing, homelessness and community development programs, including the necessary linkages for building successful neighborhoods and communities, is created. The Action Plan is the annual application to HUD for Federal funds administered by the Commonwealth for the nonentitlement communities of this Commonwealth. The HUD funding programs covered by the Plan and administered by the Department are the Community Development Block Grant (CDBG), the HOME Investment Partnerships, the Emergency Solutions Grant, CDBG Disaster Recovery and Neighborhood Stabilization Program. The Plan also covers the following programs, which other Commonwealth agencies administer: the Department of Health administers the Housing Opportunities for Persons with AIDS programs; and the Housing Finance Agency administers the National Housing Trust Fund.

Public Hearing

The first public hearing for the 2018 Annual Action Plan will be conducted electronically by means of the Internet on Thursday, October 26, 2017, at 10 a.m. This more widely available computer access will replace the onsite public hearing, though interested persons may attend the meeting in person at the Department offices in Harrisburg, PA. The format will be more accessible than an in-person hearing because those who wish to make comment or discuss policy may participate directly from their personal computer or from a computer located at their public library.

Any individual or organization may give testimony or comments by means of the Internet. Comments will be accepted about topics related to the needs of the Commonwealth in the following areas: community development; housing including special needs; homelessness; economic development; any changes to the method of distribution of the existing Federal programs; and the process by which public input is gathered. In addition, a summary of the Fiscal Year 2016 accomplishments will be presented. The Commonwealth encourages public participation in this process.

Anyone who wants to participate must register for the hearing prior to the start time so an attendance record may be verified.

Individuals can register for this public hearing at <https://copa.webex.com/copa/k2/j.php?MTID=t98d92cd3716bb6dc2ebc8ea0bab0b061>. Once approved by the host, a confirmation e-mail will be sent with instructions for joining the session. To view in other time zones or languages, visit <https://copa.webex.com/copa/k2/j.php?MTID=td5e167a0321dcf25ef63b65ef1d27cb5>.

For assistance contact Jon Cherry at jcherry@pa.gov.

During the public hearing, if support is required, call (717) 787-5327. The hearing will be recorded for public record. The hearing will be shortened if there is no one to testify or there is minimal response.

Anyone who has a disability or limited English proficiency and wishes to participate in the public hearing should contact Megan Snyder, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404 or TDD (717) 346-0308 at a minimum of 72 hours prior to the meeting to discuss how the Department can accommodate their needs.

Written Comments

Written testimony, instead of Internet testimony, must be submitted by 5 p.m. on Friday, December 8, 2017, for review for consideration for the 2018 Annual Action Plan. Submit comments to Megan Snyder, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225, RA-DCEDcdbg&homequestions@pa.gov.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 17-1692. Filed for public inspection October 13, 2017, 9:00 a.m.]

Pennsylvania Housing Advisory Committee Meeting

The Pennsylvania Housing Advisory Committee (Committee) will meet on October 30, 2017, from 1:30 p.m. to 3:30 p.m. in the Housing Finance Agency Board Room, 211 North Front Street, Harrisburg, PA 17101. The Committee is responsible for reviewing Statewide housing, community development and support services, needs and priorities, as well as advising the Department of Community and Economic Development (Department) in the preparation of the Commonwealth Consolidated Plan, annual action plans and the coordination of Federal, State and local resources to manage the implementation of these plans.

As part of the planning process for the 2018 Action Plan of the Consolidated Plan for 2014—2018, the Committee will be meeting in an open forum to discuss the needs of this Commonwealth in terms of housing including special needs, community development, homelessness and economic development. Reports from the six Department regions will be presented on the needs in their respective areas of this Commonwealth. There will also be a presentation of the performance of the 2016 Program Year for the Community Development Block Grant (CDBG), the HOME Investment Partnerships, the Emergency Solutions Grant, CDBG Disaster Recovery, Neighborhood Stabilization Program and Housing Opportunities for Persons with AIDS programs.

Anyone who wishes to attend the Committee meeting must register in advance. Contact Megan Snyder at (717) 720-7404 or TDD (717) 346-0308 to receive information on attending the meetings at least 72 hours prior to the meeting date. There will be WebX capability to attend the meeting remotely so registration is required.

Individuals can register for this meeting at <https://copa.webex.com/copa/k2/j.php?MTID=tfed1989203ffb492ec9474bdbfd5f40>. Once approved by the host, a confirmation e-mail will be sent with instructions for joining the session.

Persons with a disability or limited English proficiency who wish to attend the Committee meeting and require an auxiliary aid, service or other accommodation to participate should contact Megan Snyder, Department of Community and Economic Development, Center for Community Financing, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404 or TDD (717) 346-0308, at a minimum of 72 hours before the meeting to discuss how the Department may best accommodate their needs.

DENNIS M. DAVIN,
Secretary

[Pa.B. Doc. No. 17-1693. Filed for public inspection October 13, 2017, 9:00 a.m.]

**DEPARTMENT OF
EDUCATION****Cyber Charter School Application; Public Hearing**

The Department of Education (Department) has scheduled one date for a public hearing regarding a cyber charter school application that was received on or before

October 2, 2017. The hearing will be held on November 20, 2017, in Heritage Room A on the lobby level of 333 Market Street, Harrisburg, PA 17126 at 9 a.m. The hearing pertains to the applicant seeking to operate a cyber charter school beginning in the 2018-2019 school year. The purpose of the hearing is to gather information from the applicant about the proposed cyber charter school as well as receive comments from interested individuals regarding the application. The name of the applicant, copies of the application and a listing of the date and time scheduled for the hearing on the application can be viewed on the Department's web site at www.education.pa.gov.

Individuals who wish to provide comments on the application during the hearing must provide a copy of their written comments to the Department and the applicant on or before November 6, 2017. Comments provided by this deadline and presented at the hearing will become part of the certified record. Failure to comply with this deadline will preclude the individual from providing comments at the hearing. Verbal comments may be limited based on the number of individuals requesting time to provide comments and may be limited if the comments are duplicative or repetitive of another individual's comments. Persons who are unable to attend the hearing may also provide the Department and the applicant with written comments on or before November 6, 2017. Any written comments provided to the Department by this deadline will also become part of the certified record.

During the public hearing on the application, the cyber charter applicant will have 30 minutes to present information about the proposed cyber charter school. The hearing will be conducted by the panel of individuals who have completed an initial review of the application. The panel members may question the applicant on issues identified during their review, as well as issues raised in the written comments filed by the deadline. Panel members may also question individuals who offer verbal comments. Commentators will not be permitted to question either the applicant or the panel members.

Comments sent to the Department should be addressed to the Division of Charter Schools, 333 Market Street, 5th Floor, Harrisburg, PA 17126-0333. The hearing agenda will be prepared after November 13, 2017, when the Department is aware of the number of individuals who wish to provide verbal comments at the hearing. The hearing agenda will provide the order of presentation, as well as specify the amount of time allotted to each commentator. The hearing agenda will be posted on the Charter School Applications webpage on the Department's web site at <http://www.education.pa.gov/K-12/Charter%20Schools/Pages/Charter-Applications.aspx>.

For questions regarding this hearing, contact the Division of Charter Schools, (717) 787-9744, charterschools@pa.gov.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 17-1694. Filed for public inspection October 13, 2017, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and

other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0030457 (Sewage)	Thorn Run Rd STP 100 Forbes Trail Drive Export, PA 15632-2000	Westmoreland County Salem Township	Unnamed Tributary to Thorn Run (18-B)	Yes
PA0093718 (Sewage)	Sugarcreek Elementary School 1446 Kittanning Pike Karns City, PA 16041-1818	Armstrong County Sugarcreek Township	Unnamed Tributary to Huling Run (17-C)	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0063568 (Industrial)	Northampton Borough Municipal Authority WTP 1 Clear Springs Drive PO Box 156 Northampton, PA 18067-0156	Lehigh County North Whitehall Township	Spring Creek (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0261840— SEW	Terri Straka 1440 Schoffers Road Birdsboro, PA 19508	Berks County/ Exeter Township	Owatin Creek/3-D	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0047201 Sewage	Tionesta Borough WWTP 104 River Street Tionesta, PA 16353	Tionesta Borough Forest County	Allegheny River 16-F	Yes
PA0100676 (Sewage)	Temple Grove Campground 9017 Chillicothe Road Temple Grove Business Office Kirtland, OH 44094-9261	Mercer County Delaware Township	Shenango River (20-A)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

PA0002879, Industrial, SIC Code 3312, **Union Electric Steel Corporation**, P.O. Box 465, Carnegie, PA 15106-0465. Facility Name: Harmon Creek Plant. This existing facility is located in Smith Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of untreated groundwater, and stormwater runoff.

The receiving stream, Unnamed Tributary of Burgetts Fork, is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002; design flow varies.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002; design flow varies.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 003; design flow varies.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	Instant. Maximum
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003; design flow varies.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	Instant. Maximum
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Manganese, Total	XXX	XXX	XXX	XXX	2.0	XXX

The proposed effluent limits for Outfall 103; design flow varies.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	Report	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX
Fluoride, Total	XXX	XXX	XXX	Report	Report	XXX
Molybdenum, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 004; design flow varies.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004; design flow varies.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Maximum Daily	Minimum	Average Monthly	Maximum Daily	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Manganese, Total	XXX	XXX	XXX	XXX	2.0	XXX

In addition, the permit contains the following major special conditions:

- Effluent limit compliance schedule.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0011096, Industrial, SIC Code 2911, **Sunoco Partners Marketing & Terminals, LP**, 100 Green Street, Marcus Hook, PA 19061-0426. Facility Name: Marcus Hook Industrial Complex. This existing facility is located in Marcus Hook Borough, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated stormwater.

The receiving streams, Middle Creek and Delaware River Estuary Zone 4, are located in State Water Plan watershed 3-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 020 are based on an average stormwater flow.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 020 are based on an average stormwater flow.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 023 are based on an average stormwater flow.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 401 are based on an average stormwater flow.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Acrolein	XXX	XXX	XXX	XXX	Report	XXX
Benzene	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX
MTBE	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Permit Requirement
- D. BAT/ELG Reopener
- E. Cooling Water Intake Requirements
- F. Stormwater Requirements
- G. PCB/PMP Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0035769, Industrial, SIC Code 2011, **JBS Souderton Inc.**, PO Box 64395, Souderton, PA 18964-0395. Facility Name: JBS Souderton Facility. This existing facility is located in Franconia Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Wastewater.

The receiving stream(s), Skippack Creek and Unnamed Tributary to Skippack Creek, is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	Report	XXX	XXX
Temperature (deg F) (°F)	XXX	XXX	Report Avg Mo	Report Daily Max	XXX	100
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	167	334	XXX	20.0	40.0	50
May 1 - Oct 31	83	167	XXX	10.0	20.0	25
Total Suspended Solids	250	500	XXX	30.0	60.0	75
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Oil and Grease	125	209	XXX	15.0	25.0	30

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000 (*)
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	1,118	1,618	XXX	134.0	194.0	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	30	60	XXX	3.6	7.2	9
May 1 - Oct 31	10	20	XXX	1.2	2.4	3
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus						
Nov 1 - Mar 31	11.0	22.0	XXX	1.34	2.68	3.35
Apr 1 - Oct 31	5.5	11.0	XXX	0.67	1.34	1.68
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)						
(First 36 months)	XXX	XXX	XXX	Report	95	95
(After 36 months)	XXX	XXX	XXX	72.0	95.0	95

(*) see special condition for fecal coliform reporting.

The proposed effluent limits for Outfall 002, 003, 004 and 101 are based on a storm event.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (CFU/100 ml)						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus						
Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Notification of Designated Operator
- Fecal Coliform Reporting
- Obtain Necessary Property Rights
- Proper Sludge Disposal
- BAT/BCT Reopener
- Small Stream Discharge
- Sampling Plan
- Inspect Outfall
- Chemical Additives
- Stormwater Requirements
- Osmotic Pressure Requirements
- Temperature Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0026468, Sewage, SIC Code 4952, **Lower Bucks County Joint Municipal Authority**, PO Box 460, Levittown, PA 19058-0460. Facility Name: Lower Bucks WWTP. This existing facility is located in Bristol Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 10 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum Monthly Average	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Toxicity, Acute—Ceriodaphnia Survival (TUa)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic—Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Acute—Pimephales Survival (TUa)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic—Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	2.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,668	2,502	XXX	20.0	30.0 Wkly Avg	40
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
BOD, carbonaceous, 20 day, 20 C	2,410	XXX	XXX	XXX	XXX	XXX
CBOD ₂₀ Minimum %	XXX	XXX	88.5	XXX	XXX	XXX
Removal Percent Removal						
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	2,500	3,700	XXX	30.0	45.0 Wkly Avg	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	2,920	XXX	XXX	35.0	XXX	70
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for stormwater Outfall 002 and Outfall 003 are:—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Effective Disinfection
- Designation of Responsible Operator
- Operations and Maintenance Plan
- CBOD₂₀ % Removal
- Biomonitoring
- PCBs-PMP Requirements
- Pretreatment Program

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0031551, Sewage, SIC Code 8211, **Chambersburg School District**, 435 Stanley Avenue, Chambersburg, PA 17201-3605. Facility Name: Lurgan Township Elementary School. This existing facility is located in Lurgan Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), UNT to Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00338 MGD.—Limits.

Parameter	Mass Units (lbs/day)		Effluent Limitations			
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)						
Interim limit	XXX	XXX	XXX	0.38	XXX	1.3
Final limit	XXX	XXX	XXX	0.24	XXX	0.79
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	16.5	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	5.5	XXX	11

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Mass Units (lbs)		Effluent Limitations		
	Monthly	Annual	Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	Report	XXX	XXX
Kjeldahl—N	Report	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	Report	XXX	XXX
Total Phosphorus	Report	Report	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0037737, Sewage, SIC Code 4952, **Elizabethville Borough Area Authority Dauphin County**, 4154 N Route 225, Elizabethville, PA 17023-9704. Facility Name: Elizabethville STP. This existing facility is located in Elizabethville Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Wiconisco Creek, is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	83	133	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	100	150	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	36	XXX	XXX	11.0	XXX	22

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen*	Report	7,306	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	974	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department. In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- The permittee is granted 175 lbs/year Total Nitrogen offsets to meet the Net Total Nitrogen cap load.
- Stormwater Prohibition,
- Approval Contingencies,
- Proper Waste/solids Management,
- Collected screenings, slurries, sludges, and solids management,
- Restrictions on acceptance of hauled-in wastes under certain conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. WQG01211703, Sewerage, **Casey Sweigart**, 94 Parsonage Road, Apt. A, Newville, PA 17241. This proposed facility is located in Lower Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a small flow sewage treatment system to serve their single family residence located at 22 Buck Road, Carlisle, PA 17015.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD150038	Chris Knauer 400 Dutton Mill Road Malvern, PA 19355-3341	Chester	East Goshen Township	Ridley Creek and Shagart Run HQ-TSF-MF
PAD230013	Monroe Energy, LLC 4101 Post Road Trainer, PA 19061	Delaware	Marcus Hook Borough	Marcus Hook Creek WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD450039	D,E,&S Properties Inc., t/a Classic Quality Homes 2621 Route 940 Pocono Summit, PA 18346	Monroe	Price Township	UNT Brodhead Creek (HQ-CWF, MF)
PAD450044	Brodhead Creek Reginal Auth 410 Mill Creek Road East Stroudsburg, PA 18301	Monroe	Pocono & Paradise Townships	Swiftwater Creek (HQ-CWF, MF)

Pike County Conservation District, 556 Route 402, Hawley, PA 18428 and Wayne County Conservation District, 648 Park Street, Honesdale, PA 18431.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD520004	Pennsylvania Department of Transportation Engineering District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Pike & Wayne	Palmyra & Greene Townships (Pike Co.) Sterling Township (Wayne Co.)	Wallenpaupack Creek (HQ-CWF, MF) East Branch Wallenpaupack Creek (HQ-CWF, MF) Kleinhans Creek (HQ-CWF, MF) Sand Spring Creek (HQ, CWF-MF) EV Wetland (W-SRC-26) EV Wetland (W-SRC-27)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD280002 Renewal	Frank Flohr 1350 Lincoln Way East Chambersburg, PA 17202	Franklin	Guilford Township	Falling Springs (HQ-CWF)
PAD050003	Metzler Limited Partnership 261 Pleasant View Farms Road Martinsburg, PA 16662	Bedford	Bloomfield, South Woodbury and Woodbury Townships	UNT Potter Creek (HQ-CWF, MF)

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD210013 Renewal	Bradford Wenger 511 East Louther Street Carlisle, PA 17013	Cumberland	South Middleton Township	UNT Letort Spring Run (EV, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD140023	State College Joint Venture 708 Third Ave., 21st Floor New York, NY 10017-414	Centre	State College Boro	UNT-Thompson Run HQ-CWF

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD330002	Hi-Tech Turning and Milling 11 Clear Run Road P.O. Box 550 Dubois, PA 15801 Allison Associates 611 Division Street Dubois, PA 15801	Jefferson County	Falls Creek Borough	Falls Creek HQ CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

CAFO Notices of Intent Received

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

NPDES Permit No. PAG123658, CAFO, **Bange Harley**, 15629 Trough Creek Valley Pike, Huntingdon, PA 16652-3785.

This existing facility is located in Union Township, **Huntingdon County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish), Beef (Finishing): 639.2 AEU's.

The receiving stream, Little Trough Creek, is in watershed 11-D and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123604, CAFO, **Gochenaur Scott**, 3057 Harvest Road, Elizabethtown, PA 17022-8422.

This existing facility is located in Mount Joy Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Poultry (Layers): 371.7 AEU's.

The receiving stream, Unnamed Tributary to Shells Run, is in watershed 7-G and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123627, CAFO, **Mike Hare**, 2333 Zeiglers Outlet, Taneytown, MD 21787.

This existing facility is located in Butler Township, **Adams County**.

Description of size and scope of existing operation/activity: Poultry (Turkeys), Beef (Cow, Steer, Bull, and Calves): 328.25 AEU's.

The receiving stream, Unnamed Tributary to Quaker Run, is in watershed 7-F and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123667, CAFO, **Miller Gary E**, 2146 Powells Valley Road, Halifax, PA 17032-8746.

This existing facility is located in Wayne Township, **Dauphin County**.

Description of size and scope of existing operation/activity: Poultry (Layers): 457.93 AEUs.

The receiving stream, Unnamed Tributary to Powells Creek, is in watershed 6-C and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123593, CAFO, **Gerald M Musser**, 118 Killinger Road, Annville, PA 17003.

This existing facility is located in South Annville Township, **Lebanon County**.

Description of size and scope of existing operation/activity: Poultry (Layers): 406.19 AEUs.

The receiving stream, Killinger Creek, is in watershed 7-D and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123686 A-2, CAFO, **Martin Joel**, 2077 Mountain Road, Manheim, PA 17545.

This existing facility is located in Penn Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Poultry (Ducks): 72.86 AEUs.

The receiving stream, Behm Run, is in watershed 7-G and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123574, CAFO, **Swanger Paul**, 150 Kissel Barrick Road, Bainbridge, PA 17502-9335.

This existing facility is located in Conoy Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish), Beef (Finishing): 373.3 AEUs.

The receiving stream, Unnamed Tributary of Conoy Creek, is in watershed 7-G and classified for: Migratory Fishes and Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PA0246859, CAFO, **Amos L Hoover**, 230 Clarks Run Road, Blain, PA 17006.

This existing facility is located in Jackson Township, **Perry County**.

Description of size and scope of existing operation/activity: Individual CAFO—HQ: Swine (Sows with Litter, Gestating Sows, Boars, Wean—Finish): 1,328.2 AEUs.

The receiving stream, Unnamed Tributary to Bowers Run, is in watershed 7-A and classified for: High Quality—Cold Water and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123736, CAFO, **King Mervin F**, 637 Gault Road, Gap, PA 17527-9754.

This existing facility is located in Greenwood Township, **Perry County**.

Description of size and scope of existing operation/activity: Swine (Wean—Finish): 805.48 AEUs.

The receiving stream, Unnamed Tributary to Pennsylvania Canal, is in watershed 12-B and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

MS4 PAG-13 Notices of Intent Received

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136395	Oklahoma Borough Westmoreland County 170 Thorn Street Apollo, PA 15613	Oklahoma Borough Westmoreland County	Yes	No
PAG136327	West Newton Borough Westmoreland County 112 S Water Street West Newton, PA 15089-1364	West Newton Borough Westmoreland County	Y	N
PAG136397	Midway Borough Washington County 304 Noblestown Road McDonald, PA 15060	Midway Borough Washington County	(Y)	(N)
PAG136148	Brackenridge Borough Allegheny County 1000 Brackenridge Avenue Brackenridge, PA 15014-1599	Brackenridge Borough Allegheny County	N	N
PAG136243	Wall Borough 413 Wall Avenue Wilmerding, PA 15148-1355	Wall Borough Allegheny County	Yes	No
PAG136242	Mount Oliver Borough 150 Brownsville Road Pittsburgh, PA 15210-2165	Mount Oliver Borough Allegheny County	Yes	Yes

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG130139	Perkasie Borough 620 W. Chestnut Street PO Box 96 Perkasie, PA 18944	Perkasie Borough Bucks County	N	Y
PAG130064	Lower Merion Township 75 E. Lancaster Avenue Ardmore, PA 19003	Lower Merion Township Montgomery County	N	Y
PAG130170	West Sadsbury Township 6400 N. Moscow Road Parkesburg, PA 19365	West Sadsbury Township Chester County	N	Y
PAG130162	East Rockhill Township 1622 N. Ridge Road Perkasie, PA 18944	East Rockhill Township Bucks County	N	Y
PAG130073	Hatfield Borough 401 S. Main Street PO Box 190 Hatfield, PA 19440	Hatfield Borough Montgomery County	N	Y
PAG130116	Lower Frederick Township PO Box 253 Plymouth Meeting, PA 19462	Lower Frederick Township Montgomery County	N	N
PAG130156	East Greenville Borough 206 Main Street East Greenville, PA 18041	East Greenville Borough Montgomery County	N	Y

NOTICES

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG130053	Caln Township 253 Municipal Drive PO Box 72149 Thorndale, PA 19372	Caln Township Chester County	N	Y
PAG130032	East Norriton Township 2501 Stanbridge Street East Norriton, PA 19401	East Norriton Township Montgomery County	N	Y
PAG130102	Radnor Township 301 Iven Avenue Wayne, PA 19087	Radnor Township Delaware County	N	Y
PAG130161	Tullytown Borough 500 Main Street Tullytown, PA 19007	Tullytown Borough Bucks County	N	Y

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG132248	Newport Township 351 W. Kilmar Avenue Nanticoke, PA 18634	Newport Township Luzerne County	N	Y
PAG132278	Luzerne County 20 North River Street Wilkes-Barre, PA 18711	Luzerne County	N	N
PAG132234	Dallas Borough 25 Main Street Dallas, PA 18612	Dallas Borough Luzerne County	N	Y
PAG132214	Whitehall Township 3219 Macarthur Road Whitehall, PA 18052-2900	Whitehall Township Lehigh County	N	Y
PAG132268	Kingston Borough 500 Wyoming Avenue Kingston, PA 18704	Kingston Borough Luzerne County	N	Y
PAG132228	Jackson Township 1275 Huntsville Road Jackson Township, PA 18708	Jackson Township Luzerne County	N	Y
PAG132293	Courtdale Borough 5 Blackman Street Courtdale, PA 18704	Courtdale Borough Luzerne County	N	Y
PAG132231	Hanover Township 1267 Sans Souci Parkway Hanover Township, PA 18706	Hanover Township Luzerne County	N	Y
PAG132233	Lafin Borough 47 Lafin Road Lafin, PA 18702	Lafin Borough Luzerne County	N	Y
PAG132222	Larksville Borough 211 E. State Street Larksville, PA 18704	Larksville Borough Luzerne County	N	Y
PAG132320	Port Clinton Borough P.O. Box 246 Port Clinton, PA 19549	Port Clinton Borough Schuylkill County	Y	N
PAG132297	Pringle Borough 89 Evans Street Pringle, PA 18704	Pringle Borough Luzerne County	N	Y
PAG132272	Wilkes-Barre City 40 East Market Street Wilkes-Barre, PA 18711	Wilkes-Barre City Luzerne County	N	Y

NOTICES

6397

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG132219	Wilkes-Barre Township 150 Watson Street Wilkes-Barre Twp., PA 18702	Wilkes-Barre Township Luzerne County	N	Y
PAG132220	Plymouth Borough 162 W. Shawnee Avenue Plymouth, PA 18651	Plymouth Borough Luzerne County	N	Y
PAG132217	Edwardsville Borough 470 Main Street Edwardsville, PA 18704	Edwardsville Borough Luzerne County	N	Y
PAG132224	Ashley Borough 149 Cemetery Street Ashley, PA 18706	Ashley Borough Luzerne County	N	Y
PAI132275	Pittston Township 421 Broad Street Pittston Township, PA 18640	Pittston Township Luzerne County	N	Y
PAG132251	West Wyoming Borough 464 W. 8th Street West Wyoming, PA 18644	West Wyoming Borough Luzerne County	N	Y
PAG132245	Wyoming Borough 277 Wyoming Avenue Wyoming, PA 18644	Wyoming Borough Luzerne County	N	Y
PAG132266	Yatesville Borough 33 Pittston Avenue Yatesville, PA 18640	Yatesville Borough Luzerne County	N	Y
PAG132221	Pittston City 35 Broad Street Pittston, PA 18640	Pittston City Luzerne County	N	Y
PAG132265	West Pittston Borough 555 Exeter Avenue West Pittston, PA 18643	West Pittston Borough Luzerne County	N	Y
PAG132229	Jenkins Township 46 1/2 Main Street Jenkins Township, PA 18640	Jenkins Township Luzerne County	N	Y
PAG132277	Hughestown Borough 42 Center Street Hughestown, PA 18640	Hughestown Borough Luzerne County	N	Y
PAG132243	Exeter Borough 1101 Wyoming Avenue Exeter, PA 18643	Exeter Borough Luzerne County	N	Y
PAG132206	Duryea Borough 315 Main Street Duryea, PA 18642	Duryea Borough Luzerne County	N	Y
PAG132225	Forty Fort Borough 1271 Wyoming Avenue Forty Fort, PA 18704-2215	Forty Fort Borough Luzerne County	N	Y
PAG132223	Sugar Notch Borough 742 Main Street Sugar Notch, PA 18706	Sugar Notch Borough Luzerne County	N	Y
PAG132207	Clarks Summit Borough 304 S. State Street Clarks Summit, PA 18411-1543	Clarks Summit Borough Lackawanna County	N	Y
PAG132205	Taylor Borough 122 Union Street Taylor, PA 18617	Taylor Borough Lackawanna County	N	Y
PAG132212	Slatington Borough 125 S. Walnut Street Slatington, PA 18080	Slatington Borough Lehigh County	N	N

NOTICES

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG132316	Glenburn Township P.O. Box 694 Dalton, PA 18414	Glenburn Township Lackawanna County	Y	Y
PAG132298	Glendon Borough 24 Franklin Street Glendon, PA 18042	Glendon Borough Northampton County	Y	N
PAG132255	Lower Mount Bethel Township P.O. Box 257 Martins Creek, PA 18063	Lower Mount Bethel Township Northampton County	Y	N
PAG132303	Upper Mount Bethel Township 387 Ye Olde Highway Mount Bethel, PA 18343	Upper Mount Bethel Township Northampton County	Y	N
PAG132317	Washington Township 7951 Center Street Emerald, PA 18080	Washington Township Lehigh County	N	Y
PAG132213	Coopersburg Borough 5 N. Main Street Coopersburg, PA 18036	Coopersburg Borough Lehigh County	N	Y
PAG132237	Northampton Borough 1401 Laubach Avenue Northampton, PA 18067	Northampton Borough Northampton County	N	Y
PAG132263	Pen Argyl Borough 11 North Robinson Avenue Pen Argyl, PA 18072	Pen Argyl Borough Northampton County	Y	Y
PAG132242	Swoyersville Borough 675 Main Street Swoyersville, PA 18704	Swoyersville Borough Luzerne County	N	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality/ County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG133749	Spring Grove Borough 1 Campus Avenue Spring Grove, PA 17362	Spring Grove Borough York County	N	Y

Northwest Regional Office: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481. Phone: 814.332.6942.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG138310	Sharpsville Borough One South Walnut Street Sharpsville, PA 16150	Sharpsville Borough Mercer County	N	N
PAG138332	Fairview Township 7471 McCray Road Fairview, PA 16415	Fairview Township Erie County	N	Y
PAG138338	Zelienople Borough Butler County 111 W New Castle Street Zelienople, PA 16063-1153	Zelienople Borough Butler County	Y	N
PAG138311	Wesleyville Borough Erie County 3421 Buffalo Road Wesleyville, PA 16510	Wesleyville Borough Erie County	N	N

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG138330	Summit Township 12300 Townhall Road West Suite 100 Erie, PA 16509	Summit Township Erie County	N	Y
PAG138316	Girard Borough 34 Main Street West Girard, PA 16417	Girard Borough Erie County	N	N
PAG138321	City of Erie 626 State Street Erie, PA 16501	City of Erie Erie County	N	Y
PAG138325	Seven Fields Borough 2200 Garden Drive Ste 100 Seven Fields, PA 16046	Seven Fields Borough Butler County	N	Y
PAG138301	Adams Township 690 Valencia Road Mars, PA 16046	Adams Township Butler County	N	Y
PAG138333	City of Hermitage 800 North Hermitage Road Hermitage, PA 16148	City of Hermitage Mercer County	N	Y

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS**

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
David Sweigart III 189 Ridge View Rd South Elizabethtown, PA 17022	Lancaster	415.8	1,905.14	Swine/ Dairy	NA	R
Paul Katzmaier	Lycoming	482.31	375.25	Dairy	HQ/EV	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0617516, Public Water Supply.

Applicant	The Caernarvon Township Authority
Municipality	Caernarvon Township
County	Berks
Responsible Official	Robert L. Weaver, Chairman P O Box 188 Morgantown, PA 19543
Type of Facility	Public Water Supply
Consulting Engineer	Eric D. McCracken, P.E. Great Valley Consultants 75 Commerce Drive Wyomissing, PA 19610-1038
Application Received:	9/12/2017
Description of Action	The Caernarvon Township Authority has submitted a permit application for the approval to construct a chlorine boosting station at the existing Swamp Road Tank site.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 1017507, Public Water Supply.

Applicant	Brady Hills MHC, LLC
Township or Borough	Brady Township
County	Butler
Responsible Official	Dennis Duling
Type of Facility	Mobile Home Park
Consulting Engineer	Steven R. Halmi, P.E. Deiss & Halmi Engineering 105 Meadville Street Edinboro, PA 16412
Application Received Date	October 2, 2017
Description of Action	Replace iron and manganese filtration system.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 3217527MA, Minor Amendment.

Applicant	Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033
[Township or Borough]	White Township
Responsible Official	David R. Kaufman, P.E., Vice-President-Engineering Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033
Type of Facility	Water system
Consulting Engineer	Gwin, Dobson and Foreman, Inc. 3121 Fairway Drive Altoona, PA 16602
Application Received Date	September 21, 2017
Description of Action	Construction of a 750,000 gallon water storage tank, valve vault and approximately 1,600 feet of transmission main at the McHenry Hill tank site.
Permit No. 3017513MA , Public Water Supply.	
Applicant	Southwestern Pennsylvania Water Authority 1442 Jefferson Road Jefferson, PA
[Township or Borough]	Washington Township
Responsible Official	Timothy Faddis, Manager Southwestern Pennsylvania Water Authority 1442 Jefferson Road Jefferson, PA
Type of Facility	Water system

Consulting Engineer Bankson Engineers, Inc.
 267 Blue Run Road
 Suite 200
 Cheswick, PA 15024

Application Received October 2, 2017
 Date

Description of Action Installation of the Big Sky meter
 vault.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning

this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Former Agway Lebanon Surplus/M&G Realty, 1655 Cumberland Street, Lebanon, PA 17042, West Lebanon Township, **Lebanon County**. Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454, on behalf of M&G Realty, Inc., 2295 Susquehanna Trail, York, PA 17404, and CU 16 LP, 328 North 14th Street, Lebanon, PA 17046 submitted a Notice of Intent to Remediate site soil and groundwater contaminated with VOCs, SVOCs, and inorganics associated with coal tar. The site will be remediated to the Site-Specific Standard. Future use of the site is intended to be redeveloped for use as a convenience store and fueling station. The Notice of Intent to Remediate was published in the *Lebanon Daily News* on September 14, 2017.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

ARG Refinery, 77 North Kendall Avenue, City of Bradford & Foster Township, **McKean County**. Amec Foster Wheeler Environment & Infrastructure, Inc., 800 North Bell Avenue, Suite 200, Pittsburgh, PA 15106, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, submitted a Notice of Intent to Remediate. The historical and continued use of the property as a refinery has resulted in soil and groundwater impacts from petroleum products. The Site-Specific Standard has been selected for remediation. Future use of the property will be non-residential. The Notice of Intent to Remediate was published in *The Bradford Era* on July 21, 2017.

RESIDUAL WASTE GENERAL PERMITS

Renewal Application(s) Received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR025SC002. The **Borough of Columbia** has submitted a general permit renewal application for the Columbia Borough Food/Yard Waste Compost Facility, 254 Blue Lane, Columbia, PA 17512 in Columbia Borough, **Lancaster County**. This general permit authorizes the composting and beneficial use of the following categories of source-separated wastes: agricultural waste other than mortalities, butcher waste other than whole carcass, food processing waste, pre-consumer and post-consumer food residuals, yard waste, land clearing and grubbing material, untreated wood waste, gypsum wallboard, paper, cardboard, waxed cardboard, virgin paper mill sludge and

spent mushroom substrate. The application for renewal was determined to be complete on September 28, 2017.

General Permit Application No. WMGR028SC008A. Pennsy Supply, Inc., has submitted a general permit renewal application for Silver Spring Quarry, 6470 Carlisle Pike, Mechanicsburg, PA 17050 in Silver Spring Township, **Cumberland County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for renewal was determined to be complete on September 28, 2017.

General Permit Application No. WMGR028SC008D. Pennsy Supply, Inc., has submitted a general permit renewal application for Prescott Quarry, 200 Prescott Road, Lebanon, PA 17042 in Jackson Township and South Lebanon Township, **Lebanon County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for renewal was determined to be complete on September 28, 2017.

General Permit Application No. WMGR028SC008G. Pennsy Supply, Inc., has submitted a general permit renewal application for Penn Township Quarry, 20 Pennsy Drive, Newville, PA 17241 in Penn Township, **Cumberland County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for renewal was determined to be complete on September 28, 2017.

Persons interested in obtaining more information about the general permit renewal applications may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability administratively complete under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

General Permit No. WMGM019SW004. Fleishner Excavating, 350 Lardintown Road, Sarver, PA 16055. Fleishner Excavating Mulch Production Facility, 3150 Lardintown Road, Tarentum, PA 15084. A determination of applicability under a municipal waste general permit for the processing of waste concrete and asphalt to produce a roadway construction material and for the processing of wood waste, uncontaminated soil and leaf and yard waste to produce topsoil, landscaping mulch material and compost in Fawn Township, **Allegheny**

County and Clinton Township, **Butler County**, was deemed administratively complete in the Regional Office on August 17, 2017.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments concerning the application should be directed to the Waste Management Program Manager, DEP Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received for the Renewal of Determination of Applicability Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

General Permit No. WMGR082SW002. Tube City IMS, LLC, 1155 Business Center Drive, Horsham, PA 19044. This application is for renewal of determination of applicability under General Permit No. WMGR082 for the processing and beneficial use of steel and iron slag and refractory bricks mined from an existing slag pile at the Park Hill Slag Bank located in East Taylor and Conemaugh Townships, **Cambria County** for use in mine reclamation. The application for determination of applicability was deemed administratively complete by the Southwest Regional Office on October 2, 2017.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications deemed administratively complete under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Application No. 947958 SDS Environmental Services, 10 Rowell Road, Boyertown, PA 19512.

An application was submitted for a new municipal waste transfer station located in Colebrookdale Borough, **Berks County**. The application was deemed administratively complete by the Southcentral Regional Office on September 29, 2017.

The Department will accept comments from the general public recommending revisions to, and approval or denial of the application during the time that the Department is reviewing the permit application.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more infor-

mation about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chap-

ters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer—Telephone: 570-826-2409.

48-00003E: Keystone Cement Company (Route 329 and 987, Bath, PA 18014) for replacement of one (1) jaw crusher at their KAPCO plant in East Allen Township, **Northampton County.**

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received a Plan Approval for Keystone Cement Company (Route 329 and 987, Bath, PA 18014) for replacement of one (1) jaw crusher at their KAPCO plant in East Allen Township, Northampton County. This Plan Approval No. 48-00003E will be incorporated into a Title V Permit through an administrative amendment at a later date.

Plan Approval No. 48-00003E is for the replacement of one (1) existing jaw crusher (Source ID 127-1) with one (1) new jaw crusher of equivalent capacity. The current emission limits for this source will not change as a result of this modification. The Plan Approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 48-00003. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 48-00003E and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing

by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

58-00021A: Xpress Natural Gas, LLC, (160 State Street, Boston, MA 02109) for a Liquefied Natural Gas (LNG) processing and distribution facility located in Forest Lake Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received a Plan Approval for Xpress Natural Gas, LLC, (160 State Street, Boston, MA 02109) for a Liquefied Natural Gas (LNG) processing and distribution facility located Forest Lake Township, Susquehanna County. This Plan Approval No. 58-00021A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-00021A is for the installation and operation of two (2) 1,680 BHP compressor engines and one (1) natural gas fired emergency engine. The main emissions for the new sources are NO_x, and CO. The new sources shall meet all applicable requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 58-00021A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0007: Holy Redeemer Hospital & Medical Center (1648 Huntingdon Pike, Meadowbrook, PA 19046) for a non-Title V synthetic minor facility in Abington Township, **Montgomery County**. This modified Plan Approval allows for emission increases in carbon monoxide, volatile organic compounds and formaldehyde. The plan approval modification contains all applicable requirements including monitoring, recordkeeping and reporting.

46-0037AD: Global Advanced Metals USA, Inc. (650 County Line Road, Boyertown, PA 19512) for the modification of an existing tantalum acid leaching and drying process (Source ID 109) at its Boyertown facility in Douglass and Colebrookdale Townships, **Montgomery and Berks Counties**. This facility is a Title V facility. The modification will result in nitrogen oxides emissions of 2.55 tons per year, and hydrogen sulfide emissions of 0.17 ton per year. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

46-0296: Woot Services Inc. (325 9th Ave. N., Seattle, WA 98109) for the installation of forty-eight (48) new digital printers and sixteen (16) new dryers, for at their facility in West Norriton Township, **Montgomery County**. Each of the natural-gas-fired dryers is rated 0.4 MMBtu/hr. A group of three (3) presses is associated with a single dryer. Each dryer has the potential to emit VOC/HAPs from ink drying. With the installation of the control device, the operation of the presses will not exceed and remain below the following site-wide pollutant emission limits: 25 tons per year (tpy) volatile organic compounds (VOCs); 10 tpy hazardous air pollutants (single HAP) and 25 tpy combined HAPs. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05136C: Granger Energy of Honeybrook, LLC (481 South Churchtown Road, Narvon, PA 17555) to replace a landfill gas-fired engine generator set at the Granger landfill gas treatment plant at the Lanchester Landfill in Caernarvon Township, **Lancaster County**. The proposed engine generator set has the same potential emission rates as those of the existing engine generator set, and therefore, no changes in the facility's emission rates are expected. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed will comply with all regulatory requirements including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into the facility's Title V Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

06-05069AB: East Penn Manufacturing Co., Inc. (PO Box 147, Lyon Station, PA 19536) for the installation of battery manufacturing equipment controlled by baghouses, mist eliminators or filtration systems. The equipment will be installed in the Industrial Battery Manufacturing Facility located at their Lyon Station Plant in Richmond Township, **Berks County**. The expected increases in facility emissions as a result of the changes proposed are 5 tpy of NO_x, 2 tpy of VOC, 6 tpy of CO, 3 tpy of PM and 4 tpy of H₂SO₄. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and the compliance assurance monitoring (CAM) requirements of 40 CFR 64 and the lead-acid battery manufacturing requirements of 40 CFR 60 Subpart KK. Based on these findings, the Department proposes to issue a plan approval for the proposed installation. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-132M: Clarion Boards, Inc. (143 Fiberboard Road, Shippensburg, PA 16254), for the proposed replacement of 5 existing baghouses (C104, C107, C110, C111, & C112) with new baghouses (C104A, C107A, C110A, C111A, & C112A) for Source 104, Source 107, Source 110, Source 111, & Source 112 and the proposed construction of a new outdoor chip storage area in Paint Township, **Clarion County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 16-132M is for the proposed replacement of 5 existing baghouses (C104, C107, C110, C111, & C112) with new baghouses (C104A, C107A, C110A, C111A, & C112A) for Source 104, Source 107, Source 110, Source 111, & Source 112 and the proposed construction of a new outdoor chip storage area. The projected actual emissions from Source 104 are 5.78 tpy for PM/PM₁₀/PM_{2.5} & 0.882 tpy for VOC; from Source 107 are 5.78 tpy for PM/PM₁₀/PM_{2.5} & 0.91 tpy for VOC; from Source 110 are 7.71 tpy for PM/PM₁₀/PM_{2.5} & 2.078 tpy for VOC; from Source 111 are 7.07 tpy for PM/PM₁₀/PM_{2.5} & 0.649 tpy for VOC; and from Source 112 are 7.07 tpy for PM/PM₁₀/PM_{2.5} & 0.58 tpy for VOC. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 104, Source 105, Source 110, Source 111, & Source 112
- Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor, and visible emissions respectively.
- No person may permit the emission into the outdoor atmosphere of particulate matter in a manner that the concentration of total particulate matter (both filterable and condensable) in the effluent gas exceeds 0.004 grain per dry standard cubic foot.
- Test for total particulate matter initially and upon operating permit renewal.
- All recordkeeping shall commence upon startup of the source/control device. All records shall be kept for a period of five (5) years and shall be made available to the Department upon request.
- The permittee shall maintain a record of all preventive maintenance inspections of the control device. These records shall include, at a minimum, the dates of the inspections, the name of the person performing the inspection, any problems or defects identified, any actions taken to correct the problems or defects, and any routine maintenance performed.
- The permittee shall record the following operational data from the baghouse (these records may be done with strip charts recorders, data acquisition systems, or manual log entries):
 - Pressure differential—daily defined as once per calendar day
 - Visible emission check—daily defined as once per calendar day
- The permittee shall perform a daily operational inspection of the control device. As part of this operational inspection the facility shall monitor the pressure drop across the baghouse and shall conduct a visible emission (VE) observation of the baghouse stack. The VE observation shall be 60 seconds in length with reading every 15 seconds. If any visible emissions are observed, the facility shall perform one of the following:
 - A Method 9 observation using a certified observer (60 minutes in duration) shall be conducted to determine compliance with the opacity limitations—or
 - The facility shall immediately commence shutdown of the source/control device in accordance with the Department approved shutdown procedure.
- The permittee shall perform a monthly preventive maintenance inspection of the control device.
- A magnehelic gauge or equivalent shall be maintained and operated to monitor the pressure differential across the baghouse. All gauges employed shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (+/- 2%) of full scale reading.
- The permittee shall adhere to the approved indicator range for the baghouse so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator

range for the following shall be determined during the initial performance test or any subsequently approved performance tests unless otherwise stated:

- Pressure drop: 1.0 to 7.0 inches water gage or as established during compliant testing
- Opacity less than or equal to 10%
- The permittee, with prior Departmental approval, may conduct additional performance tests to determine a new pressure drop range. Within 24-hours of discovery of a reading outside of the prescribed range the permittee shall perform a maintenance inspection on the control device and take corrective action. Records of all maintenance inspections on the control device, and corrective actions taken, shall be maintained on site for a minimum period of five years. In the event of more than one documented excursion outside the prescribed range in any calendar quarter the permittee shall submit a corrective measure plan to the Department. Corrective measures may include an increase of the frequency of required preventative maintenance inspections of the control device, a modification of the prescribed range, or other appropriate action as approved by the Department. Upon receipt of a corrective measure plan the Department shall determine the appropriate corrective measure on a case-by case basis.
- The permittee shall operate the control device at all times that the source is in operation.
- The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.
- All conditions from the facility operating permit revised on January 19, 2016, for this source remain in effect unless modified in this plan approval.
- Source 104
 - Emissions shall not exceed the following:
 - PM: 1.32 #/hr (both filterable and condensable)
 - PM: 5.78 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 1.32 #/hr
 - PM₁₀: 5.78 tpy based on a 12-month rolling total
 - PM_{2.5}: 1.32 #/hr
 - PM_{2.5}: 5.78 tpy based on a 12-month rolling total
 - The Projected Actual Emissions are the following:
 - VOC: 0.882 tpy based on a 12-month consecutive period
- Source 105
 - Emissions shall not exceed the following:
 - PM: 1.32 #/hr (both filterable and condensable)
 - PM: 5.78 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 1.32 #/hr
 - PM₁₀: 5.78 tpy based on a 12-month rolling total
 - PM_{2.5}: 1.32 #/hr
 - PM_{2.5}: 5.78 tpy based on a 12-month rolling total
- The Projected Actual Emissions are the following:
 - VOC: 0.910 tpy based on a 12-month consecutive period
- Source 110
 - Emissions from C110A shall not exceed the following:
 - PM: 0.71 #/hr (both filterable and condensable)
 - PM: 3.11 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 0.71 #/hr
 - PM₁₀: 3.11 tpy based on a 12-month rolling total
 - PM_{2.5}: 0.71 #/hr
 - PM_{2.5}: 3.11 tpy based on a 12-month rolling total
 - Emissions from C110B shall not exceed the following:
 - PM: 1.05 #/hr (both filterable and condensable)
 - PM: 4.60 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 1.05 #/hr
 - PM₁₀: 4.60 tpy based on a 12-month rolling total
 - PM_{2.5}: 1.05 #/hr
 - PM_{2.5}: 4.60 tpy based on a 12-month rolling total
 - The Projected Actual Emissions are the following:
 - VOC: 2.078 tpy based on a 12-month consecutive period
- Source 111
 - Emissions from Source 111 & Source 112 shall not exceed the following:
 - PM: 3.23 #/hr (both filterable and condensable)
 - PM: 7.07 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 3.23 #/hr
 - PM₁₀: 7.07 tpy based on a 12-month rolling total
 - PM_{2.5}: 3.23 #/hr
 - PM_{2.5}: 7.07 tpy based on a 12-month rolling total
 - The Projected Actual Emissions from Source 111 & Source 112 are the following:
 - VOC: 1.229 tpy based on a 12-month consecutive period
- Source 112
 - Emissions from Source 112 & Source 111 shall not exceed the following:
 - PM: 3.23 #/hr (both filterable and condensable)
 - PM: 7.07 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 3.23 #/hr
 - PM₁₀: 7.07 tpy based on a 12-month rolling total
 - PM_{2.5}: 3.23 #/hr
 - PM_{2.5}: 7.07 tpy based on a 12-month rolling total
 - The Projected Actual Emissions from Source 112 & Source 111 are the following:
 - VOC: 1.229 tpy based on a 12-month consecutive period

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [16-132M] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00009: Quad Graphics, Inc. (4371 County Line Road, Chalfont, PA 18914-1825) located in New Britain Township, **Bucks County**. This action is a renewal of the Title V Operating Permit. The facility is a direct mail printer that provides targeted advertising, media and marketing services for a diverse range of industries. The company operates seven (7) commercial lithographic printing presses that produce newspaper inserts and advertisements. Based on potential emissions of VOCs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not reflect any

change in air emissions from the facility. The facility is not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64.

The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-05007: Lancaster County Solid Waste Management Authority (1299 Harrisburg Pike, Lancaster, PA 17604) for the operation of the Susquehanna Resource Management Complex in the City of Harrisburg, **Dauphin County**. The facility's reported AIMs emissions for 2016 were 28.5 tons of CO, 233.3 tons of NO_x, 40.1 tons of SO_x, 16.5 tons of PM₁₀, 0.81 ton of VOCs, and 8.7 tons of HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, testing, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include applicability to the 40 CFR Part 60, Subpart Eb—Standards of Performance for Large Municipal Waste Combustors.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05104: New Enterprise Stone & Lime Co., Inc. (3912 Brumbaugh Road, New Enterprise, PA 16664-0077) to issue a State-Only Operating Permit for the stone crushing operations at the Evansville Quarry in Maiden Creek Township, **Berks County**. Actual emissions from the facility for the period of April 2014 to March 2015 were estimated at 52.86 tons PM, 15.52 tons PM₁₀, 1.31 ton CO, 11.17 tons NO_x, 0.01 ton SO_x and 0.39 ton VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants & 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00051: Wirerope Works, Inc. (100 Maynard Street, Williamsport, PA 17701) for renewal of the State Only (Synthetic Minor) Operating Permit for their Williamsport facility in the City of Williamsport, **Lycoming County**. The facility is currently operating under SMOP 41-00051. The facility's main sources include two 15 MMBtu/hr coal-fired boilers; sixteen natural-gas-fired combustion units; three electric-heated grease pots; spray

booth; and the machine/maintenance shop. The facility has potential emissions of 34.95 tons per year of carbon monoxide, 45.45 tons per year of nitrogen oxides, 91.76 tons per year of sulfur oxides, 25.82 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 25.82 tons per year of particulate matter with an aerodynamic diameter of less than 2.5 microns, 49.9 tons per year of volatile organic compounds, 8.41 tons per year of total hazardous air pollutants (HAPs), and 51,288 tons per year of carbon dioxide equivalents (greenhouse gases). Wirerope Works, Inc. decommissioned the 62 bhp gasoline-fired fire pump incorporated into Source ID P109. This source has been removed from the permit. The emission restrictions, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Chapters 121—145 to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

65-00051: Elliott Company Inc. (901 North 4th Street, Jeannette, PA 15644) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Elliott Company to authorize the continued operation of their steam turbines and compressors manufacturing plant located in Penn Township, **Westmoreland County**.

The activities include abrasive blasting for cleaning and surface preparation, welding, blasting, grinding, stress relieving, solvent cleaning, coating metal parts, lead and Babbit pouring and thermal deposition of metal layers. The facility has baghouses to control emissions of particulate matter (PM). The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Chapters 121—145, 40 CFR 60 Subpart Db and 40 CFR Part Subpart ZZZZ.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (65-00051) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Elliott Company's State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Elliott Company State Only Operating Permit application, to

receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Thomas Kaminski at 412-442-4097 or thkaminski@pa.gov.

All comments must be received prior to the close of business 30 days after the date of this publication.

63-00110: World Kitchen, LLC (100 8th Street, Charleroi, PA 15022), for a renewed, facility-wide, Natural Minor Operating Permit for the operation of a glass manufacturing plant, known as the Charleroi Plant, located in Charleroi Borough, **Washington County**. The primary emission source at the plant is one, 200 tons per day, glass melting tank (Source ID 107). It also has an open surface, hard chromium, 4,000-amp capacity, electroplating tank (Source ID 128), mix house operations, miscellaneous combustion sources and rail and truck loading and unloading equipment. Annual potential facility emissions are 95 tons of SO₂, 65 tons of NO_x, 25 tons of CO, 35 tons PM₁₀, 35 tons of PM_{2.5} and 10 tons of VOC, and 3 tons of HAPs and 32,910 tons of CO_{2e}. Sources at the facility are subject to 40 CFR 63, Subpart N—National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

The World Kitchen's State Only Operating Permit renewal application, the Department's Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 63-00110) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The

applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Martin L. Hochhauser, P.E., Air Quality Engineer, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, mhochhause@pa.gov, Fax 412-442-4194.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

40-00118B: Valmont Newmark, Inc. (101 Carleton Ave, Hazleton, PA 18201) for their facility located in City of Hazleton, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Valmont Newmark, Inc. (101 Carleton Ave, Hazleton, PA 18201) for their facility located in City of Hazleton, Luzerne County. This Plan Approval No. 40-00118B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00118B is for plasma cutting operations is subject to MACT Subpart XXXXXX requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00118A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing

by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

48-00109A: Silbrico Corp (4250 E Braden Blvd, Forks Township, PA 18040) for their facility located in Forks Township, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Silbrico Corp (4250 E Braden Blvd, Forks Township, PA 18040) for their facility located in Forks Township, Northampton County. This Plan Approval No. 48-00109B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 48-00109A is for the construction and operation of a perlite processing facility. New Source Performance Standards NSPS Subparts OOO and UUU apply for the operations. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00109A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

40-00108A: Forks Specialty Metals, Inc. (3700 Glover Road, Easton, PA 18040) for their facility located in Forks Township, **Northampton County**.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Forks Specialty Metals, Inc. (3700 Glover Road, Easton, PA 18040) for their facility located in Forks Township, Northampton County. This Plan Approval No. 48-00108A will be converted into a Synthetic Minor Permit through an administrative process at a later date.

Plan Approval No. 48-00108A is for the installation and operation of equipment to process catalyst materials to

recover platinum group metals. The process equipment includes two electric arc furnaces, material storage equipment, Jaw crusher & two feed bins. Electric arc furnaces will smelt crushed catalyst materials to recover platinum group metals. Particulate emissions generated during operation of process equipment will be controlled by use of several baghouses. Particulate emissions from each baghouse will not exceed 0.02 grain/dscf. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. Emissions will be controlled by use of baghouses will meet Department's BAT requirements for these sources. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00108A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

03871303 and NPDES No. PA0213667. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Darmac No. 2 Deep Mine in Plumcreek Township, Shelocta Borough, **Armstrong County** and Washington Township, **Indiana County** and related NPDES Permit. No additional discharges. The application was considered administratively complete on September 28, 2017. Application received April 19, 2017.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

33813020 and NPDES Permit No. PA0603465. Original Fuels, Inc. (P.O. Box 343, Punxsutawney, PA 15767) Transfer of an existing bituminous surface mine from Leonard W. Yenzi in Winslow Township, **Jefferson County**, affecting 285.2 acres. Receiving streams: Unnamed tributaries to Front Run and unnamed tributaries to Trout Run, both classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: September 25, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

14040101 NPDES PA0243833. RES Coal LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit revision to add 5.8 acres to the northern section, delete 5.8 acres from the eastern section, and revise the Erosion and Sedimentation Plan to a bituminous coal surface and auger mine in Rush Township, **Centre County** affecting 547.3 acres. Receiving streams: Unnamed Tributary to Trout Run and Moshannon Creek classified for the following use(s): CWF. There are no

potable water supply intakes within 10 miles downstream. Application received: September 20, 2017.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

03120101 and NPDES Permit No. PA0252204. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal application for continued mining to an existing bituminous surface mine, located in Freeport Borough, **Armstrong County**, affecting 97.0 acres. Re-

ceiving streams: Unnamed tributary to Buffalo Creek and Buffalo Creek, classified for the following use: TSF. Harrison Township Water Authority is within 10 miles downstream from the point of discharge. Renewal application received: September 27, 2017.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

4878NC3 and NPDES Permit No. PA0259756. Frank Tucci (25000 PA Route 99, Cambridge Springs, PA 16403) Revision to an existing large industrial minerals mine to add an NPDES permit in Rockdale Township, **Crawford County**, affecting 15.8 acres. Receiving streams: Kelly Run, classified for the following uses: HQ—CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: September 25, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 7775SM8C6 and NPDES Permit No. PA0595748. Dyer Quarry, Inc., (P.O. Box 188, Birdsboro, PA 19508), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Robeson Township, **Berks County** affecting 310.0 acres, receiving stream: Indian Corn Creek, classified for the following use: cold water fishes. Application received: September 18, 2017.

Permit No. 67870301C13 and NPDES Permit No. PA0010235. York Building Products Company, Inc., (P.O. Box 1708, York, PA 17405), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in City of York and Manchester Township, **York County** affecting 264.9 acres, receiving stream: Willus Run, classified for the following use: warm water fishes. Application received: September 22, 2017.

Permit No. 64730304 and NPDES Permit No. PA0225771. Hanson Aggregates PA, LLC, (7660 Imperial Way, Allentown, PA 18195), correction to an existing quarry operation to include an NPDES Permit for discharge of treated mine drainage in Dennison Township, **Luzerne County** affecting 147.5 acres, receiving stream: unnamed tributary to Wright Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: September 26, 2017.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 mg/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0001317 (Mining Permit No. 11841301), ArcelorMittal Pristine Resources, LLC, (P.O. Box 36, 129 Bethlehem Road, Revloc, PA 15948). A renewal to the NPDES and mining activity permit for the Cambria Slope Mine No. 33 in Cambria Township, **Cambria County**. Receiving stream: South Branch of Blacklick Creek, classified for the following use: CWF. Receiving stream: UNT 46006 to Howells Run, classified for the following use: CWF. Receiving stream: Little Conemaugh River, classified for the following use: WWF. Receiving stream: UNT to North Branch Conemaugh River, classified for the following use: CWF. Kiskiminetas-Conemaugh River TMDL. The application was considered administratively complete on July 26, 2016. Application received February 7, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 001 discharges to: South Branch of Blacklick Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 28' 30" Long: 78° 46' 35") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

Outfall 006 discharges to: UNT 46006 to Howells Run

The proposed effluent limits for *Outfall 006* (Lat: 40° 27' 3" Long: 78° 44' 10") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report

Outfall 007 discharges to: Little Conemaugh River

The proposed effluent limits for *Outfall 007* (Lat: 40° 31' 35" Long: 79° 17' 15") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

Outfall 008 discharges to: UNT to North Branch of Conemaugh River

The proposed effluent limits for *Outfall 008* (Lat: 40° 27' 58" Long: 78° 41' 47") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report

EPA Waiver not in effect.

NPDES No. PA0092142 (Mining Permit No. 32803712), Consol Mining Company LLC, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). A renewal to the NPDES and mining activity permit for the Lewisville Recovery Plant in Young and Blacklick Townships, **Indiana County**. Receiving stream: Coal Run, classified for the following use:

TSF. Receiving stream: Aultmans Run, classified for the following use: TSF. Kiskiminetas-Conemaugh Watershed TMDL. The application was considered administratively complete on April 14, 2016. Application received September 16, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 002 discharges to: Coal Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 31' 40" Long: 79° 18' 10") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	50	100	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

Outfall 004 discharges to: Aultmans Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 31' 37" Long: 79° 17' 18") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	50	100	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

Outfall 005 discharges to: Aultmans Run

The proposed effluent limits for *Outfall 005* (Lat: 40° 31' 35" Long: 79° 17' 15") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	50	100	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

EPA Waiver not in effect.

NPDES No. PA0213586 (Mining Permit No. 32901601), Millcreek Processing, (P.O. Box 435, Seward, PA 15954). A renewal to the NPDES and mining activity permit for the Challenger Coal Yard in East Wheatfield Township, **Indiana County**. Receiving stream: UNT 45004 to Conemaugh River, classified for the following use: CWF. Kiskiminetas-Conemaugh TMDL. The application was considered administratively complete on August 23, 2011. Application received May 31, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Effective period: Permit issuance until 36 months after permit issuance.

Outfall 001 discharges to: UNT 45004 to Conemaugh River

The proposed effluent limits for *Outfall 001* (Lat: 40° 25' 14" Long: 79° 00' 31") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	Report	Report	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Selenium	(mg/l)	-	Report	Report	-

Effective period: 37 months after permit issuance until permit expiration.

Outfall 001 discharges to: UNT 45004 to Conemaugh River

The proposed effluent limits for *Outfall 001* (Lat: 40° 25' 14" Long: 79° 00' 31") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Selenium	(mg/l)	-	Report	Report	-

Effective period: Permit issuance until 36 months after permit issuance.

Outfall 002 discharges to: UNT 45004 to Conemaugh River

The proposed effluent limits for *Outfall 002* (Lat: 40° 25' 13" Long: 79° 00' 27") are:

<i>Parameter</i>		<i>Instantaneous Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	Report	Report	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Selenium	(mg/l)	-	Report	Report	-

Effective period: 37 months after permit issuance until permit expiration.

Outfall 002 discharges to: UNT 45004 to Conemaugh River

The proposed effluent limits for Outfall 002 (Lat: 40° 25' 13" Long: 79° 00' 27") are:

Parameter		Instantaneous Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	Report
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Selenium	(mg/l)	-	Report	Report	-

EPA Waiver not in effect.

NPDES No. PA0214884 (Mining Permit No. 32743710), Helvetia Coal Company, (P.O. Box 219, 400 Overview Drive, Shelocta, PA 15774). A renewal to the NPDES and mining activity permit for the Refuse Disposal Area No. 1 in Center Township, **Indiana County**. Surface Acres Affected 2.78. Receiving stream: UNT to Blacklick Creek, classified for the following use: CWF. Kiskiminetas-Conemaugh River TMDL. The application was considered administratively complete on September 16, 2015. Application received October 15, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary of Blacklick Creek

The proposed effluent limits for Outfall 001 (Lat: 40° 31' 14" Long: 79° 12' 26") are:

Parameter		Instantaneous Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	3.0
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	Report	Report	-
pH	(S.U.)	6.0	-	-	9.0
Acidity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Total (as CaCO ₃)	(mg/l)	-	-	-	Report
Alkalinity, Net (as CaCO ₃)	(mg/l)	0.0	-	-	-
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chlorides	(mg/l)	-	-	-	Report

EPA Waiver not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES PA 0257141. (Mining permit no. 17090104), Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, renewal of an NPDES permit for bituminous coal surface and auger mining in Woodward Township, **Clearfield County**, affecting 221.0 acres. Receiving stream(s): Whiteside Run and Moshannon Creek, classified for the following use(s): CWF. Moshannon Creek Watershed Total Maximum Daily Load. Application received: August 3, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall listed below discharge to Whiteside Run.

Outfall No.	New Outfall (Y/N)
001	N

The proposed effluent limits for the above listed outfall(s) are as follows:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
pH ¹ (S.U.)	6.0	-	-	9.0
Iron (mg/l)	-	3.0	6.0	7.0
Manganese (mg/l)	-	2.0	4.0	5.0

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)		0.75	1.5	1.9
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				50.0

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to Moshannon Creek.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N
004	N
005	N
006	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		1.3	2.6	3.3
Aluminum (mg/l)		0.75	1.5	1.9
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				50.0

¹ The parameter is applicable at all times.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

NPDES No. PA0615668 (Mining permit no. 65810113), M.B. Energy Inc., 175 McKnight Road, Blairsville, PA 15717, Renewal NPDES permit for a bituminous surface mine in Cook and Donegal Townships, **Westmoreland County**, affecting 103.8 acres. Receiving stream(s): Unnamed Tributary to Four Mile Run, classified for the following use(s): TSF. This receiving stream is included in the Kiskiminetas-Conemaugh TMDL. Application received: May 5, 2014.

The treated wastewater outfall(s) listed below discharge to Unnamed Tributary to Four Mile Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	MDT

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

NPDES No. PA 0202908 (Mining permit no. 65010101), M.B. Energy Inc., 175 McKnight Road, Blairsville, PA 15717, Renewal NPDES permit for a bituminous surface mine in Derry Township, **Westmoreland County**, affecting 197 acres. Receiving streams: Unnamed Tributaries to Miller Run and Unnamed Tributaries to Saxman Run, classified for the following use(s): CWF-HQ and WWF respectively. The receiving streams are included in the Kiskiminetas-Conemaugh TMDL. Application received: February 16, 2017.

The treated wastewater outfall listed below discharges to Unnamed Tributary 4 to Miller Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
TP-A	N	MDT

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Sulfate (mg/l)

Specific Conductance (micromhms/cm) @ 25°C

Monitor & Report

Monitor & Report

The stormwater outfall listed below discharges to Unnamed Tributary 4 to Miller Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
SP-D	N	SW

The proposed effluent limits for the above listed outfall is as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90
Sulfates		Monitor & Report	
Specific Conductance (micromhms/cm) @ 25°C		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The proposed effluent limits for the above listed outfall is as follows:

The treated wastewater outfall listed below discharge to Unnamed Tributary 1 to Saxman Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	MDT

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended solids			
Sulfates		Monitor and Report	
Specific Conductance (micromhms/cm) @ 25°C		Monitor and Report	
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

NPDES No. PA0588601 (Mining permit no. 65860105), M.B. Energy Inc., 175 McKnight Road, Blairsville, PA 15717, Renewal NPDES permit for a bituminous surface mine in Donegal and Mt. Pleasant Townships, **Westmoreland County**, affecting 372 acres. Receiving stream: Unnamed Tributary to Four Mile Run, classified for the following use: TSF. This receiving stream is included in the Kiskiminetas-Conemaugh TMDL. Application received: July 6, 2017.

The treated wastewater outfall listed below discharges to Unnamed Tributary to Four Mile Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
TP-A2	N	MDT

The proposed effluent limits for the above listed outfall is as follows: for dry weather discharges.

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	2.2	4.4	5.5
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.6	1.2	1.5
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knoxville, PA 16232-0669, 814-797-1191.

NPDES No. PA0259748 (Permit No. 3076SM8). Conneaut Lake Sand & Gravel, Inc. (P.O. Box 233, West Middlesex, PA 16159-0529) New NPDES permit for a large industrial minerals surface mine in Sadsbury Township, **Crawford County**, affecting 32.3 acres. Receiving streams: Unnamed tributary to Conneaut Creek, classified for the following uses: HQ—CWF. TMDL: None. Application received: September 5, 2017.

There is no discharge from this site.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0225655 on Surface Mining Permit No. 39880302. Coplay Aggregates, Inc., (21 East 10th Street, Northampton, PA 18067), new NPDES Permit for a limestone quarry operation in Whitehall Township, **Lehigh County**, affecting 21.49 acres. Receiving stream: Coplay Creek Watershed, classified for the following uses: cold water and migratory fishes. Application received: January 26, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall listed below discharge to Coplay Creek Watershed.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>		
1	Yes	Non-Processing Groundwater/Pit Sump		

The proposed effluent limits for the above listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0
Alkalinity Greater than Acidity				

¹ The parameter is applicable at all times.

NPDES Permit No. PA0225754 on Surface Mining Permit No. 06880302. Rolling Rock Building Stone, Inc., (40 Rolling Rock Road, Boyertown, PA 19512), new NPDES Permit for a building stone quarry operation in District and Pike Townships, **Berks County**, affecting 411.8 acres. Receiving stream: Oysterville Creek Watershed, classified for the following use: EV—migratory fishes. Application received: August 18, 2017.

Non-Discharge BMP's are proposed to control and contain all runoff from bonded and affected areas.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E01-324: Repasky Family Trust, 251 Bender Road, Hanover, Pennsylvania, 17331 in Mount Pleasant Township, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

To place and maintain fill in 51,198 square feet of floodway of the South Branch Conewago Creek and an unnamed tributary to the South Branch Conewago Creek permanently impacting 29,353 square feet of Palustrine Emergent (PEM) Wetland. Wetland mitigation in the amount of 40,119 square feet is proposed.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5829-123 (modified): New Milford and Jackson Townships, Bluestone Pipeline Company of Pennsylvania, LLC, 333 Technology Drive, Suite 255, Canonsburg, PA 15317; New Milford and Jackson Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a permanent access road crossing impacting 285 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 50' 30"N, Longitude: 75° 38' 34"W),

2) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 97 lineal feet of Little Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 08"N, Longitude: 75° 38' 17"W),

3) a permanent right of way crossing and temporary timber mat crossing impacting 303 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 50' 06"N, Longitude: 75° 38' 15"W),

4) a 12-inch diameter steel natural gas pipeline and temporary timber mat crossing impacting 554 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 50' 02"N, Longitude: 75° 38' 04"W),

5) a 12-inch diameter steel natural gas pipeline and temporary timber mat crossing impacting 704 square feet

(0.02 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 50' 13"N, Longitude: 75° 37' 50"W),

6) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 53 lineal feet of Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 13"N, Longitude: 75° 37' 45"W),

7) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 59 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) and 5,967 square feet of adjacent floodway (Harford, PA Quadrangle; Latitude: 41° 50' 13"N, Longitude: 75° 37' 44"W),

8) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 52 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 10"N, Longitude: 75° 37' 39"W),

9) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 52 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 08"N, Longitude: 75° 37' 36"W),

10) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 60 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 05"N, Longitude: 75° 37' 32"W),

11) a right of way crossing temporarily impacting 21 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 05"N, Longitude: 75° 37' 31"W),

12) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 15 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) and 1,483 square feet of adjacent floodway (Harford, PA Quadrangle; Latitude: 41° 50' 04"N, Longitude: 75° 37' 30"W),

13) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 87 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 03"N, Longitude: 75° 37' 29"W),

14) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 39 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 02"N, Longitude: 75° 37' 29"W),

15) a 12-inch diameter steel natural gas pipeline and temporary timber mat crossing impacting 1,036 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 50' 03"N, Longitude: 75° 37' 29"W),

16) a 12-inch diameter steel natural gas pipeline and temporary timber mat crossing impacting 3,395 square feet (0.08 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 50' 01"N, Longitude: 75° 37' 27"W),

17) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 216 lineal feet

of an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 50' 01"N, Longitude: 75° 37' 26"W),

18) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 85 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) and 7,517 square feet of adjacent floodway (Harford, PA Quadrangle; Latitude: 41° 50' 00"N, Longitude: 75° 37' 25"W),

19) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 82 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) and 6,441 square feet of adjacent floodway (Harford, PA Quadrangle; Latitude: 41° 50' 00"N, Longitude: 75° 37' 23"W),

20) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 214 square feet of floodway to an unnamed tributary to Butler Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 49' 59"N, Longitude: 75° 37' 23"W),

21) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 108 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) and 9,152 square feet of adjacent floodway (Harford, PA Quadrangle; Latitude: 41° 49' 59"N, Longitude: 75° 37' 22"W),

22) a 12-inch diameter steel natural gas pipeline and timber mat crossing temporarily impacting 114 lineal feet of an unnamed tributary to Butler Creek (CWF-MF) and 12,287 square feet of adjacent floodway (Harford, PA Quadrangle; Latitude: 41° 49' 51"N, Longitude: 75° 37' 11"W),

23) a 12-inch diameter steel natural gas pipeline and temporary timber mat crossing impacting 915 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 49' 51"N, Longitude: 75° 37' 11"W).

The 59—60 Loop Pipeline project consists of constructing a 12-inch diameter steel natural gas pipeline approximately 0.8 mile long in New Milford and Jackson Townships, Susquehanna County. The project will result in 1,140 lineal feet of temporary stream impacts, 7,132 square feet (0.16 acre) of temporary wetlands impacts for the purpose of providing safe reliable conveyance of Marcellus Shale natural gas to market.

Wilkes-Barre: Environmental Program Manager, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701.

EA1311-001. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, Wilkes-Barre Office, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701. Abandoned Mine Land Reclamation Project, in Banks Township, **Carbon County**, Philadelphia ACOE District.

The applicant proposes to perform a reclamation project on an abandoned surface mine, which includes a total of 14,000 linear feet of dangerous highwall. The project will include the backfilling of 0.12 acre of open water and 0.69 acre of wetland that has developed within the open surface mine pits. (Hazleton Quadrangle N 40° 54' 44.44", W 75° 57' 40.59").

STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, PO Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
17010	HRI, Inc. 1750 West College Avenue State College, PA 16801-2719 Attn: Mary Jo Miller	Lycoming	Muncy Township	2 ASTs storing diesel fuel	24,000 gallons total

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay AT&T Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0091634 (Sewage)	Rensselaerville Institution STP PO Box 2031 Uniontown, PA 15401-1631	Fayette County North Union Township	Unnamed Tributary to Redstone Creek (19-C)	Yes

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060577 (Sewage)	Shohola Falls Trails End 190 Shohola Parkway S Shohola, PA 18458-3143	Pike County Shohola Township	Unnamed Tributary to Shohola Creek (1-D)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0088897 CAFO	Hissong Farmstead Inc. 7651 Lemar Road Mercersburg, PA 17236	Montgomery Township Franklin County	Watershed 13-C	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0039233 (Sewage)	Rhodes Country Court PO Box 397 Reno, PA 16343-0397	Venango County Cranberry Township	Unnamed Tributary to Sage Run (16-E)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0046272, Sewage, SIC Code 4952, **Porter-Tower Joint Municipal Authority**, 860 West Grand Avenue, Tower City, PA 17980.

This existing facility is located in Porter Township, **Schuylkill County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0264873, Sewage, SIC Code 4952, 8800, **William Cook**, 12619 Smedley Road, Waterford, PA 16441-3929.

This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 2670202 A-3, Industrial, SIC Code 4941, **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672.

This existing facility is located in Dunbar Township, **Fayette County**.

Description of Proposed Action/Activity: Installation of two, above-grade sludge transfer tanks and two Volute sludge dewatering presses (Model ES-354).

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 3917401, Sewage, SIC Code 4952, **Lehigh County Authority**, 1053 Spruce Road, Allentown, PA 18106.

This existing facility is located in the City of Allentown, **Lehigh County**.

Description of Proposed Action/Activity: Issuance of a WQM permit for rehabilitation of the existing Park Pump Station.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2117405, Sewerage, **Camp Hill Borough**, 2145 Walnut Street, Camp Hill, PA 17011-3830.

This proposed facility is located in Camp Hill Borough, **Cumberland County**.

Description of Proposed Action/Activity:

This permit approves the construction/operation of sewage facilities consisting of:

- Minor improvements for the Creek Road Pump Station.
- A new pump station for the Athol Street Pump Station consisting of a wet well, suction lift pumps (2), pre-fabricated superstructure with controls, valves and magnetic flow meter. The existing pump station will be demolished.
- A new pump station for the April Drive Pump Station consisting of a wet well, suction lift pumps (2), pre-fabricated superstructure with controls, valves and magnetic flow meter. The new pump station will be constructed within the existing pump station footprint.
- A new pump station for the November Drive Pump Station consisting of a wet well, suction lift pumps (2), pre-fabricated superstructure with controls, valves and magnetic flow meter. The new pump station will be constructed within the existing pump station footprint.
- Existing on-site generators and electrical systems utilized for existing pump stations will be utilized for all new pump stations. Other appurtenances.

WQM Permit No. 6795415 A-2, Sewerage, **Eastern York County Sewer Authority**, 46 Walnut Springs Road, PO Box 6202, Hallam, PA 17406-9000.

This proposed facility is located in Hellam Borough, **York County**.

Description of Proposed Action/Activity:

This permit approves the construction/operation of sewage facilities consisting of:

- Installation of a new influent pump station consisting of a wet well and Gorman-Rupp pumps (3) with a PLC system, alarms and cellular autodialer.
- Retrofitting the existing pump station wet well to serve as a new sludge transfer pump station which will receive waste drained from existing SBR tanks (2) during maintenance.
- Installation of other appurtenances associated with the influent pump station replacement project.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2516414, Sewage, **William Cook**, 12619 Smedley Road, Waterford, PA 16441.

This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD510006	University of Pennsylvania Health System 3400 Civic Center Boulevard Philadelphia, PA 19104	Philadelphia County	City of Philadelphia	Schuylkill River WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450003	Tobyhanna Army Depot-US Army Corps of Engineers 11 Hap Arnold Blvd. Tobyhanna, PA 18466-5086	Monroe	Coolbaugh	Tobyhanna Creek (HQ-CWF, MF) Middle Pond # 1 (HQ-CWF, MF)
PAD390010	Water Polo VII, LP 1030 Reed Avenue Suite 100 Wyomissing, PA 19610	Lehigh	Upper Macungie Township	UNT to Cedar Creek (HQ-CWF, MF)
PAD390018	KRE Upper Macungie Associates, LP 520 US Highway 22 Bridgewater, NJ 08807	Lehigh	Upper Macungie Township	Hassen Creek (HQ-CWF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400001	George C. Conyngham P.O. Box 1830 Shavertown, PA 18708	Luzerne County	Lehman Township	UNT to East Fork of Harveys Creek (CWF, MF) EV Wetlands
PAD130005	Beltzville Enterprises, LLC 7355 Interchange Road Lehighton, PA 18235	Carbon County	Penn Forest Township	Mud Run (HQ-CWF, MF)
PAD390015	Liberty Property Limited Partnership 74 W. Broad St. Suite 240 Bethlehem, PA 18018	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060006 Issued	UGI Utilities, Inc. 225 Morgantown Road Reading, PA 19612	Berks	Richmond Township	UNT Moselem Creek (HQ-CWF, MF)
PAI030616004 Issued	Nick & Les, Inc. 3801 Germantown Pike Collegeville, PA 19426	Berks	Robeson Township	UNT Allegheny Creek (CWF, MF)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD300002	Waynesburg (Rogersville) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Greene County	Center Township	South Fork Tenmile Creek (HQ-WWF)

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI061007001R	Community Development Corp of Butler County 122 Wood Avenue Butler, PA 16001	Butler County	Butler Township and Butler City	Coal Run WWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site

PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAC510039	The Discovery Center 3250 West Sedgley Drive Philadelphia, PA 19130	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Montgomery Township Montgomery County	PAC460037	Montgomery Retirement Residence, LLC 3150 Kettle Court SE Salem, OR 97301	West Branch Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitemarsh Township Montgomery County	PAC460095	Colonial School District 230 Flourtown Road Plymouth Meeting, PA 19462	Spring Mill Run CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Moreland Township Montgomery County	PAC460099	Philadelphia Freedom Valley YMCA 400 Fayette Street Suite 250 Conshohocken, PA 19428	Pennypack TSF/MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Providence Township Montgomery County	PAC460106	Providence Place of Collegeville Assoc. 1528 Sand Hill Lane Hummelstown, PA 17036	Perkiomen WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAC090090	Doylestown Township 425 Wells Road Doylestown, PA 18901	Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Buckingham Township Bucks County	PAC090094	Buckingham Township 4613 Hughesian Drive Buckingham, PA 18912	Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Makefield Township Bucks County	PAC090092	Zaveta Custom Homes, LLC 4030 Skyron Drive, Suite G Doylestown, PA 18901	Delaware River South/Jericho Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Buckingham Township Bucks County	PAC090097	Buckingham Township 4613 Hughesian Drive Buckingham, PA 18912	Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Falls Township Bucks County	PAC090022	Waste Management of PA, Inc. 1000 New Ford Mill Road Morrisville, PA 19067	Delaware River South WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Newtown Township Bucks County	PAC090078	Bucks County Community College 275 Swamp Road Newtown, PA 18940	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Whitehall Township	PAC390016	Whitehall Township 3219 MacArthur Road Whitehall, PA 18052	Jordan Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583
Williams Township	PAC480024	Ellen Lifschutz 90 Echo Ridge Lane Easton, PA 18034	Delaware River (WWF, MF)	Northampton County Conservation District 610-746-1971

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Allen Township Cumberland County Issued	PAC2100411	NTX Harrisburg LLC 16775 Addison Road Suite 200 Addison, TX 75001	UNT Yellow Breeches Creek (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Lower Allen Township Cumberland County Issued	PAC210043	Pennsylvania Turnpike Commission 700 Eisenhower Boulevard Middletown, PA 17057	Cedar Run (CWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
North Cornwall Township Lebanon County Issued	PAC380033	Giovanni Cali 500 Locust Street Palmyra, PA 17078	Snitz Creek (TSF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788
Bethel Township Lebanon County Issued	PAC380032	Lowell B. Nolt 988 Pine Grove Road Fredericksburg, PA 17026	UNT Deep Run (WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
State College Boro Centre Cnty	PAC140025	State College Area School District 131 W. Nittany Avenue State College, PA 16801	UNT- Spring Creek CWF, MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Harborcreek Township Erie County	PAC250020	Port Erie Plastics & Kessel Construction 909 Troupe Road Harborcreek, PA 16421 345 High Street Bradford, PA 16701	UNT Seven-Mile Creek WWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
Summit Township Erie County	PAC250023	Amerco Real Estate Company 2727 North Central Avenue Phoenix, AZ 85004	UNT Walnut Creek CWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403

General Permit Type—PAG-03

*Facility Location
Municipality &
County*

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hanover Township Washington County	PAG036177	AL Solutions, Inc. 1000 South Chester Street New Cumberland, WV 26047-9658	Unnamed Tributary to Harmon Creek—20-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
North Strabane Township Washington County	PAG036171	Oil States Energy Services 255 Johnson Road Canonsburg, PA 15317-4934	Unnamed Tributary to Chartiers Creek—20-F WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Fallowfield Township Washington County	PAG036163	Scientific Drilling International Inc. 124 Vista Drive Charleroi, PA 15022-3486	Pigeon Creek—19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-10

*Facility Location
Municipality &
County*

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Murrysville Borough Westmoreland County	PAG106204	Dominion Energy Transmission, Inc. 5000 Dominion Boulevard Glen Allen, VA 23060	UNT to Turtle Creek 19-A TSF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-12

*Facility Location &
Municipality*

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bethel Township Berks County	PAG123561	Elvin L Martin 980 Little Mountain Road Myerstown, PA 17067-1852	Watershed 7-D	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Elvin Martin 980 Little Mountain Rd Myerstown, PA 17067	Berks	140	376.41	Swine, Beef, Dairy Heifers	NA	Approved
David Weaver 740 Marion Dr Womelsdorf, PA 19567	Berks	163.1	2.11	Poultry	NA	Approved

CAFO NMP
PUBLIC NOTICE SPREADSHEET—ACTIONS (Approval/Disapproval)

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproval</i>
Drew Remley 1170 Salt Spring Road Roaring Branch, PA 17765	Tioga	437.5	1,583.56	Swine/Beef	Salt Spring Run—HQ Brain Creek—HQ	Approved
Will-O-Bett Farm— Paul Dagostin	Luzerne	0	726.20	Swine, Beef, Goat, Chicken	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor,

Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in

and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 4517507, Public Water Supply.

Applicant	Brodhead Creek Regional Authority 410 Mill Creek Road East Stroudsburg, PA 18301
Municipality	Stroud Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	Steven M. Siegfried, P.E. RETTEW Associates, Inc. 130 Court Street Suite 200 Williamsport, PA 17701
Permit to Construct Issued	October 2, 2017

Permit No. 3480055, Operations Permit, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Park Dr. Hershey, PA 17033
[Borough or Township]	Hamilton Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	Mr. Bruce Brubaker, PE PAWC 852 Wesley Drive Mechanicsburg, PA 17055
Permit to Operate Issued	9/07/2017

Permit No. 3540038, Operations Permit, Public Water Supply.

Applicant	Schuylkill County Municipal Authority 221 South Centre Street Pottsville, PA 17901
[Borough or Township]	City of Pottsville
County	Schuylkill
Type of Facility	PWS
Consulting Engineer	Mr. Sam Wood, PE Gannett Fleming, Inc. P.O. Box 67100 Harrisburg, PA 17106

Permit to Operate Issued	09/08/2017
--------------------------	------------

Permit No. 4897502-T1, Public Water Supply.

Applicant	The Bug Company of PA, LLC 2200 Wassergass Rd. Hellertown, PA 18055
[Borough or Township]	Lower Saucon Township
County	Northampton
Type of Facility	PWS
Consulting Engineer	N/A
Permit Revoked	9/20/2017

Permit No. 5417502MA, Public Water Supply.

Applicant	Citizens Water Association of Deer Lake 228B Lake Front Drive Orwigsburg, PA 17961
[Borough or Township]	Orwigsburg Borough
County	Schuylkill
Type of Facility	PWS
Consulting Engineer	Jennifer M. Kowalonek, PE Alfred Benesch & Co. 400 One Norwegian Plaza Pottsville, PA 17901
Permit to Construct Issued	9/13/2017

Permit No. 371505MA, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 W. Hersheypark Dr. Hershey, PA 17033
[Borough or Township]	Roaring Brook Township
County	Lackawanna
Type of Facility	PWS
Consulting Engineer	Richard C. Dudek, PE PAWC 2699 Stafford Avenue Scranton, PA 18505
Permit to Construct Issued	9/21/2017

Permit No. 2400090, Operations Permit, Public Water Supply.

Applicant	SCI-Dallas 1001 Follies Rd. Dallas, PA 18612
[Borough or Township]	Jackson Township
County	Luzerne
Type of Facility	PWS
Consulting Engineer	Mr. Thomas W. Courtney, PE PA Dept. of Corrections 1920 Technology Parkway Mechanicsburg, PA 17055
Permit to Operate Issued	9/13/2017

Permit No. 4515503MA, Minor Amendment (Time Extension), Public Water Supply.

Applicant **M. Manor Holding L.P.**
109 Club House Court
East Stroudsburg, PA 18302

Municipality Smithfield Township

County **Monroe**

Type of Facility PWS

Consulting Engineer N/A

Permit to Construct Issued September 26, 2017

Application No. 5216503, Public Water Supply.

Applicant **PA American Water**
800 W. Hershey Park Drive
Hershey, PA 17033

[Township or Borough] Westfall Township
Pike County

Responsible Official Mr. David Kaufman
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Daniel Rickard, PE
PA American Water Company
2699 Stafford Avenue
Scranton, PA 18505

Permit Issued 09/14/2017

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0616513, Public Water Supply.

Applicant **Western Berks Water Authority**

Municipality Lower Heidelberg Township

County **Berks**

Responsible Official Leonard E. Bilger II, Executive Director
91 Water Road
Sinking Spring, PA 19608

Type of Facility Upgrade of pretreatment facilities.

Consulting Engineer John P. Spitko, P.E.
Spotts Stevens and McCoy Inc
1047 North Park Road
Reading, PA 19610-0307

Permit to Construct Issued 8/31/2017

Operation Permit No. 0616505 MA issued to: **Borough of Bally (PWS ID No. 3060002)**, Washington Township, **Berks County** on 9/28/2017 for facilities approved under Construction Permit No. 0616505 MA.

Operation Permit No. 2817506 MA issued to: **Chambersburg Borough (PWS ID No. 7280005)**, Greene Township, **Franklin County** on 9/21/2017 for facilities submitted under Application No. 2817506 MA.

Source Water Protection Program Approval issued to **Hamburg Municipal Authority**, 61 North 3rd Street, Hamburg, PA 19526, **PWSID 3060035**, Hamburg Borough, **Berks County** on October 2, 2017.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Pittsburgh Water & Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222, (**PWSID # 5020038**) City of Pittsburgh, **Allegheny County** on September 19, 2017 for the operation of facilities approved under Construction Permit # 0217531.

Operations Permit issued to: **Authority of the Borough of Charleroi**, 3 McKean Avenue, Charleroi, PA 15022, (**PWSID # 5630039**) Charleroi Borough, **Washington County** on September 19, 2017 for the operation of facilities approved under Construction Permit # 6316512.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (**PWSID # 5260036**) Rostraver Township, **Westmoreland County** on September 19, 2017 for the operation of facilities approved under Construction Permit # 2616508MA.

Operations Permit issued to: **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, (**PWSID # 4110016**) Washington Township, **Cambria County** on September 19, 2017 for the operation of facilities approved under Construction Permit # 1117502MA.

Operations Permit issued to: **Center Township Water Authority**, 224 Center Grange Road, Aliquippa, PA 15001, (**PWSID # 5040007**) Potter Township, **Beaver County** on September 19, 2017 for the operation of facilities approved under Construction Permit # 0415505-A2.

Operations Permit issued to: **Municipal Authority of the Borough of Somerset**, PO Box 71, 347 West Union Street, Somerset, PA 15501, (**PWSID # 4560042**) Somerset Borough, **Somerset County** on September 19, 2017 for the operation of facilities approved under Construction Permit # 5615513MA.

Operations Permit issued to: **Somerset County General Authority**, 300 North Center Avenue, Somerset, PA 15501, (**PWSID # 4560009**) Somerset Township, **Somerset County** on September 25, 2017 for the operation of facilities approved under Construction Permit # 5617504MA.

Permit No. 6513515MA-1, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

[Borough or Township] Hempfield Township

County **Westmoreland**

Type of Facility 36-inch diameter transmission main

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 21, 2017

Permit No. 6513516MA-1, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

[Borough or Township] South Greensburg Borough and Hempfield Township

County **Westmoreland**

Type of Facility 48-inch diameter transmission main

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 21, 2017

Permit No. 6517519MA, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

[Borough or Township] Vandergrift Borough and Park Township

County **Westmoreland and Armstrong**

Type of Facility Vandergrift river crossing

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 21, 2017

Permit No. 6517503MA, Minor Amendment. Public Water Supply.

Applicant **Latrobe Municipal Authority**
104 Guerrier Street
Latrobe, PA 15650

[Borough or Township] Unity Township

County **Westmoreland**

Type of Facility Manito water storage tank painting

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 25, 2017

Permit No. 6517504MA, Minor Amendment. Public Water Supply.

Applicant **Latrobe Municipal Authority**
104 Guerrier Street
Latrobe, PA 15650

[Borough or Township] Unity Township

County **Westmoreland**

Type of Facility St. Mary's water storage tank painting

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 25, 2017

Permit No. 6517502MA, Minor Amendment. Public Water Supply.

Applicant **Latrobe Municipal Authority**
104 Guerrier Street
Latrobe, PA 15650

[Borough or Township] Derry Township

County **Westmoreland**

Type of Facility Site water storage tank painting

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 25, 2017

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 06-841A, Water Allocations. Wyomissing Borough Water System (PWS ID No. 3060083), Berks County. Application for a subsidiary water allocation permit for the right to purchase 1.75 million gallons per day, based on a 30-day average, from Western Berks Water Authority. Permittee Contact: Jim Babb, Public Works Director, Wyomissing Borough Water System, 22 Reading Boulevard, Wyomissing, PA 19610. Consulting Engineer: Holly C. Cinkutis, P.E., Great Valley Consultants, 75 Commerce Drive, Wyomissing, PA 19610. Permit Issued: 9/28/2017.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WA45-1000A, Water Allocation, Brodhead Creek Regional Authority (BCRA), 410 Mill Creek Road, East Stroudsburg, PA 18301, Monroe County. This permit grants the right to purchase up to 400,000 gallons per day, based on a daily average in a peak month, from the Borough of East Stroudsburg.

WA45-134E, Water Allocation, Brodhead Creek Regional Authority (BCRA), 410 Mill Creek Road, East Stroudsburg, PA 18301, Monroe County. This permit grants the right to continue to withdraw up to 3,200,000 gpd, peak day, from Brodhead Creek in Stroud Township, removes Stokes Mill Spring as a permitted source, and adds an area of Paradise Township to BCRA's water service area.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
West Hanover Township	7171 Allentown Blvd. Harrisburg, PA 17112	Dauphin

Plan Description: The sewage planning exemption request submitted for the Rustrum-Fox Hill Subdivision, DEP Code No. A3-22937-412-2E, APS Id 950635, is disapproved. The purpose of this plan is to create three new single family residential building lots to use individual onlot sewage disposal systems. The project is located along Fox Hill Road, east of the junction with Compton Drive. A preliminary hydrogeologic study is required because the proposed subdivision is within 1/4 mile of a well documented to exceed 5 PPM nitrate-N and onlot sewage disposal is proposed. Reference: Chapter 71, Section 71.51(b)(1)(ii) and West Hanover Township's Act 537 Sewage Facilities Plan (1992 submission). Therefore, the proposal must be submitted using the Component 2 sewage planning module forms.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fayette Township	181 Bunkertown Rd. McAlisterville, PA 17049	Juniata

Plan Description: The sewage planning exception (Component 1) module submitted for the Donald Landis Subdivision, DEP Code No. A3-34903-224-1, APS Id 950653, is disapproved. The submission proposed a subdivision to create a parcel for an existing dwelling with an onlot sewage disposal system and a residual tract to be comprised of existing forest and farmland. The proposed subdivision is located along Mountain Road, east of the junction with Phillips Road. This plan is disapproved because a preliminary hydrogeologic study would be required because the proposed subdivision is within 1/4 mile of a well documented to exceed 5 PPM nitrate-N and onlot sewage disposal is proposed. Reference: Chapter 71, Section 71.55(a)(2), Chapter 71, Section 71.62(c)(2)(iii), and Fayette Township's Act 537 Sewage Facilities Plan (2005 submission and 2010 review). Therefore, the proposal could be submitted using the Component 2 module forms. However, since no new building lots or development is proposed, the subdivision may also be adequately documented by submitting a "Request for Planning Waiver & Non-building Declaration" form.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

O'Dowd SUS PAD, 2411 State Route 3011, Auburn Township, **Susquehanna County**, Leidos, LLC, 6310 Allentown Boulevard, Harrisburg, PA 17112, on behalf of Chesapeake Appalachia LLC, 300 North 2nd Street, 5th Floor, Harrisburg, PA 17101, submitted a Final Report concerning remediation of site soil contaminated with Strontium. The report is intended to document remediation of the site to meet the nonresidential Statewide Health Standard for soil.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

United Brass Works, Inc., 944 W. 12th Street, Erie, PA 16501-1515, City of Erie, **Erie County**. ECS Mid-Atlantic, LLC, 145 Lake Drive, Wexford, PA 15090, on behalf of United Brass Works, Inc., 611-A Industrial Avenue, Greensboro, NC 27406, submitted a Risk Assessment concerning the remediation of site soil contaminated with lead, arsenic, cadmium, chromium, copper, benzo[a]pyrene and site groundwater contaminated with tetrachloroethene, trichloroethene, vinyl chloride, lead, and arsenic. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Laymon Trucking, LLC Asphalt Spill, PA Route 6 Eastbound Near Off-Ramp 62, Brokenstraw Township,

Warren County. Taylor GeoServices, Inc., 38 Bishop Hollow Road, Suite 200, Newtown Square, PA 19073, on behalf of Laymon Trucking Company, LLC, 1470 Bryant Road, Mount Vernon, OH 43050, submitted a Final Report concerning the remediation of site soil contaminated with benzo[a]anthracene, pyrene, indeno[1,2,3-cd]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, and chrysene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Metallurgical Company of America (METCOA) Site, 8347 Mercer Street, Pulaski Township, **Lawrence County.** R.A.R. Engineering Group, Inc., 1135 Butler Avenue, New Castle, PA 16101, on behalf of Pulaski Industrial Corporation, 8347 Mercer Street, Pulaski, PA 16143, submitted a Cleanup Plan/Final Report concerning the remediation of site soil contaminated with arsenic, cadmium, cobalt, lithium, manganese, mercury, nickel and site groundwater contaminated with antimony, arsenic, cadmium, chromium VI, cobalt, lead, lithium, manganese, molybdenum, nickel, silver, and vanadium. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports

submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Litz Property, 940 Cambridge Avenue, City of Bethlehem, **Lehigh County.** MEA Inc., 1365 Ackermanville Road, Bangor, PA 18301, on behalf Susan Litz, 940 Cambridge Avenue, Bethlehem, PA 18018, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 Fuel Oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 20, 2017.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Leffler Energy, Incorporated, 25 Abbie Road, West Manchester Township, **York County.** Patriot Environmental Management, LLC, P.O. Box 629, Douglassville, PA 19518, on behalf of Richland Partners, LLC, P.O. Box 659, Douglassville, PA 19518, submitted a Final Report concerning remediation of site groundwater contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard, and was disapproved by the Department on September 25, 2017.

Former Allison Hill Automotive Property, 47 South 14th Street, Harrisburg, PA 17104, City of Harrisburg, **Dauphin County.** Skelly and Loy, Inc., 449 Eisenhower Boulevard, Suite 300, Harrisburg, PA 17111, on behalf of Redevelopment Authority of the City of Harrisburg, 10 North Second Street, Suite 405, Harrisburg, PA 17101, and Hamilton Health Center Community Services, Inc., 110 South 17th Street, Harrisburg, PA 17104 submitted a Final Report concerning remediation of site soil contaminated with PAHs, Inorganics and 1,2,4-TMB. The Final Report demonstrated attainment of the Residential Site-Specific Standard, and was approved by the Department on September 27, 2017.

Sinking Springs Farm, 2825 Susquehanna Trail, York, PA 17406, Manchester Township, **York County.** Geo-Technology Associates, Inc., 3445-A Box Hill Corporate Center Drive, Abingdon, MD 21009, on behalf of Susquehanna Real Estate, LP, 140 East Market Street, York, PA 17401, submitted a Final Report concerning remediation of site soils and groundwater contaminated with leaded and unleaded gasoline released from underground storage tanks. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on September 1, 2017.

Ryder Transportation Diesel Release, 1603 Old Swede Road, Douglassville, PA 19518, Amity Township, **Berks County.** Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Ryder

Transportation, 111690 NW 105 Street, Miami, FL 33178-1103; and Rick and Shannon Brown, 1603 Old Swede Road, Douglassville, PA 19518 submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on September 29, 2017.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

United Brass Works, Inc., 944 W. 12th Street, Erie, PA 16501-1515, City of Erie, **Erie County**. ECS Mid-Atlantic, LLC, 145 Lake Drive, Wexford, PA 15090, on behalf of United Brass Works, Inc., 611-A Industrial Avenue, Greensboro, NC 27406, submitted a Risk Assessment concerning the remediation of site soil contaminated with lead, arsenic, cadmium, chromium, copper, benzo[a]pyrene and site groundwater contaminated with tetrachloroethene, trichloroethene, vinyl chloride, lead, and arsenic. The Report was disapproved by the Department on August 30, 2017.

Shenango Valley Mall Sears TBA, 3303 East State Street, City of Hermitage, **Mercer County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of JSMN International, Inc., 591 Summit Avenue, Suite # 522, Jersey City, NJ 07306, submitted a Final Report concerning the remediation of site groundwater contaminated with Benzene, Toluene, Ethylbenzene, Xylenes, Cumene, Naphthalene, 1,2-Dichloroethane, Methyl tert butyl ether (MTBE), 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 29, 2017.

**NOTICE OF PLAN REVISION APPROVAL
UNDER THE MUNICIPAL WASTE PLANNING AND
WASTE REDUCTION ACT OF 1988, Act 101**

Northeast Region: Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

The Department of Environmental Protection (DEP) approved a revision to the **Schuylkill County Municipal Waste Management Plan** on October 3, 2017.

Any Person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of this appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717-787-3483) for more information.

The Plan Revision is a public document and may be viewed at the DEP Regional Office noted above.

Questions concerning this approval should be directed to Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP3-09-0148: Eureka Stone Quarry (PO Box 249, Chalfont, PA 18914) On September 27, 2017 for a 120 tons/hr portable nonmetallic mineral processing plant consisting of a crusher, a vibratory screen, and four conveyors in Wrightstown Township, **Bucks County**.

GP1-15-0107: Sealed Air Corporation (450 Riverfront Drive, Reading, PA 19602) On September 26, 2017 for one (1) natural gas & No. 2 oil-fired Cleaver Brooks Boiler, 26.78 MMBtu/hr heat input, in Modena Borough, **Chester County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer—Telephone: 570-826-2409.

GP5-66-006: Carrizo (Marcellus), LLC (500 Dallas Street, Suite 2300, Houston, TX 77002) on June 16, 2017 to construct and operate three (3) IC Engines, two (2) dehydrators, and one (1) condensate tank at the Sickler Compressor Station site in Washington Township, **Wyoming County**.

GP11-58-045: Susquehanna Gathering Company I, LLC (1429 Oliver Road, New Milford, PA 18834) on August 10, 2017 to operate one (1) nonroad engines at their CPF # 1 Compressor Station in Oakland Township, **Susquehanna County**.

GP13-64-001: Wayco, Inc. (198 O'Connell Road, Waymart, PA 18472) on August 24, 2017 to operate a hot mix asphalt plant in Palmyra Township, **Wayne County**.

GP3-58-050: Lopke Quarries, Inc. (3430 State Route 434, Apalachin, NY 13732) on September 12, 2017 to operate a Portable Crushing Operation with water sprays at Lane Road Quarry in Middletown Township, **Susquehanna County**.

GP9-58-050: Lopke Quarries, Inc. (3430 State Route 434, Apalachin, NY 13732) on September 8, 2017 to install and operate two (2) Diesel I/C engines at Lane Road Quarry in Middletown Township, **Susquehanna County**.

GP4-40-005: First Quality Nonwovens, Inc. (101 Green Mountain Road, Hazleton, PA 18202) on September 25, 2017 to operate two (2) burn off ovens at their facility located in Hazle Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-21-03126: Plymouth Packaging Inc. (53 Commerce Drive, Mechanicsburg, PA 17050) on September 28, 2017, for a natural gas-fired boiler rated at 16.73 MMBtu/hr, under GP1, at the packaging manufacturing facility located in Mechanicsburg City, **Cumberland County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

GP5-30-00236A: Rice Poseidon Midstream LLC (2200 Rice Drive, Canonsburg, PA 15317) on September 17, 2017, to authorize the construction and operation of eight (8) natural gas fired Caterpillar compressor engines each rated at 2,500 bhp, two (2) TEG Dehydrators including reboilers and Thermal Oxidizers at their Cole Farm Compressor Station located in Wayne Township, **Greene County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

64-00019A: Stourbridge Energy LLC (358 North Shore Drive, Suite 201, Pittsburgh, PA 15212) on June 30, 2017 for the construction of 22 MW electric generating plant at their facility in Berlin Township, **Wayne County**.

39-00094A: Blend Pro, Inc. (601 South Tenth Street, Suite 300, Allentown, PA 18103) on August 17, 2017 for the installation and operation of two (2) cement storage silos and two (2) pneumatic conveying systems their facility in the City of Allentown, **Lehigh County**.

48-00027A: IESI PA Bethlehem Landfill Corp. (2335 Applebutter Road, Bethlehem, PA 18015) on September 8, 2017 for the increase in landfill capacity of approximately 3,669,600 cubic yards utilizing the existing landfill gas collection system at their facility in Lower Saucon Township, **Northampton County**.

35-00045A: Eureka Stone Quarry, Inc. (800 Lower State Road, Chalfont, PA 18914) on September 26, 2017 for the construction and operation of a Recycled Asphalt Pavement (RAP) system to be added to the facilities current hot mix asphalt plant their facility in Covington Township, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-001GC: Transcontinental Gas Pipeline Company, LLC (P.O. Box 1396, Houston, Texas 77251-1396) on September 8, 2017 to allow transfer and use of 106.0

tons of nitrogen oxide (NO_x) Emission Reduction Credits (ERCs) to the Atlantic Sunrise project construction activities in **Lancaster County** to offset emissions from construction activities and satisfy requirements specified by the Federal Energy Regulatory Commission's (FERC) General Conformity Determination for the project.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00032B: Niles Valley Energy, LLC (N. Shore Place I, 358 N. Shore Dr., Ste. 201, Pittsburgh, PA 15212) on September 20, 2017, to construct five (5) 6,023 bhp GE Jenbacher model J624 GS-H01, 4 stroke, lean burn, natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station located in Charleston Township, **Tioga County**. The facility will also include one (1) 0.64 MMBtu/hour natural gas-fired natural gas line heater; three (3) storage tanks ranging in size from 2,600 gallons to 6,000 gallons; one (1) desiccant dehydration system; various fugitive emissions. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 59-00032B, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

08-00054B: Wolf Run Energy, LLC (N. Shore Place I, 358 N. Shore Dr., Ste. 201, Pittsburgh, PA 15212) on September 20, 2017, to construct five (5) 6,023 bhp GE Jenbacher model J624 GS-H01, 4 stroke, lean burn, natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station located in Wilmot Township, **Bradford County**. The facility will also include one (1) 0.64 MMBtu/hour natural gas-fired natural gas line heater; three (3) storage tanks ranging in size from 2,600 gallons to 6,000 gallons; one (1) desiccant dehydration system; various fugitive emissions. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 08-00054B, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0020H: Superior Tube Co Inc. (3900 Germantown Pike, Collegeville, PA 19426-3112) On September 21, 2017 for the addition of applicable requirements from 40 CFR Part 63, Subpart DDDDD to Source ID Nos. 031 and 032 in Lower Providence Township, **Montgomery County**.

23-0066D: Pyromet aka Pyromet (5 Commerce Dr., Aston, PA 19014-3201) On September 27, 2017 to remove the operating hour restriction from the Silver Recovery Furnace and a modification to correct the rated capacity of the Silver Recovery Furnace from 400 lbs/hrs to 4.16 MMBtu.hr in Chester Township, **Delaware County**.

23-0038F: DELCORA (PO Box 999, 100 E. 5th Street, Chester, PA) On September 21, 2017 for construction and operation of a new air pollution control system for each of the two multiple hearth incinerations, comprising quench, multi-venturi scrubber wet electrostatic precipitator and regenerative thermal oxidizer in Chester City, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-05002O: Letterkenny Army Depot—US Department of Defense (One Overcash Avenue, Chambersburg, PA 17201) on September 28, 2017, for the construction of a new surface coating booth at the Letterkenny Army Depot in Greene/Letterkenny Townships, **Franklin County**. The plan approval was extended.

28-05002C: Letterkenny Army Depot—US Department of Defense (One Overcash Avenue, Chambersburg, PA 17201), on September 28, 2017, for the construction of two coating booths controlled by dry filters at the military facility in Letterkenny Township, **Franklin County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

17-00001E: NRG REMA LLC (250 Power Plant Drive, Shawville, PA 16873) extended the authorization an additional 180 days from October 3, 2017 to April 1, 2017, to permit continued operation of the cooling tower pending issuance an operating permit for the source. The source is located at the NRG REMA LLC/Shawville Generating Station facility in Bradford Township, **Clearfield County**.

17-00001G: NRG REMA LLC (250 Power Plant Drive, Shawville, PA 16873) extended the authorization an additional 180 days from October 3, 2017 to April 1, 2017, to permit continued operation of the utility boilers on natural gas pending issuance an operating permit for the modified sources. The sources are located at the NRG REMA LLL/Shawville Generating Station facility in Bradford Township, **Clearfield County**.

17-00063A: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on September 25, 2017, to extend the authorization an additional 180 days from September 25, 2017 to March 25, 2018, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the ethanol production plant located in Clearfield Borough, Clearfield County. The plan approval has been extended.

17-00063B: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on September 25, 2017, to extend the authorization an additional 180 days from September 25, 2017 to March 25, 2018, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the ethanol production plant located in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

17-00063C: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on September 25, 2017, to extend the authorization an additional 180 days from September 25, 2017 to March 25, 2018, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the ethanol production plant located in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

49-00064B: Milton Sewer Regional Authority (5585 State Route 405, PO Box 433, Milton, PA 17847), on September 22, 2017, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from September 24, 2017 to March 23, 2018 at their facility located in West Chilisquaque Township, **Northumberland County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

63-00549B: Arden Landfill, Inc. (200 Rangos Lane, Washington, PA 15301) on September 27, 2017, to extend the temporary operation period for the landfill expansion at Arden Landfill located in Chartiers Township, **Washington County**. The new expiration date is April 28, 2018.

30-00170A: Laurel Mountain Midstream Operating, LLC (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) on September 27, 2017, to extend the period of temporary operation of one Caterpillar G3612 lean burn natural gas-fired compressor engine rated at 3,550 bhp at the existing Brown Compressor Station located in Greene Township, **Greene County**. The new expiration date is April 28, 2018.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05078: FR & S, Inc. (727 Redland Road, Birdsboro, PA 19508-1702) on September 27, 2017, for the Pioneer Crossing Landfill located in Exeter Township, **Berks County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

35-00029: Regional Hospital of Scranton/Scranton (746 Jefferson Avenue, Scranton, PA 18510-1624). On September 27, 2017, the Department issued a renewal State-Only Synthetic Minor Permit for this general medical and surgical hospitals facility located in Scranton, **Lackawanna County**. The main sources at this facility consists of boilers and generators. The sources are consid-

ered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05075: UPMC Pinnacle Memorial (325 S. Belmont Street, PO Box 15118, York, PA 17405-7118) on September 27, 2017, for the boilers and generators at the York Memorial Hospital located in Spring Garden Township, **York County**. The State-only permit was renewed.

36-05139: AFP Advanced Food Products LLC (158 West Jackson Street, New Holland, PA 17557-1607) on September 25, 2017, for the food packaging plant located in New Holland Borough, **Lancaster County**. The State-only permit was renewed.

06-05077: Can Corp. of America (326 June Avenue, Blandon, PA 19510-9566) on September 25, 2017, for the can manufacturing facility located in Maiden Creek Township, **Berks County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

18-00013: Clinton Hospital Corp (24 Cree Drive, Lock Haven, PA 17745-2639) on September 20, 2017, was issued a renewal state only operating permit for their facility located in the City of Lock Haven, **Clinton County**. The facility's main sources include three # 2 fuel oil/natural gas-fired boilers and four # 2 fuel oil-fired emergency generators. The renewal state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

OP16-000030: Tasty Baking Company (4300 S 26th St, Philadelphia, PA 19112) issued on October 2, 2017 for the operation of a bakery in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include the following sources; two (2) 10.02 MMBtu/hr boilers, each firing natural gas; one (1) 150-kW emergency generator firing No. 2 oil; Eighteen (18) warm air furnaces each firing natural gas; seven (7) product oven lines each firing natural gas; One (1) Parts Washer; Twenty-two (22) Dust Collectors.

OP16-000038: Convent of the Sisters of St. Joseph & Chestnut Hill College (9601 Germantown Ave, Philadelphia, PA 19118) for the operation of a religious/educational institution in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include One (1) 300 Horsepower (HP)/10 MMBTU/hr boiler firing natural gas, two (2) 600 HP/20 MMBTU/hr

boilers firing natural gas, four (4) Emergency Generators less than 400 kW firing natural gas or diesel.

OP17-000004: Girard Medical Center (North Philadelphia Health Systems), (at 8th Street and Girard Avenue, Philadelphia, PA 19122) for the operation of a hospital facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission source includes two 5 MMBtu/hr boilers firing No. 2 Oil, seven less than or equal to 1.6 MMBtu/hr natural gas firing boilers, two less than 1.3 MMBtu/hr natural gas firing water heater, one 250 kW emergency generator firing No. 2 Oil, one 175 kW emergency generator firing No. 2 Oil, and one 120 kW emergency generator firing No. 2 Oil.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-03097: Kore Mart, Ltd. (7 Hill Drive, PO Box 175, Hamburg, PA 17526-0175) on September 28, 2017, for the foundry mold and core manufacturing facility located in Tilden Township, **Berks County**. The State-only permit was administratively amended in order to incorporate the requirements of Plan Approval No. 06-03097A.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 32070104 and NPDES No. PA0262404, P&N Coal Co., Inc., P.O. Box 332, Punxsutawney, PA 15767, renewal for reclamation only of a bituminous surface mine in Banks Township, **Indiana County**, affecting 140.0 acres. Receiving streams: unnamed tributary to South Brach of Bear Run, unnamed tributary to Cush Creek, unnamed tributary to Brady Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 23, 2017. Permit issued: September 26, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17060107 and NPDES PA0256391. RES Coal LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for continued operation and restoration of a bituminous coal surface and auger mine located in Girard Township, **Clearfield County** affecting 294.8 acres. Receiving stream(s): Deer Creek and Unnamed Tributary A to Deer Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: June 14, 2017. Permit issued: September 22, 2017.

14860103 and NPDES PA0115576. Keystone Coal Company (1915 Wigmore Street, Jacksonville, FL 32206). Renewal of an existing bituminous surface mine for passive treatment located in Curtin Township, **Centre County** affecting 199.0 acres. Receiving stream: Unnamed Tributary to Beech Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 17, 2016. Permit issued: September 26, 2017.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

PAM617016. Three Rivers Aggregates, LLC (1807 Shenango Road, New Galilee, PA 16141) General NPDES Permit for stormwater discharges associated with mining activities on Permit No. 3175SM13 in Scott Township, **Lawrence County**. Receiving streams: Taylor Run and unnamed tributary to Slippery Rock Creek. Application received: August 31, 2017. Permit Issued: September 26, 2017.

PAM617013. Vincent Excavating & Gravel (154 Vincent Road, Franklin, PA 16323) General NPDES Permit for stormwater discharges associated with mining activities on Permit No. 3772SM8 in Sugar Creek Borough, **Venango County**. Receiving streams: Patchel Run. Application received: August 10, 2017. Permit Issued: September 26, 2017.

PAM617022. Hasbrouck Sand & Gravel, Inc. (12225 Gresham Road, Titusville, PA 16354) General NPDES Permit for stormwater discharges associated with mining activities on Permit No. 3075SM16 in Hydetown Borough & Oil Creek Township, **Crawford County**. Receiving streams: Oil Creek. Application received: September 8, 2017. Permit Issued: September 26, 2017.

PAM617015. Northwest Gravel Co. (10746 Ridge Road, Girard, PA 16417-9426) General NPDES Permit for stormwater discharges associated with mining activities on Permit No. 4876SM8 in Girard Township, **Erie County**. Receiving streams: Unnamed tributary to Elk Creek. Application received: August 21, 2017. Permit Issued: September 26, 2017.

PAM611010. Raymond D. Showman & Sons, Inc. (12851 Sharp Road, Edinboro, PA 16412-1667) Renewal of the existing General NPDES Permit for stormwater discharges associated with mining activities on Permit No. 25970306 in LeBoeuf Township, **Erie County**. Receiving streams: French Creek. Application received: September 1, 2017. Permit Issued: September 26, 2017.

24170801. Nero Enterprise, LLC (484 Walnut Street, St. Marys, PA 15857) Commencement, operation and restoration of a small industrial minerals mine in the City of St. Marys, **Elk County**, affecting 5.0 acres. Receiving streams: Unnamed tributary to Elk Creek. Application received: July 3, 2017. Permit Issued: September 26, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

4775SM18 and NPDES PA0116459. Hanson Aggregates Pennsylvania LLC (7660 Imperial Way, Allentown, PA 18195). NPDES renewal for continue operation and reclamation also add storage of reclaimed asphalt paving material on a large noncoal surface mine site located in Marion Township, **Centre County** affecting 227.0 acres. Receiving stream(s): Nittany Creek. Application received: January 19, 2017. Permit issued: September 25, 2017.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

27174001. Demtech, LLC, (470 Dutchtown Road, Butler, PA 16002) Blasting activity permit for Hunter Station Bridge demolition in Tionesta Township, **Forest County**. This blasting activity permit expires January 31, 2018. Permit Issued: September 26, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 22174104. M & J Explosives, LLC, (P.O. Box 1248, Carlisle, PA 17013), construction blasting for Stray Winds 4 in Lower Paxton Township, **Dauphin County** with an expiration date of September 19, 2018. Permit issued: September 26, 2017.

Permit No. 36174138. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Soco Development in Earl Township, **Lancaster County** with an expiration date of September 27, 2018. Permit issued: September 28, 2017.

Permit No. 58174118. Abel Construction Co., Inc., (P.O. Box 476, Mountville, PA 17554), construction blasting for Taylor B well pad in Lenox Township, **Susquehanna County** with an expiration date of September 22, 2018. Permit issued: September 28, 2017.

Permit No. 67174116. Abel Construction Co., Inc., (P.O. Box 476, Mountville, PA 17554), construction blasting for Eagles View—Phase 2 in Manchester Township, **York County** with an expiration date of September 27, 2018. Permit issued: September 28, 2017.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E02-1758. Montour Trail Council, 304 Hickman Street, Suite # 3, Bridgeville, PA 15017. South Park Township, **Allegheny County**, Army Corps of Engineers Pittsburgh District.

To construct and maintain a 16-foot wide pedestrian bridge across Piney Fork Creek (TSF) having a 41-foot span and a 16-foot approximate underclearance. The project is part of the Montour Trail Phase 8F project and is located approximately 20 feet upstream of the Piney Fork Road (S.R. 3014) bridge crossing (Glassport, PA Quadrangle Latitude: 40°16'39"; Longitude: -79°58'32").

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E49-346. Borough of Watsonstown, PO Box 273, Watsonstown, PA 17777. Watsonstown Boat Launch, in Watsonstown Borough, **Northumberland County**, ACOE Baltimore District (Milton, PA Quadrangle; Latitude: 41°04'37"; Longitude -76°51'27").

To construct, operate and maintain 66 feet of mill and re-pave an existing boat access ramp (800 SF), 66 feet improved drainage swale along the south eastern edge of the boat access ramp, 120 feet of at grade refurbished gravel access road (1,904 SF), in the floodway of the West Branch of the Susquehanna River (WWF); to construct, operate and maintain 50 feet of mill and re-pave an existing boat access ramp (678 SF), 40 feet improved drainage swale along the south eastern edge of the boat access ramp, 7,397 Square Feet of at grade resurfacing of a parking lot associated with the access road, 1,474 feet of at grade Walking Trail with associated entrances and parking (9,089 SF) and a 24 feet by 12 feet Open Sided Pavilion with an at grade concrete slab (288 SF) in the flood fringe of the West Branch of the Susquehanna River. This project is located at the PA Fish Commission Boat Launch travel south on SR 0405 (Main Street), turn right onto Park Street.

E17-500. Aqua Pennsylvania, Inc., 204 East Sunbury Street, Shamokin, PA 17872. Aqua Pennsylvania Dam By-Pass Watermain Project, Sandy Township, **Clearfield County**, ACOE Pittsburgh District (Sabula, PA Quadrangle, Latitude 41° 10' 39.9448" N; Longitude 78° 44' 28.5820" W).

Department approval giving consent to abandon an existing potable water pipeline and to relocate, operate and maintain approximately 1,170 linear feet of new potable water pipeline gas within a 20-foot right-of-way requiring two (2) watercourse and two (2) wetland water obstruction and/or encroachment activities at locations as follows:

<i>Identified Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Regulated Waters</i>	<i>Designated Water Quality</i>	<i>Activity Length</i>
PSS Wetland Bored Utility Line Crossing	41.1787°	-78.7415°	Wetland Wolf Run	Other	414.7-Feet
PFO Wetland Bore Utility Line Crossing	41.179686°	-78.741567°	Wetland Wolf Run	Other	289.1-feet
Stream 1 Bored Utility Line Crossing	41.178092°	-78.741475°	Wolf Run Tributary	CWF, MF	9-Feet
Stream 2 Bored Utility Line Crossing	41.178514°	-78.741492°	Wolf Run	CWF, MF	15-feet

Boring of the 10-inch diameter HPDE potable water pipeline crossings beneath the above listed watercourses shall be performed to ensure the depth between stream channel bottom and top of bore casing is minimally 3-feet. Excavation or fill placement, as a part of pipeline maintenance within the 20-foot right-of-way, shall not be performed at the above listed

wetlands without prior written approval from the Department. The potable water pipeline relocation project is located along the western right-of-way of Treasure Lake Road approximately 2830-feet northeast of Harbor View and Treasure Lake Road intersection.

E53-451. UGI Central Penn Gas, Inc., 2525 North 12th Street, Suite 360, Reading, PA 19612-2677. PA Pellet Gas Distribution Pipeline Extension Project, Ulysses Borough, **Potter County**, ACOE Baltimore District (Ulysses, PA Quadrangle, Southern Terminus Latitude 41° 53' 56.36" N; Longitude 77° 46' 39.00" W and Northern Terminus Latitude 41° 54' 31.54" N; Longitude 77° 46' 19.20" W).

Department approval giving consent to UGI Central Penn Gas, Inc., to construct, operate and maintain approximately 4,260 linear feet of new natural gas distribution pipeline within a 20-foot right-of-way requiring three (3) watercourse and three (3) wetland water obstruction and/or encroachment activities at locations as follows:

<i>Identified Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Regulated Waters</i>	<i>Designated Water Quality</i>	<i>Activity Length</i>
Impact 1 Bored Utility Line Crossing	41.904610°	-77.772315°	Tributary # 1 Genesee River	CWF, MF	10-Feet
Impact 2 Bore Utility Line Crossing	41.905617°	-77.772348°	Wetland # 5	EV	55-feet
Impact 3 Temporary Construction Crossing	41.906022°	-77.772347°	Tributary # 2 Genesee River	CWF, MF	20-Feet
Impact 4 Bored Utility Line Crossing	41.906567°	-77.772361°	Wetland # 4	EV	23-feet
Impact 5 Bored Utility Crossing	41.907497°	-77.772297°	Genesee River	CWF, MF	13-feet
Impact 6 Bored Utility Crossing	41.907727°	-77.772251°	Wetland # 1	EV	148-feet

Boring of the 6-inch diameter HPDE gas distribution pipeline crossings beneath the above listed watercourses shall be performed to ensure the depth between stream channel bottom and top of bore casing is minimally 3-feet. Excavation or fill placement, as a part of pipeline maintenance within the 20-foot right-of-way, shall not be performed at the above listed EV (Exceptional Value) wetlands without prior written approval from the Department. The gas distribution pipeline extension project is located along the eastern right-of-way of SR 0049.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA.

E5929-070: HEP Tioga Gathering, LLC, 16211 La Cantera Parkway, Suite 202, San Antonio, TX, 78256, Liberty Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary road crossing using timber mats and two 16 inch diameter natural gas pipelines impacting 159 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 35 linear feet of an unnamed tributary to Blacks Creek (CWF) (Liberty, PA Quadrangle 41°34'43"N, 77°07'29"W);

2) A temporary road crossing using timber mats and two 16 inch diameter natural gas pipelines impacting 267 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (CWF) (Liberty, PA Quadrangle 41°34'43"N, 77°07'29"W).

The project will result in 35 linear feet of temporary stream impacts and 426 square feet (0.01 acre) of temporary wetland impacts all for the purpose of installing a natural gas gathering line in Liberty Township, Tioga County.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA24-055, Jay Township, 81 East Teaberry Street, Weedville, PA 15868. Brown's Run Stream Re-establishment, in Jay Township, **Elk County**, ACOE Baltimore District (Weedville, PA Quadrangle N: 41°, 16', 30"; W: 78°, 29', 44").

Applicant is requesting waiver of Chapter 105 permit requirements under 105.12(a)(16) for the restoration of a section of Brown's Run along Plum Street in Weedville. The proposed work includes the removal of 2 areas of fill material to restore flow to the original channel of the stream, placement of a log/rock deflector to direct base flow to the historic channel, and installation of an at-grade walking trail along the stream.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

Consol Pennsylvania Coal Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317. Permitting

construction of two jurisdictional dams, which contain one slurry impoundment, within the proposed Bailey Mine Coal Refuse Disposal Area No. 8. The slurry impoundment will impact 2.39 acres of wetlands (PSS, PEM, PFO) and 10,763 lineal feet of stream channel. Mitigation will be achieved through stream restoration and wetland creation at Robinson Fork Mitigation Bank at a rate of 1:1.

D30-082. Bailey No. 8 Slurry Impoundment Dam.

Permit issued to construct, operate, and maintain Bailey No. 8 Slurry Impoundment Dam across a tributary to Boothe Run (WWF) for the purpose of disposal of coal refuse generated by Bailey, Enlow Fork, and BMX Mines.

(Rogersville, PA Quadrangle Latitude: 39° 58' 55", Longitude: -80° 22' 17") Morris Township, **Greene County**.

D30-084. Bailey No. 8 Saddle Dam.

Permit issued to construct, operate, and maintain Bailey No. 8 Saddle Dam within the watershed of a tributary to Enlow Fork (WWF) for the purpose of disposal of coal refuse generated by Bailey, Enlow Fork, and BMX Mines.

(Rogersville, PA Quadrangle Latitude: 39° 59' 09", Longitude: -80° 21' 32") Morris Township, **Greene County**.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, PA 17701.

ESCP 2 # ESG04000150001(2)
Applicant Name UGI Sunbury, LLC
Contact Person Casey Morgan
Address 1525 SR 292 East
City, State, Zip Dallas, PA 18612
County Northumberland, Montour
Township(s) Point Township, Anthony Township
Receiving Stream(s) and Classification(s) UNTs to Beaver Run, CWF

County Line Branch, WWF
UNTs to Susquehanna River, WWF

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESG17-031-0002—Glacial Gathering Line & CDP

Applicant Clarion Midstream LLC
Contact Joel Hoffman
Address 61 McMurray Road, Suite 300
City Pittsburgh State PA Zip Code 15241
County Clarion Township(s) Perry
Receiving Stream(s) and Classification(s) UNT to Allegheny River, Dunlap Creek, UNT to Dunlap Creek
WWF, Catfish Run—Allegheny River Watershed

ESCGP-2 # ESG17-047-0005—E09-Q Well Site

Applicant Seneca Resources Corp
Contact Douglas Kepler
Address 5800 Corporate Drive, Suite 3000
City Pittsburgh State PA Zip Code 15237
County Elk Township(s) Jones
Receiving Stream(s) and Classification(s) UNT to Middle Fork East Branch Clarion River (HQ-CWF, MF) UNT to South Fork Straight Creek (HQ-CWF, MF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-131-17-0005

Applicant Name SWN Production Co, LLC
Contact Person Nicki Atkinson
Address 917 SR 92 N
City, State, Zip Tunkhannock, PA 18657
County Wyoming
Township(s) Forkston
Receiving Stream(s) and Classification(s) Mehoopany Ck (CWF, MF)

Secondary—Susquehanna River (WWF, MF)

ESCGP-2 # ESX29-105-17-0018

Applicant Name JKLM Energy LLC
Contact Person Scott Blauvelt
Address 2200 Georgetown Dr, Suite 500
City, State, Zip Sewickley, PA 15142
County Potter
Township(s) Eulalia
Receiving Stream(s) and Classification(s) UNTs to Reese Hollow (CWF)
Secondary—Reese Hollow (CWF)

ESCGP-2 # ESX29-115-17-0012

Applicant Name Chesapeake Appalachia LLC
Contact Person Keri Fieno
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Susquehanna
Township(s) Rush
Receiving Stream(s) and Classification(s) Wyalusing Creek (WWF-MF) and UNTs thereto

ESCGP-2 # ESG29-117-17-0019

Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 150 N Dairy Ashford, E1296E
City, State, Zip Houston, TX 77079
County Tioga
Township(s) Liberty
Receiving Stream(s) and Classification(s) Little Elk Run (EV)

ESCGP-2 # ESG29-081-17-0032

Applicant Name ARD Operating, LLC
Contact Person Stephen Barondeau

Address 33 W Third St, Suite 300
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cascade
 Receiving Stream(s) and Classification(s) UNT to Salt
 Run (EV); Salt Run (EV)
 Secondary—Salt Run (EV); Wallis Run (EV)

ESCGP-2 # ESG29-081-17-0031
 Applicant Name ARD Operating, LLC
 Contact Person Stephen Barondeau
 Address 33 W Third St, Suite 300
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cascade

Receiving Stream(s) and Classification(s) UNT to East
 Branch Wallis Run (EV)
 Secondary—East Branch Wallis Run (EV)

ESCGP-2 # ESX29-015-17-0030
 Applicant Name EOG Resources, Inc.
 Contact Person Jon Jorgenson
 Address 2039 S Sixth St
 City, State, Zip Indiana, PA 15701
 County Bradford
 Township(s) Smithfield
 Receiving Stream(s) and Classification(s) Browns Ck
 (WWF-MF)
 Secondary—Sugar Ck

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of September 2017 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Jenny Ashburn	3296 Tarr Hollow Road Murrysville, PA 15668	Testing
George Bisista	7501 East Parkside Drive Boardman, OH 44512	Testing
Bill Brodhead WPB Enterprises, Inc.	2844 Slifer Valley Road Riegelsville, PA 18077	Mitigation
Anthony Carrozza, Jr.	770 Fairview Road Mount Joy, PA 17552	Testing
David Chopyak	15 Westminster Drive Dallas, PA 18612	Mitigation
Comfort Spec Home Inspections	2222 Route 115 Brodheads ville, PA 18322	Testing
Robert Dean	123 West 10th Street Tyrone, PA 16686	Testing
Louis Digeambeardino	24 Millbridge Road Laurel Springs, NJ 08021	Testing
Laura Freeman	200 Route 130 North Cinnaminson, NJ 08077	Laboratory Analysis
David Gunselman	502 Buchanan Drive Ephrata, PA 17522	Testing
Travis Hammond	95 Jamie Lane Montoursville, PA 17754	Testing
Thomas Helenski	191 Hughes Road King of Prussia, PA 19406	Testing
Fred Hohman	26 Windhill Drive Greensburg, PA 15601	Testing
Robert Johnson	340 Freed Road Harleysville, PA 19438	Testing
David Kapturowski AccuStar Labs	11 Awl Street Medway, MA 02053	Laboratory Analysis
Fred Klein	702 Manchester Drive Maple Glen, PA 19002	Testing
Robert Scott Klein, Jr.	221 McCombs Road Venetia, PA 15367	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Benjamin Mangus	13520 Smith Cemetery Road Meadville, PA 16335	Testing
Valerie Matteo	462 Biddle Avenue Pittsburgh, PA 15221	Testing
Timothy A. Musser	213 North 14th Street Allentown, PA 18102	Mitigation
Jerry Pickholtz	1475 Naugahyde Road Westminster, MD 21157	Testing
Prosser Laboratories	PO Box 118 Effort, PA 18330	Laboratory Analysis
Radon Technology Environmental	828 Oak Street Royersford, PA 19468	Mitigation
Terry Renner	1404 State Route 254 Millville, PA 17846	Testing
Jooik Ro	30 Sunset Drive Carlisle, PA 17013	Testing
Matthew Robertie	3885 Charter Club Drive Doylestown, PA 18902	Testing
Jacob Troost	PO Box 163 Brodheads ville, PA 18322	Testing
Malcolm Whipkey	1934 Overland Court Allison Park, PA 15101	Testing
Jerry Wolfe	97 Main Street Freeport, PA 16229	Testing

[Pa.B. Doc. No. 17-1695. Filed for public inspection October 13, 2017, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance—Substantive Revision

DEP ID: 012-0900-001. **Title:** Policy for the Development and Publication of Technical Guidance. **Description:** This policy explains to the public and the regulated community the Department's process for developing TGDs. The purpose of this policy is to outline the

Department's key considerations for the development of TGDs, tools available to enhance transparency in the TGD process, public comment periods, and the maintenance and distribution processes of TGDs. This draft TGD was significantly simplified from the previous version by removing internal direction and procedures for the Department's staff. The interim-final version published at 45 Pa.B. 2675 (May 30, 2015) is withdrawn with this notice.

Written Comments: Interested persons may submit written comments on this draft TGD by Wednesday, December 13, 2017. Comments submitted by facsimile will not be accepted. All comments must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments should be submitted to the Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

Contact: Questions regarding this action should be directed to Abbey Cadden at (717) 705-3769 or acadden@pa.gov.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

Draft Technical Guidance—Substantive Revision

DEP ID: 012-0820-001. **Title:** Policy for the Development and Review of Regulations. **Description:** This policy explains the process the Department will follow to develop regulations necessary to effectively implement Commonwealth and Federal environmental laws for promulgation as appropriate, based on the expertise of the Department and other Commonwealth agency staff, De-

partmental advisory committees, boards and councils, and based on comments received during the public participation process. Several updates to this policy were necessary to ensure that it remains relevant to current practice. Also, updates were required to explain how amendments to the Regulatory Review Act (71 P.S. §§ 745.1—745.14) in 2012 impact how the Department carries out its regulatory review and development process.

Written Comments: Interested persons may submit written comments on this draft TGD by Wednesday, December 13, 2017. Comments submitted by facsimile will not be accepted. All comments must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments should be submitted to the Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

Contact: Questions regarding this action should be directed to Laura Edinger at (717) 772-3277 or ledinger@pa.gov.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

Draft Technical Guidance—Substantive Revision

DEP ID: 012-1920-002. *Title:* Advisory Committee Guidelines. *Description:* These guidelines establish the role and function of the Department's advisory committees. New language was incorporated into the guidelines to clarify common areas of confusion for advisory committee members. These revisions are intended to clarify the roles of the Department, advisory committee members and the public when planning and holding advisory committee meetings.

Written Comments: Interested persons may submit written comments on this draft TGD by Wednesday, December 13, 2017. Comments submitted by facsimile

will not be accepted. All comments must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments should be submitted to the Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

Contact: Questions regarding this action should be directed to Hayley Jeffords at (717) 772-3525 or hjeffords@pa.gov.

Final TGD—Substantive Revision

DEP ID: 563-2000-001. *Title:* Government-Financed Construction Contracts. *Description:* This guidance defines the procedures for authorizing incidental and necessary coal extraction, coal refuse removal and use of excess spoil from an active mine for reclaiming abandoned mine lands under a government-financed construction contract. The substantive revisions made to the guidance include the following: expansion of the methodology for evaluating project eligibility to reflect the requirements in the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19b); clarification of the application processing procedures and contract enforcement; and the removal of Appendices B and H, which have been replaced by Departmental forms. Notice for availability of the proposed guidance was published at 46 Pa.B. 3030 (June 11, 2016), with a 30-day public comment period. The Department made further revisions in response to the comments received during the public comment period.

Contact: Chris Yeakle at (814) 797-1191 or cyeakle@pa.gov.

Effective Date: Saturday, October 14, 2017.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1696. Filed for public inspection October 13, 2017, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals), with the exception of 28 Pa. Code § 153.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 153.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
Butler Memorial Hospital	28 Pa. Code § 51.23 (relating to positron emission tomography)
Chestnut Hill Hospital	28 Pa. Code § 51.23
Geisinger Medical Center	28 Pa. Code § 146.1(a) (relating to principle)
Jennersville Regional Hospital	28 Pa. Code § 51.23
Phoenixville Hospital	28 Pa. Code § 131.22 (relating to treatment orders)
Pottstown Memorial Medical Center	28 Pa. Code § 127.31(b) (relating to policies and procedures)

The following hospitals are requesting exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Aria Health	2.2-3.4.2.1(1)(b)	Space requirements (CT scanner rooms)	2014
Butler Memorial Hospital	2.1-2.2.6.3(2)	Room features (hand-washing stations)	2014

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Millcreek Community Hospital	2.1-2.4.3.1(2)(a)	Location (seclusion rooms)	2014
	2.5-7.2.3.3(1)	Ceilings	2014
Milton S. Hershey Medical Center	3.1-3.2.2.2(1)	Area (space requirements)	2014
	3.1-3.2.2.2(2)(a)	Clearances (space requirements)	2014
	3.7-3.2.3.2	Clearances (space requirements)	2014
	3.8-3.1.2.1	Area (space requirements)	2014

All previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Acting Secretary

[Pa.B. Doc. No. 17-1697. Filed for public inspection October 13, 2017, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.18(e) (relating to management):

Juniper Village at Bucks County Rehabilitation and Skilled Care
3200 Bensalem Boulevard
Bensalem, PA 19020
FAC ID # 233802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(c)(3) (relating to nurses' station):

Willowbrooke Court Skilled Care Center at Normandy Farms Estates
8000 Twin Silo Drive
Blue Bell, PA 19422
FAC ID # 142502

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Bryn Mawr Terrace
773 Haverford Road
Bryn Mawr, PA 19010
FAC ID # 023402

The Health Center at the Hill at Whitemarsh
4000 Fox Hound Drive
Lafayette Hill, PA 19444
FAC ID # 17900201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Acting Secretary

[Pa.B. Doc. No. 17-1698. Filed for public inspection October 13, 2017, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Fee Schedule Revisions in the Independence Waiver

This notice announces the Department of Human Services' (Department) addition of the following services in the Medical Assistance (MA) Independence Waiver under 55 Pa. Code § 52.45(a) and (d) (relating to fee schedule rates): Residential Habilitation 1-3; Residential Habilitation 1-3 Support 1:1; Residential Habilitation 1-3 Support 2:1; Residential Habilitation 4-8; Residential Habilitation 4-8 Support 1:1; Residential Habilitation 4-8 Support 2:1; and the addition of Structured Day Habilitation Group, Structured Day Habilitation 1:1 and Structured Day Habilitation 2:1. The addition of these services to the Independence Waiver is necessary to allow individuals to transfer from the CommCare Waiver to the Independence Waiver as part of the migration to Community HealthChoices.

The rate and changes to the fee schedule are effective October 1, 2017.

Rate-Setting Methodology

The Department used the same rate methodology for the fee schedule rates as that used in the public notice published at 42 Pa.B. 3343 (June 9, 2012). Fee schedule rates were developed using a standardized market-based rate setting methodology. Relevant market-based information used to determine the fee schedule rates included

Commonwealth-specific wage information from the Center for Workforce Information and Analysis, Occupational Wages by County, Bureau of Labor Statistics Employer Costs, cost surveys from providers, Medicare rate information and MA State Plan Fee Schedules.

Fee Schedule Rates

The following table provides the procedure code and rates for Residential Habilitation services:

Residential Habilitation 1-3

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0100	N/A	264.15	1 day
2	N/A	N/A	N/A	X	X	X	W0100	N/A	264.15	1 day
3	N/A	N/A	N/A	X	X	X	W0100	N/A	264.15	1 day
4	N/A	N/A	N/A	X	X	X	W0100	N/A	264.15	1 day

CC = CommCare IW = Independence OW = OBRA

Residential Habilitation 1-3 Support 1:1

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0101	U4	19.79	1 hour
2	N/A	N/A	N/A	X	X	X	W0101	U4	19.79	1 hour
3	N/A	N/A	N/A	X	X	X	W0101	U4	19.79	1 hour
4	N/A	N/A	N/A	X	X	X	W0101	U4	19.79	1 hour

CC = CommCare IW = Independence OW = OBRA

Residential Habilitation 1-3 Support 2:1

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0101	U5	39.58	1 hour
2	N/A	N/A	N/A	X	X	X	W0101	U5	39.58	1 hour
3	N/A	N/A	N/A	X	X	X	W0101	U5	39.58	1 hour
4	N/A	N/A	N/A	X	X	X	W0101	U5	39.58	1 hour

CC = CommCare IW = Independence OW = OBRA

Residential Habilitation 4-8

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0102	N/A	247.67	1 day
2	N/A	N/A	N/A	X	X	X	W0102	N/A	247.67	1 day
3	N/A	N/A	N/A	X	X	X	W0102	N/A	247.67	1 day
4	N/A	N/A	N/A	X	X	X	W0102	N/A	247.67	1 day

CC = CommCare IW = Independence OW = OBRA

Residential Habilitation 4-8 Support 1:1

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0103	U4	19.62	1 hour
2	N/A	N/A	N/A	X	X	X	W0103	U4	19.62	1 hour
3	N/A	N/A	N/A	X	X	X	W0103	U4	19.62	1 hour
4	N/A	N/A	N/A	X	X	X	W0103	U4	19.62	1 hour

CC = CommCare IW = Independence OW = OBRA

Residential Habilitation 4-8 Support 2:1

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0103	U5	39.23	1 hour
2	N/A	N/A	N/A	X	X	X	W0103	U5	39.23	1 hour
3	N/A	N/A	N/A	X	X	X	W0103	U5	39.23	1 hour
4	N/A	N/A	N/A	X	X	X	W0103	U5	39.23	1 hour

CC = CommCare IW = Independence OW = OBRA

The following table provides the procedure code and rates for Structured Day Habilitation services:

Structured Day Habilitation Group

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0104	N/A	34.56	1 hour
2	N/A	N/A	N/A	X	X	X	W0104	N/A	34.56	1 hour
3	N/A	N/A	N/A	X	X	X	W0104	N/A	34.56	1 hour
4	N/A	N/A	N/A	X	X	X	W0104	N/A	34.56	1 hour

CC = CommCare IW = Independence OW = OBRA

Structured Day Habilitation 1:1

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0105	U4	19.62	1 hour
2	N/A	N/A	N/A	X	X	X	W0105	U4	19.62	1 hour
3	N/A	N/A	N/A	X	X	X	W0105	U4	19.62	1 hour
4	N/A	N/A	N/A	X	X	X	W0105	U4	19.62	1 hour

CC = CommCare IW = Independence OW = OBRA

Structured Day Habilitation 2:1

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Modifier	Rate	Unit
1	N/A	N/A	N/A	X	X	X	W0105	U5	39.23	1 hour
2	N/A	N/A	N/A	X	X	X	W0105	U5	39.23	1 hour
3	N/A	N/A	N/A	X	X	X	W0105	U5	39.23	1 hour
4	N/A	N/A	N/A	X	X	X	W0105	U5	39.23	1 hour

CC = CommCare IW = Independence OW = OBRA

Fiscal Impact

The Department anticipates that the usage or cost associated with the individuals in the CommCare Waiver who are moving to the Independence Waiver will be budget neutral. However, a potential fiscal impact could occur when the population currently in the Independence Waiver, who have not been eligible for Residential Habilitation or Structured Day Habilitation services, or both, become eligible for, enroll in and begin receiving the added services. The fiscal impact of this change is estimated at \$5.375 million (\$2.590 million in State funds) for Fiscal Year (FY) 2017-2018 and \$2.581 million (\$1.241 million in State funds) for FY 2018-2019.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Chris Barnard, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments

can also be sent to RA-waiverstandard@pa.gov. Comments received within 30 days will be considered in subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

TERESA D. MILLER,
Acting Secretary

Fiscal Note: 14-NOT-1188. (1) General Fund; (2) Implementing Year 2017-18 is \$2,590,000; (3) 1st Succeeding Year 2018-19 is \$1,241,000; 2nd Succeeding Year 2019-20 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$434,607,000; 2015-16 Program—\$339,077,000; 2014-15 Program—\$273,538,000; (7) Services to Persons with Disabilities; (8) recommends adoption.

[Pa.B. Doc. No. 17-1699. Filed for public inspection October 13, 2017, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on September 21, 2017, the following access routes for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' feet maximum length—each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
SR 3011 Farmington Road	From Valley Road at Berks County line to US 222	Lehigh	0.7
SR 1035	From 337 Chestnut Street to Farmington Road at the Lehigh County line	Berks	2.0

The Counties of Lehigh and Berks approved the access routes within their respective jurisdictions.

Questions should be directed to George Harpster at (717) 783-6473.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 17-1700. Filed for public inspection October 13, 2017, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Shaner Hotel Holdings Limited Partnership v. Centre County Conservation District, Department of Environmental Protection and Landmark Properties, Inc., Permittee; EHB Doc. No. 2017-093-M

Shaner Hotel Holdings Limited Partnership has appealed the approval by the Centre County Conservation District under delegation for the Department of Environmental Protection of an NPDES General Permit (PAG-02) to Landmark Properties, Inc. for a development located in Patton Township, Centre County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 17-1701. Filed for public inspection October 13, 2017, 9:00 a.m.]

FISH AND BOAT COMMISSION

Additions to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) approved the addition of three stream sections to its list of Class A Wild Trout Streams as set forth at 47 Pa.B. 4062 (July 22, 2017). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource and to conserve that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 17-1702. Filed for public inspection October 13, 2017, 9:00 a.m.]

Classification of Wild Trout Streams; Additions, Revisions and Removal

The Fish and Boat Commission (Commission) approved the addition of 99 new waters to its list of wild trout streams, the revision of the section limits of 2 waters already on the list and the removal of 1 water from the list as published at 47 Pa.B. 4050 (July 22, 2017). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in

determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams and it is available on the Commission's web site at <http://www.fishandboat.com/Fish/PennsylvaniaFishes/Trout/Pages/TroutWaterClassifications.aspx>.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 17-1703. Filed for public inspection October 13, 2017, 9:00 a.m.]

Special Regulation Designations and Redesignations

The Fish and Boat Commission (Commission) took the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective January 1, 2018:

58 Pa. Code § 65.15. Catch and release all-tackle

The Commission designated the following water as catch and release all-tackle:

County	Water
Cambria	West Branch Susquehanna River, from the outflow of the AMD treatment plant near Watkins approximately 26 miles downstream to the confluence with Cush Creek near Dowler Junction

58 Pa. Code § 65.18. Brood stock lakes

The Commission designated the following lake as a brood stock lake:

County	Lake
Mercer	Lake Wilhelm

The Commission removed the designation as a brood stock lake from the following lakes:

County	Lake
Erie	Union City Reservoir
Pike	Lake Wallenpaupack
Wayne	Duck Harbor Pond
Wayne	Miller Pond

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 17-1704. Filed for public inspection October 13, 2017, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Avalon Insurance Company; Pennsylvania Life and Health Insurance Guaranty Association; Doc. No. FC17-09-25

Under 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), a prehearing telephone conference shall be held on November 15, 2017, at 9:30 a.m. On or before November 13, 2017, each party shall designate the persons participating in the telephone conference and a telephone number to be used for each individual. Response to the appeal shall be filed with the Administrative Hearings Office on or before October 31, 2017. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any,

must be filed with the Administrative Hearings Office on or before October 31, 2017. Future prehearing scheduling and possibly a date for a hearing shall be determined, if necessary, at the November 15, 2017, prehearing telephone conference.

This is an appeal by a member of the Pennsylvania Life and Health Insurance Guaranty Association (PLHIGA) from a determination by the Board of Directors (Board) of PLHIGA dated June 22, 2017, in which the Board denied or declined to act upon the member's appeal from PLHIGA's assessment in connection with the liquidation of Penn Treaty Network America Insurance Company and/or Penn Treaty Network America Insurance Company. The appeal seeks a determination that certain premiums associated with Medicare Parts C and D products are not subject to assessment.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Human Resources at (717) 783-4308.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1705. Filed for public inspection October 13, 2017, 9:00 a.m.]

Appeal of Capital Advantage Insurance Company; Pennsylvania Life and Health Insurance Guaranty Association; Doc. No. FC17-09-24

Under 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), a prehearing telephone conference shall be held on November 15, 2017, at 9:30 a.m. On or before November 13, 2017, each party shall designate the persons participating in the telephone conference and a telephone number to be used for each individual. Response to the appeal shall be filed with the Administrative Hearings Office on or before October 31, 2017. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed with the Administrative Hearings Office on or before October 31, 2017. Future prehearing scheduling and possibly a date for a hearing shall be determined, if necessary, at the November 15, 2017, prehearing telephone conference.

This is an appeal by a member of the Pennsylvania Life and Health Insurance Guaranty Association (PLHIGA) from a determination by the Board of Directors (Board) of PLHIGA dated June 22, 2017, in which the Board denied or declined to act upon the member's appeal from PLHIGA's assessment in connection with the liquidation of Penn Treaty Network America Insurance Company and/or Penn Treaty Network America Insurance Company. The appeal seeks a determination that certain premiums associated with Medicare Parts C and D products are not subject to assessment.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Human Resources at (717) 783-4308.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1706. Filed for public inspection October 13, 2017, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Erie Insurance Exchange; File No. 17-198-213929; Rodney Youwakim; Doc. No. P17-09-027; November 8, 2017, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Acting Insurance Commissioner (Acting Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Acting Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Acting Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Human Resources at (717) 783-4308.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1707. Filed for public inspection October 13, 2017, 9:00 a.m.]

Transamerica Premier Life Insurance Company (SERFF # AEGB-131200207); Rate Increase Filing for Several Individual LTC Forms

Transamerica Premier Life Insurance Company is requesting approval to increase the premium 116% on 1,685 policyholders with forms ML-LTCP TQ (PA) 898, ML-LTCP TQ (PA-FR) 898, FPTQ (PA) 197, FPTQ (PA-FP) 197, LTC 5 TQ COM (PA) 1197 and LTC 5 TQ COM (PA-FP) 1197.

Unless formal administrative action is taken prior to December 28, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actu-

ary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1708. Filed for public inspection October 13, 2017, 9:00 a.m.]

Transamerica Premier Life Insurance Company (SERFF # AEGB-131201234); Rate Increase Filing for Individual LTC Forms MLC 1-P LTC 6 (PA) 402 and ML 1-P LTC 6 (PA-FR) 402

Transamerica Premier Life Insurance Company is requesting approval to increase the premium 65% on 37 policyholders with forms MLC 1-P LTC 6 (PA) 402 and ML 1-P LTC 6 (PA-FR) 402.

Unless formal administrative action is taken prior to December 28, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1709. Filed for public inspection October 13, 2017, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Inquiry into the Use of Social Security Numbers by Energy Utilities and Contractors in Conjunction with Universal Service Programs; Doc. No. M-2017-2595036

For the following reasons, the Pennsylvania Public Utility Commission (Commission) shall not proceed further with the generic Social Security Number (SSN) inquiry at Docket No. M-2017-2595036. If persons wish to comment regarding the use of SSNs in conjunction with universal service matters, they may do so in Review of Universal Service Programs at Docket No. M-2017-2596907.

Docket No. M-2017-2596907 was opened because an energy utility had asserted that SSNs were required from

persons seeking hardship funds.¹ According to the utility, its hardship fund administrator established the requirement.² Staff has now confirmed that the administrator requests, but does not require, SSNs from customers seeking hardship funds. The Commission is unaware of any energy utilities or their contractors/agents that currently require customers to disclose their SSNs, as well as the SSNs of other persons within their households, as a condition for receiving universal service benefits. Accordingly, the inquiry at Docket No. M-2017-2595036 is moot, and the docket shall be closed.

Individuals with questions regarding this Secretarial Letter should contact Joseph Magee, Bureau of Consumer Services, jmagee@pa.gov, regarding technical or operational issues, or Louise Fink Smith, Law Bureau, at finksmith@pa.gov, regarding legal or procedural issues.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1710. Filed for public inspection October 13, 2017, 9:00 a.m.]

¹ Hardship funds are a mandatory part of an energy utility's universal service and energy conservation program (USECP) and can provide cash assistance to the utility's customers to help pay utility bills. Hardship funds payments go directly to energy companies on behalf of eligible customers. See http://www.puc.pa.gov/consumer_info/electricity/energy_assistance_programs.aspx. Hardship funds are often administered by community based organizations (CBOs) on behalf of the energy utilities.

² See Duquesne Light Co. 2017—2019 USECP, Docket No. M-2016-2534323 (order entered March 23, 2017), at 43—47. Duquesne had asserted that its hardship fund administrator, the CBO Dollar Energy Fund (DEF), required applicants for hardship funds to provide SSNs for identification. DEF also administers hardship funds for several other energy utilities. This prompted initiation of Docket No. M-2017-2595036. In the interim, DEF has clarified that a customer is not denied a hardship fund grant merely because the customer does not provide SSNs for all members of the household and confirmed that it accepts alternative forms of identification. DEF has provided documentation regarding its policies and has committed to reviewing its requirements with its employees and agents and with all the utilities for which it serves as a CBO. Thus, Commission concerns relative to the use of SSNs by Duquesne in particular or DEF in general in conjunction with universal service programs have been resolved.

Pro Forma Intra-Corporate Transaction

A-2017-2627223 and A-2017-2627224. Xtension Services, Inc. and First Communications, LLC. Joint application of Xtension Services, Inc. and First Communications, LLC for approval of a pro forma intra-corporate transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 30, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: Xtension Services, Inc.; First Communications, LLC

Through and By Counsel: Patrick D. Crocker, Crocker & Crocker, PC, The Kalamazoo Building, 107 West Michigan Avenue, 4th Floor, Kalamazoo, MI 49007

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1711. Filed for public inspection October 13, 2017, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by October 30, 2017. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2017-2625111 (Amended). Brelyn Transportation, LLC (255 Cooper Avenue, Building 20, Apartment 501, Johnstown, Cambria County, PA 15906) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Cambria and Philadelphia, to points in Pennsylvania, and return; and from points in the Counties of Cambria and Philadelphia, to State correctional facilities in Pennsylvania, and return.

A-2017-2626587. Surrey Services for Seniors, Inc. (60 Surrey Way, Devon, Chester County, PA 19333) in airport transfer service, to and from points in Chester, Delaware and Montgomery Counties, to the Philadelphia International Airport. *Attorney:* Wendy McLean, 460 East King Road, Malvern, PA 19355.

Applications of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.*

A-2017-2626359. Ace Relocation Services, LLC (874 Welsh Road, Ambler, PA 19002) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

A-2017-2627267. Masha Mobile Moving and Storage, LLC, t/a Zippy Shell of Greater Philadelphia (204 Marie Road, West Chester, Chester County, PA 19380) household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1712. Filed for public inspection October 13, 2017, 9:00 a.m.]

Transmission Line; Prehearing Conference

A-2017-2625559. PPL Electric Utilities Corporation. Application of PPL Electric Utilities Corporation approval to rebuild the Hosensack-Quarry # 1 and # 2 138/69 kV transmission line in Lehigh and Northampton Counties.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utility).

ties) on or before November 27, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PPL Electric Utilities Corporation

Through and By Counsel: Christopher T. Wright, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101

Prehearing Conference

An initial prehearing conference on the previously-captioned case will be held as follows:

Date: Monday, December 4, 2017

Time: 10 a.m.

Location: Hearing Room 2
Plaza Level
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Presiding: Administrative Law Judge Steven K. Haas
P.O. Box 3265
Harrisburg, PA 17105-3265
(717) 787-1399
Fax: (717) 787-0481

Persons with a disability who wish to attend the hearing should contact the Commission to make arrangements for their special needs. Call the scheduling office at the Commission at least 5 business days prior to the hearing to submit a request.

For persons who require an interpreter to participate in the hearing, the Commission will make every reasonable effort to have an interpreter present. Call the scheduling office at the Commission at least 10 business days prior to the hearing to submit a request.

- Scheduling Office: (717) 787-1399
- Pennsylvania AT&T Relay Service number for persons who are deaf or hearing-impaired: (800) 654-5988

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1713. Filed for public inspection October 13, 2017, 9:00 a.m.]

Water Service

A-2017-2626908. Suez Water Pennsylvania, Inc. Application of Suez Water Pennsylvania, Inc. for approval to offer, render, furnish or supply water service to the public in an additional portion of Montour Township, Columbia County, and in a portion of Cooper Township, Montour County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 30, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed

in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Suez Water Pennsylvania, Inc.

Through and By Counsel: Michael D. Klein, Esquire, Cozen O'Connor, 17 North Second Street, Suite 1410, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1714. Filed for public inspection October 13, 2017, 9:00 a.m.]

Water Service

A-2017-2627218. Pennsylvania American Water Company. Application of Pennsylvania American Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Jackson Township, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 30, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Pennsylvania American Water Company

Through and By Counsel: Susan Simms Marsh, Esquire, Pennsylvania American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1715. Filed for public inspection October 13, 2017, 9:00 a.m.]

Water Service

A-2017-2627220. Pennsylvania American Water Company. Application of Pennsylvania American Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Lancaster Township, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 30, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Pennsylvania American Water Company

Through and By Counsel: Susan Simms Marsh, Esquire, Pennsylvania American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1716. Filed for public inspection October 13, 2017, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Petition for Changes to Taxicab Tariff; Doc. No. 17-005, as Amended

On August 23, 2017, the Philadelphia Parking Authority (Authority) Board amended Order No. 17-005 by extending the effective date of the taxicab tariff's mileage and waiting time increment increase to \$0.25 until December 1, 2017, under a petition filed with the Taxicab and Limousine Division (TLD) by taxicab driver Ronald Blount. See original Order No. 17-005 published at 47 Pa.B. 4609 (August 5, 2017). An updated taxicab tariff reflecting the new schedule of rates and new effective date December 1, 2017, follows as Exhibit A.

All owners of taxicabs under the jurisdiction of the Authority shall make arrangements with the meter technology vendor of each taxicab prior to December 1, 2017, for adjustments to the meter concerning this rate change. Immediately upon compliance with the rate adjustment on the meter, the taxicab shall be presented to the TLD for a meter inspection and a seal prior to returning to service. The TLD will not be publishing an amended schedule. The medallion owner is responsible for ensuring that it adheres to the aforementioned deadline.

Exhibit A

APPENDIX SCHEDULE OF RATES FOR ALL PHILADELPHIA TAXICABS EFFECTIVE DECEMBER 1, 2017

Applicable for the transportation of persons, their baggage, parcels and property in any taxicab providing service under the jurisdiction of the Philadelphia Parking Authority

Section 1. Metered Rate.

- First 1/10 mile (flag drop) or fraction thereof: \$2.70
- Each additional 1/10 mile or fraction thereof: \$0.25
- Each 37.6 seconds of wait time under 10-11 MPH: \$0.25

* Tips are not included in the fare.

* Fares are per cab, not per person.

* Applies to all trips except for flat rate trips defined in Section 2.

* Tolls are to be paid by the customer to cover round-trips. Tolls that are charged one-way such as the bridges to New Jersey must be paid regardless of the direction of travel. Tolls that are charged each way such as turnpike tolls shall be doubled to compensate the driver for the return trip.

* There is no additional charge for handling baggage or other items that can be safely carried in the vehicle.

Section 2. Flat Rate Trips Between the Center City Zone and the Airport.

Flat Rate Zone Boundaries

The flat rate is charged in lieu of the metered rate by all Medallion Taxicabs for trips between the Philadelphia International Airport and the Center City Zone. Effective July 1, 2017, as expanded by Authority Order 17-004, the Flat Rate Zone is defined as the area between the Schuylkill and Delaware Rivers and between Washington Avenue on the south and Fairmount Avenue on the north. West of the Schuylkill River, the northern boundary continues west along the north side of 30th Street Station on 2900 Arch Street then southward on 30th Street to its intersection with Market Street. The boundary proceeds west along the north side of Market Street to 48th Street, south on 48th Street to Spruce Street and east on Spruce Street to its intersection with South Street.

Flat Rate Zone Trip Rates

Flat Rate from the Center City Zone to the Airport: \$28.50 per one way trip regardless of the number of passengers.

Flat Rate from the Airport to the Center City Zone: \$28.50 per one way trip for one (1) passenger. A \$1.00 per passenger surcharge for each additional passenger after the first will be added to the meter after the flat rate fee is engaged on the meter by the driver after leaving the Airport. This applies only to passengers over the age of twelve (12). If the trip necessitates a drop-off at more than one destination in the Center City Zone, the following applies: the flat rate and all additional per passenger surcharges of \$1.00 each are to be collected upon departure of the first passenger in the Center City Zone. The driver will then reset the meter initiating a new flag drop using the standard meter rates above for each of the remaining passengers if each requires a separate drop-off.

Section 3. Airport Egress Fee & Minimum Airport Fares.

• The \$1.50 Airport egress fee shall be added to all metered fares leaving the Philadelphia International Airport.

• The minimum fare that will include the egress fee for any trip starting at an airport taxicab stand shall be \$11.00.

• The Airport egress fee will not be added to any trip that is being charged the flat-rate to the Center City Zone as defined in Section 2.

Section 4. Fuel Surcharge.

On April 23, 2012, the Authority Board approved a measure implementing a fuel surcharge system for all Philadelphia taxicabs and airport transfer service (a classification of limousine service). The surcharge system allows for the fuel surcharge to change monthly based on fluctuating gas prices as described in the April 23, 2012 resolution. As required, the average price per gallon of regular, unleaded gasoline must be evaluated each month, the corresponding surcharge determined and then posted on the Taxicab and Limousine page of the Authority's website on the third Friday of that month for the following month. Please refer to www.philapark.org/tld for the current fuel surcharge that is added to the taxicab metered fare.

CLARENA TOLSON,
Executive Director

[Pa.B. Doc. No. 17-1717. Filed for public inspection October 13, 2017, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearings will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

January 24, 2018	Melvin S. Riddick (Credit for Full-Time Leave of Absence)	1 p.m.
January 25, 2018	Debra A. Tretter (Credit for Full-Time Leave of Absence)	11 a.m.

Persons with a disability who wish to attend a previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Lori Koch, Assistant to the Executive Director, at (717) 720-4606 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

GLEN R. GRELL,
Executive Director

[Pa.B. Doc. No. 17-1718. Filed for public inspection October 13, 2017, 9:00 a.m.]

STATE HORSE RACING COMMISSION

Equine Veterinary Practices

The State Horse Racing Commission (Commission) provides notice that on August 31, 2017, it issued an Order adopting specific procedures relating to various equine veterinary practices in the horse racing industry. This Order was adopted under the authority of 3 Pa.C.S. § 9311(h) (relating to State Horse Racing Commission), under Administrative Doc. No. 2017-13.

The general purpose of the Order is to: (1) ensure the health, safety and welfare of the racing horse by setting forth professional standards, ethical obligations and procedures relating to the administration of medications and therapeutic drugs; and (2) establish procedures and record-keeping requirements to maintain the ongoing integrity of racing and the best interests of the general public and the participants in racing. This purpose is common to all other regulations and orders of the Commission addressing the administration of medications/drugs and penalties, including those regulations and orders issued under the statutory authority previously cited.

In summary, the Order authorizes the use of the "Equine Veterinary Practices" Model Rule 011-110 and 025-015 adopted by the Association of Racing Commissioners International, the National body of racing officials that developed model rules and standards for racing.

The Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Protect/RacingCommission/Pages/>

Publications.aspx. The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

BRETT REVINGTON,
Director
Bureau of Standardbred Horse Racing

THOMAS F. CHUCKAS, Jr.,
Director
Bureau of Thoroughbred Horse Racing

[Pa.B. Doc. No. 17-1719. Filed for public inspection October 13, 2017, 9:00 a.m.]

Horse Positives—Judges'/Stewards' List; Ineligibility to Race

The State Horse Racing Commission (Commission) provides notice that on August 31, 2017, it issued an Order adopting specific procedures relating to horses that have tested "positive" for a Class 1, 2 or 3 drug or medication or other foreign substance. This Order was adopted under the authority of 3 Pa.C.S. § 9311(h) (relating to State Horse Racing Commission), under Administrative Doc. No. 2017-10.

Class 1 and 2 drugs have been determined by the Association of Racing Commissioners International, the National body of racing officials that has developed model rules and standards for racing, to have no generally accepted therapeutic use in a racing horse and to have a high potential to affect the outcome of a race. Class 3 drugs may or may not have an accepted therapeutic use in a racing horse, but have the potential to affect the performance of a racing horse and the outcome of a race.

The general purpose of the Order is to: (1) ensure the health and safety of the racing horse; (2) maintain the integrity of racing by imposing fair and equitable oversight of medication/drug penalties; and (3) prevent the circumvention of those penalties as applied to the racing horse. This purpose is common to all other regulations and orders of the Commission addressing medication/drug penalties, including those regulations and orders issued under the statutory authority previously cited.

In summary, the Order calls for a horse that tests "positive" for a prohibited substance to be placed on the Judges' List (for Standardbred racing) or the Stewards' List (for Thoroughbred racing), making the horse ineligible to race for 90 days if the horse tests "positive" for a Class 1 or 2 drug and 30 days if it tests "positive" for a Class 3 drug or other foreign substance.

The Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Protect/RacingCommission/Pages/Publications.aspx>. The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

BRETT REVINGTON,
Director
Bureau of Standardbred Horse Racing

THOMAS F. CHUCKAS, Jr.,
Director
Bureau of Thoroughbred Horse Racing

[Pa.B. Doc. No. 17-1720. Filed for public inspection October 13, 2017, 9:00 a.m.]

Prohibited Practices

The State Horse Racing Commission (Commission) provides notice that on August 31, 2017, it issued an Order identifying specific prohibited practices and a compendium of illegal substances and blood-doping agents expressly prohibited from racing. This Order was adopted under the authority of 3 Pa.C.S. § 9311(h) (relating to State Horse Racing Commission), under Administrative Doc. No. 2017-12.

The general purpose of the Order is to: (1) protect the health, safety and welfare of the racing horse by expressly prohibiting illegal conduct and practices while on a racetrack; (2) prevent the possession and use of illegal substances and practices which may endanger the safety of jockeys and drivers; and (3) prevent the administration of blood doping agents or other illegal substances which have no generally-accepted use in equine care. This purpose is common to all other regulations and orders of the Commission addressing the administration of medications/drugs and penalties, including those regulations and orders issued under the statutory authority previously cited.

In summary, the Order refers to certain prohibited practices and adopts the comprehensive list of illegal substances as set forth in Model Rule 001-115 and 025-015 of the Association of Racing Commissioners International (ARCI). ARCI is a National body of racing officials and commissioners that develop model rules and standards for the horse racing industry.

The Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Protect/RacingCommission/Pages/>

[Publications.aspx](#). The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

BRETT REVINGTON,
Director
Bureau of Standardbred Horse Racing

THOMAS F. CHUCKAS, Jr.,
Director
Bureau of Thoroughbred Horse Racing

[Pa.B. Doc. No. 17-1721. Filed for public inspection October 13, 2017, 9:00 a.m.]

Selection or Drawing of Horses; Re-draw Provision

The State Horse Racing Commission (Commission) provides notice that on July 26, 2017, it issued an Order adopting specific "re-drawing" procedures relating to the selection or drawing of horses in Standardbred horse races. The "draw" is the process by which horses are selected to start in specific races and post positions for each race. This Order was adopted under the authority of 3 Pa.C.S. § 9311(h) (relating to State Horse Racing Commission), under Administrative Doc. No. 2017-11.

The general purpose of the Order is to: (1) confirm the finality of the process of drawing horses into a specific racing event; (2) maintain the integrity of the selection or drawing process; and (3) establish an equitable and uniform process when there is conclusive evidence that an otherwise eligible horse has been mistakenly or inadvertently omitted from that race through clerical error.

In summary, the Order calls for the re-drawing of horses by the racing secretary's office in overnight races and stakes races when an otherwise eligible horse has been mistakenly or inadvertently omitted from the draw.

The Order and specific provisions have been posted and published on the Commission's web site at <http://www.agriculture.pa.gov/Protect/RacingCommission/Pages/Publications.aspx>. The Commission will also provide copies of the Order upon request directed to (717) 787-5539.

BRETT REVINGTON,
Director
Bureau of Standardbred Horse Racing

[Pa.B. Doc. No. 17-1722. Filed for public inspection October 13, 2017, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on November 2, 2017, at 2:30 p.m. at the Pennsylvania State Capitol, Room 8E-B, East Wing, Commonwealth Avenue, Harrisburg, PA. The public hearing will end at 5 p.m. or at the conclusion of public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. These projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for December 7, 2017, which will be

noticed separately. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects. The deadline for the submission of written comments is November 13, 2017.

For further information contact Jason Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission's Water Application and Approval Viewer at <http://mdw.srbc.net/waav>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.net/pubinfo/docs/2009-02_Access_to_Records_Policy_20140115.pdf.

Supplementary Information

The public hearing will cover the following projects:
Projects Scheduled for Action

1. Project Sponsor and Facility: Beech Creek Borough Authority, Beech Creek Borough, Clinton County, PA. Application for renewal of groundwater withdrawal of up to 0.220 mgd (30-day average) from Well 2 (Docket No. 19870602).

2. Project Sponsor and Facility: Brymac, Inc., d/b/a Mountain View Country Club (Pond 3/4), Harris Township, Centre County, PA. Application for surface water withdrawal of up to 0.240 mgd (peak day).

3. Project Sponsor and Facility: Cabot Oil & Gas Corporation (East Branch Tunkhannock Creek), Lenox Township, Susquehanna County, PA. Application for surface water withdrawal of up to 1.000 mgd (peak day).

4. Project Sponsor and Facility: Cabot Oil & Gas Corporation (Meshoppen Creek), Lemon Township, Wyoming County, PA. Modification to increase surface water withdrawal by an additional 0.500 mgd (peak day), for a total surface water withdrawal of up to 1.000 mgd (peak day) (Docket No. 20170302).

5. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Athens Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 0.750 mgd (peak day) (Docket No. 20131202).

6. Project Sponsor and Facility: Houtzdale Municipal Authority, Gulich Township, Clearfield County, PA. Application for groundwater withdrawal of up to 1.008 mgd (30-day average) from Well 14R.

7. Project Sponsor and Facility: LHP Management, LLC (Fishing Creek), Bald Eagle Township, Clinton County, PA. Application for surface water withdrawal of up to 0.999 mgd (peak day).

8. Project Sponsor and Facility: Martinsburg Municipal Authority, North Woodbury Township, Blair County, PA. Application for renewal of groundwater withdrawal of up to 0.346 mgd (30-day average) from Wineland Well 3 (Docket No. 19870304).

9. Project Sponsor and Facility: Borough of Mifflinburg, West Buffalo Township, Union County, PA. Modification to request a reduction in the withdrawal rate of Well PW-2 from 0.554 mgd to 0.396 mgd (30-day average), and to eliminate wetlands monitoring condition (Docket No. 20141203).

10. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Choconut Creek), Choconut Township,

Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20131211).

11. Project Sponsor and Facility: Schuylkill Energy Resources, Inc., Mahanoy Township, Schuylkill County, PA. Application for renewal of groundwater withdrawal of up to 5.000 mgd (30-day average) from Maple Hill Mine Shaft Well (Docket No. 19870101).

12. Project Sponsor and Facility: Schuylkill Energy Resources, Inc., Mahanoy Township, Schuylkill County, PA. Application for renewal of consumptive use of up to 2.550 mgd (peak day) (Docket No. 19870101).

13. Project Sponsor: SUEZ Water Pennsylvania, Inc. Project Facility: Shavertown Operation, Dallas Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.288 mgd (30-day average) from the Salla Well.

14. Project Sponsor and Facility: SWN Production Company, LLC (Lycoming Creek), Lewis Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 0.500 mgd (peak day) (Docket No. 20131209).

15. Project Sponsor and Facility: SWN Production Company, LLC (Lycoming Creek), McIntyre Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 0.500 mgd (peak day) (Docket No. 20131210).

16. Project Sponsor and Facility: Village of Waverly, Tioga County, NY. Application for groundwater withdrawal of up to 0.320 mgd (30-day average) from Well 1.

17. Project Sponsor and Facility: Village of Waverly, Tioga County, NY. Application for groundwater withdrawal of up to 0.480 mgd (30-day average) from Well 2.

18. Project Sponsor and Facility: Village of Waverly, Tioga County, NY. Application for groundwater withdrawal of up to 0.470 mgd (30-day average) from Well 3.

Opportunity to Appear and Comment

Interested parties may appear at the hearing to offer comments to the Commission on any project listed previously. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Guidelines for the public hearing will be posted on the Commission's web site, www.srbc.net, prior to the hearing for review. The presiding officer reserves the right to modify or supplement the guidelines at the hearing. Written comments on any project listed previously may also be mailed to Jason Oyler, General Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/pubinfo/publicparticipation.htm. Comments mailed or electronically submitted must be received by the Commission on or before November 13, 2017, to be considered.

Authority: Pub.L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: September 29, 2017

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 17-1723. Filed for public inspection October 13, 2017, 9:00 a.m.]